



DAFTAR PUSTAKA

- [1] N. Satoshi, "Bitcoin: A Peer-to-Peer Electronic Cash System," *J. Gen. Philos. Sci.*, vol. 39, no. 1, pp. 53–67, 2008, doi: 10.1007/s10838-008-9062-0.
- [2] F. Casino, T. K. Dasaklis, and C. Patsakis, "A systematic literature review of blockchain-based applications: Current status, classification and open issues," *Telemat. Informatics*, vol. 36, no. May 2018, pp. 55–81, 2019, doi: 10.1016/j.tele.2018.11.006.
- [3] G. Greenspan, "Ending the bitcoin vs blockchain debate | MultiChain." Accessed: Sep. 19, 2020. [Online]. Available: <https://www.multichain.com/blog/2015/07/bitcoin-vs-blockchain-debate/>
- [4] K. Christidis and M. Devetsikiotis, "Blockchains and Smart Contracts for the Internet of Things," *IEEE Access*, vol. 4, pp. 2292–2303, 2016, doi: 10.1109/ACCESS.2016.2566339.
- [5] Coinmarketcap, "Cryptocurrency Market Capitalizations | CoinMarketCap," Coinmarketcap. Accessed: Jul. 20, 2022. [Online]. Available: <https://coinmarketcap.com/>
- [6] C. Smith, *Blueprints for a new economy*, 1st ed., vol. 293, no. 11. O'ReillyMedia, Inc., 2015.
- [7] QuantumMechanic, "Proof of stake instead of proof of work," Bitcoin Forum. Accessed: Sep. 22, 2020. [Online]. Available: <https://bitcointalk.org/index.php?topic=27787>
- [8] I. B. B, A. Gabizon, and A. Mizrahi, "Cryptocurrencies Without Proof of Work," *Int. Financ. Cryptogr. Assoc.*, vol. 9604, pp. 142–157, 2016, doi: 10.1007/978-3-662-53357-4.
- [9] Y. Gilad, R. Hemo, S. Micali, G. Vlachos, and N. Zeldovich, "Algorand: Scaling Byzantine Agreements for Cryptocurrencies," in *SOSP'17*, 2017, pp. 51–68. doi: 10.1145/3132747.3132757.
- [10] P. Otte, M. de Vos, and J. Pouwelse, "TrustChain: A Sybil-resistant scalable blockchain," *Futur. Gener. Comput. Syst.*, 2017, doi: 10.1016/j.future.2017.08.048.
- [11] Z. Liu, S. Tang, S. S. M. Chow, Z. Liu, and Y. Long, "Fork-free hybrid consensus with flexible Proof-of-Activity," *Futur. Gener. Comput. Syst.*, vol. 96, pp. 515–524, 2019, doi: 10.1016/j.future.2019.02.059.
- [12] J. Luo *et al.*, "Making Big Data Open in Edges: A Resource-Efficient Blockchain-based Approach," *IEEE Trans. Parallel Distrib. Syst.*, vol. PP, no. c, pp. 1–1, 2018, doi: 10.1109/tpds.2018.2871449.
- [13] J. Liu, W. Li, G. O. Karame, and N. Asokan, "Scalable byzantine consensus via hardware-assisted secret sharing," *IEEE Trans. Comput.*, vol. 68, no. 1, pp. 139–151, 2019, doi: 10.1109/TC.2018.2860009.
- [14] I. Abraham, D. Malkhi, K. Nayak, L. Ren, and A. Spiegelman, "Solidus: An Incentive-compatible Cryptocurrency Based on Permissionless Byzantine Consensus," *Leibniz Int. Proc. Informatics, LIPIcs*, vol. 95, 2018, doi: 10.4230/LIPIcs.OPODIS.2017.25.
- [15] R. Pass and E. Shi, "Hybrid consensus: Efficient consensus in the permissionless model," *Leibniz Int. Proc. Informatics, LIPIcs*, vol. 91, no. 39, pp. 1–16, 2017, doi: 10.4230/LIPIcs.DISC.2017.39.
- [16] L. P. Maddali, M. S. D. Thakur, R. Vigneswaran, M. A. Rajan, S. Kanchanapalli, and B. Das, "VeriBlock: A Novel Blockchain Framework based on Verifiable Computing and Trusted Execution Environment," *2020 Int. Conf. Commun. Syst. NETworks, COMSNETS 2020*, no. ii, pp. 1–6, 2020, doi:



- 10.1109/COMSNETS48256.2020.9027414.
- [17] S. N. Mohanty *et al.*, “An efficient Lightweight integrated Blockchain (ELIB) model for IoT security and privacy,” *Futur. Gener. Comput. Syst.*, vol. 102, pp. 1027–1037, 2020, doi: 10.1016/j.future.2019.09.050.
 - [18] L. Chen, L. Carranco, and X. Fan, “Supporting Blockchain- Based Cryptocurrency Mobile Payment With Smart Devices,” *IEEE Consumer Electronics Magazine*, no. February 2020, pp. 26–33, 2019. doi: 10.1109/MCE.2019.2953734.
 - [19] S. P. Mohanty, V. P. Yanambaka, E. Kougianos, and D. Puthal, “PUFchain: A Hardware-Assisted Blockchain for Sustainable Simultaneous Device and Data Security in the Internet of Everything (IoE),” *IEEE Consum. Electron. Mag.*, vol. 9, no. 2, pp. 8–16, 2020, doi: 10.1109/MCE.2019.2953758.
 - [20] N. C. Luong, Y. Jiao, P. Wang, D. Niyato, D. I. Kim, and Z. Han, “A Machine-Learning-Based Auction for Resource Trading in Fog Computing,” *IEEE Commun. Mag.*, vol. 58, no. 3, pp. 82–88, 2020, doi: 10.1109/MCOM.001.1900136.
 - [21] Y. Wang, Z. Song, and T. Cheng, *Improvement Research of PBFT Consensus Algorithm Based on Credit*, vol. 1156 CCIS. 2020. doi: 10.1007/978-981-15-2777-7_4.
 - [22] S. Tanwar, K. Parekh, and R. Evans, “Blockchain-based electronic healthcare record system for healthcare 4.0 applications,” *J. Inf. Secur. Appl.*, vol. 50, 2020, doi: 10.1016/j.jisa.2019.102407.
 - [23] W. Cai, W. Jiang, K. Xie, Y. Zhu, Y. Liu, and T. Shen, “Dynamic reputation–based consensus mechanism: Real-time transactions for energy blockchain,” *Int. J. Distrib. Sens. Networks*, vol. 16, no. 3, 2020, doi: 10.1177/1550147720907335.
 - [24] Y. Liu, K. Wang, K. Qian, M. Du, and S. Guo, “Tornado: Enabling Blockchain in Heterogeneous Internet of Things Through a Space-Structured Approach,” *IEEE Internet Things J.*, vol. 7, no. 2, pp. 1273–1286, 2020, doi: 10.1109/JIOT.2019.2954128.
 - [25] F. Heider, *The Psychology of Interpersonal Relations*, First Edit. New Jersey: Lawrence Erlbaum Associates, 1958. [Online]. Available: <https://read.amazon.com/>
 - [26] W. Y. Huang and A. J. Dubinsky, “Measuring customer pre-purchase satisfaction in a retail setting,” *Serv. Ind. J.*, vol. 34, no. 3, pp. 212–229, 2014, doi: 10.1080/02642069.2013.778249.
 - [27] X. Chen, B. Liu, J. Qiu, W. Shen, L. Reedman, and Z. Y. Dong, “A new trading mechanism for prosumers based on flexible reliability preferences in active distribution network,” *Appl. Energy*, vol. 283, no. September 2020, p. 116272, 2021, doi: 10.1016/j.apenergy.2020.116272.
 - [28] Y. M. Tang, K. Y. Chau, L. Hong, Y. K. Ip, and W. Yan, “Financial innovation in digital payment with wechat towards electronic business success,” *J. Theor. Appl. Electron. Commer. Res.*, vol. 16, no. 5, pp. 1844–1861, 2021, doi: 10.3390/jtaer16050103.
 - [29] M. Barkhordari, Z. Nourollah, H. Mashayekhi, Y. Mashayekhi, and M. S. Ahangar, “Factors influencing adoption of e-payment systems: an empirical study on Iranian customers,” *Inf. Syst. E-bus. Manag.*, vol. 15, no. 1, pp. 89–116, 2017, doi: 10.1007/s10257-016-0311-1.
 - [30] A. Labrinidis, Y. Papakonstantinou, J. M. Patel, and R. Ramakrishnan, “Big Data and Its Technical Challenges,” *Communications of the ACM*, 2014.
 - [31] V. Snasel and J. Kacprzyk, *Big Data in Complex Systems*. Springer, 2015.
 - [32] R. L. Villars and C. W. Olofson, “WHITE PAPER Big Data : What It Is and Why You Should Care INFORMATION EVERYWHERE , BUT WHERE ’ S THE KNOWLEDGE ?,” *IDC Anal. Futur.*, 2011.



- [33] M. A. Khan, M. F. Uddin, and N. Gupta, "Seven V ' s of Big Data Understanding Big Data to extract Value," in *Proceedings of 2014 Zone 1 Conference of the American Society for Engineering Education (ASEE Zone 1)*, IEEE Xplore, 2014.
- [34] I. A. S. Z. E. Exposito, "Handling big data : research challenges and future," *J. Supercomput.*, 2016, doi: 10.1007/s11227-016-1677-z.
- [35] H. Özköse, P. L. Q. Uđ, and C. Gencer, "Yesterday , Today and Tomorrow of Big Data," in *World Conference on Technology, Innovation and Entrepreneurship*, Elsevier Ltd, 2015, pp. 1042–1050. doi: 10.1016/j.sbspro.2015.06.147.
- [36] S. Athey, "Beyond prediction: Using big data for policy problems," *Science*, pp. 1–3, 2017.
- [37] G. D. L. Campos, A. I. Vazquez, S. Hsu, and L. Lello, "Complex-Trait Prediction in the Era of Big Data," *Trends Genet.*, vol. 34, no. 10, pp. 746–754, 2018, doi: 10.1016/j.tig.2018.07.004.
- [38] R. Northcott, "Big data and prediction : Four case studies," *Stud. Hist. Philos. Sci.*, vol. 81, no. September 2019, pp. 96–104, 2020, doi: 10.1016/j.shpsa.2019.09.002.
- [39] F. Emmert-streib, Z. Yang, H. Feng, S. Tripathi, and F. Emmert-streib, "An Introductory Review of Deep Learning for Prediction Models With Big Data," *Front. Artif. Intell.*, vol. 3, no. February, pp. 1–23, 2020, doi: 10.3389/frai.2020.00004.
- [40] L. Yao and Z. Ge, "Big data quality prediction in the process industry : A distributed parallel modeling framework," *J. Process Control*, vol. 68, pp. 1–13, 2018, doi: 10.1016/j.jprocont.2018.04.004.
- [41] S. Niu, S. Wang, J. Wang, J. Xia, and G. Yu, "Integrative ecology in the era of big data — From observation to," *Sci. China Earth Sci.*, vol. 63, p. pages 1429–1442, 2020.
- [42] M. I. N. Chen *et al.*, "Disease Prediction by Machine Learning Over Big Data From Healthcare Communities," *Spec. Sect. Healthc. BIG DATA*, vol. 5, pp. 8869–8879, 2017.
- [43] I. Ahmed, M. Ahmad, G. Jeon, and F. Piccialli, "A Framework for Pandemic Prediction Using Big Data Analytics," *Big Data Res.*, vol. 25, p. 100190, 2021, doi: 10.1016/j.bdr.2021.100190.
- [44] P. C. Reddy, "Survey on Weather Prediction using Big Data Analytics," in *Second International Conference on Electrical, Computer and Communication Technologies (ICECCT)*, IEEE Xplore, 2017.
- [45] G. Gui, S. Member, F. Liu, S. Member, and J. Sun, "Flight Delay Prediction Based on Aviation Big Data and Machine Learning," *IEEE Trans. Veh. Technol.*, vol. PP, no. XX, p. 1, 2019, doi: 10.1109/TVT.2019.2954094.
- [46] H. Yang, J. Yuan, H. Yao, Q. Yao, A. Yu, and J. Zhang, "Blockchain-Based Hierarchical Trust Networking for JointCloud," *IEEE Internet Things J.*, vol. 7, no. 3, pp. 1667–1677, 2020, doi: 10.1109/JIOT.2019.2961187.
- [47] D. Haryadi, V. H. Kusumawardhana, H. Leslie, and H. Spits, "*The Implementation of E-money in Mobile Phone : A Case Study at PT Bank KEB," in *2018 Indonesian Association for Pattern Recognition International Conference (INAPR)*, IEEE, 2018, pp. 202–206.
- [48] I. Radanović and R. Likić, "Opportunities for Use of Blockchain Technology in Medicine," *Appl. Health Econ. Health Policy*, vol. 16, no. 5, pp. 583–590, 2018, doi: 10.1007/s40258-018-0412-8.
- [49] L. Yang, X. Y. Liu, and J. S. Kim, "Cloud-based Livestock Monitoring System Using RFID and Blockchain Technology," in *Proceedings - 2020 7th IEEE International Conference on Cyber Security and Cloud Computing and 2020 6th IEEE International Conference on Edge Computing and Scalable Cloud, CSCloud-*



- EdgeCom* 2020, 2020, pp. 240–245. doi: 10.1109/CSCloud-EdgeCom49738.2020.00049.
- [50] M. Das, X. Tao, and J. C. P. Cheng, “BIM security: A critical review and recommendations using encryption strategy and blockchain,” *Autom. Constr.*, vol. 126, no. June 2020, p. 103682, 2021, doi: 10.1016/j.autcon.2021.103682.
 - [51] P. Mukherjee, L. B. Barik, C. Pradhan, S. S. Patra, and R. K. Barik, “hQChain: Leveraging towards blockchain and queueing model for secure smart connected health,” *Int. J. E-Health Med. Commun.*, vol. 12, no. 6, pp. 1–20, 2021, doi: 10.4018/IJEHMC.20211101.0a3.
 - [52] S. K. Lo *et al.*, *Digital-Physical Parity for Food Fraud Detection*, vol. 11521 LNCS. Springer International Publishing, 2019. doi: 10.1007/978-3-030-23404-1_5.
 - [53] M. Tripoli and J. Schmidhuber, “Optimising traceability in trade for live animals and animal products with digital technologies,” *Rev. Sci. Tech.*, vol. 39, no. 1, pp. 235–244, 2020, doi: 10.20506/rst.39.1.3076.
 - [54] M. Guo, X. J. Liu, and W. Zhang, “Using blockchain technology in human food chain provenance,” *WIT Trans. Built Environ.*, vol. 179, pp. 391–396, 2018, doi: 10.2495/UG180361.
 - [55] K. S. Loke and O. C. Ann, “Food Traceability and Prevention of Location Fraud using Blockchain,” *IEEE Reg. 10 Humanit. Technol. Conf. R10-HTC*, vol. 2020-Decem, pp. 1–5, 2020, doi: 10.1109/R10-HTC49770.2020.9356999.
 - [56] I. Makhdoom, M. Abolhasan, H. Abbas, and W. Ni, “*Blockchain’s adoption in IoT: The challenges, and a way forward,” *J. Netw. Comput. Appl.*, vol. 125, no. March 2018, pp. 251–279, 2019, doi: 10.1016/j.jnca.2018.10.019.
 - [57] N. Deepa *et al.*, “A survey on blockchain for big data: Approaches, opportunities, and future directions,” *Futur. Gener. Comput. Syst.*, vol. 131, pp. 209–226, 2022, doi: 10.1016/j.future.2022.01.017.
 - [58] J. Chen, Z. Lv, and H. Song, “Design of personnel big data management system based on blockchain,” *Futur. Gener. Comput. Syst.*, vol. 101, pp. 1122–1129, 2019, doi: 10.1016/j.future.2019.07.037.
 - [59] A. Dorri, S. S. Kanhere, and R. Jurdak, “MOF-BC: A memory optimized and flexible blockchain for large scale networks,” *Futur. Gener. Comput. Syst.*, vol. 92, pp. 357–373, 2019, doi: 10.1016/j.future.2018.10.002.
 - [60] C. Ehmke, F. Wessling, and C. M. Friedrich, “Proof-of-property: A lightweight and scalable blockchain protocol,” *Proc. - Int. Conf. Softw. Eng.*, no. February, pp. 48–51, 2018, doi: 10.1145/3194113.3194122.
 - [61] A. Palai, M. Vora, and A. Shah, “Empowering Light Nodes in Blockchains with Block Summarization,” *2018 9th IFIP Int. Conf. New Technol. Mobil. Secur. NTMS 2018 - Proc.*, vol. 2018-Janua, pp. 1–5, 2018, doi: 10.1109/NTMS.2018.8328735.
 - [62] Y. Ren, Y. Liu, S. Ji, A. K. Sangaiah, and J. Wang, “Incentive Mechanism of Data Storage Based on Blockchain for Wireless Sensor Networks,” *Mob. Inf. Syst.*, vol. 2018, 2018, doi: 10.1155/2018/6874158.
 - [63] S. Wang *et al.*, “ForkBase: An efficient storage engine for blockchain and forkable applications,” *Proc. VLDB Endow.*, vol. 11, no. 10, pp. 1137–1150, 2018, doi: 10.14778/3231751.3231762.
 - [64] J. Benet and N. Greco, “Filecoin: A Decentralized Storage Network,” *Protoc. Labs*, pp. 1–36, 2017.
 - [65] M. Dai, S. Zhang, H. Wang, and S. Jin, “A Low Storage Requirement Framework for Distributed Ledger in Blockchain,” *IEEE Access*, vol. 6, pp. 22970–22975, 2018, doi: 10.1109/ACCESS.2018.2814624.
 - [66] Y. Xu and Y. Huang, “Segment blockchain: A size reduced storage mechanism for



- Blockchain,” *IEEE Access*, vol. 8, pp. 17434–17441, 2020, doi: 10.1109/ACCESS.2020.2966464.
- [67] Q. Zheng, Y. Li, P. Chen, and X. Dong, “An Innovative IPFS-Based Storage Model for Blockchain,” *Proc. - 2018 IEEE/WIC/ACM Int. Conf. Web Intell. WI 2018*, pp. 704–708, 2019, doi: 10.1109/WI.2018.000-8.
- [68] O. F. Cangir, O. Cankur, and A. Ozsoy, “A taxonomy for Blockchain based distributed storage technologies,” *Inf. Process. Manag.*, vol. 58, no. 5, p. 102627, 2021, doi: 10.1016/j.ipm.2021.102627.
- [69] Y. Hassanzadeh-Nazarabadi, A. Küpçü, and Ö. Özkasap, “LightChain: A DHT-based Blockchain for Resource Constrained Environments,” pp. 1–54, 2019, [Online]. Available: <http://arxiv.org/abs/1904.00375>
- [70] R. Blum and T. Bocek, “Superlight - A permissionless, light-client only blockchain with self-contained proofs and BLS signatures,” *2019 IFIP/IEEE Symp. Integr. Netw. Serv. Manag. IM 2019*, pp. 36–41, 2019.
- [71] C. H. G. von Heyden, “Sia: Simple Decentralized Storage David,” *David Vor.*, vol. 16, pp. 368–370, 2014.
- [72] S. Wilkinson *et al.*, “Storj A Peer-to-Peer Cloud Storage Network,” *Tech. report, storj.io*, pp. 1–37, 2016.
- [73] M. Li, Y. Qin, B. Liu, and X. Chu, “Enhancing the efficiency and scalability of blockchain through probabilistic verification and clustering,” *Inf. Process. Manag.*, vol. 58, no. 5, p. 102650, 2021, doi: 10.1016/j.ipm.2021.102650.
- [74] M. Zamani, M. Movahedi, and M. Raykova, “RapidChain: Scaling blockchain via full sharding,” *Proc. ACM Conf. Comput. Commun. Secur.*, pp. 931–948, 2018, doi: 10.1145/3243734.3243853.
- [75] H. D. Kotha, M. Tummanapally, and V. K. Upadhyay, “Review on Lossless Compression Techniques,” *J. Phys. Conf. Ser.*, vol. 1228, no. 1, 2019, doi: 10.1088/1742-6596/1228/1/012007.
- [76] A. Hafid, A. S. Hafid, and M. Samih, “Scaling Blockchains: A Comprehensive Survey,” *IEEE Access*, vol. 8, pp. 125244–125262, 2020, doi: 10.1109/ACCESS.2020.3007251.
- [77] R. J. Nikam, “Model Draft Regulation on Cryptocurrency in India,” *HasanuddinLawReview*, vol. 4, no. 2, pp. 146–161, 2018, doi: 10.20956/halrev.v4i2.1466.
- [78] I. D. Motsi-omojiade, *Financial Intermediation in Cryptocurrency Markets – Regulation, Gaps and Bridges*, 1st ed., vol. 1. Elsevier Inc., 2018. doi: 10.1016/B978-0-12-810441-5.00009-9.
- [79] S. Bibi, “Student Research Abstract : Cryptocurrency world identification and public concerns detection via social media,” in *SAC '19: Proceedings of the 34th ACM/SIGAPP Symposium on Applied Computing*, 2019, pp. 550–552.
- [80] L. Ante, “A place next to Satoshi : foundations of blockchain and cryptocurrency research in business and economics,” *Scientometrics*, vol. 124, no. 2, pp. 1305–1333, 2020, doi: 10.1007/s11192-020-03492-8.
- [81] T. Choi, “Creating all-win by blockchain technology in supply chains : Impacts of agents ’ risk attitudes towards cryptocurrency,” *J. Oper. Res. Soc.*, vol. 0, no. 0, pp. 1–16, 2020, doi: 10.1080/01605682.2020.1800419.
- [82] R. Wu, K. Ishfaq, S. Hussain, F. Asmi, A. N. Siddiquei, and M. A. Anwar, “Investigating e-Retailers ’ Intentions to Adopt Cryptocurrency Considering the Mediation of Technostress and Technology Involvement,” *sustainability*, vol. 14, no. 641, 2022.
- [83] X. Chen, M. Hasan, A. Issa, A. Rahaman, M. Habib, and A. Ishaque, “Technology in



- Society Factors affecting cryptocurrency adoption in digital business transactions : The mediating role of customer satisfaction,” *Technol. Soc.*, vol. 70, no. February, p. 102059, 2022, doi: 10.1016/j.techsoc.2022.102059.
- [84] A. Bhimani, K. Hausken, and S. Arif, “Do national development factors affect cryptocurrency adoption?,” *Technol. Forecast. Soc. Chang.*, vol. 181, no. May, p. 121739, 2022, doi: 10.1016/j.techfore.2022.121739.
- [85] Ł. Goczek and I. Skliarov, “What drives the Bitcoin price ? A factor augmented error correction mechanism investigation,” *Appl. Econ.*, vol. 00, no. 00, pp. 1–18, 2019, doi: 10.1080/00036846.2019.1619021.
- [86] S. T. Kim, “Bitcoin dilemma : Is popularity destroying value ?,” *Financ. Res. Lett. J.*, no. January, 2019, doi: 10.1016/j.frl.2019.07.001.
- [87] L. C. Schaupp and M. Festa, “Cryptocurrency Adoption and the Road to Regulation,” in *dg.o '18: Proceedings of the 19th Annual International Conference on Digital Government Research: Governance in the Data Age*, 2018, pp. 1–9.
- [88] S. Alzahrani and T. U. Daim, “Analysis of the Cryptocurrency Adoption Decision: Literatur Review,” in *2019 Proceedings of PICMET '19: Technology Management in the World of Intelligent Systems*, 2019.
- [89] Y. Yeong, K. S. Kalid, and S. K. Sugathan, “Cryptocurrency Adoption in Malaysia : Does Age , Income and Education Level Matter ?,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 3075, no. 11, pp. 2179–2184, 2019, doi: 10.35940/ijitee.K2035.0981119.
- [90] Y. M. Wei and A. Dukes, “Cryptocurrency Adoption with Speculative Price Bubbles Cryptocurrency Adoption with Speculative Price Bubbles,” *Mark. Sci.*, no. October, 2020.
- [91] A. Alharbi and O. Sohaib, “Technology Readiness and Cryptocurrency Adoption : PLS-SEM and Deep Learning Neural Network Analysis,” *IEEE Access*, vol. 9, 2021, doi: 10.1109/ACCESS.2021.3055785.
- [92] G. Ali, A. Id, L. Y. Tiew, J. Tang, Y. Goh, and R. T. Id, “The adoption of cryptocurrency as a disruptive force : Deep learning-based dual stage structural equation modelling and artificial neural network analysis,” *PLoS ONE Cryptocurrency as a disruptive force*, vol. 16, no. 3, pp. 1–26, 2021, doi: 10.1371/journal.pone.0247582.
- [93] S. C. Wong, T. T. Tenk, Y. K. Heong, and Z. Saleh, “Determinants of Cryptocurrency Adoption Behavior in Malaysia,” *J. Pengur.*, vol. 65, pp. 3–15, 2022.
- [94] M. R. L. Perez, D. B. Gerardo, and R. Medina, “Modified SHA256 for Securing Online Transactions based on Blockchain Mechanism Maria,” in *2018 IEEE 10th International Conference on Humanoid, Nanotechnology, Information Technology, Communication and Control, Environment and Management (HNICEM)*, IEEE, 2018, pp. 1–5. doi: 10.1109/HNICEM.2018.8666341.
- [95] A. Sladi', Goran Milosavljevi', Branko Nikoli, Siniša Sladi', Dubravka Radulovi'c, “A Blockchain Solution for Securing Real Property Transactions : A Case Study for Serbia,” *Geo-Information*, vol. 10, no. 35, 2021.
- [96] G. Goos and J. Hartmanis, *Design, Operation and Evaluation of Mobile Communications*. 2021.
- [97] C. Li, “The Analysis of Business Operation Pattern of E-commerce Cash Flow,” vol. 973, pp. 2424–2427, 2014, doi: 10.4028/www.scientific.net/AMR.971-973.2424.
- [98] M. H. Nasir, J. Arshad, M. M. Khan, M. Fatima, K. Salah, and R. Jayaraman, “Scalable blockchains — A systematic review,” *Futur. Gener. Comput. Syst.*, vol. 126, pp. 136–162, 2022, doi: 10.1016/j.future.2021.07.035.
- [99] D. Mingxiao, M. Xiaofeng, Z. Zhe, W. Xiangwei, and C. Qijun, “A review on consensus algorithm of blockchain,” in *2017 IEEE International Conference on*



- Systems, Man, and Cybernetics, SMC 2017*, 2017, pp. 2567–2572. doi: 10.1109/SMC.2017.8123011.
- [100] R. Alfred, H. Iida, A. Asri, A. Ibrahim, Y. Lim, and K. Lumpur, *Lecture Notes in Electrical Engineering 488 Computational Science and Technology*, no. August. 2017.
- [101] T. Terminal, “Token Terminal.” [Online]. Available: <https://tokenterminal.com/terminal>
- [102] A. Back, “A partial hash collision based postage scheme.”
- [103] J. Herrera-Joancomartí and C. Pérez-Solà, “Privacy in bitcoin transactions: New challenges from blockchain scalability solutions,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9880 LNAI, pp. 26–44, 2016, doi: 10.1007/978-3-319-45656-0_3.
- [104] Bitcoin, “Bitcoin Github.” [Online]. Available: <https://github.com/bitcoin/bitcoin/blob/a6a860796a44a2805a58391a009ba22752f64e32/src/consensus/consensus.h#L9>
- [105] L. M. Bach, B. Mihaljevic, and M. Zagar, “Comparative Analysis of Blockchain Consensus Algorithms,” in *MIPRO*, 2018, pp. 1545–1550.
- [106] S. M. H. Bamakan, A. Motavali, and A. Babaei Bondarti, “A survey of blockchain consensus algorithms performance evaluation criteria,” *Expert Syst. Appl.*, vol. 154, 2020, doi: 10.1016/j.eswa.2020.113385.
- [107] S. N. Li, C. Campajola, and C. J. Tessone, “Statistical detection of selfish mining in proof-of-work blockchain systems,” *Sci. Rep.*, vol. 14, no. 1, pp. 1–13, 2024, doi: 10.1038/s41598-024-55348-3.
- [108] P. Khobragade and A. K. Turuk, “Blockchain Consensus Algorithms: A Survey,” *Lect. Notes Networks Syst.*, vol. 595 LNNS, pp. 198–210, 2023, doi: 10.1007/978-3-031-21229-1_19.
- [109] N. Chaudhry and M. M. Yousaf, “Consensus Algorithms in Blockchain: Comparative Analysis, Challenges and Opportunities,” *ICOSST 2018 - 2018 Int. Conf. Open Source Syst. Technol. Proc.*, pp. 54–63, 2018, doi: 10.1109/ICOSST.2018.8632190.
- [110] R. Yousuf, Z. Jeelani, D. A. Khan, O. Bhat, and T. A. Teli, “Consensus algorithms in blockchain-based cryptocurrencies,” *Proc. 2021 1st Int. Conf. Adv. Electr. Comput. Commun. Sustain. Technol. ICAECT 2021*, 2021, doi: 10.1109/ICAECT49130.2021.9392489.
- [111] CryptoSlate, “PoW Cryptos.” Accessed: Apr. 01, 2024. [Online]. Available: <https://cryptoslate.com/cryptos/proof-of-work/>
- [112] Coinranking, “Proof-of-work (PoW) coins.” Accessed: Apr. 01, 2024. [Online]. Available: <https://coinranking.com/coins/proof-of-work>
- [113] J. A. Garay, A. Kiayias, and G. Panagiotakos, “Proofs of Work for Blockchain Protocols,” *IACR Cryptol. ePrint Arch.*, vol. 2017, no. 775, p. 26, 2017, [Online]. Available: <https://www.semanticscholar.org/>
- [114] T. Duong, A. Chepurnoy, L. Fan, and H.-S. Zhou, “TwinsCoin: A Cryptocurrency via Proof-of-Work and Proof-of-Stake,” in *Proceedings of the 2nd ACM Workshop on Blockchains, Cryptocurrencies, and Contracts*, 2018, pp. 1–13. doi: 10.1145/3205230.3205233.
- [115] Z. Hussein, M. A. Salama, and S. A. El-Rahman, “Evolution of blockchain consensus algorithms: a review on the latest milestones of blockchain consensus algorithms,” *Cybersecurity*, vol. 6, no. 1, 2023, doi: 10.1186/s42400-023-00163-y.
- [116] D. Soesanto, T. Bharata Adji, and I. Ardiyanto, “Adaptive Proof of Work Architecture Design by Implementing Multiple Mempool,” in *International Conference on Advanced Creative Networks and Intelligent Systems (ICACNIS)*, IEEE Xplore, 2022,



- p. 22. doi: 10.1109/ICACNIS57039.2022.10054940.
- [117] A. J. Christy, A. Umamakeswari, L. Priyatharsini, and A. Neyaa, "RFM ranking – An effective approach to customer segmentation," *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 33, no. 10, pp. 1251–1257, 2021, doi: 10.1016/j.jksuci.2018.09.004.
 - [118] J. Wei, S. Lin, and H. Wu, "A review of the application of RFM model," no. May, 2014.
 - [119] L. L. Berry, A. Parasuraman, and V. A. Zeithaml, "SERVQUAL: A multiple-item scale for measuring consumer perceptions of service quality," *J. Retail.*, vol. 64, no. 1, pp. 12–40, 1988.
 - [120] M. P. Healey, *Customer expectations are the future-oriented beliefs about a product or act of consumption. They are brought to mind when a customer thinks about an object such as a*. 2014.
 - [121] B. Vitalik, "Sharding FAQ," [ONLINE]. Accessed: Jul. 15, 2024. [Online]. Available: https://vitalik.eth.limo/general/2017/12/31/sharding_faq.html
 - [122] T. Nakai, A. Sakurai, S. Hironaka, and K. Shudo, "A Formulation of the Trilemma in Proof of Work Blockchain," *IEEE Access*, vol. 12, no. June, pp. 80559–80578, 2024, doi: 10.1109/ACCESS.2024.3410025.
 - [123] Z. Liu, S. Tang, S. S. M. Chow, Z. Liu, and Y. Long, "Fork-free hybrid consensus with flexible Proof-of-Activity," *Futur. Gener. Comput. Syst.*, vol. 96, pp. 515–524, 2019, doi: 10.1016/j.future.2019.02.059.
 - [124] A. Sapirshstein, Y. Sompolsinsky, and A. Zohar, "Optimal selfish mining strategies in bitcoin," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9603 LNCS, pp. 515–532, 2017, doi: 10.1007/978-3-662-54970-4_30.
 - [125] A. Asgaonkar, P. Palande, and R. S. Joshi, "Is the cost of proof-of-work consensus quasilinear?," *ACM Int. Conf. Proceeding Ser.*, pp. 314–317, 2018, doi: 10.1145/3152494.3167978.
 - [126] A. Gervais, G. O Karame, K. Wüst, V. Glykantzis, H. Ritzdorf, and S. Capkun, "On the Security and Performance of Proof of Work Blockchains Arthur," in *CCS '16: Proceedings of the 2016 ACM SIGSAC Conference on Computer and Communications Security*, 2016, pp. 3–16. doi: 10.1007/978-3-642-38033-4_8.
 - [127] H. Cho, "ASIC-Resistance of Multi-Hash Proof-of-Work Mechanisms for Blockchain Consensus Protocols," *IEEE Access*, vol. 6, no. c, pp. 66210–66222, 2018, doi: 10.1109/ACCESS.2018.2878895.
 - [128] M. A. Safana, Y. Arafa, and J. Ma, "Improving the performance of the Proof-of-Work Consensus Protocol Using Machine learning," *2020 2nd Int. Conf. Blockchain Comput. Appl. BCCA 2020*, pp. 16–21, 2020, doi: 10.1109/BCCA50787.2020.9274082.
 - [129] C. P. Jayabal and P. R. K. Sathia Bhama, "Performance analysis on Diversity Mining-based Proof of Work in bifoldded consortium blockchain for Internet of Things consensus," *Concurr. Comput. Pract. Exp.*, vol. 33, no. 16, pp. 1–18, 2021, doi: 10.1002/cpe.6285.
 - [130] C. Zhang, X. Cao, J. Liu, and K. Ren, "Proof of comprehensive performance," *SBC 2021 - Proc. 9th Int. Work. Secur. Blockchain Cloud Comput. co-located with ASIA CCS 2021*, pp. 29–34, 2021, doi: 10.1145/3457977.3460296.
 - [131] N. A. Saqib and S. T. AL-Talla, "Scaling Up Security and Efficiency in Financial Transactions and Blockchain Systems," *J. Sens. Actuator Networks*, vol. 12, no. 2, 2023, doi: 10.3390/jsan12020031.
 - [132] R. Li, T. Song, B. Mei, H. Li, X. Cheng, and L. Sun, "Blockchain for Large-Scale Internet of Things Data Storage and Protection," *IEEE Trans. Serv. Comput.*, vol. 12,



- no. 5, pp. 762–771, 2019, doi: 10.1109/TSC.2018.2853167.
- [133] R. Y. Chen, “Feedback-Based Eco-Design for Integrating the Recency, Frequency, and Monetary Value of Eco-Efficiency into Sustainability Management,” *Systems*, vol. 4, no. 30, 2016, doi: 10.3390/systems4030030.
- [134] R. Gustriansyah, D. I. Sensuse, and A. Ramadhan, “A sales prediction model adopted the recency-frequency-monetary concept,” *Indones. J. Electr. Eng. Comput. Sci.*, vol. 6, no. 3, pp. 711–720, 2017, doi: 10.11591/ijeecs.v6.i3.pp711-720.
- [135] W. Gata, I. Iskandar, D. A. Puspitawati, S. Hidayat, and W. Walim, “Implementation of Decision Tree Algorithm in Customer Recency, Frequency, Monetary, and Cost Profiling: a Case Study of Plastic Packing Industry,” in *IOP Conf. Series: Materials Science and Engineering*, 2019. doi: 10.1088/1757-899X/662/2/022032.
- [136] B. Rizki, N. G. Ginasta, M. A. Tamrin, and A. Rahman, “Customer Loyalty Segmentation on Point of Sale System Using Recency-Frequency-Monetary (RFM) and K-Means,” *J. Online Inform.*, vol. 5, no. 2, p. 130, 2020, doi: 10.15575/join.v5i2.511.
- [137] I. Kabasakal, “Customer Segmentation Based On Recency Frequency Monetary Model: A Case Study in E-Retailing1 Araştırma,” *Bilişim Teknol. Derg.*, vol. 13, no. 1, pp. 47–56, 2020.
- [138] M. Li, Q. Wang, Y. Shen, and T. Y. Zhu, “Customer relationship management analysis of outpatients in a Chinese infectious disease hospital using drug-proportion recency-frequency-monetary model,” *Int. J. Med. Inform.*, vol. 147, no. July 2020, p. 104373, 2021, doi: 10.1016/j.ijmedinf.2020.104373.
- [139] Jerry Heikal, Vitto Rialialie, D. Rivelino, and Ign Agus Supriyono, “Hybrid Model Of Structural Equation Modeling Pls And Rfm (Recency, Frequency And Monetary) Model To Improve Bank Average Balance,” *Aptisi Trans. Technopreneursh.*, vol. 4, no. 1, pp. 1–8, 2022, doi: 10.34306/att.v4i1.221.
- [140] N. Brandizzi, S. Russo, G. Galati, and C. Napoli, “Addressing Vehicle Sharing through Behavioral Analysis: A Solution to User Clustering Using Recency-Frequency-Monetary and Vehicle Relocation Based on Neighborhood Splits,” *Inf.*, vol. 13, no. 11, 2022, doi: 10.3390/info13110511.
- [141] A. O. J. Ibitoye, C. Onime, N. D. Zaki, and O. F. W. Onifade, “Socio-Transactional Impact of Recency , Frequency , and Monetary Features oN Customers ’ Behaviour in Telecoms ’ Churn Prediction,” pp. 101–110, 2022.
- [142] G. S. Palupi and M. N. Fakhruzzaman, “Indonesian pharmacy retailer segmentation using recency frequency monetary-location model and ant K-means algorithm,” vol. 12, no. 6, pp. 6132–6139, 2022, doi: 10.11591/ijece.v12i6.pp6132-6139.
- [143] A. Handojo *et al.*, “A multi layer recency frequency monetary method for customer priority segmentation in online transaction,” *Cogent Eng.*, vol. 10, no. 1, 2023, doi: 10.1080/23311916.2022.2162679.
- [144] A. Ullah, M. I. Mohmand, H. Hussain, S. Johar, and I. Khan, “Customer Analysis Using Machine Learning-Based Classification Algorithms for Effective Segmentation Using Recency, Frequency, Monetary, and Time,” *sensors*, vol. 23, no. 3180, 2023, doi: 10.3390/s23063180.
- [145] A. I. Sanka and R. C. C. Cheung, “A systematic review of blockchain scalability: Issues, solutions, analysis and future research,” *J. Netw. Comput. Appl.*, vol. 195, no. August, p. 103232, 2021, doi: 10.1016/j.jnca.2021.103232.
- [146] D. Khan, L. T. Jung, and M. A. Hashmani, “Systematic literature review of challenges in blockchain scalability,” *Appl. Sci.*, vol. 11, no. 20, 2021, doi: 10.3390/app11209372.
- [147] I. Weber, X. Xu, R. Riveret, G. Governatori, A. Ponomarev, and J. Mendling,



- “Untrusted business process monitoring and execution using blockchain,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9850 LNCS, pp. 329–347, 2016, doi: 10.1007/978-3-319-45348-4_19.
- [148] H. Hyvärinen, M. Risius, and G. Friis, “A Blockchain-Based Approach Towards Overcoming Financial Fraud in Public Sector Services,” *Bus. Inf. Syst. Eng.*, vol. 59, no. 6, pp. 441–456, 2017, doi: 10.1007/s12599-017-0502-4.
- [149] M. O’Dair and Z. Beaven, “The networked record industry: How blockchain technology could transform the record industry,” *Strateg. Chang.*, vol. 26, no. 5, pp. 471–480, 2017, doi: 10.1002/jsc.2147.
- [150] A. Savelyev, “Copyright in the blockchain era: Promises and challenges,” *Comput. Law Secur. Rev.*, vol. 34, no. 3, pp. 550–561, 2018, doi: 10.1016/j.clsr.2017.11.008.
- [151] H. M. Kim and M. Laskowski, “Towards an Ontology-Driven Blockchain Design for Supply Chain Provenance,” *SSRN Electron. J.*, no. August, 2016, doi: 10.2139/ssrn.2828369.
- [152] M. A. Engelhardt, “Hitching Healthcare to the Chain: An Introduction to Blockchain Technology in the Healthcare Sector,” *Technol. Innov. Manag. Rev.*, vol. 7, no. 10, pp. 22–34, 2017, doi: 10.22215/timreview/1111.
- [153] R. Beck, J. Stenum Czepluch, N. Lollike, and S. Malone, “Blockchain - The gateway to trust-free cryptographic transactions,” *24th Eur. Conf. Inf. Syst. ECIS 2016*, no. June, 2016.
- [154] F. Idelberger, G. Governatori, R. Riveret, and G. Sartor, “Evaluation of logic-based smart contracts for blockchain systems,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9718, no. July, pp. 167–183, 2016, doi: 10.1007/978-3-319-42019-6_11.
- [155] D. Kraft, “Difficulty control for blockchain-based consensus systems,” *Peer-to-Peer Netw. Appl.*, vol. 9, no. 2, pp. 397–413, 2016, doi: 10.1007/s12083-015-0347-x.
- [156] M. Sharples and J. Domingue, “The blockchain and kudos: A distributed system for educational record, reputation and reward,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 9891 LNCS, no. September 2016, pp. 490–496, 2016, doi: 10.1007/978-3-319-45153-4_48.
- [157] F. Hawlitschek, B. Notheisen, and T. Teubner, “Electronic Commerce Research and Applications The limits of trust-free systems: A literature review on blockchain technology and trust in the sharing economy,” *Electron. Commer. Res. Appl.*, vol. 29, pp. 50–63, 2018, doi: 10.1016/j.elerap.2018.03.005.
- [158] M. C. Lacity, “Addressing key challenges to making enterprise blockchain applications a reality,” *MIS Q. Exec.*, vol. 17, no. 3, pp. 201–222, 2018.
- [159] B. Vitalik, “Ethereum Whitepaper.” [Online]. Available: <https://ethereum.org/en/whitepaper/>
- [160] J. R. Bult and T. Wansbeek, “Optimal Selection for Direct Mail,” *Mark. Sci.*, vol. 14, no. 4, pp. 378–394, 1995, doi: 10.1287/mksc.14.4.378.
- [161] Y. Liu, Y. Wan, and X. Su, “Identifying individual expectations in service recovery through natural language processing and machine learning,” *Expert Syst. Appl.*, vol. 131, pp. 288–298, 2019, doi: 10.1016/j.eswa.2019.04.063.
- [162] A. Susarla, A. Barua, and A. B. Whinston, “UNDERSTANDING THE SERVICE COMPONENT OF APPLICATION SERVICE PROVISION: AN EMPIRICAL ANALYSIS OF SATISFACTION WITH ASP SERVICES,” *MIS Q. Exec.*, vol. 27, no. 1, pp. 91–123, 2003.
- [163] J. L. M. Tam, “Examining the dynamics of consumer expectations in a Chinese context,” *J. Bus. Res.*, vol. 58, no. 6, pp. 777–786, 2005, doi: 10.1016/j.jbusres.2003.08.011.



- [164] H. Zare and S. Emadi, "Determination of Customer Satisfaction using Improved K - means algorithm," *Soft Comput.*, vol. 24, no. 22, pp. 16947–16965, 2020, doi: 10.1007/s00500-020-04988-4.
- [165] A. Kalinin, D. Vaganov, and K. Bochenina, "Discovering patterns of customer financial behavior using social media data," *Soc. Netw. Anal. Min.*, pp. 1–14, 2020, doi: 10.1007/s13278-020-00690-3.
- [166] V. Evsin, S. Shirobokova, and S. Vorobyev, "Mathematical Model of an Industrial Distributed Ledger as a Queueing System with Multiple Tickets of Unlimited Depth," pp. 823–827, 2021, doi: 10.1109/icieam51226.2021.9446446.
- [167] W. Lian, Q. Fan, B. Jia, and Y. Liang, "A Blockchain Prediction Model on Time, Value, and Purchase Based on Markov Chain and Queueing Theory in Stock Trade," *Math. Probl. Eng.*, vol. 2020, 2020, doi: 10.1155/2020/3984924.
- [168] R. A. Memon, J. P. Li, and J. Ahmed, "Simulation model for blockchain systems using queueing theory," *Electron.*, vol. 8, no. 2, pp. 1–19, 2019, doi: 10.3390/electronics8020234.
- [169] R. A. Memon, J. Li, J. Ahmed, A. Khan, M. I. Nazir, and M. I. Mangrio, "Modeling of Blockchain Based Systems Using Queueing Theory Simulation," *2018 15th Int. Comput. Conf. Wavelet Act. Media Technol. Inf. Process. ICCWAMTIP 2018*, pp. 107–111, 2019, doi: 10.1109/ICCWAMTIP.2018.8632560.
- [170] Q. L. Li, J. Y. Ma, and Y. X. Chang, *Blockchain queue theory*, vol. 11280 LNCS, no. 71671158. Springer International Publishing, 2018. doi: 10.1007/978-3-030-04648-4_3.
- [171] L. T. Thibault, T. O. M. Sarry, and A. S. Hafid, "Blockchain Scaling using Rollups : A Comprehensive Survey," *IEEE Access*, vol. 10, no. August, pp. 93039–93054, 2022, doi: 10.1109/ACCESS.2022.3200051.
- [172] Y. Liu, Q. Lu, H. Y. Paik, X. Xu, S. Chen, and L. Zhu, "Design Pattern as a Service for Blockchain-Based Self-Sovereign Identity," *IEEE Softw.*, vol. 37, no. 5, pp. 30–36, 2020, doi: 10.1109/MS.2020.2992783.
- [173] S. Kappal, "Data Normalization using Median & Median Absolute Deviation (MMAD) based Z-Score for Robust Predictions vs. Min-Max Normalization," *London Journals Press*, vol. 19, no. 4, pp. 39–44, 2019.
- [174] S. Kasahara and J. Kawahara, "Effect of bitcoin fee on transaction-confirmation process," *J. Ind. Manag. Optim.*, vol. 13, no. 5, pp. 365–386, 2017, doi: 10.3934/JIMO.2018047.
- [175] Y. Kawase and S. Kasahara, "Transaction-confirmation time for bitcoin: A Queueing analytical approach to blockchain mechanism," *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 10591 LNCS, pp. 75–88, 2017, doi: 10.1007/978-3-319-68520-5_5.
- [176] B. Ampel, M. Patton, and H. Chen, "Performance modeling of hyperledger sawtooth blockchain," *2019 IEEE Int. Conf. Intell. Secur. Informatics, ISI 2019*, pp. 59–61, 2019, doi: 10.1109/ISI.2019.8823238.
- [177] S. Smetanin, A. Ometov, M. Komarov, P. Masek, and Y. Koucheryavy, "Blockchain evaluation approaches: State-of-the-art and future perspective," *Sensors (Switzerland)*, vol. 20, no. 12, pp. 1–20, 2020, doi: 10.3390/s20123358.
- [178] C. Fan, S. Ghaemi, H. Khazaei, and P. Musilek, "Performance Evaluation of Blockchain Systems: A Systematic Survey," *IEEE Access*, vol. 8, pp. 126927–126950, 2020, doi: 10.1109/ACCESS.2020.3006078.
- [179] Y. Hao, Y. Li, X. Dong, L. Fang, and P. Chen, "Performance Analysis of Consensus Algorithm in Private Blockchain," *IEEE Intell. Veh. Symp. Proc.*, vol. 2018-June, no. Iv, pp. 280–285, 2018, doi: 10.1109/IVS.2018.8500557.



- [180] S. Pongnumkul, C. Siripanpornchana, and S. Thajchayapong, "Performance Analysis of Private Blockchain Platforms in Varying Workloads," in *2017 26th International Conference on Computer Communication and Networks (ICCCN)*, 2017, pp. 1–6. doi: 10.1109/ICCCN.2017.8038517.
- [181] Microsoft 365 Support, "Excel specifications and limits," Microsoft. Accessed: Dec. 26, 2022. [Online]. Available: <https://support.microsoft.com/en-us/office/excel-specifications-and-limits-1672b34d-7043-467e-8e27-269d656771c3>
- [182] J. Chen, Z. Lv, and H. Song, "Design of personnel big data management system based on blockchain," *Futur. Gener. Comput. Syst.*, vol. 101, pp. 1122–1129, 2019, doi: 10.1016/j.future.2019.07.037.
- [183] N. Joshi Padma, N. Ravishankar, M. B. Raju, and N. C. Ravi, "Building Security Barriers By Modified Algorithms in Blockchain To Prevent Sql Injection and Xss," *Indian J. Comput. Sci. Eng.*, vol. 13, no. 2, pp. 477–488, 2022, doi: 10.21817/indjcse/2022/v13i2/221302144.
- [184] S. Yaji, K. Bangera, and B. Neelima, "Privacy preserving in blockchain based on partial homomorphic encryption system for ai applications," *Proc. - 25th IEEE Int. Conf. High Perform. Comput. Work. HiPCW 2018*, pp. 81–85, 2018, doi: 10.1109/HiPCW.2018.8634280.
- [185] S. Kumar and E. P. Gupta, "A Comparative Analysis of SHA and MD5 Algorithm," *Int. J. Comput. Sci. Inf. Technol.*, vol. 5, no. June 2014, pp. 4492–4495, 2014.
- [186] S. Long, "A Comparative Analysis of the Application of Hashing Encryption Algorithms for MD5, SHA-1, and SHA-512," *J. Phys. Conf. Ser.*, vol. 1314, no. 1, 2019, doi: 10.1088/1742-6596/1314/1/012210.
- [187] P. P. Pittalia, "A Comparative Study of Hash Algorithms in Cryptography," *Int. J. Comput. Sci. Mob. Comput.*, vol. 8, no. 6, pp. 147–152, 2019, [Online]. Available: www.ijcsmc.com
- [188] M. Parmar and H. J. Kaur, "Comparative Analysis of Secured Hash Algorithms for Blockchain Technology and Internet of Things," 2021. [Online]. Available: www.ijacsa.thesai.org
- [189] B. P. Kosta, "Design and Implementation of a Strong and Secure Lightweight Cryptographic Hash Algorithm using Elliptic Curve Concept: SSLHA-160," *IJACSA) Int. J. Adv. Comput. Sci. Appl.*, vol. 12, no. 2, pp. 624–635, 2021.
- [190] A. Hosoyamada and Y. Sasaki, "Quantum Collision Attacks on Reduced SHA-256 and SHA-512," in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2021, pp. 616–646. doi: 10.1007/978-3-030-84242-0_22.
- [191] Q. Zhou, H. Huang, Z. Zheng, and J. Bian, "Solutions to Scalability of Blockchain: a Survey," *IEEE Access*, vol. 8, pp. 16440–16455, 2020, doi: 10.1109/aACCESS.2020.2967218.