

DAFTAR PUSTAKA

- Alderliesten T., De Vis J.B., Lemmers P.M.A., Hendrikse J., Groenendaal F., van Bel F., *et al.*, 2017. Brain oxygen saturation assessment in neonates using T2-prepared blood imaging of oxygen saturation and near-infrared spectroscopy. *J. of Cereb. Blood Flow Metab.* Vol 37(3):902-913.
- Anand K.J.S., 2017. Defining pain in newborns : need for a uniform taxonomy? *Acta Paediatr.* 105 : 1438-1444.
- Bartocci M., Bergqvist L.L., Lagercrantz H., Anand K.J.S., 2006. Pain activates cortical areas in the preterm newborn pain. *Pain* 122 : 109-117.
- Britto C., Jasmine, Rao S.P.N., 2017. Assessment of Neonatal Pain During Heel Prick: Lancet vs Needle – A Randomized Controlled Study. *J. Trop. Pediatr.* 63 : 346-351.
- Bueno M., Ramos M.C., Forni E., Kimura A., 2019. Adaptation and Initial Validation of Premature Infant Pain Profile-Revised (PIPP-R) in Brazil. *Pain Manag Nurs.* 20 (5) :512-515.
- Bujang M.A., Adnan T.A. 2016. Requirements for Minimum Sample Size for Sensitivity and Specificity Analysis. *Journal of Clinical and Diagnostic Research* Vol 10 (10) : YE01-YE06.
- Campbell-Yeo M., Eriksson M., Benoit B., 2022. Assessment and Management of Pain in Preterm Infants : A Practice Update. *Children* 9 : 244.
- Carbajal R., Rousset A., Danan C., Nolent P., Ducrocq S., *et al.* 2008. Epidemiology and Treatment of Painful Procedures in Neonates in Intensive Care Units. *JAMA* 300 (1) : 60-70.
- Cavanagh C. and Coppringer C., 2009. Newborn Blood Spot Sampling. *Infant* 5(3): 168-171.
- Compton M., Zamzami G., Mhaskar R., Gieron M., Kneusel M., *et al.*, 2019. Pain Analysis, in Premature Infants, Using Near Infrared Spectroscopy (NIRS). <arXiv:1908.10240 (physics.med-ph)>.
- Dahlan, M.S., 2013. *Besar Sampel dan Cara Pengambilan Sampel* edisi 3. Jakarta : Salemba Medika.
- de Melo G.M., de Aguiar Lelis A.L.P., de Moure A.F., Cardoso M.V.L.M.L., da Silva V.M., 2014. Pain assessment scales in newborns : integrative review. *Rev Paul Pediatr* 32(4): 395-402.
- Dix L.M.L., van Bel F., Lemmers P.M.A., 2017. Monitoring Cerebral Oxygenation in Neonates : An Update. *Front. Pediatr.* 5:46.
- Fitri S.Y.R., Lusmilasari L., Juffrie M., 2019. The Indonesian version of the Premature Infant Pain Profile-Revised: Translation and adaptation of a neonatal pain assessment. *International* 6 : 439-444.
- Fitri S.Y.R., Lusmilasari L., Juffrie M., Rakhmawati W., 2019. Pain in Neonates : A Concept Analysis. *Anesth Pain Med.* 9(4):392-455.

- Ganguly A., Bhadesia P.J., Phatan A.G., Nimbalkar A.S., Nimbalkar S.M., 2020. Pain profile of premature infants during routine procedures in neonatal intensive care : an observational study. *J. Family Med Prim Care* 9 : 1517-21.
- Garvey A.A., Kooi E.M.W., Smith A., Dempsey E.M., 2018. Interpretation of Cerebral Oxygenation Changes in the Preterm Infant. *Children* 5 : 94
- Gibbins S., Stevens B.J., Yamada J., Dionne K., Campbell-Yeo M., Lee Y., *et al.* 2014. Validation of the Premature Infant Pain Profile-Revised (PIPP-R). *Early Hum. Dev.* 90(4):189-193.
- Grunau R.E., 2020. Personal perspectives: Infant pain-A multidisciplinary journey. *Paediatr Neonatal Pain* 2:50-57.
- Gumulak R., Lucanova L.C., Zibolen M., 2017. Use of near-infrared spectroscopy (NIRS) in cerebral tissue oxygenation monitoring in neonates. *Biomed Pap Med Fac Univ Palacky Olomuoc Czech Repub* 161: 1-6.
- Gursul D., Hartley C., Slater R., 2019. Nociception and the neonatal brain. *Semin Fetal Neonatal Med.* 24 : 101016.
- Hall M., Kidgell D., Perraton L., Morrissey J., Jaberzadeh S., 2021. Pain Induced Changes in Brain Oxyhemoglobin: A Systematic Review and Meta-Analysis of Functional NIRS Studies. *Pain Med* 22(6): 1399-1410.
- Hall R.W. and Anand K.J.S., 2005. Physiology of Pain and Stress in the Newborn. *Neoreviews* Vol.6 No.2 : e61-68.
- Hand I.L., Noble L., Geiss D., Wozniak L., Hall C., 2010. COVERS Neonatal Pain Scale: Development and Validation. *Int. J. Paediatr.* Vol. 2010: 1-5.
- Hatfield L.A., 2014. Neonatal pain ; What's age got to do with it? *Surg Neurol Int* 5: S479-89.
- Hwang M.J., Seol G.H. 2015. Cerebral Oxygenation and Pain of Heel Blood Sampling Using Manual and Automatic Lancets in Premature Infants. *J Perinat Neonatal Nurs.* Oct-Dec;29(4):356-62.
- Hulley S.B., Cummings S.R., Browner W.S., Grady D.G., Newman T.B., 2007. *Designing Clinical Research* 3rd edition. Philadelphia : Lippincot Williams & Wilkins.
- Jonsdottir R.B., Kristjandottir G. 2005. The sensitivity of the premature infant pain profile – PIPP to measure pain in hospitalized neonates. *Journal of Evaluation in Clinical Practice*, 11, 6, 598-605.
- Kumar S., Priyadarshi M., Singh P., Pallapothu B., Chaurasia S., Basu S. 2023. Correlation of Clinical Pain Scores with Cerebral Oxygenation in Preterm Neonates During Acute Painful Procedures : a Prospective Observational Study. *J Perinatol.* 2023 May; 43(5):584-589.
- Lawrence J., Aclock D., Kay J., Macmurray S.B., Duilberg C., 1993. The Developmental Tool to assess neonatal pain. *Neonatal Netw.* 12 (6):59-66.
- Mainous R.O., Duncan S.D., 2008. Assessment of Pain with Near Infrared Spectroscopy in Preterm Neonate. *Arch Dis Child* Vol 93 Issue Suppl 2.
- Malarvizhi G., Vista M., Roseline M., Nithin S., Paul S., 2012. Inter-rater Reliability of Neonatal Infant Pain Scale (NIPS) as a Multidimensional Behavioral Pain Tool. *NUJHS* VOL 2. No 1.

- Marko T., Dickerson M.L., 2016. *Clinical Handbook of Neonatal Pain Management for Nurses* 1st edition. New York : Springer Publishing Company.
- Mathew P.J., Mathew J.L., 2003. Assessment and management of pain in infants. *Postgrad Med J* 79:438-443
- Maxwell L.G., Fraga M.V., Malavolta C.P., 2019. Assessment of Pain in the Newborn : an Update. *Clin Perinatol* 46 : 693-707.
- Mc. Intosh N., Van Veen L., Brameyer H., 1993. The pain of heel prick and its measurement in preterm infants. *Pain* 52 (1) : 71-74.
- Meesters N.J., Simons S.H.P., van Rosmalen J., Holsti L., Reiss I.K.M., van Dijk M., 2019. Acute Pain Assessment in Prematurely Born Infants Below 29 Weeks. A Long Way to Go. *Clin J Pain* 35:975-982.
- Mohamed S.G.Y., Dabash S.A.E., Rashad H.M., Moselhi E.M., 2019. Comparison of pain response to vein puncture versus heel lance among preterm infants undergoing blood sampling. *Egyptian Nursing Journal* 16 : 155-161.
- Murkin J.M., Arango M., 2009. Near-infrared spectroscopy as an index of brain and tissue oxygenation. *Br. J. Anaesth.* 103: i3-i13.
- Negida A., Fahim N.K., Negida Y. 2019. Sample Size Calculation Guide – Part 4: How to Calculate the Sample Size for Diagnostic Test Accuracy Study based on Sensitivity, Specificity, and the Area Under the ROC Curve. *Advanced Journal of Emergency Medicine* 3(3):e33.
- Obiedat H., Al-Maaitah E.I., 2020. Critique of the Use of Neonatal Infant Pain Scale (NIPS). *Neonat Pediatr Med* 6:1
- Ogawa S., Ogiwara T., Fujiwara E., Ito K, Nakano M. *et al.*, 2005. Venepuncture is preferable to heel lance for blood sampling in term neonates. *Arch Dis Child Fetal Neonatal* 90 : F432-F436.
- Oliveira N.R.G., Formiga C.M.R., Ramos B.A., Dos Santos R.N., de Sousa Moriera N.N., *et al.* 2021. Correlation Between Ratio PIPP-R and NIPS and Inter-Rater Reliability to Evaluate Pain During the Procedure Suction in Newborn Premature. *Research Square* <<https://doi.org/10.21203/rs.3.rs-956847/v1>>
- Olsson E., Ahl H., Bengtsson K., Vejayan D.N., Norman E. *et al.*, 2021. The use and reporting of neonatal pain scales: a systematic review of randomized trials. *PAIN* 162 : 353-360.
- Olsson E., Anderzen-Carlsson A., Atladottir S.M., Axelin A., Campbell-Yeo M., Eriksson M., *et al.*, 2018. Cultural adaptation and harmonization of four Nordic translations of the revised Premature Infant Pain Profile (PIPP-R). *BMC Pediatr.* 18:349
- Perry M., Tan Z., Chen J., Weidig T., Xu W., Cong X.S., 2018. Neonatal Pain : perceptions and Current Practice. *Crit Care Nurs Clin North Am* 30(4): 549-561.
- Polkki T., Korhonen A., Axelin A., Saarela T., Laukkala H., 2014. Development and preliminary validation of the Neonatal Infant Acute Pain Assessment Scale (NIAPAS). *International Journal of Nursing Studies* 51 : 1585-1594.

- Pratiknya A.W., Oktaria, Herdiansyah D., 2020. *Statistik untuk Penelitian Kedokteran. Pendekatan Rancangan Terpadu*. Depok : PT Raja Grafindo Persada.
- Ranger M., Johnston C.C., Limperopoulos C., Rennick J.E., du Plessis A.J., 2011. Cerebral near-infrared spectroscopy as a measure of nociceptive evoked activity in critically ill infants. *Pain Res Manage* Vol 16 No 5.
- Ren X., Li L., Lin S., Zhong C., Wang B., 2022. Effects of white noise on procedural pain-related cortical response and pain score in neonates : A randomized controlled trial. *Int. J. Nurs. Sci* 9 : 269-277.
- Roue J.M., Rioualen S., Gendras J., Misery L., Gouillou M., Sizun J., 2018. Multi-modal pain assessment: are near-infrared spectroscopy, skin conductance, salivary cortisol, physiologic parameters, and Neonatal Facial Coding System interrelated during venepuncture in healthy, term neonates? *J. Pain Res.* 11: 2257-2267.
- Salekin M.S., Zamzmi G., Hausmann J., Goldgof D., Kasturi R. *et al.*, 2021, Multimodal neonatal procedural and postoperative pain assessment dataset. *Data in Brief* 35 : 106796.
- Sarkaria E., Gruszfeld D., 2022. Assessing Neonatal Pain with NIPS and COMFORT-B: Evaluation of NICU's Staff Competences. *Pain Res Manag* Vol. 2022: 8545372.
- Sarwono J. 2006. *Metode Penelitian Kualitatif dan Kuantitatif*. Yogyakarta : Graha Ilmu.
- Scjoltjes V.A., Terwee C.B., Poolman R.W., 2011 What makes a measurement instrument valid and reliable ? *Injury* 42(3) : 236-240.
- Septiana N., Rustina Y., Efendi D., 2021. A Comparison of Pain Scale on Neonates in a Top Referral Hospital in Indonesia. *JNP* Vol.5 No.1 : 126-135.
- Shah V.S., Ohlsson A., 2011. Venepuncture versus heel lance for blood sampling in term neonates. *Cochrane Database of Syst. Rev.* Issue 10. Art. No: CD001452.
- Shah V.S., Taddio A., Bennet S., Speidel B.D., 1997. Neonatal pain response to heel stick vs venepuncture for routine blood sampling. *Arch Dis Child* 77: F143-F144.
- Shiroshita Y., Kirimoto H., Nakagawa K., Uematsu H., Sobue I., 2020. Evoked Potential as a Pain Evaluation Index for Neonatal Procedural Pain. *Int J Nurs Clin Pract* 7:323
- Simons S.H.P., van Dijk M., Anand K.S., Roofthoof D., van Lingen R.A., Tibboel D., 2003. Do We Still Hurt Newborn Babies? A Prospective Study of Procedural Pain and Analgesia in Neonates. *Arch Pediatr Adolesc Med.* 157 : 1058-1064.
- Slater R., Cantarella A., Franck L., Meek J., Fitzgerald M., 2008. How Well do Clinical Pain Assessment Tools Reflect Pain in Infants? *PLoS Med* 5(6): e129.
- Stevens B., Johnston C.J., Taddio A., Gibbins S., Yamada J., 2010. The premature infant pain profile: evaluation 13 years after development. *Clin J Pain* 26: 813-30.

- Stevens B.J., Gibbins S., Janet Y., Dionne K., Lee G., Johnston C., Taddio A., 2014. The Premature Infant Pain Profile-Revised (PIPP-R) Initial Validation and Feasibility. *Clin J Pain* 30(3):238-43.
- Stevens B.J., Johnston C., Petryshen P., Taddio A., 1996. Premature Infant Pain Profile: development and initial validation. *Clin J Pain* 12(1):13-22.
- Tanra H., 2017. Konsep Nyeri dalam : Suwondo B.S., Meliala L., Sudadi (editor) dalam : *Buku Ajar Nyeri*. Yogyakarta : Perkumpulan Nyeri Indonesia, hal 13-23.
- Taplak A.S., Bayat M., 2019. Psychometric Testing of the Turkish Version of the PIPP-R. *J Pediatr Nurs* 48: e49-e55.
- Vries R. 2016. Neonatal pain : Can Pain in Neonates be Detected by Cerebral Oxygenation and Electroencephalographic Activity. <https://umcg.studenttheses.ub.rug.nl/id/eprint/2236>
- Wijbenga R.G., Lemmers P.M.A., Van Bel F., 2011. Cerebral Oxygenation During the First Days of Life in Preterm and Term Neonates : Differences Between Different Brain Regions. *Pediatr. Res.* Vol. 70 No. 4.
- Williams M.D., Lascalled B.D.X., 2020. Early Neonatal Pain – A Review of Clinical and Experimental Implications on Painful Conditions Later in Life. *Front Pediatr* 8:30.
- Witt N., Coynor S., Edwards C., Bradshaw H., 2016. A Guide to Pain Assessment and Management in the Neonate. *Curr Emerg Hosp Med Rep* 4:1-10.
- Xie W.H., Wang X.J., Huang R.H., Chen Y.X., Guo X.P., 2021. Assessment of four pain scales for evaluating procedural pain in premature infants undergoing heel blood collection. *Pediatr. Res.* 89: 1724-1731.
- Yucel M.A., Aasted C.M., Petkov M.P., Borsook D., Baas D.A., Becerra L., 2015. Specificity of Hemodynamic Brain Responses to Painful Stimuli: A functional near-infrared spectroscopy study. *Sci. Rep.* 5 : 9469.