



## BIBLIOGRAPHY

Adrien, E. M., & Polo, M. R. (2023). Our interventions are still here to support communities during the pandemic: Resuming mass drug administration for neglected tropical diseases after COVID-19 implementation delays. *PLoS Neglected Tropical Diseases*, 17(6), e0011368. <https://doi.org/10.1371/journal.pntd.0011368>

Ahmed, S.K.(2024). The pillars of trustworthiness in qualitative research. Journal of Medicine, Surgery, and Public Health, 2, p.100051.

Akinsolu F.T., Abodunrin O.R., Olagunju M.T., Adewole I.E., Rahman N.O. *et al.*(2023). Community perception of school-based mass drug administration program for soil-transmitted helminths and Schistosomiasis in Ogun State, Nigeria. PLOSvNeglected Tropical Diseases 17(7): e0011213. <https://doi.org/10.1371/journal.pntd.0011213>

Ayabina DV, Clark J, Bayley H, Lamberton PHL, Toor J, et al. (2021). Gender-related differences in prevalence, intensity and associated risk factors of *Schistosomainflections* in Africa: A systematic review and meta-analysis. PLOS Neglected Tropical Diseases 15(11): e0009083. <https://doi.org/10.1371/journal.pntd.0009083>

Belizario, VY Jr. *et al.*(2022). The status of Schistosomiasis japonica control in the Philippines: The need for an integrated approach to address a multidimensional problem. Int J One Health, 8(1): 8-19.

Bergquist, R., Zhou, X.N., and Rollinson, D. (2017). Elimination of schistosomiasis: the tools required. Infect Dis Poverty 6, 158. <https://doi.org/10.1186/s40249-017-0370-7>

Bergquist, R., and Gray, D. J. (2019). Schistosomiasis Elimination: Beginning of the End or a Continued March on a Trodden Path. Tropical medicine and infectious disease, 4(2), 76. <https://doi.org/10.3390/tropicalmed4020076>

Bergström, A., Ehrenberg, A., and Eldh, A. (2020). The use of the PARIHS framework in implementation research and practice—a citation analysis of the literature. *Implementation Sci* 15, 68. <https://doi.org/10.1186/s13012-020-01003-0>

Berry, A., Moné, H., Iriart, X., Mouahid, G., Aboo, O., Boissier, J., Filliaux, J., Cassaing, S., Debuisson, C., Valentin, A., Mitta, G., Théron, A., and Magnaval, J. F. (2014). Schistosomiasis haematobium, Corsica, France. Emerging infectious diseases, 20(9), 1595–1597. <https://doi.org/10.3201/eid2009.140928>

Bertram, R., Kerns, S., Bertram, R. and Kerns, S.,(2019).Misconceptions and Facts. *Selecting and Implementing Evidence-Based Practice: A Practical Program Guide*, pp.33-42.

Binder, S., Campbell, C. H., Castleman, J. D., Kittur, N., Kinung'hi, S. M., Olsen, A., Magnussen, P., Karanja, D. M. S., Mwinzi, P. N. M., Montgomery, S. P., Secor, W. E., Phillips, A. E., Dhanani, N., Gazzinelli-Guimaraes, P. H., Clements, M. N., N'Goran, E. K., Meite, A., Utzinger, J., Hamidou, A. A., Garba, A., Colley, D. G. (2020). Lessons Learned in Conducting Mass Drug Administration for Schistosomiasis Control and Measuring Coverage



in an Operational Research Setting. The American journal of tropical medicine and hygiene, 103(1\_Suppl), 105–113. <https://doi.org/10.4269/ajtmh.19-0789>

Bisilki, I. (2018). Feedback Mechanisms of HIV/Aids Campaigns in Ghana's Prisons. Journal of Social Science Studies. 6. 43. 10.5296/jsss.v6i1.13249.

Blas, B. L., Rosales, M. I., Lipayon, I. L., Yasuraoka, K., Matsuda, H., and Hayashi, M. (2004). The schistosomiasis problem in the Philippines: a review. Parasitology international, 53(2), 127–134. <https://doi.org/10.1016/j.parint.2004.01.003>

Burnim, M., Ivy, J. A., and King, C. H. (2017). Systematic review of community-based, school-based, and combined delivery modes for reaching school-aged children in mass drug administration programs for schistosomiasis. PLoS neglected tropical diseases, 11(10), e0006043. <https://doi.org/10.1371/journal.pntd.0006043>

Carlton EJ. et al. (2010) 'The Impact of *Schistosoma japonicum* Infection and Treatment on Ultrasound-Detectable Morbidity: A Five-Year Cohort Study in Southwest China', PLOS Neglected Tropical Diseases 4(5): e685. <https://doi.org/10.1371/journal.pntd.0000685>

Capuno, J. (2009). A case study of the decentralization of health and education services in the Philippines', *Human Development Network Discussion Paper Series*, 3, pp.2-43.

Center for Disease Control and Prevention. (2018).  
<https://www.cdc.gov/parasites/schistosomiasis/disease>

Center for Disease Control and Prevention (CDC). (2023).  
<https://www.cdc.gov/travel/yellowbook/2024/infections-diseases/schistosomiasis>

Colley, D. G., Addiss, D., and Chitsulo, L. (1998). Schistosomiasis. Bulletin of the World Health Organization',, 76 Suppl 2(Suppl 2), 150–151.

Dayapera, L.Z. et al. (2024). One health in the Philippines: A review and situational analysis, One Health, Volume 18,100758,ISSN 2352-7714,  
<https://doi.org/10.1016/j.onehlt.2024.100758>.

Department of Health. (2007). Administrative Order No. 2007-0015: Revised Guidelines in the Management and Prevention of Schistosomiasis. Manila, Philippines.

Department of Health. (2019). Field Health Service Information System Annual Report

Department of Health. (2018). Schistosomiasis Control and Elimination Program. Available at: <https://doh.gov.ph/node/211>.Retrieved on 06-05-2022.

Department of Health. (2019). 2019-2025 Strategic Plan towards Interruption of SCH Infection in the Philippines. Manila, Philippines.

Ezeamama A.E. et al. (2005). Helminth infection and cognitive impairment among Filipino children. Am. J. Trop. Med. Hyg.;72:540–548. doi:  
10.4269/ajtmh.2005.72.540.



Eze, E., Gleasure, R. and Heavin, C. (2020). Mobile health solutions in developing countries: a stakeholder perspective. *Health Systems*, 9(3), pp.179-201.

Feng, J. et al. (2023). Effect of Health Education on Schistosomiasis Control Knowledge, Attitude, and Practice after Schistosomiasis Blocking: Results of a Longitudinal Observational Study in the Field. *Tropical Medicine and Infectious Disease*, 8(5), 267. MDPI AG. Retrieved from <http://dx.doi.org/10.3390/tropicalmed8050267>

Francisco, I. et al. (2019). Knowledge, attitudes and practices related to schistosomiasis transmission and control in Leyte, Philippines. *PLoS neglected tropical diseases*, 13(5),e0007358. <https://doi.org/10.1371/journal.pntd.0007358>

Francois L., and Zelalem T. (2007). Neurology and Clinical Neuroscience, Mosby, Chapter 94, <https://doi.org/10.1016/B978-0-323-03354-1.50002-X>.

Gordon C.A. et al. (2015). High prevalence of *Schistosoma japonicum* and *Fasciola gigantica* in bovines from Northern Samar, the Philippines. *PLoS Negl. Trop. Dis.*;9:e0003108. doi: 10.1371/journal.pntd.0003108.

Gray, D.J. et al. (2010). Schistosomiasis elimination: Lessons from the past guide the future. *Lancet Infect. Dis.* 2010;10:733– 736. doi: 10.1016/S1473-3099(10)70099-2.

Grimes, J. E. et al. (2015). The roles of water, sanitation and hygiene in reducing schistosomiasis: a review. *Parasites & vectors*, 8, 156. <https://doi.org/10.1186/s13071-015-0766-9>

Geiling, J., Burkle Jr, F.M., Amundson, D., Dominguez-Cherit, G., Gomersall, C.D., Lim, M.L., Luyckx, V., Sarani, B., Uyeki, T.M., West, T.E. and Christian, M.D.(2014) Resource-poor settings: infrastructure and capacity building. *Chest*, 146(4), pp.e156S-e167S.

Gryseels, B. et al. (2006). Human schistosomiasis. *The Lancet*, Volume 368, Issue 9541, Pages 1106-1118,ISSN 0140-6736,[https://doi.org/10.1016/S0140-6736\(06\)69440-3](https://doi.org/10.1016/S0140-6736(06)69440-3).

Gunda, D.W. et al. (2020). Morbidity and Mortality Due to *Schistosoma mansoni* Related Periportal Fibrosis: Could Early Diagnosis of Varices Improve the Outcome Following Available Treatment Modalities in Sub Saharan Africa? A Scoping Review. *Tropical Medicine and Infectious Disease* 5, no. 1: 20. <https://doi.org/10.3390/tropicalmed501002>

Haldane, V., Dodd, W., Kipp, A., Ferrolino, H., Wilson, K., Servano Jr, D., Lau, L.L. and Wei, X. (2022). Extending health systems resilience into communities: a qualitative study with community-based actors providing health services during the COVID-19 pandemic in the Philippines. *BMC Health Services Research*, 22(1), p.1385.

Health Programs Management Unit - Bohol Provincial Health Office. (2022). Bohol Provincial Health Office. <https://pho.bohol.gov.ph/promotive-preventive-health-services/health-programs-management-unit/>

Hund,L.,Bedrick,E.J.,Pagano,M.,(2015).Choosing a cluster sampling design for Lot Quality Assurance Sampling Surveys, Plos One DOI:[10.1371/journal.pone.0129564](https://doi.org/10.1371/journal.pone.0129564)



Inobaya, M.T. *et al.* (2018). Mass drug administration and the sustainable control of schistosomiasis: an evaluation of treatment compliance in the rural Philippines. *Parasites Vectors* 11, 441. <https://doi.org/10.1186/s13071-018-3022-2>

Inobaya, M. T., Olveda, R. M., Tallo, V., McManus, D. P., Williams, G. M., Harn, D. A., Li, Y., Chau, T. N., Olveda, D. U., and Ross, A. G. (2015). Schistosomiasis mass drug administration in the Philippines: lessons learnt and the global implications. *Microbes and Infection*, 17(1), 6–15. <https://doi.org/10.1016/j.micinf.2014.10.006>

Itaye T, Matendechero SH, Mbonigaba JB, *et al.* (2023). Our interventions are still here to support communities during the pandemic: Resuming mass drug administration for neglected tropical diseases after COVID-19 implementation delays. *Plos Neglected Tropical Diseases*. DOI: 10.1371/journal.pntd.0011368. PMID: 37363911; PMCID: PMC10328222.

King, C. H., and Bertsch, D.(2015). Historical perspective: snail control to prevent schistosomiasis. *PLoS neglected tropical diseases*, 9(4),e0003657. <https://doi.org/10.1371/journal.pntd.0003657>

Kitson, A.L. *et al.* (2008). Evaluating the successful implementation of evidence into practice using the PARiHS framework: theoretical and practical challenges. *Implementation Science*. 3(1), pp. 1-12. doi:10.1186/1748-5908-3-1

Krentel A. *et al.* (2017). Review of the factors influencing the motivation of community drug distributors towards the control and elimination of neglected tropical diseases (NTDs). *PLoS Negl Trop Dis.*;11(12):e0006065. pmid:29211746

Kurtis J.D. *et al.* (2011). Maternal Schistosomiasis japonica is associated with maternal, placental, and fetal inflammation. *Infect. Immun.*;79:1254–1261.

L.R. Leonardo, Y. Chigusa, M. Kikuchi, N. Kato-Hayashi, S. Kawazu, J.M. Angeles, et al.(2016). Schistosomiasis in the Philippines: challenges and some successes in control *Southeast Asian J Trop Med*, 47 (4) (2016), pp. 651-666

La Vincente, S., Aldaba, B., Firth, S., Kraft, A., Jimenez-Soto, E. and Clark, A. (2013). Supporting local planning and budgeting for maternal, neonatal and child health in the Philippines. *Health research policy and systems*, 11, pp.1-6.

Leenstra T. *et al.* (2006). Schistosomiasis japonica, anemia, and iron status in children, adolescents, and young adults in Leyte, Philippines. *Am. J. Clin. Nutr.*;83:371– 379. doi: 10.1093/ajcn/83.2.371

Legge H. *et al.* (2020). Implementer and recipient perspectives of community-wide mass drug administration for soil-transmitted helminths in Kwale County, Kenya. *PLoS Negl Trop Dis* 14(4): e0008258. <https://doi.org/10.1371/journal.pntd.0008258>

Leonardo, Lydia R et al.(2008). “Prevalence survey of schistosomiasis in Mindanao and the Visayas, The Philippines.” *Parasitology international* vol. 57,3: 246-51. doi:10.1016/j.parint.2008.04.006



## Exploring Factors Affecting Coverage of Mass Drug Administration against Schistosomiasis Post COVID-19 in the Municipality of Talibon, Bohol: a mixed method study

Kenneth Costillas Samaco, Prof. dr. E. Elsa Herdiana Murhandarwati,M.Kes,Ph.D ;Prof. Dr. Yodi Mahendradhata, M.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Leonardo L. et al. (2015). New endemic foci of schistosomiasis infections in the Philippines. *Acta Trop.*;141:354–360. doi: 10.1016/j.actatropica.2013.03.015.

Leonardo, L. et al. (2016). Schistosomiasis in the Philippines: Challenges and some Success in Control .Vol 47 No. 4,Pages 663-664

Le Clec'h, W. et al. (2021). Genetic analysis of praziquantel response in schistosome parasites implicates a transient receptor potential channel. *Science translational medicine*, 13(625), eabj9114. <https://doi.org/10.1126/scitranslmed.abj9114>

Lindacher, V., Curbach, J., Warrelmann, B., Brandstetter, S. and Loss, J. (2018). Evaluation of empowerment in health promotion interventions: a systematic review. *Evaluation & the Health Professions*, 41(3), pp.351-392.

Lorenzo, P. J., Manzanilla, D. R., Cortel, D. K., & Tangog, E.(2019). Community perceptions of mass drug administration for soil-transmitted helminthiasis and schistosomiasis in selected schools in the Philippines. *Infectious diseases of poverty*, 8(1), 87. <https://doi.org/10.1186/s40249-019-0595-8>

Lupton, D. (2013) Digitized Health Promotion. To Fix or To Heal: Patient Care, Public Health, and the Limits of Biomedicine, edited by Joseph E. Davis and Ana Marta González, pp.152-76.

Magaisa, K., et al. (2015). A review of the control of schistosomiasis in South Africa. *South African Journal of Science*, 111(11-12).

Makaula, P. et al. (2022). An assessment of implementation and effectiveness of mass drug administration for prevention and control of schistosomiasis and soil-transmitted helminths in selected southern Malawi districts. *BMC Health Serv Res* 22, 517. <https://doi.org/10.1186/s12913-022-07925-3>

Mari, L. et al. (2017). Heterogeneity in schistosomiasis transmission dynamics. *Journal of theoretical biology*, 432, 87–99. <https://doi.org/10.1016/j.jtbi.2017.08.015>

McDonald E.A. et al. (2014). Maternal infection with *Schistosoma japonicum* induces a profibrotic response in neonates. *Infect. Immun.*;82:350–355. doi: 10.1128/IAI.01060-13.

McGarvey S.T. et al. (1992). Child growth and schistosomiasis japonica in northeastern Leyte, the Philippines: cross-sectional results. *Am. J. Trop. Med. Hyg.*;46:571–581. doi: 10.4269/ajtmh.1992.46.571.

Mutapi, F. et al. (2016). *The Lancet Infectious Diseases*, Volume 17, Issue 2, e42 – e48

Mwanga, J. R. et al. (2020). Village Response to Mass Drug Administration for Schistosomiasis in Mwanza Region, Northwestern Tanzania: Are We Missing Socioeconomic, Cultural, and Political Dimensions?. *The American journal of tropical medicine and hygiene*, 103(5), 1969–1977. <https://doi.org/10.4269/ajtmh.19-0843>

Nath, T. C., Padmawati, R. S., & Murhandarwati, E. H. (2019). Barriers and gaps in utilization and coverage of mass drug administration program against soil-transmitted



helminth infection in Bangladesh: An implementation research. *Journal of Infection and Public Health*, 12(2), 205–212. <https://doi.org/10.1016/j.jiph.2018.10.002>

Nwakeze, N.M. and Kandala, N.B. (2011). The spatial distribution of health establishments in Nigeria. *African Population Studies*, 25(2).

Ogongo P. et al. (2022). The Road to Elimination: Current State of Schistosomiasis Research and Progress Towards the End Game. *Front. Immunol.*, Sec. Parasite Immunology Volume 13 - 2022 | <https://doi.org/10.3389/fimmu.2022.846108>

Olveda R.M. et al. (1996). Schistosomiasis japonica in the Philippines: the long-term impact of population-based chemotherapy on infection, transmission, and morbidity. *J. Infect. Dis.* 1996;174:163–172. doi: 10.1093/infdis/174.1.163.

Olveda R.M. et al. (2016). National survey data for zoonotic schistosomiasis in the Philippines grossly underestimates the true burden of disease within endemic zones: implications for future control. *Int. J. Infect. Dis.*;45:13–17. doi: 10.1016/j.ijid.2016.01.011.

Olveda, R.M. and Gray D.J. (2019). Schistosomiasis in the Philippines: Innovative Control Approach is Needed if Elimination is the Goal. *Tropical medicine and infectious disease* vol. 4,2 66., doi:10.3390/tropicalmed4020066

Omedo M.O. et al. (2012). Community health workers' experiences and perspectives on mass drug administration for schistosomiasis control in western Kenya: the SCORE Project. *Am J Trop Med Hyg*; 87(6):1065-72. doi: 10.4269/ajtmh.2012.12-0435.

Paez K., Shapiro R., and Thompson L.(2022), Health System Panel To Inform and Encourage Use of Evidence Reports: Findings From the Implementation and Evaluation of Two Evidence-Based Tools [Internet]. Rockville (MD): Agency for Healthcare Research and Quality (US);. Appendix D, Application of the Consolidated Framework for Implementation Research in the Implementation Period. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK584361/>

Pham, K., Sharpe, E.C., and Weiss, W.M.. (2016). The use of a lot quality assurance sampling methodology to assess and manage primary health interventions in conflict-affected West Darfur, Sudan. *Popul Health Metrics* 14, 34. <https://doi.org/10.1186/s12963-016-0103-3>

Peters, D. H., Adam, T., Alonge, O., Agyepong, I. A., and Tran, N. (2014). Implementation research: what it is and how to do it: implementation research is a growing but not well understood field of health research that can contribute to more effective public health and clinical policies and programmes. *British journal of sports medicine*, 48(8), 731–736. <https://doi.org/10.1136/bmj.f6753>

Rath, Rama & Solanki, Hariom Kumar. (2019). Review of Lot Quality Assurance Sampling, Methodology and its Application in Public Health. *Nepal Journal of Epidemiology*. 9. 781-787. [10.3126/nje.v9i3.24507](https://doi.org/10.3126/nje.v9i3.24507).

Reeve, C., Humphreys, J. and Wakerman, J., (2015). A comprehensive health service evaluation and monitoring framework. *Evaluation and program planning*, 53, pp.91-98.



Rinaldo, D., Perez-Saez, J., Vounatsou, P. *et al.* (2021). The economic impact of schistosomiasis. *Infect Dis Poverty* 10, 134. <https://doi.org/10.1186/s40249-021-00919-z>

Robinson, M.N., Tansil, K.A., Elder, R.W., Soler, R.E., Labre, M.P., Mercer, S.L., Eroglu, D., Baur, C., Lyon-Daniel, K., Fridinger, F. and Sokler, L.A. (2014). Mass media health communication campaigns combined with health-related product distribution: a community guide systematic review. *American journal of preventive medicine*, 47(3), pp.360-371.

Rose, A.J.(2017). Targeted approaches to improve outcomes for highest-cost patients. *Israel journal of health policy research*, 6, pp.1-3.

Sacks, E., Swanson, R.C., Schensul, J.J., Gleave, A., Shelley, K.D., Were, M.K., Chowdhury, A.M., LeBan, K. and Perry, H.B.(2017). Community involvement in health systems strengthening to improve global health outcomes: a review of guidelines and potential roles. *International quarterly of community health education*, 37(3-4), pp.139-149.

Secor, W. E.(2005). Immunology of human schistosomiasis: off the beaten path. *Parasite immunology*, 27(7-8), 309-316. 6. <https://dx.doi.org/10.17159/sajs.2015/20140427>

Sekhon M., Cartwright M., and Francis J.J.(2018). Acceptability of health care interventions: A theoretical framework and proposed research agenda. *Br J Health Psychol.*;23(3):519–31. pmid:29453791

Senghor B, Diallo A, Sylla SN, Doucoure S, Ndiath MO, Gaayeb L, et al.(2014). Prevalence and intensity of urinary schistosomiasis among school children in the district of Niakhar, region of Fatick, Senegal. *Parasites and Vectors*.7(1):5.pmid:24387599

Sule, M.N. *et al.*(2022). A novel theatre-based behaviour change approach for influencing community uptake of schistosomiasis control measures. *Parasites Vectors* 15, 301 (2022). <https://doi.org/10.1186/s13071-022-05421-5>

Tallo, V.L., Carabin, H., Alday, P.P., Balolong, E., Jr., Olveda, R.M., McGarvey, S.T. (2008) Is mass treatment the appropriate schistosomiasis elimination strategy?. *Bull World Health Organ*, 86 (2008), pp. 765-771

Torres-Vitolas, C. A., Dhanani, N., and Fleming, F. M. (2021). Factors affecting the uptake of preventive chemotherapy treatment for schistosomiasis in Sub-Saharan Africa: A systematic review. *PLoS neglected tropical diseases*, 15(1), e0009017. <https://doi.org/10.1371/journal.pntd.0009017>

Torres-Vitolas, C.A., Trienekens S.C.M., Zaadnoordijk, W. and Gouvras, A.N.(2023). Behaviour change interventions for the control and elimination of schistosomiasis: A systematic review of evidence from low- and middle-income countries. *PLoS Negl Trop Dis* 17(5): e0011315. <https://doi.org/10.1371/journal.pntd.0011315>

Tumosa, N.(2022). Health literacy and cultural sensitivity. *Pathy's Principles and Practice of Geriatric Medicine*, 1, pp.108-118.



Weiss, J., Makonnen, R. and Sula, D.(2015) Shifting management of a community volunteer system for improved child health outcomes: results from an operations research study in Burundi. *BMC health services research*, 15, pp.1-9.

Weinberg H.B. and Tillinghast A.J.(1946). The pulmonary manifestations of schistosomiasis caused by *Schistosoma japonicum*. Am. J. Trop. Med. Hyg.;26:801–809. doi: 10.4269/ajtmh.1946.s1-26.801

Wellings, K. and Macdowall, W.(2000). Evaluating mass media approaches to health promotion: a review of methods. *Health Education*, 100(1), pp.23-32.

World Health Organization.(2008). The social context of schistosomiasis and its control. Geneva, Switzerland

World Health Organization & UNICEF/UNDP/World Bank/WHO Special Programme for Research and Training in Tropical Diseases.(2014). Implementation research toolkit. World Health Organization. <https://apps.who.int/iris/handle/10665/110523>

World Health Organization.(2020). Ending the Neglect to Attain the Sustainable Development Goals: A Road Map for Neglected Tropical Diseases 2021-2030. World Health Organization, Geneva, Switzerland.

World Health Organization. (2022). Schistosomiasis (Bilharzia). [www.who.int/healthtopics/schistosomiasis#tab=tab\\_1](http://www.who.int/healthtopics/schistosomiasis#tab=tab_1).

World Health Organization. (2020) Ending the neglect to attain the Sustainable Development Goals: a road map for neglected tropical diseases 2021–2030. Geneva: World Health Organization. Licence:CC BY-NC-SA 3.0 IGO.

Yang, X., Zhang, Y., and Sun, QX.(2019). SWOT analysis on snail control measures applied in the national schistosomiasis control programme in the People's Republic of China. *Infect Dis Poverty* 8, 13 (2019). <https://doi.org/10.1186/s40249-019-0521-0>

Zhou, L. Y. et al. (2013). The effects of health education on schistosomiasis japonica prevalence and relevant knowledge in the People's Republic of China: a systematic review and meta-analysis. *Parasitology international*, 62(2), 150–156. <https://doi.org/10.1016/j.parint.2012.11.006>