

## DAFTAR PUSTAKA

- Alvarez, L. (2012). A Dissertation: The Role of Black Soldier Fly, *Hermetia illucens* (L.) (Diptera Stratiomyidae) in Sustainable Management in Northern Climates. Canada: University of Windsor.
- Amalia, F. & Putri, M. K. (2021). Analisis Pengelolaan Sampah Anorganik Di Sukawinatan Kota Palembang. *J. Swarnabhumi* 6, 134–142.
- Amanullah, et al. (2010). Prospects and Potential of Poultry Manure (pp. 172–182). *Asian Journal of Plant Sciences*.
- Badan Standarisasi Nasional. (2006). SNI Pakan Buatan untuk Lele Dumbo pada Budidaya Intensif SNI 01-4087-2006. Badan Standardisasi Nasional.
- Banks, C., & Wang, Z. (2005). Treatment of Meat Wastes. *Waste Treatment in the Food Processing Industry*, 67–100.
- Barkocy-Gallagher, G.A., Arthur, T.M., Rivera-Betancourt, M., Nou, X., Shackelford, S.D., Wheeler, T.L., et al. (2003). Seasonal prevalence of Shiga toxin-producing *Escherichia coli*, including O157:H7 and non-O157 serotypes, and *Salmonella* in commercial beef processing plants. *Journal of Food Protection*, 66, 1978–1986.
- Chen, S., et al. (2003). Value-Added Chemicals from Animal Manure Value-Added Chemicals from Animal Manure \* Washington State University. Pacific Northwest National Laboratory, January.
- Čičková, H., et al. (2015). The use of fly larvae for organic waste treatment. *Waste Management*, 35, 68–80.
- Darmawan, M., Sarto, & Agus, P. (2017). “Budidaya Larva Black Soldier Fly (*Hermetia Illucens*) dengan Pakan Limbah Dapur (Daun Singkong).” *Simposium Nasional* 1, 208–213.
- Devic, E., & Fahmi, M. R. (2013). Biology of *Hermetia illucens*. In *Technical handbook of domestication and production of diptera Black Soldier Fly (BSF)* Technical handbook of domestication and production of diptera Black Soldier Fly (BSF) *Hermetia illucens*, Stratiomyidae.
- Diener, S., Zurbrugg, C., & Tockner, K. (2009). Conversion of organic material by black soldier fly larvae: Establishing optimal feeding rates. *Waste Management and Research*, 27(6), 603–610.
- Doraja, P.H., Shovitri, M., & Kuswyasari, N.D. (2012). Biodegradasi Limbah Domestik Dengan Menggunakan Inokulum Alami Dari Tangki Septik. *Jurnal Sains Dan Seni ITS*, 1(1), 44–47.
- Dortmans B.M.A., Diener S., Verstappen B.M & Zurbrugg C. (2017). *Black Soldier Fly Biowaste Processing (A Step-by Step Guide)*. Eawag: Swiss Federal Institute of Aquatic Science and Technology, Dübendorf, Switzerland.
- Fagnani, K. C., Alves, H. J., Castro, L. E. N. de, Kunh, S. S., & Colpini, L. M. S. (2019). An alternative for the energetic exploitation of sludge generated in the physico-chemical effluent treatment from poultry slaughter and processing in Brazilian industries. *Journal of Environmental Chemical Engineering*, 7(2)
- Gabler, F., Vinnerås, B., 2014. Using Black Soldier Fly for Waste Recycling and Effective *Salmonella* spp. Reduction. (Project based internship). Swedish University of Agricultural Sciences, Swedish
- Gobbi P, Martínez-Sánchez A, Rojo S. (2013). The effects of larval diet on adult life-history traits of the black soldier fly, *Hermetia illucens* (Diptera:

- Hakim, A.R., Prasetya, A., & Petrus, H.T.B.M. (2017a). Potensi Larva Hermetia Illucens Sebagai Pereduksi Limbah Industri Pengolahan Hasil Perikanan. *Jurnal Perikanan Universitas Gadjah Mada*, 19(1), 39.
- Hakim, A. R., Prasetya, A., & Petrus, H.T.B.M. (2017b). Studi Laju Umpan pada Proses Biokonversi Limbah Pengolahan Tuna Menggunakan Larva Hermetia illucens. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 12(2), 179–192.
- Hartono, R., Anggrainy, A. D., & Bagastyo, A. Y. (2021). Pengaruh Komposisi Sampah dan Feeding Rate terhadap Proses Biokonversi Sampah Organik oleh Larva Black Soldier Fly ( BSF ). *Jurnal Teknik Kimia dan Lingkungan*, 5(2), 181–193.
- Hartati, Chamila, A., Syamsiah, Jumadi, O., Kurnia, N., Junda, M., Sahribulan, Saparuddin, Djawad, Y. A., dan Harianto, F., 2022, Pengaruh Formulasi Pakan terhadap Kandungan Nutrisi Larva Black Solder Fly (BSF) Hermetia illucens, *Jurnal Sainsmat*, 11(2): 144-153.
- Hartutik, S., Sriatun, & Taslimah. (2005). Pembuatan pupuk kompos dari limbah bunga kenanga dan pengaruh persentase zeolit terhadap ketersediaan nitrogen tanah. *Jurnal Kimia Anorganik*, 3(1), 1–10.
- Hibino, K., Takakura, K., Febriansyah, Nugroho, S. B., Nakano, R., Ismaria, R., Hartati, T., Zusman, E., & Fujino, J. (2020). Panduan Operasional Pengomposan Sampah Organik Skala Kecil dan Menengah dengan Metoda Takakura. Institute for Global Environmental Strategies (IGES).
- Hidayati, Y., Marlina, E., AK, T., & Harlia, E. (2010). Pengaruh Campuran Feses Sapi Potong Dan Feses Kuda Pada Proses Pengomposan Terhadap Kualitas Kompos. *Jurnal Ilmiah Ilmu-Ilmu Peternakan Universitas Jambi*, XIII(6), 299–303.
- Holeh, G, M., M, A, Opiyo., C, L, Brown., E, Sumbule. (2022). Effect of different waste substrates on the growth, development and proximate composition of black soldier fly (Hermetia illucens) larvae
- Holmes LA, Vanlaerhoven SL, Tomberlin JK. (2012). Relative humidity effects on the life history of Hermetia illucens (Diptera: Stratiomyidae). *Environmental Entomology*. 41(4): 971–978.
- Jorge Iñaki, G.-B., Gerardo Antonio, P.-C., Efrén, D., Hiram, M.-R., Daniela, G.-I., & Damián, R.-J. (2022). Black soldier fly: Prospection of the inclusion of insect-based ingredients in extruded foods. *Food Chemistry Advances*, 1, 100075.
- Joseph, W. dan Phillip, E. (2009). Black Soldier Fly Hermetia illucens Linnaeus (Insecta: Diptera: Stratiomyidae). Florida: EENY 461 University of Florida.
- Jucker C, Erba D, Leonardi MG, Lupi D, Savoldelli S. (2017). Assessment of vegetable and fruit substrates as potential rearing media for Hermetia illucens (Diptera: Stratiomyidae) larvae. *Environmental Entomology*. 46(6): 1415- 1423.
- Karon. B. Barragan-Fonseca, M. Dicke, J. J. A. van Loon. (2017). Nutritional value of the black soldier fly (Hermetia illucens L.) and its suitability as animal feed - a review, *J. Insects as Food Feed*, vol. 3, no. 2, hal. 105 120.
- Katayane, F, A., Bagau, B., Wolayan, F, R., & Imbar, M, R. 2014. Produksi dan Kandungan Maggot (Hermetia illucens) Dengan Media Tumbuh yang Berbeda. *Jurnal Zootek*. Volume 34. Halaman 27 – 36.

- Kawasaki, K., Kawasaki, T., Hirayasu, H., Matsumoto, Y. & Fujitani, Y. (2020). Evaluation of fertilizer value of residues obtained after processing household organic waste with black soldier fly larvae (*Hermetia illucens*). *Sustainability* (Switzerland), 12(12).
- Khatoon, H., et al. (2017). Role of microbes in organic carbon decomposition and maintenance of soil ecosystem. *International Journal of Chemical Studies*, 5(6), 1648–1656.
- Khopkar, S. M. (1990). *Konsep dasar kimia analitik*. Jakarta: UI Press.
- Kinasih I, Suryani Y, Paujiah E, Ulfa RA, Afiyati S, Adawiyah YR, Putra RE. (2020). Performance of black soldier fly, *Hermetia illucens*, larvae during valorization of organic wastes with changing quality. *IOP Conference Series: Earth and Environmental Science*. 593: 01240.
- Kiran, E. U., et al. (2014). Bioconversion of food waste to energy: A review. *Fuel*, 134 (June), 389–399.
- Lalander, C.H., Fidjeland, J., Diener, S., Eriksson, S., Vinnerås, B., (2015). High Waste- To Biomass Conversion and Efficient Salmonella Spp. Reduction using Black Soldier Fly for Waste Recycling. *Agronomy for Sustainable Development*, 35(1), 261–271.
- Lalander, C., et al. (2019). Effects of Feedstock on Larval Development and Process Efficiency in Waste Treatment with Black Soldier Fly (*Hermetia Illucens*). *Journal of Cleaner Production*, 208, 211–219.
- Lee, J.-A., Kim, Y.-M., Park, Y.-K., Yang, Y.-C., Jung, B.-G., Lee, B.-J., 2018. Black Soldier Fly (*Hermetia Illucens*) Larvae Enhances Immune Activities and Increases Survivability of Broiler Chicks Against Experimental Infection of *Salmonella Gallinarum*. *Journal of Veterinary Medical Science*, Volume 80(5), pp. 736–740
- Liland, N. S., et al. (2017). Modulation of Nutrient Composition of Black Soldier Fly (*Hermetia Illucens*) Larvae By Feeding Seaweed-Enriched Media. *PLoS ONE*, 12(8), 1–23.
- Liu, X., et al (2017). Dynamic Changes of Nutrient Composition Throughout The Entire Life Cycle of Black Soldier Fly. *PLoS ONE*, 12(8), 1–21.
- Mangunwardoyo, W., Aulia., & Hem, S. (2011). Penggunaan Bungkil Inti Kelapa Sawit Hasil Biokonversi Sebagai Substrat Pertumbuhan Maggot (*Hermetia illucens*). *Jurnal Biota*. Volume 16 ISSN 0853–8670. Hal. 166–172.
- Manurung, R., Supriatna, A., & Esyanti, R.R. (2016). Bioconversion of Rice Straw Waste by Black Soldier Fly Larvae (*Hermetia Illucens* L) : Optimal Feed Rate for Biomass Production. *Journal of Entomology and Zoology Studies*, 4(4), 1036–1041.
- Meda. Ma J, Lei Y, Rehman KU, Yu Z, Zhang J, Li W, Li Q, Tomberlin JK, Zheng L. (2018). Dynamic effects of initial pH of substrate on biological growth and metamorphosis of black soldier fly (Diptera: Stratiomyidae). *Environmental Entomology*. 47(1): 159– 165.
- Meneguz M, Schiavone A, Gai F, Dama A, Lussiana C, Renna M, Gasco L. (2018). Effect of rearing substrate on growth performance, waste reduction efficiency and chemical composition of black soldier fly (*Hermetia illucens*) larvae: Rearing substrate effects on performance and nutritional composition of black soldier fly. *Journal of the Science of Food and Agriculture*. 98(15): 5776-5784.
- Muhayyat, M. S., Yuliansyah, A. T., & Prasetya, A. (2016). Pengaruh Jenis Limbah dan Rasio Umpan pada Biokonversi Limbah Domestik Menggunakan

- Larva Black Soldier Fly (*Hermetia illucens*). *Jurnal Rekayasa Proses*, 10(1), 23–28.
- Naser El Deen, S., van Rozen, K., Elissen, H., van Wikselaar, P., Fodor, I., van der Weide, R., Hoek-van den Hil, E. F., Rezaei Far, A., & Veldkamp, T. (2023). Bioconversion of Different Waste Streams of Animal and Vegetal Origin and Manure by Black Soldier Fly Larvae *Hermetia illucens* L. (*Diptera: Stratiomyidae*). *Insects*, 14(2).
- Newton, L., et al. (2005). Using The Black Soldier Fly, *Hermetia Illucens*, as A Value-Added Tool for The Management of Swine Manure. *Journal Korean Entomology and Applied*
- Patti, P. S., Kaya, E., & Silahooy, C. (2013). Analisis Status Nitrogen Tanah Dalam Kaitannya dengan Serapan N oleh Tanaman Padi Sawah di Desa Waimital, Kecamatan Kairatu, Kabupaten Seram Bagian Barat. *Agrologia*, 2(1), 51–58.
- Prasetya, A., et al. (2021). A Growth Kinetics Model for Black Soldier Fly (*Hermetia illucens*) Larvae. *International Journal of Technology*, 12(1), 207–216.
- Pruwita, I., Chandra, W, P., Agus, P. (2021). Pengaruh Jenis Pakan Terhadap Kandungan Nutrisi Kompos Dari Residu Pakan Dan Larva Black Soldier Fly (Bsf).
- Puger, I. G. N. (2018). Sampah Organik, Kompos, Pemanasan Global, dan Penanaman *Aglaonema* Di Pekarangan. *Agro Bali: Agricultural Journal*, 1(2), 127–136.
- Puteri, R. E., Sa’adah, R., & Laras, R. G. (2022). Evaluasi Nilai Gizi Dan (Clarias Kandungan Asam Amino Pada Kotoran Unggas Untuk Pakan Ikan *Lele gariepinus*). *Jurnal Perikanan*, 12(4), 691–698.
- Rachmawati, Buchori D, Hidayat P, Hem S, Fahmi MR. (2010). Perkembangan dan kandungan nutrisi Maggot *Hermetia illucens* (Linnaeus) (*Diptera: Stratiomyidae*) pada bungkil kelapa sawit. *JEI* 7(1): 28-41.
- Rahayu, R. 2021. Webinar budidaya maggot BSF mengolah sampah menjadi berkah.
- Ritika, P., & Rajendra, S.S.P. (2015). Study on Occurrence of Black Soldier Fly Larvae in Composting of Kitchen Waste. *International Journal of Research in Biosciences*, 4(4), 38–45.
- Rofi, Danny Yusufi., Auvaria, Shinfy Wazna., Nengse, Sulistiya., Oktorina, Sarita., Yusrianti. (2021). Modifikasi Pakan Larva Black Soldier Fly (*Hermetia illucens*) sebagai Upaya Percepatan Reduksi Sampah Buah dan Sayuran. *Jurnal Teknologi Lingkungan* 22 (1). 130-137.
- Sandvig, K., & van Deurs, B. (2000). Entry of ricin and Shiga toxin into cells: Molecular mechanisms and medical perspectives. *The EMBO Journal*, 19, 5943–5950.
- Saraswati, R., et al. (2017). Percepatan Proses Pengomposan Aerobik Menggunakan Biodekomposer / Acceleration Of Aerobic Composting Process Using Biodecomposer. *Perspektif*, 16(1), 44–57.
- Saraswati, R., et al. (2017). Percepatan Proses Pengomposan Aerobik Menggunakan Biodekomposer / Acceleration Of Aerobic Composting Process Using Biodecomposer. *Perspektif*, 16(1), 44–57.
- Surendra, K. C., Tomberlin, J. K., van Huis, A., Cammack, J. A., Heckmann, L. H. L., & Khanal, S. K. (2020). Rethinking organic wastes bioconversion: Evaluating the potential of the black soldier fly (*Hermetia illucens* (L.))

- Tomberlin JK, Sheppard DC. (2002). Factors influencing mating and oviposition of Black Soldier Flies (Diptera: Stratiomyidae) in a colony. *J Entomology Sci.* 37:345-352.
- Tomberlin, J.K. & Sheppard, D.C. (2001): Lekking behavior of the black soldier fly (Diptera: Stratiomyidae). *Florida Entomologist* 84: 729–730.
- Undang-Undang Republik Indonesia Nomor 18 Tahun. (2008). Tentang Pengelolaan Sampah.
- Sheppard, C.D., Tomberlin, J.K., Joyce, J.A., Kiser, B.C. & Sumner, S.M. (2002): Rearing methods for the Black Soldier Fly (Diptera: Stratiomyidae). *Journal of Medical Entomology* 39: 695–698.
- Wardhana AH, Muharsini S. (2004). Studi pupa lalat penyebab Myasis, *Chrysomya bezziana* di Indonesia. Dalam: Thalib A, Sendow I, Purwadaria T, Tarmudji, Darmono, Triwulanningsih E, Beriajaya, Natalia L, Nurhayati, Ketaren PP, et al., penyunting. *Iptek sebagai Motor Penggerak Pembangunan Sistem dan Usaha Agribisnis Peternakan*. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner. Bogor, 4-5 Agustus 2004. Bogor (Indonesia): Puslitbangnak. hlm. 702-710.
- Wardhana, April Hari. (2016). Black Soldier Fly (*Hermetia illucens*) sebagai Sumber Protein Alternatif untuk Pakan Ternak. *Wartazoa*. 26 (2).
- Widjastuti, T., Wiradimadja, R., & Rusmana, D. 2014. The Effect of Substitution of Fish Meal By Black Soldier Fly (*Hermetia illucens*) Maggot Meal In The Diet On Production Performance Of Quail (*Coturnix coturnix japonica*). *Scientific Papers Series D Animal Science*. Volume 57. Halaman 125 – 129.
- Widyastuti, S., & Sardin. (2021). Pengolahan Sampah Organik Pasar Dengan Menggunakan Media Larva Black Soldier Flies (BSF). *Jurnal Teknik Waktu*, 19(01), 1–13.
- Xiao, X., Mazza, L., Yu, Y., Cai, M., Zheng, L., Tomberlin, J.K., Yu, J., van Huis, A., Yu, Z., Fasulo, S., 2018. Efficient Co-conversion Process of Chicken Manure into Protein Feed and Organic Fertilizer by *Hermetia illucens* L. (Diptera: Stratiomyidae) larvae and Functional Bacteria. *Journal of Environmental Management*, Volume 217, pp. 668–676.
- Zhu, F. X., et al. (2012). Rapid Production of Maggots as Feed Supplement and Organic Fertilizer by The Two-Stage Composting of Pig Manure. *Bioresource Technology*, 116, 485–491.