

DAFTAR PUSTAKA

- Akira, S., Uematsu, S., Takeuchi O. (2006). *Pathogen recognition and innate immunity*. Cell. Feb 24;124(4):783-801. doi: 10.1016/j.cell.2006.02.015. PMID: 16497588.
- Arun N, Saurabh K, Muni S, Kumari N, Dev A. *A Comparative Study of Bacterial Infections Between COVID-19 and Non-COVID-19 Patients With Respect to Different Isolates and Their Antibiotic Sensitivity Pattern*. Cureus. 2023 Jun 13;15(6):e40387. doi: 10.7759/cureus.40387. PMID: 37456417; PMCID: PMC10344732.
- Atallah, N. J., Warren, H. M., Roberts, M. B., Elshaboury, R. H., Bidell, M.R., Gandhi, R. G., et al (2022). *Baseline Procalcitonin as a predictor of bacterial infection and clinical outcomes in COVID-19: A case-control study*. PLoS One. 13;17(1):e0262342. doi: 10.1371/journal.pone.0262342. PMID: 35025929; PMCID: PMC8758006.
- Aydemir O, Aydemir Y, Şahin EÖ, Şahin F, Koroglu M, Erdem AF. *Secondary bacterial infections in patients with coronavirus disease 2019-associated pneumonia*. Rev Assoc Med Bras (1992). 2022 Feb;68(2):142-146. doi: 10.1590/1806-9282.20210745. PMID: 35239872.
- Bekdas, M., Goksugur S. B., Sarac, E. G., Erkocoglu, M., Demircioglu, F. (2014). *Neutrophil/lymphocyte and C-reactive protein/mean platelet volume ratios in differentiating between viral and bacterial pneumonias and diagnosing early complications in children*. Saudi Med J. May;35(5):442-7. PMID: 24825803.
- Buonacera, A., Stancanelli, B., Colaci, M., Malatino, L. (2022). *Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases*. Int J Mol Sci. Mar 26;23(7):3636. doi: 10.3390/ijms23073636. PMID: 35408994; PMCID: PMC8998851.
- Burhan, E., Susanto, A. D., Nasution, S. A., Ginanjar, E., Pitoyo, W., et al. (2020). *Pedoman Tatalaksana COVID-19 (3rd ed.)*. PDPI, PERKI, PAPDI, PERDATIN, IDAI.
- Bragonzi, A., Copreni, E., de Bentzmann, S., Ulrich, M., Conese, M. (2004). *Airway epithelial cell-pathogen interactions*. Journal of Cystic Fibrosis, 3(suppl 2), 197–201. <https://doi.org/10.1016/j.jcf.2004.05.041>.
- Cataudella, E., Giraffa, C.M., Di Marca, S. (2017). *Neutrophil to Lymphocyte Ratio: an emerging marker predicting prognosis in elderly adults with communi-ty-acquired pneumonia*. J Am Geriatr Soc; 65 (8), 1796-801.
- Chavez, S., Long, B., Koyfman, A., Liang, S. Y. (2020). *Coronavirus Disease (COVID-19): A primer for emergency physicians*. The American Journal of Emergency Medicine. <https://doi.org/10.1016/j.ajem.2020.03.036>.
- Chen, N., Zhou, M., Dong, X., Qu, J., Gong, F., Han, Y., et al. (2020). *Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: A descriptive study*. Lancet

(London, England), 395(10223), 507–513. [https://doi.org/10.1016/S0140-6736\(20\)30211-7](https://doi.org/10.1016/S0140-6736(20)30211-7).

- Chengyi HU, Lushan X, Hongbo Z, Yanpei Z, Wenfeng Z, Li L, Hong Z. *Effect of hypertension on outcomes of patients with COVID-19*. Nan Fang Yi Ke Da Xue Xue Bao. 2020 Nov 30;40(11):1537-1542. doi: 10.12122/j.issn.1673-4254.2020.11.01. PMID: 33243750; PMCID: PMC7704389.
- Contou, D., Claudinon, A., Pajot, O., Micaelo, M., Longuet, Flandre, P., Dubert, M, Cally, R.,. (2020). *Bacterial and viral co-infections in patients with severe SARS-CoV-2 pneumonia admitted to a French ICU*. *Ann Intensive Care*. 2020 Sep 7;10(1):119. doi: 10.1186/s13613-020-00736-x. PMID: 32894364; PMCID: PMC7475952.
- Doughty L. A., Nguyen K. B., Durbin J. E., Biron C. A. (2001). *A role for IFN- α in virus infection-induced sensitization to endotoxin*. *J. Immunol*. 166 2658–2664. 10.4049/jimmunol.166.4.2658.
- Garcia, V. C., Sanjuan, G., Moreno, G. E., Puerta, A., Garcia, P. N., Chumbita, M., et al. (2021). *Incidence of co-infections and superinfections in hospitalized patients with COVID-19: a retrospective cohort study*. *Clin Microbiol Infect*;27:83. doi:10.1016/J.CMI.2020.07.041.
- Hanada S., Pirzadeh M., Carver K. Y., Deng J. C. (2018). *Respiratory viral infection-induced Microbiome alterations and secondary bacterial pneumonia*. *Front. Immunol*. 9:2640. 10.3389/fimmu.2018.02640.
- He, Y., Li, W., Wang Z., Chen, H., Tian, L., Liu, D. (2020). *Nosocomial infection among patients with COVID-19: a retrospective data analysis of 918 cases from a single center in Wuhan, China*. *Infect Control Hosp Epidemiol*. 2020;41:982-983.
- He S, Liu W, Jiang M, Huang P, Xiang Z, Deng D, Chen P, Xie L. *Clinical characteristics of COVID-19 patients with clinically diagnosed bacterial co-infection: A multi-center study*. *PLoS One*. 2021 Apr 5;16(4):e0249668. doi: 10.1371/journal.pone.0249668. PMID: 33819304; PMCID: PMC8021165.
- Hendaus, A. M., Jomha, F. A., Alhammadi, A. H. (2015). *Virus-induced secondary bacterial infection : a concise review*. *Dove Press Journal : Therapeutic and clinical risk management*. 2015;11 1265–1271.
- Holmes, A. H., Moore, L. S., Sundsfjord, A., Steinbakk, M., Regmi, S., Karkey, A., Guerin, P. J., Piddock, L. J. (2016). *Understanding the mechanisms and drivers of antimicrobial resistance*. *Lancet* (London, England).
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y et al. (2020). *Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China [published correction appears in Lancet*. 2020. *The Lancet*, 395(10223), 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5).
- Isabell Pink, Raupach David, Jan Fuge, Vonberg Ralf Peter, Hoepfer Marius, Tobias Welte., et al. (2021). *C-reactive protein and Procalcitonin for antimicrobial stewardship in COVID-19*. *Infection* (2021) 49:935–943 <https://doi.org/10.1007/s15010-021-01615-8>.

- Jorge Luis Velez-Paez, Wendy Tercero-Martínez, Glenda Jimenez-Alulima, Johanna Navarrete-Domínguez, Luis Cornejo-Loor, Christian Castro-Bustamante., *et al.* (2021). *Neutrophil-to-lymphocyte ratio and mean platelet volume in the diagnosis of bacterial infections in COVID-19 patients. A preliminary analysis from Ecuador.* <http://doi: 10.53854/liim-2904-5>, <https://www.researchgate.net/publication/356969860>.
- Karaaslan, T., and Karaaslan, E. (2022). *Predictive Value of Systemic Immuneinflammation Index in Determining Mortality in COVID-19 Patients.* 8(3), 156–164. <https://doi.org/10.2478/jccm-2022-0013>.
- Kementerian Kesehatan Republik Indonesia. (2022). *Pedoman Pencegahan dan Pengendalian Coronavirus Disease 2019 (COVID-19).* Direktorat Jendral pencegahan dan Pengendalian Penyakit : Jakarta.
- Lee, Y., McKechnie, T., Doumouras, A.G., Handler, C., Eskicioglu, C., Gmora, S., Anvari, M., Hong, D. (2019). *Diagnostic Value of C-Reactive Protein Levels in Postoperative Infectious Complications After Bariatric Surgery: a Systematic Review and Meta-Analysis.* *Obes Surg.* Jul;29(7):2022-2029.
- Liu, W., Tao, Z. W., Wang, L., Yuan, M. L., Liu, K., Zhou, L., *et al.* (2020). *Analysis of factors associated with disease outcomes in hospitalized patients with 2019 novel coronavirus disease.* *Chin. Med. J. (Engl).* 133(9), 1032–1038. (<https://doi.org/10.1097/CM9.0000000000000775>).
- Luo, L., Fu, M., Li, Y., Hu, S., Luo, J., *et al.* (2020). *The potential association between common comorbidities and severity and mortality of coronavirus disease 2019: A pooled analysis.* *Clinical Cardiology,* 43(12), 1478–1493. <https://doi.org/10.1002/clc.23465>.
- Mahar P. D., Wasiak J., Cleland H., Paul E., Gin D., Watters D. A., *et al.* (2014). *Secondary bacterial infection and empirical antibiotic use in toxic epidermal necrolysis patients.* *J. Burn Care Res.* 35 518–524. [10.1097/bcr.0000000000000062](https://doi.org/10.1097/bcr.0000000000000062).
- Morris, D. P. (2007). Bacterial biofilm in upper respiratory tract infections. *Current Infectious Disease Reports,* 9(3), 186–192. <https://doi.org/10.1007/s11908-007-0030-3>.
- McCullers, J.A. (2014). *The co-pathogenesis of influenza viruses with bacteria in the lung.* *Nat Rev Microbiol.* Apr;12(4):252–262. doi: [10.1038/nrmicro3231](https://doi.org/10.1038/nrmicro3231).
- Naess A, Nilssen SS, Mo R, Eide GE, Sjursen H. *Role of neutrophil to lymphocyte and monocyte to lymphocyte ratios in the diagnosis of bacterial infection in patients with fever.* *Infection.* 2017;45(3):299–307).
- Natalie, J. Atallah., Hailey M. Warren., Matthew B. Roberts., Ramy H. Elshaboury., Monique R. Bidell *et al.* (2022). *Procalcitonin as a predictor of bacterial infection and clinical outcomes in COVID-19: A case-control study.* *PLoS ONE* 17(1): e0262342. <https://doi.org/10.1371/journal.pone.0262342>.
- Nedel W, da Silveira F, da Silva CF, Lisboa T. *Bacterial infection in coronavirus disease 2019 patients: co-infection, super-infection and how it impacts on antimicrobial use.* *Curr Opin Crit Care.* 2022 Oct 1;28(5):463-469. doi:

10.1097/MCC.0000000000000975. Epub 2022 Aug 26. PMID: 36017559; PMCID: PMC9593329.

- Niehues, Tim. (2018). *C-reactive Protein and other biomarkers - the sense and non-sense of using inflammation biomarkers for the diagnosis of severe bacterial infection*. *LymphoSign Journal*. 5. 10.14785/lymphosign-2018-0001.
- Omran Ahmed. (2021). *Salivary Interleukin-6 and C-Reactive Protein/Mean Platelet Volume Ratio in the Diagnosis of Late-Onset Neonatal Pneumonia*. *Journal of Immunology Research* (2021). <https://doi.org/10.1155/2021/8495889>.
- Ong, S. W. X., Chiew, J. C., Weiang, Li., Mak, T. M., Cui, L., Toh, M, P. (2021). *Clinical and virological features of SARS-CoV-2 variants of concern: a retrospective cohort study comparing B.1.1.7 (Alpha), B.1.315 (Beta), and B.1.6.17.2(Delta)*. *Clin. Infect. Dis*. <https://doi.org/10.1093/cid/ciab721>.
- Park, J.H., Kim, D.H., Jang, H.R., Kim, M.J., Jung, S.H., Lee, J.E., et al. (2014). *Clinical relevance of Procalcitonin and C-reactive protein as infection markers in renal impairment: a cross-sectional study*. *Critical Care* 2014, 18:640.
- Rahman NAA, Soh TST, Sekawi Z, Zakariah SZ. *Risk Factors Influencing Bacterial Infection in COVID-19 patients in Hospital Sungai Buloh*. *Int J Infect Dis*. 2023 May;130:S107–8. doi: 10.1016/j.ijid.2023.04.267. Epub 2023 May 16. PMCID: PMC10186962.
- Reinhart, K., Bauer, M., Riedemann, N.C., Hartog, C.S. (2012). *New approaches to sepsis: molecular diagnostics and biomarkers*. *Clin Microbiol Rev* ;25:609–634.
- Ripa M, Galli L, Poli A, Oltolini C, Spagnuolo V, Mastrangelo A, Muccini C; COVID-BioB study group. *Secondary infections in patients hospitalized with COVID-19: incidence and predictive factors*. *Clin Microbiol Infect*. 2021 Mar;27(3):451-457. doi: 10.1016/j.cmi.2020.10.021. Epub 2020 Oct 24. PMID: 33223114; PMCID: PMC7584496.
- Schuetz, P., Albrich, W., Mueller, B. (2011). *Procalcitonin for diagnosis of infection and guide to antibiotic decisions: past, present and future*. *BMC medicine*; 9:107.
- Sproston, N.R., Ashworth, J.J. (2018). *Role of C-Reactive Protein at Sites of Inflammation and Infection*. *Front Immunol*. Apr 13;9:754. doi: 10.3389/fimmu.2018.00754. PMID: 29706967; PMCID: PMC5908901.
- Stojkovic Lalosevic M, Pavlovic Markovic A, Stankovic S, Stojkovic M, Dimitrijevic I, Radoman Vujacic I, et al. (2019). *Combined Diagnostic Efficacy of Neutrophil-to-Lymphocyte Ratio (NLR), Platelet-to-Lymphocyte Ratio (PLR), and Mean Platelet Volume (MPV) as Biomarkers of Systemic Inflammation in the Diagnosis of Colorectal Cancer*. *Dis Markers*. 17;2019:6036979. doi: 10.1155/2019/6036979. PMID: 30800188; PMCID: PMC6360046.
- Tan, C., Huang, Y., Shi, F., Tan, K., Ma, Q., Chen, Y., et al. (2020). *C-reactive protein correlates with computed tomographic findings and predicts severe COVID-19 early*. *J. Med. Virol*. 92(7), 856–862.

- (<https://doi.org/10.1002/jmv.25871>. Toledano-Fonseca M, Cano MT, Inga E, Gómez-España A, Guil-Luna S, García-Ortiz MV *et al.* (2021). *The Combination of Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio with Liquid Biopsy Biomarkers Improves Prognosis Prediction in Metastatic Pancreatic Cancer*. *Cancers* (Basel). 2021 Mar 10;13(6):1210. doi: 10.3390/cancers13061210. PMID: 33802006; PMCID: PMC7998484.
- Vardon-Bounes, F., Ruiz, S., Gratacap, M.P., Garcia, C., Payrastre, B., Minville, V. (2019). *Platelets Are Critical Key Players in Sepsis*. *Int J Mol Sci*. Jul 16;20(14):3494. doi: 10.3390/ijms20143494. PMID: 31315248; PMCID: PMC6679237.
- Velez Paez, J. L., Tercero Martínez. W., Jimenez Alulima, G., Navarrete Dominguez, J., Cornejo, L., Castro-Bustamante, C., *et al.* (2021). *Cabanillas-Lazo M, Barboza JJ, Rodriguez-Morales AJ. Neutrophil-to-lymphocyte ratio and mean platelet volume in the diagnosis of bacterial infections in COVID-19 patients. A preliminary analysis from Ecuador*. *Infez Med*. 2021 Dec 10;29(4):530-537. doi: 10.53854/liim-2904-5. PMID: 35146361; PMCID: PMC8805481.
- World Health Organization (WHO). (2022). WHO Coronavirus (COVID-19) Dashboard. Diakses pada tanggal 25 Januari 2023 pada halaman website : <https://COVID19.who.int/>.
- Wang, L., He, W., Yu, X., Hu, D., Bao, M., Liu, H., Zhou, J., & Jiang, H. (2020). *Coronavirus disease 2019 in elderly patients: Characteristics and prognostic factors based on 4-week follow-up*. *Journal of Infection*, pii: S0163-4453(20)30146-8. <https://doi.org/10.1016/j.jinf.2020.03.019>.
- Wang K, Wang X, Du J, Liu C, Jiang Y, Zhang H, Jiang H, Fu Q. *Relationship between changes in the course of COVID-19 and ratio of neutrophils-to-lymphocytes and related parameters in patients with severe vs. common disease*. *Epidemiol Infect*. 2021 Mar 29;149:e81. doi: 10.1017/S0950268821000674. PMID: 33775266; PMCID: PMC8027554.
- Whicher, J., Bienvenu, J., Monneret, G. (2021). *Procalcitonin as an acute phase marker*. *Ann Clin Biochem* ;38(Pt 5):483-93.
- Williams, P., McWilliams, C., Soomro, K., Harding, I., Gurney, S., Thomas, M., *et al.* (2021). *The dynamics of Procalcitonin in COVID-19 patients admitted to Intensive care unit a multi centre cohort study in the South West of England, UK*. *J Infect* ;82(6):e24–6.
- Wu G, Lu J, Liu D, He Y. *Characteristics and risk factors of secondary bacterial infections in COVID-19 patients*. *Antimicrob Steward Healthc Epidemiol*. 2023 Sep 13;3(1):e156. doi: 10.1017/ash.2023.425. PMID: 37771749; PMCID: PMC10523549.
- Xia, W., Tan, Y., Hu, S., Li, C., and Jiang, T. (2022). *Predictive Value of Systemic Immune- In fl ammation index and Neutrophil-to- Lymphocyte Ratio in Patients with Severe*. <https://doi.org/10.1177/10760296221111391>.
- Xing, Q., Li, G., & Xing, Y. (2020). *Precautions are needed for COVID-19 patients with coinfection of common respiratory pathogens*. Preprint from medRxiv.<https://doi.org/10.1101/2020.02.29.20027698>PPR:PPR115450.



UNIVERSITAS
GADJAH MADA

Neutrophil Lymphocyte Ratio (NLR), C- Reactive Protein - Mean Platelet Volume (CRP-MPV) Ratio dan Procalcitonin Sebagai Prediktor Infeksi Sekunder Bakteri Pasien Coronavirus Disease-19 (COVID-19) di

RSUP Dr. Sardjito Yogyakarta

Ollyvia Mariance Kembuan, dr. Rizka Humardewayanti Asdie, SpPD, KPTI.; dr. Heni Retno Wulan, M.Kes, SpPD, KP

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yuki, K., Fujiogi, M., & Koutsogiannaki, S. (2020). COVID-19 pathophysiology:xA review. *Clin. Immunol.* 215. (<https://doi.org/10.1016/j.clim.2020.108427>).

Zhou, Ying., Zhen, Y., Guo, Y., Geng, S., Gao, S., Ye, S., *et al.* (2020). A New Predictor of Disease Severity in Patients with COVID-19 in Wuhan, China. Pre print from medRxiv doi: <https://doi.org/10.1101/2020.03.24.20042119>.