

DAFTAR PUSTAKA

- Abdulrazzaq Jerri, B. (2015). Evaluate polymer degree of conversion of bulk-fill composite restoration. *J Dent Med Sci*, 14(9), 2279–2861.
- Abed, Y. A., Sabry, H. A., & Alrobeigy, N. A. (2015). Degree of conversion and surface hardness of bulk-fill composite versus incremental-fill composite. *Tanta Dent J*, 12(2), 71–80.
- Albers, H. F. (2002). *Tooth-Colored Restoratives Principles and Techniques*. 9th ed. BC Decker Inc.
- Al-Haddad, A., Silikas, N., & Satterthwaite, J. D. (2015). Characterisation and Performance of Fibre-Reinforced Composite Restorations. *Faculty of Medical and Human Sciences*, <https://www.escholar.manchester.ac.uk/uk-ac-man-scw:283118>.
- Alhenaki, A. M., Attar, E. A, Alshahrani, A., Farooq, I., Vohra, F., & Abduljabbar, T. (2021). Dentin Bond Integrity of Filled and Unfilled Resin Adhesive Enhanced with Silica Nanoparticles—An SEM, EDX, Micro-Raman, FTIR and Micro-Tensile Bond Strength Study. *Polymers*. 13(1093) : 1-12.
- Amjad, A., Anjang Ab Rahman, A., Awais, H., Zainol Abidin, M. S., & Khan, J. (2022). A review investigating the influence of nanofiller addition on the mechanical, thermal and water absorption properties of cellulosic fibre reinforced polymer composite. *J Ind Text*, 51(1), 65-100.
- Anusavice, K. J. (2012). *Phillip's Science of Dental Materials*. 12th ed. Elsevier Science.
- Apsari, A., Munadzirroh, E., & Yogiartono, M. (2009). Perbedaan Kebocoran Tepi Tumpatan Resin Komposit Hybrid yang Menggunakan Sistem Bonding Total Etch dan Self Etch. *Jurnal PDGI*. 58(3), 1-7.

- Aschheim, K. W., & Dale, B. G. (2001), *Esthetic Dentistry: A Clinical Approach to Techniques and Materials*. 2nd ed. St. Louis Mosby.
- Attar, N., Turgut, M. D., & Gregor, H. C. (2004). The Effect of Flowable Resin Composite as Gingiva Increments on The Microleakage of Posterior Resin Composite, *Oper Dent*, 29(2), 162-167.
- Ayad, M. F., Maghrabi, A. A., dan García-Godoy, F. (2010). Resin composite polyethylene fiber reinforcement: Effect on fracture resistance of weakened marginal ridges. *Am J Dent*, 23(3), 133–136.
- Bayne, S. C., Heymann, H. O., & Swift, E. J. (2004) Update on Dental Composite Restoration, *J Am Dent Assoc*, 125, 687-701.
- Başaran, G., & Ozer, T., Devocioğlu Kama, J. (2009). Comparison of a recently developed nanofiller self-etching primer adhesive with other self-etching primers and conventional acid etching. *Eur J Orthod*, 31(3), 271-275.
- Barszczewska-Rybarek, I. M. (2009). Structure-property relationships in dimethacrylate networks based on Bis-GMA, UDMA and TEGDMA. *Dent Mater*, 25(9), 1082–1089.
- Belli, S., Dönmez, N., & Eskitaşcioğlu, G. (2006). The effect of c-factor and flowable resin or fiber use at the interface on microtensile bond strength to dentin. *J Adhes Dent*, 8(4), 247–253.
- Belli, S., Erdemir, A., Ozcopur, M., & Eskitascioglu, G. (2005). The effect of fibre insertion on fracture resistance of root filled molar teeth with MOD preparations restored with composite. *Int Endod J*, 38(2), 73–80.
- Carvalho, C. N., Francci, C. E., Costac, J. F., & Bauer, J. (2015). Effect of filler and application mode on micro-shear bond strength of etch-and-rinse adhesive systems. *Rev Porte Stomato lmed Dent Cir Maxilofa*, 56(2), 89–94
- Chauhan, U., Dewan, R., & Goyal, N. G. (2020). Comparative Evaluation of Bond

Strength of Fifth, Sixth, Seventh, and Eighth Generations of Dentin Bonding Agents: An In Vitro Study. *J Oper Dent Endod*, 5(2): 69–73.

Chen. S., Liu, M., Huang, H., Cheng, L., & Zhao, H. P. (2019). Mechanical properties of *Bombyx mori* silkworm silk fibre and its corresponding silk fibroin filament: A comparative study. *Mater. Des.* 181(2019) : 1-11.

Costa, S., Sousa. Y., S., Curylofo, F., Steier, L., Neto, M. S., Gabriel, A. S. (2014) Fracture resistance of mechanically compromised premolars restored with polyethylene fiber and adhesive materials. *Int J Adhes Adhes.* 50(2014): 211-215.

Cury, J A , de Oliveira, B. H., dos Santos, A. P, & Tenuta, L. M. (2016). Are fluoride releasing dental materials clinically effective on caries control?, *Dent Mater*, 2(2016):323-333.

Czasch, P., & Ilie, N. (2013). In vitro comparison of mechanical properties and degree of cure of bulk fill composites. *Clin Oral Investig*, 17(1), 227–235.

da Silva, C. L., Scherer, M. M., Mendes, L. T., Casagrande, L., Leitune, V. C. B., & Lenzi, T. L. (2020). Does use of silane-containing universal adhesive eliminate the need for silane application in direct composite repair? *Brazilian Oral Res*, 34, 1–7.

Deliperi, S. (2008). Direct Fiber-reinforced Composite Restoration in an Endodontically-treated Molar: A Three-year Case Report. *Oper Dent*, 33(2), 209-214.

Devlin, H. (2006), *Operative Dentistry : A Practical Guide to Recent Innovations*. Springer.

Doozandeh, M., Alavi, A. A., & Karimizadeh, Z. (2016). Flexural Strength Comparison of Silorane- and Methacrylate-Based Composites with Pre-impregnated Glass Fiber. *J Dent (Shiraz, Iran)*, 17(2), 105–111.

Eapen, A. M., Amirtharaj, L. V., Sanjeev, K., & Mahalaxmi, S. (2017). Fracture

Resistance of Endodontically Treated Teeth Restored with 2 Different Fiber-reinforced Composite and 2 Conventional Composite Resin Core Buildup Materials: An In Vitro Study. *J Endod*, 43(9), 1499–1504.

Ellakwa, A. E., Shortall, A. C., & Marquis, P. M. (2002). Influence of fiber type and wetting agent on the flexural properties of an indirect fiber reinforced composite. *J Prosthet Dent*, 88(5), 485-490.

Ende. A. V., Munck. J. D., Van Landuyt K. L., Poitevin. A., Peumans. M., & Meerbeek. B. V. (2012). Bulkfilling Of High C Factor Posterior Cavities : Effect on Adhesion to Cavity Bottom Dentin. *Dent Mater*, 29(2013), 269-277.

Escobar. L. B., da Silva. L. P., & Monteiro. P. M. (2023). Fracture Resistance of Fiber-Reinforced Composite Restorations: A Systematic Review and Meta-Analysis. *Polymers*. 15(3802): 1-19.

Farahanny, W., Abidin, T., Agusnar, H., Gigi, F. K., & Utara, U. S. (n.d.). (2013). Fracture Resistance And Mode Of Fracture Differences Of Locked. *Dentika Dent J*, 17(4), 345–350.

Fransiska, A., Sunarintyas, S., & Dharmastiti, R. (2019). Effect of Bombyx mori silk-fiber volume on flexural strength of fiber-reinforced composite. *MKGI*, 4(2), 75-81.

Fráter, M., Forster, A., Keresztúri, M., Braunitzer, G., & Nagy, K. (2014). In vitro fracture resistance of molar teeth restored with a short fibre-reinforced composite material. *J Dent*, 42(9), 1143–1150.

Fu, L., Engqvist, H., Xia, W. (2020). Glass-ceramics in dentistry: a review. *Materials (Basel)*, 13(2020):1049.

Gade, V. J., Asani, R., Meshram, P. V., Wankhede, J. S., Chandwani, N. D., Chaware, P., & Chaudhary, Y. (2023). An in-vitro evaluation of fracture resistance of maxillary premolar with large mod cavity restored with preheated and direct composite system. *J Popul Ther Clin Pharmacol*. 30(17), 206-212.

- Gajewski, V. E. S., Pfeifer, C. S., Fróes-salgado, N. R. G., Boaro, L. C. C., & Braga, R. R. (2012). Monomers Used in Resin Composites: Degree of Conversion, Mechanical Properties and Water Sorption/Solubility. *Braz Dent J*. 23(5): 508-514.
- Garcia, Contreras., R. Scougall-Vilchis, R. J., Contreras-Bulnes, R., Sakagami, H. Morales-Luckie, R. A., & Nakajima, H. (2015). Mechanical, antibacterial and bond strength properties of nano-titanium-enriched glass ionomer cement. *J. Appl Oral Sci*, 23, 321–328.
- Garoushi, S., Gargoum, A., Vallitu, P. K., & Lassila, L. (2018). Short Fiber Reinforced Composit Restoration : A Review of Current Literature. *J Invest Clin Dent*, 2018, 1-9.
- Guan. J., Zhu. W., Liu. B., Yang. K., Vollrath. F., & Xu. J. (2017). Comparing the microstructure and mechanical properties of *Bombyx mori* and *Antheraea pernyi* cocoon composites. *Acta Biomaterialia*. 47(2017) : 60-70.
- Guan, X., Zhu, T., & Zhang, D. (2022). Development in polymerization shrinkage control of dental light-cured resin composites: a literature review. *J Adhes Sci Technol*, 37(4), 602-623.
- Gupta, R., Prasad, A. B., Raisingani, D., Khurana, D., Mital, P., dan Moryani, V. (2023). Endodontically treated teeth with fiber-reinforced composite resins: A case series, *J Dent Res Rev*, 9(4), 310-314.
- Gurunathan, C., Cadenaro, M., Fontanive, L., Giangrosso, G., Juloski, J., Vichi, A., & Ferrari, M. (2014). Polimerization efficiency and flexural strength of low stress restorative composites. *Dent Mater*, 30(6), 688-694.
- Hamouda. I. M. & Shehata. S. H. (2012). Fracture Resistance of Posterior Teeth Restored with Modern Restorative Materials. *J Biomed Res*, 25(6): 418-424.
- Hampe, R., Theelke, B., Lümke, N., Eichberger, M., & Stawarczyk, B. (2021). Fracture toughness analysis of ceramic and resin composite CAD/CAM material. *Oper Dent*, 44(2021):190–201

Hardan, L., Bourgi, R., Cuevas-Suárez, C. E., Zarow, M., Kharouf, N., Mancino, D., Villares, C. F., Skaba, D., & Lukomska-Szymanska, M. (2021). The bond strength and antibacterial activity of the universal dentin bonding system: A systematic review and meta-analysis. *Microorganisms*, 9(6), 1-15.

Hardy, J. G. & Scheibel, T. R. (2009). Silk inspired polymers and proteins. *Biochem Soc Trans.* 37(4): 677-681.

Hatrick, C. D., & Eakle, W. S. (2015), *Dental Material: Clinical Application for Dental Materials, Theory, Practise and Cases. 3rd ed.* Elsevier.

Hirata, R., Kabbach, W., De Andrade, O. S., Bonfante, E. A., Giannini, M., & Coelho, P. G. (2015). Bulk Fill Composites: An Anatomic Sculpting Technique. *J Esthet Restor Dent.* 27(6), 335–343.

<https://dentalsilkbon.com/>, diakses 24 Februari 2023 pukul 10.00.

Janani, K., Khandelwal, A., & Palanivelu, A. (2020). Fiber-reinforced composite in dentistry – A review. *Drug Invent Today.* 13(6), 1231-1235.

Jose, D., Mds, J. M., Mds, F. K., Eldow, M., & Vineeth, N. H. (2021). estRepair of Direct Composite Resin Rorations – Analysis and Review of Literature. *Malanadu Dent J*, 10(5), 1–3.

Juloski, J., Beloica, M., Goracci, C., Chieffi, A. G., Vichi, A., Vulicevic, Z. R., & Ferrari, M. (2013). Shear Bond Strength to Enamel and Flexural Strength of Different Fiber Reinforced Composites. *J Adhes Dent*, 15(2), 123-130.

Kamath, U., Salam, A., Uday K. C., Kamath, U., & Salam, A. (2016). Fracture resistance of maxillary premolars with mod cavities restored with Zirconomer: An in vitro comparative study. *Int J Appl Dent Sci*, 2(2), 77–80.

Kasraei, S. H., Atai, M., Khamverdi, Z., & Khalegh Nejad, S. (2009). Effect of nanofiller addition to an experimental dentin adhesive on microtensile bond strength to human dentin. *J Dent (Tehran)*, 6(2), 91-96.

Kazak, M., & Donmez, N. (2019). Development of Dentin Bonding Systems from

Past to Present. *Bezmialem Sci*, 7(4), 322–330.

Kucukyilma, E., Yasa, B., Akcay, M., Savasa, S., & Kavrik F. (2015). Effect of Pulp Capping Materials on Fracture Resistance of Class II Composite Restorations. *Eur J Dent*, 9(2), 218-223.

McCabe, J. F., & Angus. W. G. W. (2008). *Appl Dent Mater. 9th ed.* Blackwel Publishing Ltd.

Migliau, G. (2017). Classification review of dental adhesive systems: from the IV generation to the universal type. *Annali Di Stomatologia*, 8(1), 1-17.

Mincik, J., Urban, D., Timkova, S., dan Urban, R. (2016). Fracture Resistance of Endodontically Treated Maxillary Premolars Restored by Various Direct Filling Materials: An In Vitro Study. *Int J Biomater*, 2016, 1-5.

Mohammed. A. & Ario. S. (2015). Resin Based Composite and LCU Related Factors Affecting The Degree of Cure. A Literature Review : Part 1. Resin Based Composites. *Acta Med Marisiensis*, 61(3), 153-157.

Mohan, S., Gurtu, A., Singhal, A., & Guha., C. (2012). Fibre Reinforced Composite A Review and Case Report. *J Dent Sci Oral Rehabil*, 2012(5), 45-48.

Moosavi, H., Zeynali, M., & Pour, Z. H. (2012). Fracture Resistance of Premolars Restored by Various Types and Placement Techniques of Resin Composites. *Int J Dent*, 2012, 1-5.

Oskoe, P. A., Ajami, A. A., Navimipour, E. J., Oskoe, S. S., & Sadjadi, J. (2009). The Effect of Three Composite Fiber Insertion Techniques on Fracture Resistance of Root-filled Teeth. *J Endod*, 35(3), 413–416.

Pertigao. J., & Edward. J. S. Jr. (2006), dalam Roberson, T. M., Heymann, H. O., Swift. E. J., *Sturdevant's Art and Science of Operative Dentistry. 5th ed.* Mosby Inc.

- Pfeifer. C., Braga. R., & Cardoso. P. E. C. (2006). Influence of Cavity Dimensions Insertion Technique and Adhesive System on Microleakage of Cass V Restorations. *J Am Dent Assoc*, 137(2), 197-202.
- Poptani. B., Gohil. K. S., Ganjiwale. J., & Shukla. M. (2012). Microtensile dentin bond strength of fi fth with fi ve seventh-generation dentin bonding agents after thermocycling: An in vitro study. *Contemp Clin Dent*, 3(2), 167-171.
- Powers. J. M., & Sakaguchi. R. L. (2012). *Craig's Restorative Dental Materials*. 13th ed. Mosby Inc.
- Poyser, N. J., Briggs, P. F. A., Chana, H. S., Kelleher, M. G. D., Porter, R. W. J., & Patel, M. M. (2007). The evaluation of direct composite restorations for the worn mandibular anterior dentition - Clinical performance and patient satisfaction. *J Oral Rehabil*, 34(5), 361–376.
- Purayil, T. P., Kumar, S. S., Upadhyay, S., Acharya, S. R., Anju, P. K. (2021). Clinical Applications of Glass Fiber Reinforced Composites: A Case Series. *Indian J Public Health Res Dev*, 11(11), 181-187.
- Puspaningrum. Y., Untara. T. E., & Ratih. D. N. (2014), Pengaruh Posisi Glass Fiber Terhadap Ketahanan Fraktur Gigi Premolar Maksila dengan Restorasi Resin Komposit *Bulkfill* Kavitas Kelas I. Belum Dipublikasi.
- Rajendran, R. dan Sivapathasundharam, B. 2012. Shafer's Textbook of Oral Pathology, 7th ed., Elsevier, New Delhi: 434.
- Rezvani M. B., Basir. M. M., Mollaverdi. F., Morani. Z., & Sobout. A. (2012). Comparison of the Effect of Direct and Indirect Composite Resin Restorations on The Fracture Resistance of Maxillary Premolars : An In Vitro Study. *J Dent Sch*, 29(5), 299-305.
- Ritter, A. V., Boushell, L. W., & Walter, R. (2019). *Sturdevant's Art and Science of Operative Dentistry*. 7th ed. Elsevier.

- Roberson, T. M., Heeymann, H., & Swiift, E. J. (2006), *Sturdevant's Art and Science of Operative Dentistry*, Elsevier.
- Roggendorf, M. J., Krämer, N., Appelt, A., Naumann, M., & Frankenberger, R. (2011). Marginal quality of flowable 4-mm base vs. Conventionally layered resin composite. *J Dent*, 39(10), 643–647.
- Sabbagh, J., El Masri, L., Fahd, J. C., & Nahas, P. (2021). A three-year randomized clinical trial evaluating direct posterior composite restorations placed with three self-etch adhesives. *Biomater Investig Dent*, 8(1), 92–103.
- Sadr, A., Bakhtiari, B., Hayashi, J., Luong, M. N., Chen, Y. W., Chyz, G., Chan, D., & Tagami, J. (2020). Effects of fiber reinforcement on adaptation and bond strength of a bulk-fill composite in deep preparations. *Dent Mater*, 36(4), 527–534.
- Schulz, S. D., Laquai, T., Kümmerer, K., Bolek, R., Mersch-sundermann, V., & Polydorou, O. (2015). Elution of Monomers from Provisional Composite Materials. *Int J Polym Sci*, 2015, 1-7.
- Suksawat, N., Angwaravong, O., & Angwarawong, T. (2023). Fracture resistance and fracture modes in endodontically treated maxillary premolars restored using different CAD-CAM onlays. *J Prosthodont Res*, 22(311): 1-9.
- Smithson, J., Newsome, P., Reaney, D., & Owen, S. (2011). Direct or indirect restorations? *Int Dent*, 1(1), 70–80.
- Sunarintyas, S., Irnawati, D., Harsini, Rinastiti, M., & Nuryono. (2023). Impregnation of various fiber tapes toward mechanical properties of dental fiberreinforced composites. *MKGI*. 9(1):16-21.
- Tayab, T., Shetty, A., & Kayalvizhi, G. (2015). The Clinical Applications of Fiber Reinforced Composites in all Specialties of Dentistry an Overview. *Int J Compos Mater*, 5(1), 18–24.
- Teixeira, E. S. S., Rizzante, F. A. P., Ishikiriama, S. K., Mondelli, J., Furuse, A. Y.,

- Mondelli, R. F. L., & Bombonatti, J. F. S. (2016). Fracture strength of the remaining dental structure after different cavity preparation designs. *Gen Dent*, 64(2), 33–36.
- Torabzadeh, H., Ghasemi, A., Dabestani, A., & Razmavar, S. (2013). Fracture Resistance of Teeth Restored with Direct and Indirect Composite Restorations. *J Dent (Tehran)*. 10(5): 417–425.
- Ude, A. U., Eshkoor, R. A., Zulkifli, R., Ariffin, A. K., Dzuraidak, A. W., & Azhari, C. H. (2014). *Bombyx mori* Silk Fiber and its composite : A Review of Contemporary Developments. *Mater Des*, 57, 298-305.
- Van Landuyt, K. L., Snauwaert, J., De munck, J., Peumans, M., Yoshida ,Y., & Poitevin, A. (2007). Systematic review of the chemical composition of contemporary dental adhesives. *Biomaterials*, 28, 3757-3785.
- Wang, Y., Wang, X., Shi, J., Zhu, R., Zhang, J., Zhang, Z., Ma, D., Hou, Y., Lin, F., Yang, J., & Mizuni, M. (2016). A Biomimetic Silk Fibroin/Sodium Alginate Composite Scaffold for Soft Tissue Engineering. *Sci Rep*, 6(39477), 1-13.
- Widyasrini, D. A., & Sunarintyas, S. (2020). Effects of alkalisiation and volume fraction reinforcement of Bombyx mori silk fibre on the flexural strength of dental composite resins. *MKGI*, 53(2), 57–61.
- Włodarczyk, A. S., Domarecka, M., Kopacz, K., Sokolowski, J., & Bociong, K. (2021). An Evaluation of the Properties of Urethane Dimethacrylate-Based Dental Resins. *Materials (Basel)*. 14(11): 2727.
- Xuedong, Z. (2015). Dental caries: Principles and Management, Springer, Berlin, 59-60.
- Zafar, M.S. & Al-samadani. (2014). Potential use of natural silk for bio-dental applications. *JTUMED*. 9(3): 171–177.