

DAFTAR PUSTAKA

- Abbas, K. A., K. Khalil, S., & Meor Hussin, A. S. (2010). Modified starches and their usages in selected food products: A review study. *Journal of Agricultural Science*, 2(2), 90–100. <https://doi.org/10.5539/jas.v2n2p90>
- Abdelmaguid, M. (2015). Modification of potato starch by some different physical methods and utilization in cookies production. *International Journal of Current Microbiology and Applied Sciences*, 4(10), 556–569.
- Aisyah, S. I., & Darusman, L. K. (2014). Induksi mutasi fisik dengan iradiasi sinar gamma pada kunyit (*Curcuma domestica* Val.). *Jurnal Hortikultura Indonesia*, 5(2), 84–94.
- Alam, F., & Hasnain, A. (2009). Studies on swelling and solubility of modified starch from taro (*Colocasia esculenta*): Effect of pH and temperature. *Agriculturae Conspectus Scientificus*, 74(1), 45–50.
- Ali, S. M., Siddique, Y., Mehnaz, S., & Sadiq, M. B. (2023). Extraction and characterization of starch from low-grade potatoes and formulation of gluten-free cookies containing modified potato starch. *Heliyon*, 9(9), e19581. <https://doi.org/10.1016/j.heliyon.2023.e19581>
- Anderson, A. K., & Guraya, H. S. (2006). Effects of microwave heat-moisture treatment on properties of waxy and non-waxy rice starches. *Food Chemistry*, 97(2), 318–323. <https://doi.org/10.1016/j.foodchem.2005.04.025>
- AOAC. (2010). *Official Methods of Analysis of AOAC International. Volume I. Agricultural Chemicals, Contaminants, Drugs* (W. Horwitz (Ed.); 18th Ed.). AOAC International.
- Aprianita, A., Vasiljevic, T., Bannikova, A., & Kasapis, S. (2014). Physicochemical properties of flours and starches derived from traditional Indonesian tubers and roots. *Journal of Food Science and Technology*, 51(12), 3669–3679. <https://doi.org/10.1007/s13197-012-0915-5>
- Apriyantono, A., Fardiaz, D., Puspitasari, N., Sedarnawati, & Budijanto, S. (1989). *Analisis Pangan*. IPB Press.

- Arinola, S. O. (2019). Physicochemical properties of pregelatinized and microwave radiated white and red cocoyam (*Colocasia esculenta*) starches. *Croatian Journal of Food Science and Technology*, 11(2), 251–258. <https://doi.org/10.17508/cjfst.2019.11.2.15>
- Ariyanti, D., Budiyati, C. S., & Kumoro, A. C. (2014). Modifikasi tepung umbi talas bogor (*Colocasia esculentum* (L) Schott) dengan teknik oksidasi sebagai bahan pangan pengganti tepung terigu. *Jurnal Reaktor*, 15(1), 1–9.
- Aryanti, N., Kusumastuti, Y., & Rahmawati, W. (2017). Pati talas (*Colocasia esculenta* (L.) Schott) sebagai alternatif sumber pati industri. *Jurnal Momentum*, 13(1), 46–52.
- Ashogbon, A. O. (2021). Dual modification of various starches: Synthesis, properties and applications. *Food Chemistry*, 342(May 2020), 128325. <https://doi.org/10.1016/j.foodchem.2020.128325>
- Ashogbon, A. O., & Oluwafemi, A. D. (2018). Physicochemical properties of microwaved starch blends from cocoyam (*Xanthosoma sagittifolium*) and pigeon pea (*Cajanus cajan*) for industrial applications. *Journal of Chemical Society of Nigeria*, 43(2).
- Atrous, H., Benbettaieb, N., Chouaibi, M., Attia, H., & Ghorbel, D. (2017). Changes in wheat and potato starches induced by gamma irradiation: A comparative macro and microscopic study. *International Journal of Food Properties*, 20(7), 1532–1546. <https://doi.org/10.1080/10942912.2016.1213740>
- Azima, F., Nazir, N., & Efendi, H. C. (2020). Characteristics of physico-chemical and functional properties of starch extracts from tubers. *Journal of Physics: Conference Series*, 1469(1). <https://doi.org/10.1088/1742-6596/1469/1/012002>
- Badan Ketahanan Pangan. (2020). Road Map Diversifikasi Pangan Lokal Sumber Karbohidrat Non Beras (2020-2024). *Kementerian Pertanian Indonesia*, 1–49.
- Badan Standardisasi Nasional. (1996). SNI Tepung Singkong. In *Standar Nasional Indonesia*. Badan Standardisasi Nasional.

- Badan Standardisasi Nasional. (2011a). SNI Tapioka. In *Standar Nasional Indonesia* (pp. 1–34). Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2011b). SNI Tepung Mokaf. In *Standar Nasional Indonesia*. Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2018). SNI Biskuit. In *Standar Nasional Indonesia*. Badan Standardisasi Nasional.
- Bao, J., Ao, Z., & Jane, J. L. (2005). Characterization of physical properties of flour and starch obtained from gamma-irradiated white rice. *Starch - Stärke*, 57(10), 480–487. <https://doi.org/10.1002/star.200500422>
- Bao, J., & Bergman, C. J. (2004). The functionality of rice starch. In *Starch in Food* (Vol. 52, Issue 3, pp. 258–294). Elsevier. <https://doi.org/10.1533/9781855739093.2.258>
- Barak, S., Mudgil, D., & Khatkar, B. S. (2014). Effect of flour particle size and damaged starch on the quality of cookies. *Journal of Food Science and Technology*, 51(7), 1342–1348. <https://doi.org/10.1007/s13197-012-0627-x>
- Barua, S. (2017). Effect of Heat-Moisture Treatment on Resistant Starch Functional and Thermal Properties of Mung Bean (*Vigna radiate*) Starch. *Journal of Nutritional Health & Food Engineering*, 7(4), 358–363. <https://doi.org/10.15406/jnhfe.2017.07.00248>
- Bashir, K., & Aggarwal, M. (2017). Physicochemical, thermal and functional properties of gamma irradiated chickpea starch. *International Journal of Biological Macromolecules*, 97, 426–433. <https://doi.org/10.1016/j.ijbiomac.2017.01.025>
- Bashir, K., & Aggarwal, M. (2019). Physicochemical, structural and functional properties of native and irradiated starch: a review. *Journal of Food Science and Technology*, 56(2), 513–523. <https://doi.org/10.1007/s13197-018-3530-2>
- Bashir, K., Swer, T. L., Prakash, K. S., & Aggarwal, M. (2017). Physico-chemical and functional properties of gamma irradiated whole wheat flour and starch. In *LWT - Food Science and Technology* (Vol. 76, pp. 131–139). <https://doi.org/10.1016/j.lwt.2016.10.050>

- Belorio, M., Sahagún, M., & Gómez, M. (2019). Influence of flour particle size distribution on the quality of maize gluten-free cookies. *Foods*, 8(2). <https://doi.org/10.3390/foods8020083>
- BeMiller, J. N. (2019). *Carbohydrate chemistry for food scientists* (Third Edit). Woodhead Publishing.
- Bemiller, J. N., & Huber, K. C. (2015). Physical modification of food starch functionalities. *Annual Review of Food Science and Technology*, 6(1), 19–69. <https://doi.org/10.1146/annurev-food-022814-015552>
- Bhat, R., & Karim, A. A. (2009). Impact of radiation processing on starch. *Comprehensive Reviews in Food Science and Food Safety*, 8(2), 44–58. <https://doi.org/10.1111/j.1541-4337.2008.00066.x>
- Biduski, B., Silva, W. M. F. da, Colussi, R., Halal, S. L. de M. El, Lim, L. T., Dias, Á. R. G., & Zavareze, E. da R. (2018). Starch hydrogels: The influence of the amylose content and gelatinization method. *International Journal of Biological Macromolecules*, 113, 443–449. <https://doi.org/10.1016/j.ijbiomac.2018.02.144>
- Boakye, A. A., Wireko-Manu, F. D., Oduro, I., Ellis, W. O., Gudjónsdóttir, M., & Chronakis, I. S. (2018). Utilizing cocoyam (*Xanthosoma sagittifolium*) for food and nutrition security: A review. *Food Science and Nutrition*, 6(4), 703–713. <https://doi.org/10.1002/fsn3.602>
- BPS Kabupaten Banjarnegara. (2023). *Hasil Pencacahan Lengkap Sensus Pertanian 2023 - Tahap 1*. BPS Kabupaten Banjarnegara.
- BPS Kabupaten Banjarnegara. (2024). *Kabupaten Banjarnegara dalam Angka 2024*. Badan Pusat Statistik Kabupaten Banjarnegara.
- Braşoveanu, M., & Nemţanu, M. R. (2014). Behaviour of starch exposed to microwave radiation treatment. *Starch - Stärke*, 66(1–2), 3–14. <https://doi.org/10.1002/star.201200191>
- Calle, J., Benavent-Gil, Y., Garzón, R., & Rosell, C. M. (2019). Exploring the functionality of starches from corms and cormels of *Xanthosoma sagittifolium*. *International Journal of Food Science and Technology*, 54(7), 2494–2501. <https://doi.org/10.1111/ijfs.14207>

- Calle, J., Benavent-Gil, Y., & Rosell, C. M. (2021). Use of flour from cormels of *Xanthosoma sagittifolium* (L.) Schott and *Colocasia esculenta* (L.) Schott to develop pastes foods: Physico-chemical, functional and nutritional characterization. *Food Chemistry*, 344(November 2020). <https://doi.org/10.1016/j.foodchem.2020.128666>
- Chai, Z., Yin, X., Zheng, Y., Ye, X., & Tian, J. (2022). Effects of hawthorn addition on the physicochemical properties and hydrolysis of corn starch. *Food Chemistry: X*, 16(May), 100478. <https://doi.org/10.1016/j.fochx.2022.100478>
- Chandak, A., Dhull, S. B., Chawla, P., Fogarasi, M., & Fogarasi, S. (2022). Effect of single and dual modifications on properties of Lotus Rhizome starch modified by microwave and γ -irradiation: A comparative study. *Foods*, 11(19), 2969. <https://doi.org/10.3390/foods11192969>
- Chandrasekaran, S., Ramanathan, S., & Basak, T. (2013). Microwave food processing-A review. *Food Research International*, 52(1), 243–261. <https://doi.org/10.1016/j.foodres.2013.02.033>
- Chen, B. Y., Guo, Z. Bin, Xu, L. B., Zhang, S., Zheng, B. D., & Zeng, S. X. (2015). Effect of physical and chemical properties of lotus seed starch by microwave treatment. *Modern Food Science and Technology*, 31(3), 213–219. <https://doi.org/10.13982/j.mfst.1673-9078.2015.3.036>
- Chen, G. X., Zhou, J. W., Liu, Y. L., Lu, X. B., Han, C. X., Zhang, W. Y., Xu, Y. H., & Yan, Y. M. (2016). Biosynthesis and regulation of wheat amylose and amylopectin from proteomic and phosphoproteomic characterization of granule-binding proteins. *Scientific Reports*, 6(May), 1–15. <https://doi.org/10.1038/srep33111>
- Chen, X., Liu, Y., Xu, Z., Zhang, C., Liu, X., Sui, Z., & Corke, H. (2021). Microwave irradiation alters the rheological properties and molecular structure of hull-less barley starch. *Food Hydrocolloids*, 120(June), 106821. <https://doi.org/10.1016/j.foodhyd.2021.106821>

- Chen, X., Yang, J., Shen, M., Chen, Y., Yu, Q., & Xie, J. (2022). Structure, function and advance application of microwave-treated polysaccharide: A review. *Trends in Food Science & Technology*, *123*(235), 198–209. <https://doi.org/10.1016/j.tifs.2022.03.016>
- Chung, H. J., & Liu, Q. (2009). Effect of gamma irradiation on molecular structure and physicochemical properties of corn starch. *Journal of Food Science*, *74*(5), 353–361. <https://doi.org/10.1111/j.1750-3841.2009.01159.x>
- Chung, H. J., & Liu, Q. (2010). Molecular structure and physicochemical properties of potato and bean starches as affected by gamma-irradiation. *International Journal of Biological Macromolecules*, *47*(2), 214–222. <https://doi.org/10.1016/j.ijbiomac.2010.04.019>
- Damat, D., Tain, A., Handjani, H., & Khasanah, U. (2017). Mikroskopi dan sifat organoleptik kue kering fungsional dari pati garut (*Maranta arundinaceae* L.) termodifikasi. *Jurnal Aplikasi Teknologi Pangan*, *6*(4), 185–189. <https://doi.org/http://dx.doi.org/10.17728/jatp.266>
- Darfour, B., Wilson, D. D., Ofori, D. O., & Ocloo, F. C. K. (2012). Physical, proximate, functional and pasting properties of flour produced from gamma irradiated cowpea (*Vigna unguiculata* L. Walp). *Radiation Physics and Chemistry*, *81*(4), 450–457. <https://doi.org/10.1016/j.radphyschem.2011.12.015>
- Deka, D., & Sit, N. (2016). Dual modification of taro starch by microwave and other heat moisture treatments. *International Journal of Biological Macromolecules*, *92*, 416–422. <https://doi.org/10.1016/j.ijbiomac.2016.07.040>
- Demiante, I. M., Dupuy, N., Huvenne, J. P., Cereda, M. P., & Wosiacki, G. (2000). Relationship between baking behavior of modified cassava starches and starch chemical structure determined by FTIR spectroscopy. *Carbohydrate Polymers*, *42*(2), 149–158. [https://doi.org/10.1016/S0144-8617\(99\)00152-6](https://doi.org/10.1016/S0144-8617(99)00152-6)
- Dufour, D., O'Brien, G. M., & Best, R. (2002). Cassava Flour and Starch : Progress in Research and Development (D. Dufour, G. M. O'Brien, & R. Best (Eds.)). International Center for Tropical Agriculture.

- Dyrek, K., Bidzinska, E., ŁAbanowska, M., Fortuna, T., Przetaczek, I., & Pietrzyk, S. (2007). EPR study of radicals generated in starch by microwaves or by conventional heating. *Starch - Stärke*, 59(7), 318–325. <https://doi.org/10.1002/star.200600581>
- Eke-Ejiofor, J. (2015). Physico-chemical and pasting properties of starches from cassava, sweet potato and three leaf yam and their application in salad cream production. *International Journal of Biotechnology and Food Scienc*, 3(2), 23–30.
- El Khaled, D., Novas, N., Gazquez, J. A., & Manzano-Agugliaro, F. (2018). Microwave dielectric heating: Applications on metals processing. *Renewable and Sustainable Energy Reviews*, 82(July 2017), 2880–2892. <https://doi.org/10.1016/j.rser.2017.10.043>
- Elgadir, M. A., Bakar, J., Zaidul, I. S. M., Rahman, R. A., Abbas, K. A., Hashim, D. M., & Karim, R. (2009). Thermal behavior of selected starches in presence of other food ingredients studied by differential scanning calorimetry (DSC)-review. *Comprehensive Reviews in Food Science and Food Safety*, 8(3), 195–201. <https://doi.org/10.1111/j.1541-4337.2009.00078.x>
- Elu, M., Husain, R., & Suherman, S. P. (2023). Karakteristik organoleptik dan kimia kukis tepung talas (*Xanthosoma sagitifolium*) yang difortifikasi dengan tepung kulit udang vaname (*Ditopenaeus vannamei*). *Research Review: Jurnal Ilmiah Multidisiplin*, 2(1), 61–66. <https://doi.org/10.54923/researchreview.v2i1.29>
- Faridah, D. N. (2011). Cookies berbahan baku pati garut termodifikasi. *Food Review Indonesia*, VI(7), 34–37.
- Faridah, D. N., Fardiaz, D., Andarwulan, N., & Sunarti, T. C. (2014). Karakteristik sifat fisikokimia pati garut (*Maranta arundinaceae*). *Agritech*, 34(1), 14–21.
- Faridah, D. N., Fardiaz, D., Andarwulan, N., Sunarti, T. C., & Sunarti, C. (2010). Perubahan struktur pati garut (*Maranta arundinaceae*) sebagai akibat modifikasi hidrolisis asam, pemotongan titik percabangan dan siklus pemanasan-pendinginan. *Jurnal Teknologi Dan Industri Pangan*, 21(2), 135–142.

- Faridah, D., Nur, W. P. R., & and Muchamad Sobur Apriyadi TIN. (2013). Modifikasi pati garut (*Marantha arundinacea* L.) dengan perlakuan hidrolisis asam dan siklus pemanasan-pendinginan untuk menghasilkan pati resisten tipe 3. *Jurnal Teknologi Industri Pertanian*, 23(1).
- Farizan, T., Che, I., Jusoh, K., Syazana, S., Sulehan, M., Nabilah, N., Fauzi, A., Syazwani, H., & Gani, M. (2023). Effect of tapioca and potato starch on the physical properties of boiled keropok lekor. *Journal Of Agrobiotechnology*, 14(2), 140–147. <https://journal.unisza.edu.my/agrobiotechnology/index.php/agrobiotechnology/article/view/346>
- Fetriyuna, F., Marsetio, M., & Pratiwi, R. L. (2016). Pengaruh lama modifikasi heat-moisture treatment (HMT) terhadap sifat fungsional dan sifat amilografi pati talas banten (*Xanthosoma undipes* K. Koch). *Jurnal Penelitian Pangan (Indonesian Journal of Food Research)*, 1(1), 44–50. <https://doi.org/10.24198/jp2.2016.vol1.1.08>
- Fortuna, T., Przetaczek-Rożnowska, I., Dyrek, K., Bidzińska, E., & Łabanowska, M. (2008). Some physicochemical properties of commercial modified starches irradiated with microwaves. *Electronic Journal of Polish Agricultural Universities (EJPAU)*, 11(4).
- Gandarejeki, U. (2022). Uji sifat fisik kadar amilosa dan amilopektin tepung talas beneng (*Xanthosoma Undipes* K. Koch) sebagai sumber pangan aneka ragam. In *Tugas Akhir*. Politeknik Enjiniring Pertanian Indonesia.
- Gani, A., Bashir, M., Wani, S. M. M., & Masoodi, F. A. A. (2012). Modification of bean starch by γ -irradiation: Effect on functional and morphological properties. *LWT - Food Science and Technology*, 49(1), 162–169. <https://doi.org/10.1016/j.lwt.2012.04.028>
- Gani, A., Gazanfar, T., Jan, R., Wani, S. M., & Masoodi, F. A. (2013). Effect of gamma irradiation on the physicochemical and morphological properties of starch extracted from lotus stem harvested from Dal lake of Jammu and Kashmir, India. *Journal of the Saudi Society of Agricultural Sciences*, 12(2), 109–115. <https://doi.org/10.1016/j.jssas.2012.08.004>

- Govindaraju, I., Sunder, M., Chakraborty, I., Mumbrekar, K. D., Sankar Mal, S., & Mazumder, N. (2022). Investigation of physico-chemical properties of native and gamma irradiated starches. *Materials Today: Proceedings*, 55, 12–16. <https://doi.org/10.1016/j.matpr.2021.11.641>
- Graf, B. L., Zhang, L., Corradini, M. G., Kuhn, P., Newman, S. S., Salbaum, J. M., & Raskin, I. (2018). Physicochemical differences between malanga (*Xanthosoma sagittifolium*) and potato (*Solanum tuberosum*) tubers are associated with differential effects on the gut microbiome. *Journal of Functional Foods*, 45(February), 268–276. <https://doi.org/10.1016/j.jff.2018.04.032>
- Gunaratne, A., & Hoover, R. (2002). Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydrate Polymers*, 49(4), 425–437. [https://doi.org/10.1016/S0144-8617\(01\)00354-X](https://doi.org/10.1016/S0144-8617(01)00354-X)
- Guo, Q., Sun, D. W., Cheng, J. H., & Han, Z. (2017). Microwave processing techniques and their recent applications in the food industry. *Trends in Food Science and Technology*, 67, 236–247. <https://doi.org/10.1016/j.tifs.2017.07.007>
- Hakim, L., Triwitono, P., Supriyanto, & Marseno, D. W. (2021). Physicochemical characterization of Cocoyam (*Xanthosoma sagittifolium*) starch from Banjarnegara highland as a local source of carbohydrate. *IOP Conference Series: Earth and Environmental Science*, 653(1). <https://doi.org/10.1088/1755-1315/653/1/012049>
- Hakim, L., Triwitono, P., Supriyanto, & Marseno, D. W. W. (2022). Microwave treatment to optimize physicochemical properties of modified busil (*Xanthosoma sagittifolium*) starch. *Food Research*, 6(4), 304–311. [https://doi.org/10.26656/fr.2017.6\(4\).564](https://doi.org/10.26656/fr.2017.6(4).564)
- Han, Z., Shi, R., & Sun, D.-W. W. (2020). Effects of novel physical processing techniques on the multi-structures of starch. *Trends in Food Science & Technology*, 97(October 2019), 126–135. <https://doi.org/10.1016/j.tifs.2020.01.006>

- Hermianti, W., & Firdausni, F. (2016). Pengaruh penggunaan talas (*Xanthosoma sagittifolium*) terhadap mutu dan tingkat penerimaan panelis pada produk roti, pastel, pancake, cookies, dan bubur talas. *Jurnal Litbang Industri*, 6(1), 51. <https://doi.org/10.24960/jli.v6i1.1250.51-60>
- Holmes, R. P., & Kennedy, M. (2000). Estimation of the oxalate content of foods and daily oxalate intake. *Kidney International*, 57(4), 1662–1667. <https://doi.org/10.1046/j.1523-1755.2000.00010.x>
- Hoover, R. (2001). Composition, molecular structure, and physicochemical properties of tuber and root starches: A review. *Carbohydrate Polymers*, 45(3), 253–267. [https://doi.org/10.1016/S0144-8617\(00\)00260-5](https://doi.org/10.1016/S0144-8617(00)00260-5)
- Huaxi, X., Qinlu, L., Gao Qiang, L., Yue, W., Wei, T., Wei, W., & Xiangjin, F. (2011). Physicochemical properties of chemically modified starches from different botanical origin. *Scientific Research and Essays*, 6(21), 4517–4525. <https://doi.org/10.5897/SRE11.618>
- Indrianti, N., Ratnawati, L., Ekafitri, R., Kartika, N., Mayasti, I., & Sirait, N. (2021). Pengaruh jenis dan rasio penambahan pati terhadap karakteristik biskuit MP-ASI berbasis mocaf. *Jurnsl Riset Teknologi Industri*, 15(2), 135–147.
- Industri, J. L. (2011). Pengaruh beberapa jenis talas (*Xanthosoma* sp) dan bahan fortifikasi pangan dalam pembuatan mie. *Jurnal Litbang Industri*, 1(1), 39–45.
- International Atomic Energy Agency. (2016). *The radiation chemistry of polysaccharides*. April 2019, 467.
- Irana, M. (2018). Pengaruh perlakuan gelombang mikro terhadap sifat fisikokimia dan fungsional pati kimpul (*Xanthosoma sagittifolium*). In *Skripsi*. Universitas Katolik Soegijapranata.
- Jan, K., Bashir, K., & Maurya, V. K. (2020). Gamma Irradiation and Food Properties. In *Innovative Food Processing Technologies: A Comprehensive Review*. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.23052-7>

- Kanatt, S. R. (2020). Irradiation as a tool for modifying tapioca starch and development of an active food packaging film with irradiated starch. *Radiation Physics and Chemistry*, 173(March), 108873. <https://doi.org/10.1016/j.radphyschem.2020.108873>
- Kang, I. J., Byun, M. W., Yook, H. S., Bae, C. H., Lee, H. S., Kwon, J. H., & Chung, C. K. (1999). Production of modified starches by gamma irradiation. *Radiation Physics and Chemistry*, 54(4), 425–430. [https://doi.org/10.1016/S0969-806X\(98\)00274-6](https://doi.org/10.1016/S0969-806X(98)00274-6)
- Kartikasari, S. N., Sari, P., & Subagio, A. (2016). Karakterisasi sifat kimia, profil amilografi (RVA) dan morfologi granula (SEM) pati singkong termodifikasi secara biologi. *Jurnal Agroteknologi*, 10(01), 12–24.
- Kaur, B., Ariffin, F., Bhat, R., & Karim, A. A. (2012). Progress in starch modification in the last decade. *Food Hydrocolloids*, 26(2), 398–404. <https://doi.org/10.1016/j.foodhyd.2011.02.016>
- Kementerian Pertanian. (2023). *Statistik Konsumsi Pangan 2023*. https://satudata.pertanian.go.id/assets/docs/publikasi/Buku_Statsitik_Konsumsi_Pangan_2023.pdf
- Kong, X. (2018a). Gamma irradiation of starch. In *Physical Modifications of Starch* (pp. 63–96). Springer Singapore. https://doi.org/10.1007/978-981-13-0725-6_5
- Kong, X. (2018b). Starches modified by nonconventional techniques and food applications. In *Starches for Food Application: Chemical, Technological and Health Properties*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809440-2.00007-1>
- Kumar, P., Prakash, K. S., Jan, K., Swer, T. L., Jan, S., Verma, R., Deepika, K., Dar, M. Z., Verma, K., & Bashir, K. (2017). Effects of gamma irradiation on starch granule structure and physicochemical properties of brown rice starch. *Journal of Cereal Science*, 77, 194–200. <https://doi.org/10.1016/j.jcs.2017.08.017>

- Kumar, Y., Singh, L., Sharanagat, V. S., Patel, A., & Kumar, K. (2020). Effect of microwave treatment (low power and varying time) on potato starch: Microstructure, thermo-functional, pasting and rheological properties. *International Journal of Biological Macromolecules*, 155, 27–35. <https://doi.org/10.1016/j.ijbiomac.2020.03.174>
- Kumari, B., & Sit, N. (2023). Comprehensive review on single and dual modification of starch: Methods, properties and applications. *International Journal of Biological Macromolecules*, 253(P3), 126952. <https://doi.org/10.1016/j.ijbiomac.2023.126952>
- Kuntz, T. (2013). Optimasi proses produksi tepung talas (*Colocasia esculenta* L. Schott) termodifikasi secara fermentasi. *Jurnal IPTEK*, 8(1), 65–71.
- Kusnandar, F., Pitria Hastuti, H., & Syamsir, E. (2015). Resistant starch of sago from acid hydrolysis and autoclaving-cooling processes. *Jurnal Teknologi Dan Industri Pangan*, 26(1), 52–62. <https://doi.org/10.6066/jtip.2015.26.1.52>
- Lamanna, M., Morales, N. J., Garcia, N. L., & Goyanes, S. (2013). Development and characterization of starch nanoparticles by gamma radiation: Potential application as starch matrix filler. *Carbohydrate Polymers*, 97(1), 90–97. <https://doi.org/10.1016/j.carbpol.2013.04.081>
- Laxminarayana, D., Raju, A., Sanjeeva Rao, B., & Rajeswara Rao, N. (2022). A comparative study on morphology, solution properties of electron beam and gamma irradiated edible starch. *Materials Today: Proceedings*, 64, 261–266. <https://doi.org/10.1016/j.matpr.2022.04.506>
- Le Corre, D., Bras, J., & Dufresne, A. (2010). Starch Nanoparticles: A Review. *Biomacromolecules*, 11(5), 1139–1153. <https://doi.org/10.1021/bm901428y>
- Lee, J.-S., Jahurul, M., & Fong, S.-L. (2021). Dual-modification of sago starch by gamma irradiation and annealing. *IOP Conference Series: Materials Science and Engineering*, 1092(1), 012091. <https://doi.org/10.1088/1757-899x/1092/1/012091>

- Lee, J. W., Kim, J. H., Oh, S. H., Byun, E. H., Yook, H. S., Kim, M. R., Kim, K. S., & Byun, M. W. (2008). Effect of gamma irradiation on viscosity reduction of cereal porridges for improving energy density. *Radiation Physics and Chemistry*, 77(3), 352–356. <https://doi.org/10.1016/j.radphyschem.2007.06.003>
- Lei, X., Wang, S., Li, Y., Han, H., Zhang, X., Mao, X., & Ren, Y. (2024). The multi-scale structure changes of γ -ray irradiated potato starch to mitigate pasting/digestion properties. *Food Research International*, 178(November 2023), 113931. <https://doi.org/10.1016/j.foodres.2024.113931>
- Lewandowicz, G., Jankowski, T., & Fornal, J. (2000). Effect of microwave radiation on physico-chemical properties and structure of cereal starches. *Carbohydrate Polymers*, 42(2), 193–199. [https://doi.org/10.1016/S0144-8617\(99\)00155-1](https://doi.org/10.1016/S0144-8617(99)00155-1)
- Lewicka, K., Siemion, P., & Kurcok, P. (2015). Chemical modifications of starch: Microwave effect. *International Journal of Polymer Science*, 2015, 1–10. <https://doi.org/10.1155/2015/867697>
- Li, R., Dai, L., Peng, H., Jiang, P., Liu, N., Zhang, D., Wang, C., & Li, Z. (2021). Effects of microwave treatment on sorghum grains: Effects on the physicochemical properties and in vitro digestibility of starch. *Journal of Food Process Engineering*, 44(10), 1–9. <https://doi.org/10.1111/jfpe.13804>
- Li, Y., Hu, A., Zheng, J., & Wang, X. (2019). Comparative studies on structure and physiochemical changes of millet starch under microwave and ultrasound at the same power. *International Journal of Biological Macromolecules*, 141, 76–84. <https://doi.org/10.1016/j.ijbiomac.2019.08.218>
- Ligo, H., Kandou, J., & Mamujaja, C. (2017). Pengaruh substitusi tepung kimpul (*Xanthosoma sagittifolium*) dalam pembuatan roti. *Cocos*, 1(1), 1–11.
- Lin, J. H., Singh, H., Chang, Y. T., & Chang, Y. H. (2011). Factor analysis of the functional properties of rice flours from mutant genotypes. *Food Chemistry*, 126(3), 1108–1114. <https://doi.org/10.1016/j.foodchem.2010.11.140>

- Liu, T., Ma, Y., Xue, S., & Shi, J. (2012). Modifications of structure and physicochemical properties of maize starch by γ -irradiation treatments. In *LWT - Food Science and Technology* (Vol. 46, Issue 1, pp. 156–163). <https://doi.org/10.1016/j.lwt.2011.10.012>
- Lopulalan, C. G. C., Marseno, D. W., Marsono, Y., & Pranoto, Y. (2021). Karakteristik fisik dan fungsional pati keladi (*Xanthosoma sagittifolium*) dari beberapa lokasi di Maluku. *AGRITEKNO: Jurnal Teknologi Pertanian*, 10(1), 17–23. <https://doi.org/10.30598/jagritekno.2021.10.1.17>
- Lu, T. J., Chen, J. C., Lin, C. L., & Chang, Y. H. (2005). Properties of starches from cocoyam (*Xanthosoma sagittifolium*) tubers planted in different seasons. *Food Chemistry*, 91(1), 69–77. <https://doi.org/10.1016/j.foodchem.2004.05.048>
- Lukasiewicz, M., Bednarz, S., Ptaszek, A., Bogdal, D., & Achremowicz, B. (2008). Microwave assisted starch oxidation – a ‘green’ way for polysaccharide modification. *Proceedings of The 12th International Electronic Conference on Synthetic Organic Chemistry*, 1404(November), 1254. <https://doi.org/10.3390/ecsoc-12-01254>
- Lukasiewicz, M., & Kowalski, S. (2012). Low power microwave-assisted enzymatic esterification of starch. *Starch - Stärke*, 64(3), 188–197. <https://doi.org/10.1002/star.201100095>
- Luo, Z., He, X., Fu, X., Luo, F., & Gao, Q. (2006). Effect of microwave radiation on the physicochemical properties of normal maize, waxy maize and amylo maize V starches. *Starch - Stärke*, 58(9), 468–474. <https://doi.org/10.1002/star.200600498>
- Majeed, T., Wani, I. A., & Hussain, P. R. (2017). Effect of dual modification of sonication and γ -irradiation on physicochemical and functional properties of lentil (*Lens culinaris* L.) starch. In *International Journal of Biological Macromolecules* (Vol. 101, pp. 358–365). <https://doi.org/10.1016/j.ijbiomac.2017.03.110>

- Maniglia, B. C., Castanha, N., Le-Bail, P., Le-Bail, A., & Augusto, P. E. D. D. (2021). Starch modification through environmentally friendly alternatives: a review. *Critical Reviews in Food Science and Nutrition*, *61*(15), 2482–2505. <https://doi.org/10.1080/10408398.2020.1778633>
- Martins, M. M. M., de Souza, D. C., Botrel, N., Resende, L. V., Pereira, J., Souza, D. C. de, Botrel, N., Resende, L. V., & Pereira, J. (2020). *Xanthosoma riedelianum* starch for use in the food industry. *Pesquisa Agropecuaria Brasileira*, *55*. <https://doi.org/10.1590/S1678-3921.PAB2020.V55.01765>
- Molenda, M., Stasiak, M., Horabik, J., Fornal, J., Błaszczak, W., & Ornowski, A. (2006). Microstructure and mechanical parameters of five types of starch. *Polish Journal of Food and Nutrition Sciences*, *15*(2), 161–168.
- Mollekopf, N., Treppe, K., Fiala, P., & Dixit, O. (2011). Vacuum microwave treatment of potato starch and the resultant modification of properties. *Chemie-Ingenieur-Technik*, *83*(3), 262–272. <https://doi.org/10.1002/cite.201000105>
- Moorthy, S. N. (2002). Physicochemical and functional properties of tropical tuber starches: A review. *Starch - Stärke*, *54*(12), 559–592. [https://doi.org/10.1002/1521-379X\(200212\)54:12<559::AID-STAR2222559>3.0.CO;2-F](https://doi.org/10.1002/1521-379X(200212)54:12<559::AID-STAR2222559>3.0.CO;2-F)
- Muflihati, I., Lukitawesa, Narindri, B., Afriyanti, & Mailia, R. (2015). Efek substitusi tepung terigu dengan pati ketan terhadap sifat fisik cookies. *Prosiding Seminar Nasional Universitas PGRI Yogyakarta*, *1*(1), 355–359. <http://repository.upy.ac.id/id/eprint/424>
- Mutlu, S., Kahraman, K., & Öztürk, S. (2017). Optimization of resistant starch formation from high amylose corn starch by microwave irradiation treatments and characterization of starch preparations. *International Journal of Biological Macromolecules*, *95*, 635–642. <https://doi.org/10.1016/j.ijbiomac.2016.11.097>
- Nagar, C. K., Dash, S. K., Rayaguru, K., Pal, U. S., & Nedunchezhiyan, M. (2021). Isolation, characterization, modification and uses of taro starch: A review. *International Journal of Biological Macromolecules*, *192*(October), 574–589. <https://doi.org/10.1016/j.ijbiomac.2021.10.041>

- Naikwadi, A. T., Sharma, B. K., Bhatt, K. D., & Mahanwar, P. A. (2022). Gamma radiation processed polymeric materials for high performance applications: A review. *Frontiers in Chemistry*, 10(March), 1–15. <https://doi.org/10.3389/fchem.2022.837111>
- Nairfana, I., & Rizaldi, L. H. (2022). Sifat fisikokimia tepung pisang kepok (*Musa paradisiaca* L.) yang ditanam di lokasi berbeda di Kabupaten Sumbawa. *Pro Food Jurnal Ilmu dan Teknologi Pangan*, 8(1), 44–52. <https://doi.org/10.29303/profood.v8i1.233>
- Navaf, M., Sunooj, K. V., Aaliya, B., Sudheesh, C., Akhila, P. P., Sabu, S., Sasidharan, A., & George, J. (2022). Impact of gamma irradiation on structural, thermal, and rheological properties of talipot palm (*Corypha umbraculifera* L.) starch: a stem starch. *Radiation Physics and Chemistry*, 201(June 2021), 110459. <https://doi.org/10.1016/j.radphyschem.2022.110459>
- Nawaz, H., Shad, M. A., Saleem, S., Khan, M. U. A., Nishan, U., Rasheed, T., Bilal, M., & Iqbal, H. M. N. (2018). Characteristics of starch isolated from microwave heat treated lotus (*Nelumbo nucifera*) seed flour. *International Journal of Biological Macromolecules*, 113, 219–226. <https://doi.org/10.1016/j.ijbiomac.2018.02.125>
- Nematollahi, M. R., & Montazer, M. (2020). Low-temperature assembling of naturally driven copper ferrite starch nanocomposites hydrogel with magnetic and antibacterial activities. *Journal of Applied Polymer Science*, 137(33), 1–9. <https://doi.org/10.1002/app.48961>
- Noerwijati, K. (2015). Upaya modifikasi pati ubi kayu melalui pemuliaan tanaman. *Buletin Palawija*, 13(1), 92–100.
- Noviasari, S., Assyifa, P. S., & Sulaiman, I. (2022). Chemical and sensory properties of analogue rice based on kimpul flour (*Xanthosoma sagittifolium*). *IOP Conference Series: Earth and Environmental Science*, 951(1), 012019. <https://doi.org/10.1088/1755-1315/951/1/012019>
- Nugroho, A. N., & Sachriani, M. (2023). Analisis daya terima konsumen substitusi puree kimpul (*Xanthosoma Sagittifolium*) pada kue lumpur kentang. *Advances in Social Humanities Research*, 1(9), 1186–1195.

- Nurani, S., & Yuwono, S. S. (2014). Pemanfaatan tepung kimpul (*Xanthosoma sagittifolium*) sebagai bahan baku cookies (Kajian proporsi tepung dan penambahan margarin). *Jurnal Pangan dan Agroindustri*, 2(2), 50–58.
- Nurbaya, S. R., & Estiasih, T. (2013). Pemanfaatan talas berdaging umbi kuning (*Colocasia esculenta* (L.) Schott) dalam pembuatan cookies. *Jurnal Pangan dan Agroindustri*, 1(1), 46–55.
- Ojinnaka, M. C. C., Akobundu, E. N. T., & Iwe, M. O. (2009). Cocoyam starch modification effects on functional, sensory and cookies qualities. *Pakistan Journal of Nutrition*, 8(5), 558–567. <https://doi.org/10.3923/pjn.2009.558.567>
- Othman, Z., Hassan, O., & Hashim, K. (2015). Physicochemical and thermal properties of gamma-irradiated sago (*Metroxylon sagu*) starch. *Radiation Physics and Chemistry*, 109, 48–53. <https://doi.org/10.1016/j.radphyschem.2014.12.003>
- Owusu-Darko, P. G., Paterson, A., & Omenyo, E. L. (2014). Cocoyam (corms and cormels)—An underexploited food and feed resource. *Journal of Agricultural Chemistry and Environment*, 03(01), 22–29. <https://doi.org/10.4236/jacen.2014.31004>
- Oyefeso, B. O., Akintola, A., Akintunde, M. M., Ayandokun, O. C., Fadele, O. K., & Ogunlade, C. A. (2023). Proximate composition of tannia (*Xanthosoma sagittifolium*) flour as influenced by pretreatment and drying temperature. *LAUTECH Journal of Engineering and Technology*, 17(2), 58–66.
- Oyeyinka, S. A., Afunso, T. M., Adeloye, A. A., & Diarra, S. S. (2020). Morphology, pasting and thermal properties of microwave-assisted cassava starch- stearic acid complex. *Ceylon Journal of Science*, 49(3), 275. <https://doi.org/10.4038/cjs.v49i3.7778>
- Oyeyinka, S. A., Umaru, E., Olatunde, S. J., & Joseph, J. K. (2019). Effect of short microwave heating time on physicochemical and functional properties of Bambara groundnut starch. *Food Bioscience*, 28(June 2018), 36–41. <https://doi.org/10.1016/j.fbio.2019.01.005>

- Palavecino, P. M., Penci, M. C., & Ribotta, P. D. (2019). Impact of chemical modifications in pilot-scale isolated sorghum starch and commercial cassava starch. *International Journal of Biological Macromolecules*, *135*, 521–529. <https://doi.org/10.1016/j.ijbiomac.2019.05.202>
- Pangaribuan, A. D. (2013). Substitusi tepung talas Belitung pada pembuatan biskuit daun kelor (*Moringa oleifera* Lamk.). *Jurnal Penelitian Biologi*, 1–16.
- Pinasthi, W. (2011). Pengaruh modifikasi heat moisture treatment (HMT) dengan radiasi microwave terhadap karakteristik fisikokimia dan fungsional tapioka dan maizena. Institut Pertanian Bogor.
- Polesi, L. F., Sarmiento, S. B. S., & Canniatti-Brazaca, S. G. (2018). Starch digestibility and functional properties of rice starch subjected to gamma radiation. *Rice Science*, *25*(1), 42–51. <https://doi.org/10.1016/j.rsci.2017.08.003>
- Polnaya, F. J., Bremer, R., Augustyn, G. H., & Tuhumury, H. C. D. (2015). Karakteristik sifat-sifat fisiko-kimia pati ubi jalar, ubi kayu, keladi, dan sagu. *Agrinimal*, *5*(1), 37–42.
- Polnaya, F. J., Huwae, A. A., & Tetelepta, G. (2018). Karakteristik sifat fisiko-kimia dan fungsional pati sagu ihur (*Metroxylon sylvestre*) dimodifikasi dengan hidrolisis asam. *Agritech*, *38*(1), 7. <https://doi.org/10.22146/agritech.16611>
- Prana, M. S., & Kuswara, T. (2002). Budidaya Talas: Diversifikasi untuk Menunjang Ketahanan Pangan Nasional. Medikom Pustaka Mandiri.
- Pratiwi, E. D. (2020). Karakteristik cookies pangan darurat berbasis tepung kimpul dan tepung pisang kepok. In *Skripsi*. Universitas Jember.
- Punia, S. (2020). Barley starch modifications: Physical, chemical and enzymatic - A review. *International Journal of Biological Macromolecules*, *144*, 578–585. <https://doi.org/10.1016/j.ijbiomac.2019.12.088>
- Puspitasari, D., Rahayuningsih, T., & Rejeki, S. F. (2015). Karakterisasi dan formulasi tepung komposit kimpul-kacang tunggak untuk pengembangan biskuit non terigu. *Prosiding Seminar Agroindustri Dan Lokakarya Nasional FKPT-TPI Program Studi TIP-UTM, September*, A18–A27.

- Putra, I. N. K., Wisaniyasa, N. W., & Wiadnyani, A. A. I. S. (2016). Optimisasi suhu pemanasan dan kadar air pada produksi pati talas kimpul termodifikasi dengan teknik heat moisture treatment (HMT). *Jurnal Agritech*, 36(03), 302. <https://doi.org/10.22146/agritech.16602>
- Putri, N. F. A., Wardani, A. K., & Harsojo. (2015). Aplikasi teknologi iradiasi gamma dan penyimpanan beku sebagai upaya penurunan bakteri patogen pada seafood : Kajian pustaka. *Jurnal Pangan dan Agroindustri*, 3(2), 345–352. <https://jpa.ub.ac.id/index.php/jpa/article/view/150>
- Rahmawati, P. A. D., Oktavianty, H., & Adisetya, E. (2023). Pengolahan kimpul (*Xanthosoma sagittifolium*) menjadi getuk panggang gula aren sebagai inovasi produk khas Desa Bokoharjo, Sleman. *BIOFOODTECH: Journal of Bioenergy and Food Technology*, 2(01), 1–14. <https://doi.org/10.55180/biofoodtech.v2i1.612>
- Rahmawati, W., Kusumawati, Y. A., & Aryanti, N. (2012). Karakterisasi pati talas (*Colocasia Esculenta* (L.) Schott) sebagai alternatif sumber pati industri di indonesia. *Jurnal Teknologi Kimia dan Industri*, 1(1), 347–351.
- Ramírez-Brewer, D., Quintana, S. E., & García-Zapateiro, L. A. (2023). Effect of microwave treatment on technological, physicochemical, rheological and microstructural properties of mango (*Mangifera indica*) kernel starch variety Tommy and Sugar. *Lwt*, 187(September), 0–8. <https://doi.org/10.1016/j.lwt.2023.115311>
- Ramos, A. da S., Verçosa, R. de M., Teixeira, S. M. L., & Teixeira-Costa, B. E. (2020). Calcium oxalate content from two amazonian amilaceous roots and the functional properties of their isolated starches. *Food Science and Technology (Brazil)*, 40(3), 705–711. <https://doi.org/10.1590/fst.18419>
- Ratnaningsih, N., Suparmo, Harmayani, E., & Marsono, Y. (2016). Composition, microstructure, and physicochemical properties of starches from Indonesian cowpea (*Vigna unguiculata*) varieties. *International Food Research Journal*, 23(5), 2041–2049.

- Ratnaningsih, N., Suparmo, Harmayani, E., & Marsono, Y. (2020). Physicochemical properties, in vitro starch digestibility, and estimated glycemic index of resistant starch from cowpea (*Vigna unguiculata*) starch by autoclaving-cooling cycles. *International Journal of Biological Macromolecules*, 142(xxxx), 191–200. <https://doi.org/10.1016/j.ijbiomac.2019.09.092>
- Raya, I., Augustyn, G. H., & C Lopulalan, C. G. (2024). Karakteristik kimia dan sensori kukis berbahan baku tepung mocaf dengan tambahan puree jagung kuning. *Jurnal Sains dan Teknologi*, 1(1), 38–48.
- Regier, M., Knoerzer, K., & Schubert, H. (Eds.). (2017). *The Microwave Processing of Foods (Second Edi)*. Elsevier Ltd.
- Reihan, N. D., Daima, A. S., Lukviana, D. L., Ridha, M. R., & Putri, L. A. (2022). *Buku Panduan - Pengembangan Produk Olahan Pangan Singkong*. Penerbit K-Media.
- Rocha, T. de S., Carneiro, A. P. de A., & Franco, C. M. L. (2010). Effect of enzymatic hydrolysis on some physicochemical properties of root and tuber granular starches. *Ciência e Tecnologia de Alimentos*, 30(2), 544–551. <https://doi.org/10.1590/S0101-20612010000200039>
- Rosida, D. F. (2021). *Modifikasi Pati dari Umbi-Umbian Lokal dan Aplikasinya untuk Produk Pangan*. Putra Media Nusantara.
- Rosida, D. F., Putri, N. A., & Oktafiani, M. (2020). Karakteristik cookies tepung kimpul termodifikasi (*Xanthosoma sagittifolium*) dengan penambahan tapioka. *Agrointek*, 14(1), 45–56. <https://doi.org/10.21107/agrointek.v14i1.6309>
- Rosida, D. F., Sarofa, U., & Aliffauziah, D. (2022). Characteristics of non-gluten noodles from modified cocoyam (*Xanthosoma sagittifolium*) and porang (*Amorphophallus oncophyllus*). *Italian Journal of Food Science*, 34(1), 13–23. <https://doi.org/10.15586/ijfs.v34i1.2080>

- Rostamabadi, H., Demirkesen, I., Hakgüder Taze, B., Can Karaca, A., Habib, M., Jan, K., Bashir, K., Nemțanu, M. R., Colussi, R., & Reza Falsafi, S. (2023). Ionizing and nonionizing radiations can change physicochemical, technofunctional, and nutritional attributes of starch. *Food Chemistry: X*, 19(June). <https://doi.org/10.1016/j.fochx.2023.100771>
- Sajilata, M. G. G., Singhal, R. S., & Kulkarni, P. R. (2006). Resistant starch - A review. *Comprehensive Reviews in Food Science and Food Safety*, 5(1), 1–17. <https://doi.org/10.1111/j.1541-4337.2006.tb00076.x>
- Salsabil, N. A., Dahlia, M., & Mariani, M. (2023). The effect of taro beneng flour substitution (*Xanthosoma undipes* K. Koch) on brownie cookies making on sensory quality. In *Asian Journal of Engineering, Social and Health* (Vol. 2, Issue 8, pp. 649–654). <https://doi.org/10.46799/ajesh.v2i8.95>
- Sandhu, K. S., & Singh, N. (2007). Some properties of corn starches II: Physicochemical, gelatinization, retrogradation, pasting and gel textural properties. *Food Chemistry*, 101(4), 1499–1507. <https://doi.org/10.1016/j.foodchem.2006.01.060>
- Santos, A. L. dos, Morais, R. A., Soares, C. M. da S., Vellano, P. O., Martins, G. A. de S., Damiani, C., & Souza, A. R. M. de. (2022). Effect of gamma irradiation on the physicochemical, functional and bioactive properties of red pitaya (*Hylocereus costaricensis*) bark flour. *SSRN Electronic Journal*, 199(June). <https://doi.org/10.2139/ssrn.4025958>
- Santoso, B., Pratama, F., Hamzah, B., & Pambayun, R. (2015). Karakteristik fisik dan kimia pati ganyong dan gadung termodifikasi metode ikatan silang. *Agritech*, 35(3), 273–279.
- Sasue, R., Sangian, H. F., & Mosey, H. I. (2017). Analisis pengaruh radiasi gelombang mikro pada struktur kristal pati (starch). *Jurnal MIPA*, 6(1), 59. <https://doi.org/10.35799/jm.6.1.2017.16158>
- Schnabel, W. (2014). Polymers and Electromagnetic Radiation: Fundamentals and Practical Applications. In *Polymers and Electromagnetic Radiation: Fundamentals and Practical Applications* (Vol. 9783527336). <https://doi.org/10.1002/9783527677719>

- Shah, U., Gani, A., Ashwar, B. A., Shah, A., Wani, I. A., & Masoodi, F. A. (2016). Effect of infrared and microwave radiations on properties of Indian Horse Chestnut starch. *International Journal of Biological Macromolecules*, 84, 166–173. <https://doi.org/10.1016/j.ijbiomac.2015.12.020>
- Sharma, M., Yadav, D. N., Singh, A. K., & Tomar, S. K. (2015). Rheological and functional properties of heat moisture treated pearl millet starch. *Journal of Food Science and Technology*, 52(10), 6502–6510. <https://doi.org/10.1007/s13197-015-1735-1>
- Shen, H., Fan, D., Huang, L., Gao, Y., Lian, H., Zhao, J., & Zhang, H. (2017). Effects of microwaves on molecular arrangements in potato starch. *RSC Advances*, 7(24), 14348–14353. <https://doi.org/10.1039/c6ra28048j>
- Shevkani, K., Singh, N., Bajaj, R., & Kaur, A. (2017). Wheat starch production, structure, functionality and applications—a review. *International Journal of Food Science and Technology*, 52(1), 38–58. <https://doi.org/10.1111/ijfs.13266>
- Sindhu, R., Binod, P., & Pandey, A. (2017). α -Amylases. In A. Pandey, S. Negi, & C. R. Soccol (Eds.), *Current Developments in Biotechnology and Bioengineering* (pp. 3–24). Elsevier. <https://doi.org/10.1016/B978-0-444-63662-1.00001-4>
- Singh, S., Singh, N., Ezekiel, R., & Kaur, A. (2011). Effects of gamma-irradiation on the morphological, structural, thermal and rheological properties of potato starches. *Carbohydrate Polymers*, 83(4), 1521–1528. <https://doi.org/10.1016/j.carbpol.2010.09.063>
- Sjöö, M., & Nilsson, L. (2017). Starch in food: Structure, function and applications: Second edition. In *Starch in Food: Structure, Function and Applications: Second Edition*.
- Sofi, B. A., Wani, I. A., Masoodi, F. A., Saba, I., & Muzaffar, S. (2013). Effect of gamma irradiation on physicochemical properties of broad bean (*Vicia faba* L.) starch. *LWT - Food Science and Technology*, 54(1), 63–72. <https://doi.org/10.1016/j.lwt.2013.05.021>

- Sokhey, A. S., & Chinnaswamy, R. (1993). Chemical and molecular properties of irradiated starch extrudates. *Cereal Chemistry*, 70, 260–268.
- Sokhey, A. S., Hanna, M. A., Wootton, M., & Gallant, D. J. (1993). Properties of Irradiated Starches. *Food Structure*, 12(4), 397–410.
- Song, Y., Li, X., & Zhong, Y. (2019). Optimization of butter, xylitol, and high-amylose maize flour on developing a low-sugar cookie. *Food Science and Nutrition*, 7(11), 3414–3424. <https://doi.org/10.1002/fsn3.1160>
- Srichuwong, S., Sunarti, T. C., Mishima, T., Isono, N., & Hisamatsu, M. (2005). Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers*, 60(4), 529–538. <https://doi.org/10.1016/j.carbpol.2005.03.004>
- Stevenson, D. G., Biswas, A., & Inglett, G. E. (2005). Thermal and pasting properties of microwaved corn starch. *Starch - Stärke*, 57(8), 347–353. <https://doi.org/10.1002/star.200500411>
- Sui, Z., & Kong, X. (2018). Physical modifications of starch. In Z. Sui & X. Kong (Eds.), *Physical Modifications of Starch*. Springer Singapore. <https://doi.org/10.1007/978-981-13-0725-6>
- Sumardiono, S., & Pudjihastuti, I. (2015). Pengembangan proses modifikasi cassava dengan hidrolisa asam laktat dan UV untuk substitusi terigu dalam produk pangan. *Metana*, 11(02), 27–32.
- Suminarti, N. E. (2010). Pengaruh pemupukan N dan K pada pertumbuhan dan hasil tanaman talas yang ditanam di lahan kering. *Akta Agrosia*, 13(1), 1–7.
- Sunder, M., Mumbrekar, K. D., & Mazumder, N. (2022). Gamma radiation as a modifier of starch – Physicochemical perspective. *Current Research in Food Science*, 5, 141–149. <https://doi.org/10.1016/j.crfs.2022.01.001>
- Suparyono, B. O. (2002). Substitusi tepung kimpul (*Xanthosoma Sagittifolium*) dan tepung terigu terhadap sifat fisiko kimia dan sensori roti manis. In *Disertasi*. Universitas Lampung.

- Surawan, F. E. D., Harmayani, E., Nurliyani, N., & Marseno, D. W. (2021). Pengaruh metode isolasi terhadap komposisi proksimat, sifat pasting dan morfologi pati sekoi (*Setaria italica* (L)P. Bauv) varietas lokal Bengkulu. *AGROSAINSTEK: Jurnal Ilmu Dan Teknologi Pertanian*, 5(2), 114–123. <https://doi.org/10.33019/agrosainstek.v5i2.238>
- Susiana, E; Maideliza, T. dan M. (2013). Analisis morfologi granula pati dan kristal pada beberapa jenis talas. *Jurnal Biologi Unand*, 2(4), 249–255.
- susiana, E., Maideliza, T., & Mansyurdin, dan. (2013). Analysis Morphology of Starch Grains and Crystals in Some Taro. *Jurnal Biologi Universitas Andalas (J. Bio. UA.)*, 2(4), 245–255.
- Syamsiah, M., & Masliah, M. (2019). Identifikasi kadar amilosa beras pandanwangi dari tujuh kecamatan di Kabupaten Cianjur. *Agroscience (Agsci)*, 9(2), 130. <https://doi.org/10.35194/agsci.v9i2.778>
- Syamsir, E., Hariyadi, P., Fardiaz, D., Andarwulan, N., & Kusnandar, F. (2020). Karakterisasi tapioka dari lima varietas ubi kayu (*Manihot utilisima* Crantz) asal Lampung. *Jurnal Agroteknologi*, 5(1), 93–105.
- Szepes, A., Hasznos-Nezdei, M., Kovács, J., Funke, Z., Ulrich, J., & Szabó-Révész, P. (2005). Microwave processing of natural biopolymers - Studies on the properties of different starches. *International Journal of Pharmaceutics*, 302(1–2), 166–171. <https://doi.org/10.1016/j.ijpharm.2005.06.018>
- Tanhindarto, R. P., & Irawati, Z. (2012). Status Litbang Pangan Olahan Siap Saji Iradiasi. In Mugiono, D. Sopandi, S. Hudiyono, N. Kuswadi, Z. Irawati, P. Sidauruk, H. Winarno, Sobrozal, & R. Chosdu (Eds.), *Simposium, Pameran dan Sesi Khusus Hasil Litbang Aplikasi Teknologi Isotop dan Radiasi (APISORA)* (Issue 49, pp. 111–124). Pusat Aplikasi Teknologi Isotop dan Radiasi. Badan Tenaga Nuklir Nasional.
- Tao, Y., Yan, B., Fan, D., Zhang, N., Ma, S., Wang, L., Wu, Y., Wang, M., Zhao, J., & Zhang, H. (2020). Structural changes of starch subjected to microwave heating: A review from the perspective of dielectric properties. *Trends in Food Science and Technology*, 99(August 2019), 593–607. <https://doi.org/10.1016/j.tifs.2020.02.020>

- Tattiyakul, J., Asavasaksakul, S., & Pradipasena, P. (2006). Chemical and physical properties of flour extracted from taro *colocasia esculenta* (L.) Schott grown in different regions of Thailand. *ScienceAsia*, 32(3), 279. <https://doi.org/10.2306/scienceasia1513-1874.2006.32.279>
- Teixeira, B. S., Garcia, R. H. L., Takinami, P. Y. I., & del Mastro, N. L. (2018). Comparison of gamma radiation effects on natural corn and potato starches and modified cassava starch. *Radiation Physics and Chemistry*, 142(August 2017), 44–49. <https://doi.org/10.1016/j.radphyschem.2017.09.001>
- Tethool, E. F., Jading, A., & Santoso, B. (2012). Pengaruh konsentrasi hydrogen peroxida dan irradiasi ultraviolet terhadap sifat fisikokimia dan baking expansion pati sagu. *Prosiding Insinas 2012*, 331–335.
- Tidore, Y., Mamuja, C. F., & Koapaha, T. (2017). Pemanfaatan tepung kimpul (*Xanthosoma sagittifolium*) dan tepung tapioka pada pembuatan biskuit. *Cocos*, 1(4). <https://doi.org/10.35791/cocos.v1i4.15799>
- Torruco-Uco, J., & Betancur-Ancona, D. (2007). Physicochemical and functional properties of makal (*Xanthosoma yucatanensis*) starch. *Food Chemistry*, 101(4), 1319–1326. <https://doi.org/10.1016/j.foodchem.2006.03.047>
- Triwitono, P., Marsono, Y., Murdiati, A., & Marseno, D. W. (2017). Isolasi dan karakterisasi sifat pati kacang hijau (*Vigna radiata* L.) beberapa varietas lokal Indonesia. *Agritech*, 37(2), 192. <https://doi.org/10.22146/agritech.10659>
- Ulyarti, U., Mursyid, M., Nazarudin, N., & Situmorang, J. A. (2022). Pengaruh konsentrasi pati dan jenis pelarut pada modifikasi pati menggunakan metode presipitasi terhadap sifat fisik pati uwi putih (*Dioscorea Alata*). *Jurnal Teknologi Pertanian Andalas*, 26(1), 17. <https://doi.org/10.25077/jtpa.26.1.17-26.2022>
- Uswah, M., Mulyati, A. H., Winarti, C., Mar'atun Uswah, Ade Heri Mulyati, C. W., Uswah, M., Mulyati, A. H., & Winarti, C. (2014). Modifikasi dan karakterisasi pati nanopartikel dari pati talas beneng (*Xanthosoma undipes* K.Koch) dan garut (*Maranta arundinacea* L) dengan metode hidrolisis asam.

- Utami, P. Y. (2009). Peningkatan mutu pati ganyong (*Canna edulis* Ker.) melalui perbaikan proses produksi. In *Skripsi*. Institut Pertanian Bogor.
- Velisek, J. (2004). *The Chemistry of Food*. Wiley Blackwell.
- Verma, R., Jan, S., Rani, S., Jan, K., Swer, T. L., Prakash, K. S., Dar, M. Z., & Bashir, K. (2018). Physicochemical and functional properties of gamma irradiated buckwheat and potato starch. *Radiation Physics and Chemistry*, 144(July 2017), 37–42. <https://doi.org/10.1016/j.radphyschem.2017.11.009>
- Vilpoux, O. F., Brito, V. H., & Cereda, M. P. (2019). Starch Extracted From Corms, Roots, Rhizomes, and Tubers for Food Application. In *Starches for Food Application* (pp. 103–165). Elsevier. <https://doi.org/10.1016/B978-0-12-809440-2.00004-6>
- Wada, E., Feyissa, T., & Tesfaye, K. (2019). Proximate, mineral and antinutrient contents of cocoyam (*xanthosoma sagittifolium* (L.) schott) from Ethiopia. *International Journal of Food Science*, 2019. <https://doi.org/10.1155/2019/8965476>
- Wade, L. G. (2003). *Organic Chemistry* (5th editio). Pearson education Inc.
- Wang, M., Sun, M., Zhang, Y., Chen, Y., Wu, Y., & Ouyang, J. (2019). Effect of microwave irradiation-retrogradation treatment on the digestive and physicochemical properties of starches with different crystallinity. *Food Chemistry*, 298(March), 125015. <https://doi.org/10.1016/j.foodchem.2019.125015>
- Wang, M., Wu, Y., Liu, Y., & Ouyang, J. (2020). Effect of ultrasonic and microwave dual-treatment on the physicochemical properties of chestnut starch. *Polymers*, 12(8), 1–12. <https://doi.org/10.3390/POLYM12081718>
- Wani, I. A., Jabeen, M., Geelani, H., Masoodi, F. A., Saba, I., & Muzaffar, S. (2014). Effect of gamma irradiation on physicochemical properties of Indian Horse Chestnut (*Aesculus indica* Colebr.) starch. *Food Hydrocolloids*, 35, 253–263. <https://doi.org/10.1016/j.foodhyd.2013.06.002>
- Wanita, Y. P. (2018). Umbi-umbian minor lokal Daerah Istimewa Yogyakarta, sifat fisikokimia dan diversifikasi pengolahannya. *Jurnal Pertanian Agros*, 20(1), 49–58.

- Wiadnyani, A. A. A. I. S. S., Permana, I. D. G. M., & Widarta, I. W. R. (2017). Modifikasi pati keladi dengan metode autoclaving-cooling sebagai sumber pangan fungsional. *Scientific Journal of Food Technology*, 4(2), 2477–2739. <https://ojs.unud.ac.id/index.php/pangan/article/view/38630>
- Widiawan, I. M. E., K. A. Nocianitri, & Putra, N. K. (2013). Karakterisasi sifat fisiko kimia pati talas kimpul (*Xanthosoma sagittifolium*) termodifikasi dengan metode asetilasi. *Jurnal ITEPA*, 2(1), 1–10.
- Widodo, A. (2023). Pengembangan mocaf (modified cassava flour) berbasis desa mandiri mocaf: Studi kasus kabupaten Banjarnegara. *Bappenas Working Papers*, 6(1), 1–21. <https://doi.org/10.47266/bwp.v6i1.198>
- Widowati, S., Waha, M. ., & Santosa, B. A. . (1997). Ekstraksi dan karakterisasi sifat fisikokimia dan fungsional pati beberapa varietas talas (*Colocasia esculenta* (L.) Schott). *Seminar Teknologi Pangan, Buku 1*, 181–195.
- Widyatmoko, H., Subagio, A., & Nurhayati, N. (2018). Sifat-sifat fisikokimia pati ubi kayu terfermentasi khamir indigenus tapai. *Agritech*, 38(2), 140–150. <http://doi.org/10.22146/agritech.26323>
- Winarno, F. G. (2002). *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama.
- Wrolstad, R. E. (2012). *Food Carbohydrate Chemistry*. Institute of Food Technologists.
- Wu, D., Shu, Q., Wang, Z., & Xia, Y. (2002). Effect of gamma irradiation on starch viscosity and physicochemical properties of different rice. *Radiation Physics and Chemistry*, 65(1), 79–86. [https://doi.org/10.1016/S0969-806X\(01\)00676-4](https://doi.org/10.1016/S0969-806X(01)00676-4)
- Wulandari. (2011). Optimasi formula brownies berbasis tepung talas banten (*Xanthosoma undipes* K. Koch) sebagai pangan sumber serat. In *Skripsi*. Institut Pertanian Bogor.
- Yang, Q., Qi, L., Luo, Z., Kong, X., Xiao, Z., Wang, P., & Peng, X. (2017). Effect of microwave irradiation on internal molecular structure and physical properties of waxy maize starch. *Food Hydrocolloids*, 69, 473–482. <https://doi.org/10.1016/j.foodhyd.2017.03.011>

- Yu, I. K. M., Fan, J., Budarin, V. L., Bouxin, F. P., Clark, J. H., & Tsang, D. C. W. (2020). Evidences of starch-microwave interactions under hydrolytic and pyrolytic conditions. *Green Chemistry*, 22(20), 7109–7118. <https://doi.org/10.1039/d0gc02644a>
- Yunierlita, E., & Fadiati, A. (2023). The effect of substitution of beneng taro flour (*Xanthosoma undies* K. Koch) on the sensory quality of pempek Palembang. *Asian Journal of Engineering, Social and Health*, 2,(2), 118–126.
- Zailani, M. A., Kamilah, H., Husaini, A., & Sarbini, S. R. (2021). Physicochemical properties of microwave heated sago (*Metroxylon sagu*) starch. *CYTA - Journal of Food*, 19(1), 596–605. <https://doi.org/10.1080/19476337.2021.1934550>
- Zeng, S., Chen, B., Zeng, H., Guo, Z., Lu, X., Zhang, Y., & Zheng, B. (2016). Effect of microwave irradiation on the physicochemical and digestive properties of lotus seed starch. *Journal of Agricultural and Food Chemistry*, 64(12), 2442–2449. <https://doi.org/10.1021/acs.jafc.5b05809>
- Zhang, J., Tao, L., Yang, S., Li, Y., Wu, Q., Song, S., & Yu, L. (2024). Water absorption behavior of starch: A review of its determination methods, influencing factors, directional modification, and food applications. *Trends in Food Science and Technology*, 144(October 2023). <https://doi.org/10.1016/j.tifs.2023.104321>
- Zhang, Z., Fan, X., Yang, X., Li, C., Gilbert, R. G., & Li, E. (2020). Effects of amylose and amylopectin fine structure on sugar-snap cookie dough rheology and cookie quality. *Carbohydrate Polymers*, 241(April), 116371. <https://doi.org/10.1016/j.carbpol.2020.116371>
- Zhong, Y., Liang, W., Pu, H., Blennow, A., Liu, X., & Guo, D. (2019). Short-time microwave treatment affects the multi-scale structure and digestive properties of high-amylose maize starch. *International Journal of Biological Macromolecules*, 137, 870–877. <https://doi.org/10.1016/j.ijbiomac.2019.07.025>

- Zhong, Y., Xiang, X., Zhao, J., Wang, X., Chen, R., Xu, J., Luo, S., Wu, J., & Liu, C. (2020). Microwave pretreatment promotes the annealing modification of rice starch. *Food Chemistry*, 304(June 2019), 125432. <https://doi.org/10.1016/j.foodchem.2019.125432>
- Zhou, X., Ye, X., He, J., Wang, R., & Jin, Z. (2020). Effects of electron beam irradiation on the properties of waxy maize starch and its films. *International Journal of Biological Macromolecules*, 151, 239–246. <https://doi.org/10.1016/j.ijbiomac.2020.01.287>
- Zhu, F. (2016). Impact of γ -irradiation on structure, physicochemical properties, and applications of starch. *Food Hydrocolloids*, 52, 201–212. <https://doi.org/10.1016/j.foodhyd.2015.05.035>