

CONTENTS

| | |
|--|-----|
| LETTER OF APPROVAL..... | ii |
| STATEMENT OF PLAGIARISM-FREE DECLARATION | iii |
| ACKNOWLEDGMENT | iv |
| CONTENTS | vi |
| LIST OF FIGURE..... | ix |
| LIST OF TABLES | x |
| LIST OF APPENDIX | xi |
| ABSTRACT | 11 |
| CHAPTER I INTRODUCTION | 12 |
| 1.1 Introduction..... | 12 |
| 1.2 Problem Statements..... | 14 |
| 1.3 Research Objective..... | 14 |
| 1.4 Research Outcome..... | 15 |
| CHAPTER II LITERATURE REVIEW..... | 16 |
| 2.1. Torch Ginger Inflorescence..... | 16 |
| 2.2. Torch Ginger Inflorescence Extraction | 18 |
| 2.3. Phytochemical Antioxidant..... | 21 |
| 2.4. Cellular Oxidative Stress..... | 23 |
| 2.5. In Vitro Simulated Digestion | 26 |
| 2.6. Research Hypothesis | 28 |
| CHAPTER III RESEARCH METHODS | 29 |
| 3.1. Materials..... | 29 |
| 3.2. Instruments..... | 30 |
| 3.3. Time and Place of Research..... | 30 |
| 3.4. Experimental Design..... | 30 |
| 3.4.1. Torch Ginger Inflorescence Extraction | 32 |
| 3.4.1.1. Proximate Analysis..... | 33 |
| 3.4.2. Determination of Antioxidant Properties | 33 |
| 3.4.2.1. Determination of Total Phenolic Content..... | 33 |
| 3.4.2.2. Determination of Total Flavonoid Content..... | 34 |
| 3.4.3. Identification of Phenolic compounds by LC-QTOF-MS/MS | 34 |
| 3.4.4. Determination of Antioxidant Activity..... | 35 |

| | |
|---|----|
| 3.4.4.1. Determination of Oxygen Radical Absorbance Capacity (ORAC) | 35 |
| 3.4.4.2. Determination of 2,2-diphenyl-1-picrylhydrazyl (DPPH) free radical.. | 36 |
| 3.4.4.3. Determination of Ferric Reducing Antioxidant Power (FRAP) Assay . | 37 |
| 3.4.4.4. Determination of Ferrous Ion Chelating Activity..... | 37 |
| 3.4.5. <i>In vitro</i> Simulated Digestion..... | 38 |
| 3.4.5.1. Dialysis Membrane Procedure..... | 39 |
| CHAPTER IV | 41 |
| 4.1. Proximate Composition..... | 41 |
| 4.2. Determination of Antioxidant Properties | 42 |
| 4.2.1. Determination of TPC and TFC | 42 |
| 4.2.2. Antioxidant Activity of TGIE..... | 44 |
| 4.3. Qualitative Characteristics of Phytochemicals..... | 48 |
| 4.3.1. The Phytochemical and Biological Compound..... | 53 |
| 4.4. The Effect of <i>in vitro</i> Simulated Digestion on Antioxidant Capacity..... | 57 |
| BAB V CONCLUSION | 60 |
| 5.1. Conclusion..... | 60 |
| 5.2. Suggestion | 61 |
| REFERENCES..... | 62 |
| APPENDIX | 72 |

LIST OF FIGURE

| | |
|---|----|
| Figure 2.1. Torch ginger (<i>Etilingera elatior</i>) inflorescences harvested on various bloom stage were used in experiment..... | 17 |
| Figure 2.2. Basic Skeleton of Flavonoids and Its Subclasses | 22 |
| Figure 2.3. Pathogenesis of Reactive Species of Oxygen Production | 24 |
| Figure 2.4. ROS/RNS Production | 25 |
| Figure 2.5. <i>in vitro</i> Simulated Digestion Condition..... | 27 |
| Figure 3.1. Research Scheme..... | 31 |
| Figure 3.2. TGI Powder | 33 |
| Figure 4.1. Antioxidant capacities of TGIE..... | 45 |
| Figure 4.2. Chromatogram of Product Ion in Positive and Negative Mode | 50 |

LIST OF TABLES

| | |
|---|----|
| Table 2.1. Torch Ginger Inflorescence Extraction..... | 19 |
| Table 4.1. Proximate Composition of Fresh TGI..... | 41 |
| Table 4.2. Extraction yield, TPC, and TFC of TGIE..... | 42 |
| Table 4.3. Characterization of Tentative Phytochemical in TGIE..... | 51 |
| Table 4.4. Previously Studied Phytochemical Compounds in TGIE..... | 54 |
| Table 4.5. Comparison TPC and TFC of TGIE Before and After Digestion..... | 57 |
| Table 4.6. Comparison Antioxidant Activity of TGIE | 58 |

LIST OF APPENDIX

| | |
|---|----|
| Appendix 1. Standard Curve of Gallic Acid..... | 72 |
| Appendix 2. Standard Curve of Quercetin | 72 |
| Appendix 3. Standard Curve of Trolox (ORAC Assay)..... | 73 |
| Appendix 4. Standard Curve of Trolox (DPPH Assay)..... | 73 |
| Appendix 5. Standard Curve of Trolox (FRAP Assay)..... | 74 |
| Appendix 6. Standard Curve of EDTA (Ferrous Ion Chelating Assay)..... | 74 |
| Appendix 7. Crude Extract of TGIE..... | 75 |
| Appendix 8. <i>in vitro</i> Simulated Digestion Process..... | 75 |