

REFERENCES

- Ahmadi-Jouibari, T., Fattahi, N., Shamsipur, M., & Pirsaeheb, M. (2013). Dispersive liquid–liquid microextraction followed by high-performance liquid chromatography–ultraviolet detection to determination of opium alkaloids in human plasma. *Journal of Pharmaceutical and Biomedical Analysis*, 85, 14–20. <https://doi.org/10.1016/j.jpba.2013.06.030>
- Alahyari, E., Setareh, M., Shekari, A., Roozbehani, G., & Soltaninejad, K. (2018). Analysis of opioids in postmortem urine samples by dispersive liquid-liquid microextraction and high performance liquid chromatography with photo diode array detection. *Egyptian Journal of Forensic Sciences*, 8(1), 13. <https://doi.org/10.1186/s41935-018-0046-x>
- Anonym. (2023). *1812-30-2(Bromazepam) Product Description*. Chemical Book. https://www.chemicalbook.com/ChemicalProductProperty_EN_CB3764505.htm
- Antonio, A. D. S., Bhering, C. D. A., Wurzler, G. T., Carvalhosa, D. R., Jardim, A. C., Chalom, M. Y., Aquino Neto, F. R. D., & Vanini, G. (2024). Investigating the capability of UA-DLLME and DART-HRMS in the analysis of benzodiazepines in whole human blood. *Forensic Chemistry*, 39, 100580. <https://doi.org/10.1016/j.forc.2024.100580>
- AOAC Official Methods of Analysis. (2016). *Appendix F: Guidelines for Standard Method Performance Requirements*. AOAC International. 1-18.
- B. Magnusson and U. Örnemark (eds). (2014). *Eurachem Guide: The Fitness for Purpose of Analytical Methods – A Laboratory Guide to Method Validation and Related Topics* (2nd ed). Eurachem.
- Barceloux, D. G. (2012). Ketamine. In *Medical Toxicology of Drug Abuse* (pp. 110–119). John Wiley & Sons, Inc. <https://doi.org/10.1002/9781118105955.ch7>

- Barone, R., Giorgetti, A., Cardella, R., Rossi, F., Garagnani, M., Pascali, J. P., Mohamed, S., Fais, P., & Pelletti, G. (2023). Development and validation of a fast UPLC-MS/MS screening method for the detection of 68 psychoactive drugs and metabolites in whole blood and application to post-mortem cases. *Journal of Pharmaceutical and Biomedical Analysis*, 228, 115315. <https://doi.org/10.1016/j.jpba.2023.115315>
- Chaytor, A. (2008). Alprazolam. In S.J. Enna & David B. Bylund (Eds.), *xPharm: The Comprehensive Pharmacology Reference* (pp. 1–4). Elsevier Inc.
- Choi, J. Y., Heo, S., Yoo, G. J., Park, S.-K., Yoon, C.-Y., & Baek, S. Y. (2015). Development and validation of an LC-MS/MS method for the simultaneous analysis of 28 specific narcotic adulterants used in dietary supplements. *Food Additives & Contaminants: Part A*, 32(7), 1029–1039. <https://doi.org/10.1080/19440049.2015.1040080>
- Council of Europe. (2019). *European pharmacopoeia* (Tenth edition). Council of Europe : European Directorate for the Quality of Medicines and Healthcare.
- Derringer, G., & Suich, R. (1980). Simultaneous Optimization of Several Response Variables. *Journal of Quality Technology*, 12(4), 214–219. <https://doi.org/10.1080/00224065.1980.11980968>
- Farsimadan, S., Goudarzi, N., Chamjangali, M. A., & Bagherian, G. (2016). Optimization of ultrasound-assisted dispersive liquid-liquid microextraction based on solidification of floating organic droplets by experimental design methodologies for determination of three anti-anxiety drugs in human serum and urine samples by high performance liquid chromatography. *Microchemical Journal*, 128, 47–54. <https://doi.org/10.1016/j.microc.2016.04.003>
- Feriduni, B., Farajzadeh, M. A., & Jouyban, A. (2019). Determination of Two Antiepileptic Drugs in Urine by Homogenous Liquid-Liquid Extraction Performed in A Narrow Tube Combined With Dispersive Liquid-liquid Microextraction Followed by Gas Chromatography-flame Ionization

Detection. *Iranian Journal of Pharmaceutical Research, Online First*.
<https://doi.org/10.22037/ijpr.2019.1100635>

Fernández, P., González, C., Pena, M. T., Carro, A. M., & Lorenzo, R. A. (2013). A rapid ultrasound-assisted dispersive liquid–liquid microextraction followed by ultra-performance liquid chromatography for the simultaneous determination of seven benzodiazepines in human plasma samples. *Analytica Chimica Acta*, 767, 88–96.
<https://doi.org/10.1016/j.aca.2013.01.016>

Fernández, P., Regenjo, M., Ares, A., Fernández, A. M., Lorenzo, R. A., & Carro, A. M. (2019). Simultaneous determination of 20 drugs of abuse in oral fluid using ultrasound-assisted dispersive liquid–liquid microextraction. *Analytical and Bioanalytical Chemistry*, 411(1), 193–203.
<https://doi.org/10.1007/s00216-018-1428-5>

Fernández, P., Regenjo, M., Bermejo, A. M., Fernández, A. M., Lorenzo, R. A., & Carro, A. M. (2015). Analysis of drugs of abuse in human plasma by dispersive liquid-liquid microextraction and high-performance liquid chromatography: Analysis of drugs of abuse in human plasma by DLLME/HPLC. *Journal of Applied Toxicology*, 35(4), 418–425.
<https://doi.org/10.1002/jat.3035>

Fernández, P., Regenjo, M., Fernández, A. M., Lorenzo, R. A., & Carro, A. M. (2014). Optimization of ultrasound-assisted dispersive liquid–liquid microextraction for ultra performance liquid chromatography determination of benzodiazepines in urine and hospital wastewater. *Anal. Methods*, 6(20), 8239–8246. <https://doi.org/10.1039/C4AY01348D>

Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>

- Fields, A., & Wiegand, T. J. (2014). Opium and the Constituent Opiates. In *Encyclopedia of Toxicology* (pp. 698–701). Elsevier. <https://doi.org/10.1016/B978-0-12-386454-3.00716-8>
- Fisichella, M., Odoardi, S., & Strano-Rossi, S. (2015). High-throughput dispersive liquid/liquid microextraction (DLLME) method for the rapid determination of drugs of abuse, benzodiazepines and other psychotropic medications in blood samples by liquid chromatography–tandem mass spectrometry (LC-MS/MS) and application to forensic cases. *Microchemical Journal*, *123*, 33–41. <https://doi.org/10.1016/j.microc.2015.05.009>
- Ghobadi, M., Yamini, Y., & Ebrahimpour, B. (2014). SPE coupled with dispersive liquid-liquid microextraction followed by GC with flame ionization detection for the determination of ultra-trace amounts of benzodiazepines: Sample Preparation. *Journal of Separation Science*, *37*(3), 287–294. <https://doi.org/10.1002/jssc.201300893>
- Goudarzi, N., Farsimadan, S., & Chamjangali, M. A. (2015). Optimization of modified dispersive liquid-liquid microextraction coupled with high-performance liquid chromatography for the simultaneous preconcentration and determination of nitrazepam and midazolam drugs: An experimental design. *Journal of Separation Science*, *38*(10), 1673–1679. <https://doi.org/doi:10.1002/jssc.201500007>
- Gupta, P. K. (2016). Neurotoxic agents. In *Fundamentals of Toxicology* (pp. 221–244). Elsevier. <https://doi.org/10.1016/B978-0-12-805426-0.00020-2>
- Hara, K., Waters, B., Ikematsu, N., Tokuyasu, T., Fujii, H., Takayama, M., Matsusue, A., Kashiwagi, M., & Kubo, S. (2016). Development of a preparation method to produce a single sample that can be applied to both LC–MS/MS and GC–MS for the screening of postmortem specimens. *Legal Medicine*, *21*, 85–92. <https://doi.org/10.1016/j.legalmed.2016.06.005>
- Harmita, A.A.K, Harahap, Y., & Supandi. (2019). *Liquid Chromatography – Tandem Mass Spectrometry (LC-MS/MS)*. PT ISFI Penerbitan.

- Hartel, R. W. (2012). Hard Candy: From Hard Crack to the Glass Transition. *The Manufacturing Confectioner*, 92(9), 70–80.
- Hartel, R. W., von Elbe, J. H., & Hofberger, R. (2018). Hard Candy. In R. W. Hartel, J. H. von Elbe, & R. Hofberger, *Confectionery Science and Technology* (pp. 211–244). Springer International Publishing. https://doi.org/10.1007/978-3-319-61742-8_8
- Huvelle, S., Godet, M., Hecq, J.-D., Gillet, P., Bihin, B., Jamart, J., & Galanti, L. (2016). Long-term stability of ketamine hydrochloride 50mg/ml injection in 3ml syringes. *Annales Pharmaceutiques Françaises*, 74(4), 283–287. <https://doi.org/10.1016/j.pharma.2016.03.003>
- Indonesian Food and Drug Authority. (2018a). *Regulation No. 7 of 2018 on Prohibited Raw Materials in Processed Food*. State News Republic of Indonesia No. 731 of 2018.
- Indonesian Food and Drug Authority. (2018b, April 4). *Clarification of Indonesian FDA about Case of Candy Suspected of Containing Drugs in Pekanbaru*. <https://www.pom.go.id/new/view/more/klarifikasi/86/PENJELASAN-BPOM-RI--TENTANG-KASUS-PERMEN-YANG-DIDUGA-MENGANDUNG-NARKOBA--DI-PEKANBARU---.html>.
- Indonesian Government. (1997). *Law No. 05 of 1997 on Psychotropic*. State Gazette Republic of Indonesia No. 10 of 1997. State Secretariat. Jakarta.
- Indonesian Government. (2009). *Law No. 35 of 2009 on Narcotics*. State Gazette Republic of Indonesia No. 143 of 2009. State Secretariat. Jakarta.
- Indonesian Government. (2013). *Government Regulation No. 40 of 2013 concerning on Implementation of Law No. 35 of 2009 on Narcotics*. State Gazette Republic of Indonesia No 96 of 2013.
- Indonesian Government. (2017). *Presidential Regulation No. 80 of 2017 on Food and Drug Authority*. State Gazette Republic of Indonesia No. 180 of 2017.

- Islam, Md. A., Alam, Md. R., & Hannan, Md. O. (2012). Multiresponse optimization based on statistical response surface methodology and desirability function for the production of particleboard. *Composites Part B: Engineering*, 43(3), 861–868. <https://doi.org/10.1016/j.compositesb.2011.11.033>
- ISO. ISO/IEC 17025:2005. (2005). *General Requirements for the Competence of Testing and Calibration Laboratories. Volume 2005*, 1–34.
- Jain, R., & Singh, R. (2016). Applications of dispersive liquid–liquid microextraction in forensic toxicology. *TrAC Trends in Analytical Chemistry*, 75, 227–237. <https://doi.org/10.1016/j.trac.2015.07.007>
- Jiang, R., & Ouyang, G. (2015). Fast Analytical Techniques Based on Microextraction. In *Comprehensive Analytical Chemistry* (Vol. 67, pp. 85–134). Elsevier. <https://doi.org/10.1016/B978-0-444-63299-9.00003-X>
- Joewana, S., Margiyani, L., Padmohoedjo, L.G., Widayat, E., Ajisuksmo, C.R.P., & Tambunan, M. (2001). *Narkoba: Petunjuk Praktis Bagi Keluarga untuk Mencegah Penyalahgunaan Narkoba*. Media Pressindo. https://books.google.co.id/books?id=Lg4_SpmuuVcC&printsec=frontcover&hl=id#v=onepage&q&f=false. Accessed 2023, April 5
- Kannouma, R. E., Hammad, M. A., Kamal, A. H., & Mansour, F. R. (2022). Miniaturization of Liquid-Liquid extraction; the barriers and the enablers. *Microchemical Journal*, 182, 107863. <https://doi.org/10.1016/j.microc.2022.107863>
- Kataoka, H. (2010). Recent developments and applications of microextraction techniques in drug analysis. *Analytical and Bioanalytical Chemistry*, 396(1), 339–364. <https://doi.org/10.1007/s00216-009-3076-2>
- Kohler, I., Schappler, J., Sierro, T., & Rudaz, S. (2013). Dispersive liquid–liquid microextraction combined with capillary electrophoresis and time-of-flight

- mass spectrometry for urine analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 73, 82–89. <https://doi.org/10.1016/j.jpba.2012.03.036>
- Kokosa, J. M. (2020). Dispersive Liquid-Liquid Microextraction. In *Liquid-Phase Extraction* (pp. 473–497). Elsevier. <https://doi.org/10.1016/B978-0-12-816911-7.00016-5>
- Kwak, J.-S. (2005). Application of Taguchi and response surface methodologies for geometric error in surface grinding process. *International Journal of Machine Tools and Manufacture*, 45(3), 327–334. <https://doi.org/10.1016/j.ijmachtools.2004.08.007>
- Lin, Z., Li, J., Zhang, X., Qiu, M., Huang, Z., & Rao, Y. (2017). Ultrasound-assisted dispersive liquid-liquid microextraction for the determination of seven recreational drugs in human whole blood using gas chromatography–mass spectrometry. *Journal of Chromatography B*, 1046, 177–184. <https://doi.org/10.1016/j.jchromb.2017.01.024>
- Mandal, S. C., Mandal, V., & Das, A. K. (2015). Innovative Extraction Process Design and Optimization Using Design of Experimental Approach. In *Essentials of Botanical Extraction* (pp. 137–163). Elsevier. <https://doi.org/10.1016/B978-0-12-802325-9.00007-0>
- Manousi, N., Raber, G., & Papadoyannis, I. (2017). Recent Advances in Microextraction Techniques of Antipsychotics in Biological Fluids Prior to Liquid Chromatography Analysis. *Separations*, 4(2), 18. <https://doi.org/10.3390/separations4020018>
- Manousi, N., & Samanidou, V. (2021). Green sample preparation of alternative biosamples in forensic toxicology. *Sustainable Chemistry and Pharmacy*, 20, 100388. <https://doi.org/10.1016/j.scp.2021.100388>
- Meng, L., Wang, B., Luo, F., Shen, G., Wang, Z., & Guo, M. (2011). Application of dispersive liquid–liquid microextraction and CE with UV detection for the chiral separation and determination of the multiple illicit drugs on

forensic samples. *Forensic Science International*, 209(1–3), 42–47.
<https://doi.org/10.1016/j.forsciint.2010.12.003>

Meng, L., Zhu, B., Zheng, K., & Fu, S. (2017). Ultrasound-assisted low-density solvent dispersive liquid–liquid microextraction for the determination of 4 designer benzodiazepines in urine samples by gas chromatography–triple quadrupole mass spectrometry. *Journal of Chromatography B*, 1053, 9–15.
<https://doi.org/10.1016/j.jchromb.2017.04.008>

Ministry of Health of the Republic of Indonesia. (2019). *National Report of Basic Health Research 2018* (p. 628). The National Institute of Health Research and Development Publisher, Ministry of Health, Republic of Indonesia.
<http://repository.bkpk.kemkes.go.id/3514/1/Laporan%20Riskasdas%202018%20Nasional.pdf>

Ministry of Health of the Republic of Indonesia. (2022a). *Ministerial Regulation No 10 of 2022 on Determination and Change of Psychotropic Classification*. State News Republic of Indonesia No 422. Jakarta.

Ministry of Health of the Republic of Indonesia. (2022b). *Ministerial Regulation No. 36 of 2022 on Change in Narcotics Classification*. State News Republic of Indonesia No. 1200. Jakarta.

Montesano, C., & Sergi, M. (2016). Microextraction techniques in illicit drug testing: Present and future. *Bioanalysis*, 8(9), 863–866.
<https://doi.org/10.4155/bio-2016-0008>

Montgomery, D. C. (2013). *Design and analysis of experiments* (Eighth edition). John Wiley & Sons, Inc.

Mourão, M. P. B., Kolk, A. H. J., & Janssen, H.-G. (2020). General principles and history. In *Hyphenations of Capillary Chromatography with Mass Spectrometry* (pp. 3–74). Elsevier. <https://doi.org/10.1016/B978-0-12-809638-3.00001-6>

- National Narcotics Board. (2012). *Guidebook for Early Prevention of Drug Abuse*. Directorate of Dissemination, Information. Deputy of Prevention Pencegahan, National Narcotics Board Republic of Indonesia.
- National Narcotics Board. (2017). *Community Anti-Drug Education Module*. Directorate of Dissemination, Information. Deputy of Prevention Pencegahan, National Narcotics Board Republic of Indonesia.
- National Narcotics Board. (2020a). *Drug issues in Indonesia, 2019: A field note*. Research, Data, and Information Center, National Narcotics Board, Republic of Indonesia.
- National Narcotics Board. (2020b, July 30). *BNN Chief Proud of Synergy with Customs and Excise in the Field for Significant Results*. <https://bnn.go.id/kepala-bnn-bangga-sinergi-bea-cukai-lapangan-membuahkan/>. Accessed 2023, March 02
- National Narcotics Board. (2022). *NATIONAL-SURVEY-ON-DRUG-ABUSE-2021.pdf*. Research, Data, and Information Center National Narcotics Board of the Republic of Indonesia.
- NicDaéid, N., & McKenzie, C. (2018). Introduction to Drugs of Abuse ☆. In *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering* (p. B9780124095472144592). Elsevier. <https://doi.org/10.1016/B978-0-12-409547-2.14459-2>
- Nielsen, S. S. (Ed.). (2017). *Food Analysis*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-45776-5>
- Nobay, F., & Acquisto, N. M. (2014). Barbiturates. In *Encyclopedia of Toxicology* (pp. 363–367). Elsevier. <https://doi.org/10.1016/B978-0-12-386454-3.00696-5>
- Orfanidis, A., Gika, H. G., Theodoridis, G., Mastrogianni, O., & Raikos, N. (2021). A UHPLC–MS–MS Method for the Determination of 84 Drugs of Abuse

and Pharmaceuticals in Blood. *Journal of Analytical Toxicology*, 45(1), 28–43. <https://doi.org/10.1093/jat/bkaa032>

Partodiharjo, S. (2008). *Kenali Narkoba dan Musuhi Penyalahgunaannya*. Erlangga.

https://books.google.co.id/books?id=0FPiV5tYejcC&pg=PA7&hl=id&source=gbgbs_toc_r&cad=4#v=onepage&q&f=false. Accessed 2023, April 5

Pettersson Bergstrand, M., Helander, A., & Beck, O. (2016). Development and application of a multi-component LC–MS/MS method for determination of designer benzodiazepines in urine. *Journal of Chromatography B*, 1035, 104–110. <https://doi.org/10.1016/j.jchromb.2016.08.047>

Piergiovanni, M., Cappiello, A., Famiglioni, G., Termopoli, V., & Palma, P. (2018). Determination of benzodiazepines in beverages using green extraction methods and capillary HPLC-UV detection. *Journal of Pharmaceutical and Biomedical Analysis*, 154, 492–500. <https://doi.org/10.1016/j.jpba.2018.03.030>

Pourroy, B., Curti, C., Lamy, E., N’Gbesso, J., Krasse, I., & Vanelle, P. (2020). Availability of Morphine Oral Solution for Childhood Cancer Patients in Low-Income Countries: Compounding and Stability Study in a Cote d’Ivoire University Teaching Hospital. *Journal of Pain and Symptom Management*, 59(1), e10–e13. <https://doi.org/10.1016/j.jpainsymman.2019.10.005>

Rezaee, M., Assadi, Y., Milani Hosseini, M.-R., Aghae, E., Ahmadi, F., & Berijani, S. (2006). Determination of organic compounds in water using dispersive liquid–liquid microextraction. *Journal of Chromatography A*, 1116(1–2), 1–9. <https://doi.org/10.1016/j.chroma.2006.03.007>

Risqi, D.M. & Yudianto, O. (2022). Urgensi Pengaturan Ketamin dalam Undang-Undang Nomor 35 Tahun 2009 tentang Narkotika. *Mimbar Keadilan*, 15, Nomor 1, 11–26.

- Rivera-Vera, C., Lasarte-Aragónés, G., Bravo, M. A., Muñoz-Lira, D., Salazar, R., & Toledo-Neira, C. (2019). Ionic liquids-based dispersive liquid-liquid microextraction for determination of carcinogenic polycyclic aromatic hydrocarbons in tea beverages: Evaluation of infusion preparation on pollutants release. *Food Control*, *106*, 106685. <https://doi.org/10.1016/j.foodcont.2019.06.011>
- Rosenberger, W., Teske, J., Klintschar, M., & Dziadosz, M. (2022). Detection of pharmaceuticals in “dirty sprite” using gas chromatography and mass spectrometry. *Drug Testing and Analysis*, *14*(3), 539–544. <https://doi.org/10.1002/dta.3116>
- Roveri, F. L., Paranhos, B. A. P. B., & Yonamine, M. (2016). Determination of phenobarbital in hair matrix by liquid phase microextraction (LPME) and gas chromatography–mass spectrometry (GC–MS). *Forensic Science International*, *265*, 75–80. <https://doi.org/10.1016/j.forsciint.2015.12.033>
- Saldanha, G., Pacheco, A., Pego, A., & Bairros, A. (2022). ANALYSIS OF BENZODIAZEPINES IN PLASMA SAMPLES BY DLLME AND LC-DAD: CRITICAL ASPECTS, FLAWS AND ISSUES ENCOUNTERED – A DISCUSSION. *Química Nova*. <https://doi.org/10.21577/0100-4042.20170913>
- Sampaio, G. R., Lima, G. S., De Souza, S. B., & Soares, D. D. M. (2024). Use of psychoactive substances among university students from 2019 to 2020: A systematic review. *Brain, Behavior, & Immunity - Health*, *35*, 100724. <https://doi.org/10.1016/j.bbih.2024.100724>
- Scientific Working Group for the Analysis of Seized Drugs. (2000). *Monograph Opium*. <https://www.swgdrug.org/Monographs/OPIUM.pdf>
- Skartland, L. K., Mjøs, S. A., & Grung, B. (2011). Experimental designs for modeling retention patterns and separation efficiency in analysis of fatty acid methyl esters by gas chromatography–mass spectrometry. *Journal of*

Chromatography A, 1218(38), 6823–6831.
<https://doi.org/10.1016/j.chroma.2011.07.077>

The International Council for Harmonisation. (2005). *Validation of Analytical Procedures: Text and Methodology Q2(R1). Volume 2005*.

The Steering Committee Indonesian Pharmacopoeia 6th Edition. (2020). *Indonesian Pharmacopoeia 6th Edition*. Directorate General of Pharmaceutical and Medical Devices. Ministry of Health. Republic of Indonesia.

Thompson, M., Ellison, S. L. R., & Wood, R. (2002). *Harmonized Guidelines for Single-Laboratory Validation of Methods of Analysis: (IUPAC Technical Report): Vol. Vol. 74, No. 5* (pp. 835–855) [Dataset]. Symposium on Harmonization of Quality Assurance Systems for Analytical Laboratories, Budapest, Hungary. *Pure Appl. Chem.*
<https://doi.org/10.1515/iupac.74.0084>

Tian, H., Zhou, X., Chen, C., He, Y., Yu, H., & Zheng, X. (2017). *Simultaneous Determination of Pheno- barbital, Pentobarbital, Amobarbital and Secobarbital in Raw Milk via Liquid Chromatography with Electron Spray Ionization Tandem Mass Spectrometry*. 37(6).

Tsai, W.-C., & Huang, S.-D. (2009). Dispersive liquid–liquid microextraction with little solvent consumption combined with gas chromatography–mass spectrometry for the pretreatment of organochlorine pesticides in aqueous samples. *Journal of Chromatography A*, 1216(27), 5171–5175.
<https://doi.org/10.1016/j.chroma.2009.04.086>

United Nation Office on Drug and Crime. (2021). *Synthetic Drugs in East and Southeast Asia Latest developments and challenges 2021*. Global SMART Programme. <https://www.unodc.org/unodc/en/scientists/2021-regional-synthetic-drugs-in-east-and-southeast-asia.html>. Accessed 2023, March 2

- United Nation Office on Drug and Crime. (2022). *Global Smart Update: Vol. Volume 27*. Global SMART Programme Laboratory and Scientific Service. www.unodc.org/documents/scientific/Global_SMART_Update_2022_Vol_27.pdf. Accessed 2023, March 10
- United Nations. (2016). *Terminology and information on drugs* (Third edition). United Nations.
- Usui, K., Hayashizaki, Y., Hashiyada, M., & Funayama, M. (2012). Rapid drug extraction from human whole blood using a modified QuEChERS extraction method. *Legal Medicine*, *14*(6), 286–296. <https://doi.org/10.1016/j.legalmed.2012.04.008>
- Vera Candiotti, L., De Zan, M. M., Cámara, M. S., & Goicoechea, H. C. (2014). Experimental design and multiple response optimization. Using the desirability function in analytical methods development. *Talanta*, *124*, 123–138. <https://doi.org/10.1016/j.talanta.2014.01.034>
- Vermeire, A. (1999). Stability and compatibility of morphine. *International Journal of Pharmaceutics*, *187*(1), 17–51. [https://doi.org/10.1016/S0378-5173\(99\)00181-7](https://doi.org/10.1016/S0378-5173(99)00181-7)
- Wachelko, O., Szpot, P., Tusiewicz, K., Nowak, K., Chłopaś-Konowalek, A., & Zawadzki, M. (2023). An ultra-sensitive UHPLC-QqQ-MS/MS method for determination of 54 benzodiazepines (pharmaceutical drugs, NPS and metabolites) and z-drugs in biological samples. *Talanta*, *251*, 123816. <https://doi.org/10.1016/j.talanta.2022.123816>
- World Health Organisation. (1994). *WHO Lexicon of Alcohol and Drug Terms*. World Health Organization.
- Xie, Z. (2023). Dispersive liquid-liquid microextraction coupled with gas chromatography-mass spectrometry (GC-MS) for the determination of soy sauce aroma compounds. *Food Control*.

- Xu, F., Li, Q., Wei, W., Liu, L., & Li, H. (2018). Development of a Liquid–Liquid Microextraction Method Based on a Switchable Hydrophilicity Solvent for the Simultaneous Determination of 11 Drugs in Urine by GC–MS. *Chromatographia*, *81*(12), 1695–1703. <https://doi.org/10.1007/s10337-018-3643-9>
- Xu, F., & Liu, L. (2019). Simultaneous determination of free methamphetamine, pethidine, ketamine and tramadol in urine by dispersive liquid–liquid microextraction combined with GC–MS. *Forensic Sciences Research*, *4*(2), 188–194. <https://doi.org/10.1080/20961790.2017.1377386>
- Zhang, X., Lin, Z., Li, J., Huang, Z., Rao, Y., Liang, H., Yan, J., & Zheng, F. (2017). Rapid determination of nine barbiturates in human whole blood by liquid chromatography-tandem mass spectrometry. *Drug Testing and Analysis*, *9*(4), 588–595. <https://doi.org/10.1002/dta.2002>