

DAFTAR PUSTAKA

- Adem, G. D., Ueda, Y., Hayes, P. E., & Wissuwa, M. (2020). Genetic and physiological traits for internal phosphorus utilization efficiency in rice. *PLOS ONE*, 15(11), e0241842. <https://doi.org/10.1371/journal.pone.0241842>
- Adhikari, B. N., Joshi, B. P., Shrestha, J., & Bhatta, N. R. (2018). Genetic variability, heritability, genetic advance and correlation among yield and yield components of rice. *Oryza Sativa L.*. *Journal of Agriculture and Natural Resources*, 1(1), 149–160. <https://orcid.org/0000-0002-1812-3311>
- Ahlgren, J., Djodjic, F., Borjesson, G., & Mattsson, L. (2013). Identification and quantification of organic phosphorus forms in soils from fertility experiments. *Soil Use and Management*, 29, 24–35. <https://doi.org/10.1111/sum.12014>
- Ahmed, W., Qaswar, M., Jing, H., Wenjun, D., Geng, S., Kailou, L., Ying, M., Ao, T., Mei, S., Chao, L., Yongmei, X., Ali, S., Normatov, Y., Mehmood, S., Khan, M. N., & Huimin, Z. (2020). Tillage practices improve rice yield and soil phosphorus fractions in two typical paddy soils. *Journal of Soils and Sediments*, 20(2), 850–861. <https://doi.org/10.1007/s11368-019-02468-3>
- Akinwale, M. G., Gregorio, G. B., Nwile, F. E., Akinyele, B. O., Ogunbayo, S. A., & Odiyi, A. C. (2011). Heritability and correlation coefficient analysis for yield and its components in rice (*Oryza sativa* L.) Genetic Resources View project Rice resistance to storage insects pests View project. <https://www.researchgate.net/publication/284283001>
- Akram, H. M., Ali, A., & Saeed-Ur-Rehman, H. (2013). Impact of water deficit stress on various physiological and agronomic traits of three Basmati rice (*Oryza sativa* L.) cultivars. In Article in The Journal of Animal and Plant Sciences. <https://www.researchgate.net/publication/279030622>
- Alam, T., Suryanto, P., Nurmallasari, A. I., & Kurniasih, B. (2019). GGE-Biplot Analysis for Soybean Varieties Suitability in an Agroforestry System based on Kayu Putih Stands. *Caraka Tani: Journal of Sustainable Agriculture*, 34(2), 213. <https://doi.org/10.20961/carakatani.v34i2.30434>
- Altieri, M. A., & Nicholls, C. I. (2003). Soil fertility management and insect pests: harmonizing soil and plant health in agroecosystems. *Soil and Tillage Research*, 72(2), 203–211. [https://doi.org/10.1016/S0167-1987\(03\)00089-8](https://doi.org/10.1016/S0167-1987(03)00089-8)
- Alvares, C. A., Stape, J. L., Sentelhas, P. C., & de Moraes Gonçalves, J. L. (2013). Modeling monthly mean air temperature for Brazil. *Theoretical and Applied Climatology*, 113(3–4), 407–427. <https://doi.org/10.1007/s00704-012-0796-6>
- Alvarez, R., & Steinbach, H. S. (2009). A review of the effects of tillage systems on some soil physical properties, water content, nitrate availability and crops yield in the Argentine Pampas. *Soil and Tillage Research*, 104(1), 1–15. <https://doi.org/10.1016/j.still.2009.02.005>

- Amara, D. M. K., Patil, P. L., Kamara, A. M., & Saidu, D. H. (2017). Assessment of soil fertility status using nutrient index approach. *Academia Journal of Agricultural Research*, ISSN: 2315-7739, 028–038. DOI: 10.15413/ajar.2017.0303
- Aminot, A., & Rey, F. (2001). Chlorophyll a: determination by spectroscopic methods. *ICES Techniques in Marine Environmental Sciences*, 1–18.
- Anggraini, F., Suryanto, A., Aini, N., Budidaya, J., & Fakultas, P. (2013). Sistem Tanam Dan Umur Bibit Pada Tanaman Padi Sawah (*Oryza Sativa* L.) Varietas Inpari 13 Cropping System And Seedling Age On Paddy (*Oryza Sativa* L.) Inpary 13 Variety. *Jurnal Produksi Tanaman*, 1(2), 2338–3976.
- Angraini, W., Amrin, & Bahrizal. (2012). Analisis Silikon (Si) dan Magnesium (Mg) dalam Tanah Lempung di Kabupaten Tanah Datar Secara Spektrofotometri Serapan Atom. In *Chemistry Journal* (Vol. 1, Issue 2). <http://ejournal.unp.ac.id/index.php/kimia>
- Ariefiansyah, R. (2019). Transformasi Wereng Batang Cokelat dari ‘Hama Tidak Penting’ Menjadi ‘Hama Elite’ Pada Ekosistem Padi Sawah di Pulau Jawa: Sebuah Pembahasan Etnografi Multispesies. *Antropologi Indonesia*, 39(1). <https://doi.org/10.7454/ai.v39i1.10414>
- Aristya, V. E., & Taryono. (2019). Pemuliaan Tanaman Partisipatif untuk Meningkatkan Peran Varietas Padi Unggul dalam Mendukung Swasembada Pangan Nasional. In *Agrinova: Journal of Agriculture Innovation* (Vol. 2, Issue 1). <http://jurnal.ugm.ac.id/agrinova/>
- Aristya, V. E., Taryono, Trisyono, Y. A., & Mulyo, J. H. (2021). Morphological Fingerprint of New Rice Genotypes. *IOP Conference Series: Earth and Environmental Science*, 662(1), 012022. <https://doi.org/10.1088/1755-1315/662/1/012022>
- Arnon, D. (1949). Coper Enzymes In Isolated Chloroplasts. Polyphenoloxidase In *Beta Vulgaris*. In *PLANT PHYSIOLOGY VOLUME* (Vol. 24, Issue 1).
- Artacho, P., Bonomelli, C., & Meza, F. (2009). Nitrogen Application in Irrigated Rice Grown in Mediterranean Conditions: Effects on Grain Yield, Dry Matter Production, Nitrogen Uptake, and Nitrogen Use Efficiency. *Journal of Plant Nutrition*, 32(9), 1574–1593. <https://doi.org/10.1080/01904160903094339>
- Asch, F., Dingkuhn, M., Sow, A., & Audebert, A. (2005). Drought-induced changes in rooting patterns and assimilate partitioning between root and shoot in upland rice. *Field Crops Research*, 93(2–3), 223–236. <https://doi.org/10.1016/j.fcr.2004.10.002>
- Asefa, G. (n.d.). The Role of Harvest Index in Improving Crop Productivity: A Review. *Journal of Natural Sciences Research*. <https://doi.org/10.7176/JNSR>
- Ashraf, M., & Harris, P. J. C. (2013). Photosynthesis under stressful environments: An overview. *Photosynthetica*, 51(2), 163–190. <https://doi.org/10.1007/s11099-013-0021-6>

- Asibi, A. E., Chai, Q., & Coulter, J. A. (2019). Rice Blast: A Disease with Implications for Global Food Security. *Agronomy*, 9(8), 451. <https://doi.org/10.3390/agronomy9080451>
- Ata-Ul-Karim, S. T., Zhu, Y., Yao, X., & Cao, W. (2014). Determination of critical nitrogen dilution curve based on leaf area index in rice. *Field Crops Research*, 167, 76–85. <https://doi.org/10.1016/j.fcr.2014.07.010>
- Atlin, G. N., Lafitte, H. R., Tao, D., Laza, M., Amante, M., & Courtois, B. (2006). Developing rice cultivars for high-fertility upland systems in the Asian tropics. *Field Crops Research*, 97(1), 43–52. <https://doi.org/10.1016/j.fcr.2005.08.014>
- Azarpour, E., Moraditochae, M., & Bozorgi, H. R. (2014). Effect of nitrogen fertilizer management on growth analysis of rice cultivars. *International Journal of Biosciences (IJB)*, 35–47. <https://doi.org/10.12692/ijb/4.5.35-47>
- Bahmanyar, M. A., & Soodaee Mashae, S. S. (2010). Influences of nitrogen and potassium top dressing on yield and yield components as well as their accumulation in rice (*Oryza sativa*). *African Journal of Biotechnology*, 9(18), 2648–2653.
- Bahuguna, R. N., Gupta, P., Bagri, J., Singh, D., Dewi, A. K., Tao, L., Islam, M., Sarsu, F., Singla-Pareek, S. L., & Pareek, A. (2018). Forward and reverse genetics approaches for combined stress tolerance in rice. *Indian Journal of Plant Physiology*, 23(4), 630–646. <https://doi.org/10.1007/s40502-018-0418-0>
- Baker, D. E., Jarrell, A. E., Marshall, L. E., & Thomas, W. I. (1970). Phosphorus Uptake from Soils by Corn Hybrids selected for High and Low Phosphorus Accumulation1. *Agronomy Journal*, 62(1), 103–106. <https://doi.org/10.2134/agronj1970.00021962006200010033x>
- Bakhshandeh, E., Pirdashti, H., & Lendeh, K. S. (2017). Phosphate and potassium-solubilizing bacteria effect on the growth of rice. *Ecological Engineering*, 103, 164–169. <https://doi.org/10.1016/j.ecoleng.2017.03.008>
- Balai Penelitian Tanah. (2009). *Petunjuk Teknis Analisis Kimia Tanah, Tanaman, Air, dan Pupuk*. Balai Besar Litbang SDL Pertanian Badan Litbang Pertanian Deptan. Bogor.
- Barlaan, E. A., Sato, H., & Ichii, M. (1998). Nitrate reductase activities in rice genotypes in irrigated lowlands. *Crop Science*, 38(3), 728–734. <https://doi.org/10.2135/cropsci1998.0011183X003800030019x>
- Bates, L. S., Waldren, R. P., & Teare, I. D. (1973). Rapid determination of free proline for water-stress studies (Vol. 39, Issue 1).
- BBpadi. (2019). *Deskripsi Varietas Unggul Baru*. Balai Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.
- BBpadi. (2020). *Deskripsi Varietas Unggul Baru Padi 2020*. Balai Penelitian dan Pengembangan Pertanian, Kementerian Pertanian.

- Bernier, J., Atlin, G. N., Serraj, R., Kumar, A., & Spaner, D. (2008). Breeding upland rice for drought resistance. In *Journal of the Science of Food and Agriculture* (Vol. 88, Issue 6, pp. 927–939). <https://doi.org/10.1002/jsfa.3153>
- Bian, J., Zhu, G., Zhu, C., Peng, X., Li, C., He, X., Chen, X., Fu, J., Hu, L., Ouyang, L., Shen, X., He, H., & Yan, S. (2015). Molecular dissection of developmental behavior of tiller number and the relationship with effective panicle using indica–japonica introgression lines in rice. *Molecular Breeding*, 35(3), 91. <https://doi.org/10.1007/s11032-015-0269-6>
- Bjorn, L. O., Papageorgiou, G. C., Blankenship, R. E., & Govindjee. (2009). A viewpoint: Why chlorophyll a? In *Photosynthesis Research* (Vol. 99, Issue 2, pp. 85–98). <https://doi.org/10.1007/s11120-008-9395-x>
- BPS. (2021). Hasil Sensus Penduduk 2020. Berita Resmi Statistik No. 7/01/Th. XXIV. Tersedia di: <https://www.bps.go.id/>. (diakses pada 11 Juni 2023). <https://www.bps.go.id/pressrelease/2021/01/21/1854/hasil-sensus-penduduk-2020.html>
- BPS. (2022). Luas Panen dan Produksi Padi di Indonesia 2021. <https://www.bps.go.id/publication/2022/07/12/c52d5cebe530c363d0ea4198/luas-panen-dan-produksi-padi-di-indonesia-2021.html>
- Buckley, C. R., Caine, R. S., & Gray, J. E. (2020). Pores for Thought: Can Genetic Manipulation of Stomatal Density Protect Future Rice Yields? *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.01783>
- Cabuslay, G. S., Ito, O., & Alejar, A. A. (2002). Physiological evaluation of responses of rice (*Oryza sativa* L.) to water deficit. *Plant Science*, 163(4), 815–827. [https://doi.org/10.1016/S0168-9452\(02\)00217-0](https://doi.org/10.1016/S0168-9452(02)00217-0)
- Caine, R. S., Yin, X., Sloan, J., Harrison, E. L., Mohammed, U., Fulton, T., Biswal, A. K., Dionora, J., Chater, C. C., Coe, R. A., Bandyopadhyay, A., Murchie, E. H., Swarup, R., Quick, W. P., & Gray, J. E. (2019). Rice with reduced stomatal density conserves water and has improved drought tolerance under future climate conditions. *New Phytologist*, 221(1), 371–384. <https://doi.org/10.1111/nph.15344>
- Cairns, J. E., Audebert, A., Townend, J., Price, A. H., & Mullins, C. E. (2004). Effect of soil mechanical impedance on root growth of two rice varieties under field drought stress. In *Plant and Soil* (Vol. 267).
- Chanu, W. S., & Sarangthem, K. (2015). Changes in proline accumulation, amino acid, sugar and chlorophyll content in leaf and culm of Phourel-amubi, a rice cultivar of Manipur in response to flash flood. *Indian Journal of Plant Physiology*, 20(1), 10–13. <https://doi.org/10.1007/s40502-014-0124-5>
- Cha-Um, S., Yooyongwech, S., & Supaibulwattana, K. (2010). Salt-drought screening and field trial validation of eucalyptus species in saline soil habitat of Thailand View project Special Issue “Roles of Glycine Betaine in Improving Plant Abiotic Stress Resistance” View project. <https://www.researchgate.net/publication/267298440>

- Chen, X., Cui, Z., Fan, M., Vitousek, P., Zhao, M., Ma, W., Wang, Z., Zhang, W., Yan, X., Yang, J., Deng, X., Gao, Q., Zhang, Q., Guo, S., Ren, J., Li, S., Ye, Y., Wang, Z., Huang, J., Zhang, F. (2014). Producing more grain with lower environmental costs. *Nature*, 514(7253), 486–489. <https://doi.org/10.1038/nature13609>
- Chhetri, S., Gurung, T. R., Uden, T., Gurung, M., & Jamtsho, K. L. (2020). Assessment of Soil Fertility Status Using Soil Nutrient Index in Three Landuse Systems in Bhutan. In *Bhutanese Journal of Agriculture* (Vol. 2, Issue 1).
- Chien, T. C., & Kao, C. H. (1993). Osmotic stress and water stress have opposite effects on putrescine and proline production in excised rice leaves. *Plant Growth Regulation*, 13(2), 197–202. <https://doi.org/10.1007/BF00024262>
- Clarkson, D. T., & Hanson, J. B. (1980). The Mineral Nutrition of Higher Plants. *Annual Review of Plant Physiology*, 31(1), 239–298. <https://doi.org/10.1146/annurev.pp.31.060180.001323>
- Cockram, J., Jones, H., Leigh, F. J., O'Sullivan, D., Powell, W., Laurie, D. A., & Greenland, A. J. (2007). Control of flowering time in temperate cereals: genes, domestication, and sustainable productivity. *Journal of Experimental Botany*, 58(6), 1231–1244. <https://doi.org/10.1093/jxb/erm042>
- Conway, G. R. (1987). The properties of agroecosystems. *Agricultural Systems*, 24(2), 95–117. [https://doi.org/10.1016/0308-521X\(87\)90056-4](https://doi.org/10.1016/0308-521X(87)90056-4)
- Coudert, Y., Périn, C., Courtois, B., Khong, N. G., & Gantet, P. (2010). Genetic control of root development in rice, the model cereal. *Trends in Plant Science*, 15(4), 219–226. <https://doi.org/10.1016/j.tplants.2010.01.008>
- Crawford, N. M. (1995). Nitrate: Nutrient and Signal for Plant Growth. In *The Plant Cell* (Vol. 7).
- Cruz, R. P. da, Sperotto, R. A., Cargnelutti, D., Adamski, J. M., FreitasTerra, T., & Fett, J. P. (2013). Avoiding damage and achieving cold tolerance in rice plants. *Food and Energy Security*, 2(2), 96–119. <https://doi.org/10.1002/fes3.25>
- Das, K., Panda, B. B., Shaw, B. P., Das, S. R., Dash, S. K., Kariali, E., & Mohapatra, P. K. (2018). Grain density and its impact on grain filling characteristic of rice: mechanistic testing of the concept in genetically related cultivars. *Scientific Reports*, 8(1), 4149. <https://doi.org/10.1038/s41598-018-22256-2>
- Daszkowska-Golec, A., & Szarejko, I. (2013). Open or Close the Gate – Stomata Action Under the Control of Phytohormones in Drought Stress Conditions. *Frontiers in Plant Science*, 4. <https://doi.org/10.3389/fpls.2013.00138>
- Datta, S. K. De. (1981). Principles and Practices of Rice Production. International Rice Research Institute, 618(0471097608, 9780471097600).
- de los Reyes, B. G., Myers, S. J., & McGrath, J. M. (2003). Differential induction of glyoxylate cycle enzymes by stress as a marker for seedling vigor in sugar

- beet (*Beta vulgaris*). *Molecular Genetics and Genomics*, 269(5), 692–698. <https://doi.org/10.1007/s00438-003-0875-6>
- De Varennes, A., De Melo-Abreu, J. P., & Ferreira, M. E. (2002). Predicting the concentration and uptake of nitrogen, phosphorus and potassium by field-grown green beans under non-limiting conditions. *European Journal of Agronomy*, 17(1), 63–72. [https://doi.org/10.1016/S1161-0301\(01\)00138-1](https://doi.org/10.1016/S1161-0301(01)00138-1)
- Delerce, S., Dorado, H., Grillon, A., Rebolledo, M. C., Prager, S. D., Patiño, V. H., Garcés Varón, G., & Jiménez, D. (2016). Assessing Weather-Yield Relationships in Rice at Local Scale Using Data Mining Approaches. *PLOS ONE*, 11(8), e0161620. <https://doi.org/10.1371/journal.pone.0161620>
- Dengiz, O., Saglam, M., Sarioglu, F. E., Saygin, F., & Atasoy, C. (2012). Morphological and Physico-Chemical Characteristics and Classification of Vertisol Developed on Deltaic Plain. *Open Journal of Soil Science*, 02(01), 20–27. <https://doi.org/10.4236/ojss.2012.21004>
- Deubel, A., Hofmann, B., & Orzessek, D. (2011). Long-term effects of tillage on stratification and plant availability of phosphate and potassium in a loess chernozem. *Soil and Tillage Research*, 117, 85–92. <https://doi.org/10.1016/j.still.2011.09.001>
- Dhillon, J. S., Eickhoff, E. M., Mullen, R. W., & Raun, W. R. (2019). World Potassium Use Efficiency in Cereal Crops. *Agronomy Journal*, 111(2), 889–896. <https://doi.org/10.2134/agronj2018.07.0462>
- Dissanayaka, D. M. S. B., Nishida, S., Tawaraya, K., & Wasaki, J. (2018). Organ-specific allocation pattern of acquired phosphorus and dry matter in two rice genotypes with contrasting tolerance to phosphorus deficiency. *Soil Science and Plant Nutrition*, 64(3), 282–290. <https://doi.org/10.1080/00380768.2018.1436941>
- Dlamini, N. S., Rowshon, M. K., Lai, S. H., Dlamini, N. S., Saha, U., Lai, S. H., Fikri, A., & Zubaidi, J. (2015). Simulation of Future Daily Rainfall Scenario using Stochastic Rainfall Generator for a Rice-Growing Irrigation Scheme in Malaysia. In *Asian Journal of Applied Sciences*. <https://www.researchgate.net/publication/283579041>
- Doran, J. W., & Zeiss, M. R. (2000). Soil health and sustainability: managing the biotic component of Soil health and sustainability: managing the biotic component of soil quality soil quality Soil health and sustainability: managing the biotic component of soil quality. In *Applied Soil Ecology* (Vol. 15). <https://digitalcommons.unl.edu/agronomyfacpub/15>
- Du, S., Zhang, Z., Li, T., Wang, Z., Zhou, X., Gai, Z., & Qi, Z. (2022). Response of Rice Harvest Index to Different Water and Nitrogen Management Modes in the Black Soil Region of Northeast China. *Agriculture (Switzerland)*, 12(1). <https://doi.org/10.3390/agriculture12010115>
- Dubey, A. N., Goswami, S., & Devedee, A. K. (2018). Effect of Temperature on Different Growth Stages and Physiological Process of Rice crop-As a Review. <https://www.researchgate.net/publication/339090117>

- Dutta, S. S., Tyagi, W., & Rai, M. (2017). Physiological and molecular response to low light intensity in rice: A review. *Agricultural Reviews*, 38(03). <https://doi.org/10.18805/ag.v38i03.8980>
- Enang, R. K., Yerima, B. P. K., & Kome, G. K. (2016). Soil physico-chemical properties and land suitability evaluation for maize (*Zea mays*), beans (*Phaseolus vulgaris*) and Irish potatoes (*Solanum tuberosum*) in tephra soils of the western slopes of mount Kupe (Cameroon). *African Journal of Agricultural Research*, 11(45), 4571–4583. <https://doi.org/10.5897/AJAR2016.11669>
- Ende, S., Salawati, S., Kadekoh, I., Fathurrahman, F., Darman, S., & Lukman, L. (2022). Aktivitas Nitrat Reduktase (ANR) Tanaman Jagung pada Pola Tumpangsari yang Diberi Serasah Jagung-Kedelai serta Biochar di Lahan Suboptimal Sidondo Sulawesi Tengah. *Jurnal Ilmu Pertanian Indonesia*, 27(4), 528–535. <https://doi.org/10.18343/jipi.27.4.544>
- Evet, S. R., Stone, K. C., Schwartz, R. C., O'Shaughnessy, S. A., Colaizzi, P. D., Anderson, S. K., & Anderson, D. J. (2019). Resolving discrepancies between laboratory-determined field capacity values and field water content observations: implications for irrigation management. *Irrigation Science*, 37(6), 751–759. <https://doi.org/10.1007/s00271-019-00644-4>
- Fabre, D., Siband, P., & Dingkuhn, M. (2005). Characterizing stress effects on rice grain development and filling using grain weight and size distribution. *Field Crops Research*, 92(1), 11–16. <https://doi.org/10.1016/j.fcr.2004.07.024>
- Fageria, N. K., Moreira, A., & dos Santos, A. B. (2013). Phosphorus Uptake And Use Efficiency In Field Crops. *Journal of Plant Nutrition*, 36(13), 2013–2022. <https://doi.org/10.1080/01904167.2013.816728>
- Fahad, S., Hussain, S., Bano, A., Saud, S., Hassan, S., Shan, D., Khan, F. A., Khan, F., Chen, Y., Wu, C., Tabassum, M. A., Chun, M. X., Afzal, M., Jan, A., Jan, M. T., & Huang, J. (2015). Potential role of phytohormones and plant growth-promoting rhizobacteria in abiotic stresses: consequences for changing environment. *Environmental Science and Pollution Research*, 22(7), 4907–4921. <https://doi.org/10.1007/s11356-014-3754-2>
- Falconer, D. S. (1985). A note on Fisher's 'average effect' and "average excess". *Genetical Research*, 46(3), 337–347. <https://doi.org/10.1017/S0016672300022825>
- Fanourakis, D., Aliniaefard, S., Sellin, A., Giday, H., Körner, O., Rezaei Nejad, A., Delis, C., Bouranis, D., Koubouris, G., Kambourakis, E., Nikoloudakis, N., & Tsaniklidis, G. (2020). Stomatal behavior following mid- or long-term exposure to high relative air humidity: A review. *Plant Physiology and Biochemistry*, 153, 92–105. <https://doi.org/10.1016/j.plaphy.2020.05.024>
- FAO. (2001). Lecture notes on the major soils of the world. World Soil Resources Reports. Rome: Food and Agriculture Organization of the United Nations, 334.

- Farooq, M., Kobayashi, N., Ito, O., Wahid, A., & Serraj, R. (2010). Broader leaves result in better performance of indica rice under drought stress. *Journal of Plant Physiology*, 167(13), 1066–1075. <https://doi.org/10.1016/j.jplph.2010.03.003>
- Farooq, M., Kobayashi, N., Wahid, A., Ito, O., & Basra, S. M. A. (2009). RETRACTED: Strategies for Producing More Rice with Less Water (p. e1). [https://doi.org/10.1016/S0065-2113\(08\)00806-7](https://doi.org/10.1016/S0065-2113(08)00806-7)
- Ferguson, B. J., & Beveridge, C. A. (2009). Roles for Auxin, Cytokinin, and Strigolactone in Regulating Shoot Branching . *Plant Physiology*, 149(4), 1929–1944. <https://doi.org/10.1104/pp.109.135475>
- Ferrante, A., & Mariani, L. (2018). Agronomic Management for Enhancing Plant Tolerance to Abiotic Stresses: High and Low Values of Temperature, Light Intensity, and Relative Humidity. *Horticulturae*, 4(3), 21. <https://doi.org/10.3390/horticulturae4030021>
- Flexas, J. (2002). Drought-inhibition of Photosynthesis in C3 Plants: Stomatal and Non-stomatal Limitations Revisited. *Annals of Botany*, 89(2), 183–189. <https://doi.org/10.1093/aob/mcf027>
- Fontaine, S., Barot, S., Barré, P., Bdioui, N., Mary, B., & Rumpel, C. (2007). Stability of organic carbon in deep soil layers controlled by fresh carbon supply. *Nature*, 450(7167), 277–280. <https://doi.org/10.1038/nature06275>
- Forde, B. G. (2002). The role of long-distance signalling in plant responses to nitrate and other nutrients. *Journal of Experimental Botany*, 53(366), 39–43. <https://doi.org/10.1093/jexbot/53.366.39>
- Franklin, K. A., & Whitelam, G. C. (2005). Phytochromes and Shade-avoidance Responses in Plants. *Annals of Botany*, 96(2), 169–175. <https://doi.org/10.1093/aob/mci165>
- Fukao, T., & Bailey-Serres, J. (2008). Ethylene—A key regulator of submergence responses in rice. *Plant Science*, 175(1–2), 43–51. <https://doi.org/10.1016/j.plantsci.2007.12.002>
- Fukuda, N., Fujita, M., Ohta, Y., Sase, S., Nishimura, S., & Ezura, H. (2008). Directional blue light irradiation triggers epidermal cell elongation of abaxial side resulting in inhibition of leaf epinasty in geranium under red light condition. *Scientia Horticulturae*, 115(2), 176–182. <https://doi.org/10.1016/j.scienta.2007.08.006>
- Gajdanowicz, P., Michard, E., Sandmann, M., Rocha, M., Corrêa, L. G. G., Ramírez-Aguilar, S. J., Gomez-Porras, J. L., González, W., Thibaud, J. B., Van Dongen, J. T., & Dreyer, I. (2011). Potassium (K⁺) gradients serve as a mobile energy source in plant vascular tissues. *Proceedings of the National Academy of Sciences of the United States of America*, 108(2), 864–869. <https://doi.org/10.1073/pnas.1009777108>
- Garcia, G. A., Dreccer, M. F., Miralles, D. J., & Serrago, R. A. (2015). High night temperatures during grain number determination reduce wheat and barley

- grain yield: a field study. *Global Change Biology*, 21(11), 4153–4164. <https://doi.org/10.1111/gcb.13009>
- Ghars, M. A., Richard, L., Lefebvre-De Vos, D., Leprince, A.-S., Parre, E., Bordenave, M., Abdelly, C., & Savouré, A. (2012). Phospholipases C and D Modulate Proline Accumulation in *Thellungiella halophila/salsuginea* Differently According to the Severity of Salt or Hyperosmotic Stress. *Plant and Cell Physiology*, 53(1), 183–192. <https://doi.org/10.1093/pcp/pcr164>
- Glaszmann, J. C. (1987). Isozymes and classification of Asian rice varieties*. In *Theor Appl Genet* (Vol. 74). Springer-Verlag.
- Godfray, H. C. J., Beddington, J. R., Crute, I. R., Haddad, L., Lawrence, D., Muir, J. F., Pretty, J., Robinson, S., Thomas, S. M., & Toulmin, C. (2010). Food Security: The Challenge of Feeding 9 Billion People. *Science*, 327(5967), 812–818. <https://doi.org/10.1126/science.1185383>
- Gorantla, M., Babu, P., Reddy Lachagari, V., Reddy, A., Wusirika, R., Bennetzen, J. L., & Reddy, A. R. (2007). Identification of stress-responsive genes in an indica rice (*Oryza sativa* L.) using ESTs generated from drought-stressed seedlings. *Journal of Experimental Botany*, 58(2), 253–265. <https://doi.org/10.1093/jxb/erl213>
- Goto, N., Yamamoto, K. T., & Watanabe, M. (1993). Action Spectra For Inhibition Of Hypocotyl Growth Of Wild-Type Plants And Of The Hy2 Long-Hypocotyl Mutant Of *Arabidopsis thaliana* L. *Photochemistry and Photobiology*, 57(5), 867–871. <https://doi.org/10.1111/j.1751-1097.1993.tb09226.x>
- Greenwald, R., Bergin, M. H., Xu, J., Cohan, D., Hoogenboom, G., & Chameides, W. L. (2006). The influence of aerosols on crop production: A study using the CERES crop model. *Agricultural Systems*, 89(2–3), 390–413. <https://doi.org/10.1016/j.agsy.2005.10.004>
- Gross, C. D., & Harrison, R. B. (2019). The Case for Digging Deeper: Soil Organic Carbon Storage, Dynamics, and Controls in Our Changing World. *Soil Systems*, 3(2), 28. <https://doi.org/10.3390/soilsystems3020028>
- Gu, J., & Yang, J. (2022). Nitrogen (N) transformation in paddy rice field: Its effect on N uptake and relation to improved N management. *Crop and Environment*, 1(1), 7–14. <https://doi.org/10.1016/j.crope.2022.03.003>
- Guo, Y., Zhang, L., Qin, Y., Zhu, Y., Cao, W., & Tian, Y. (2015). Exploring the Vertical Distribution of Structural Parameters and Light Radiation in Rice Canopies by the Coupling Model and Remote Sensing. *Remote Sensing*, 7(5), 5203–5221. <https://doi.org/10.3390/rs70505203>
- Han, R., Li, C., Rasheed, A., Pan, X., Shi, Q., & Wu, Z. (2022). Reducing phosphorylation of nitrate reductase improves nitrate assimilation in rice. *Journal of Integrative Agriculture*, 21(1), 15–25. [https://doi.org/10.1016/S2095-3119\(20\)63386-X](https://doi.org/10.1016/S2095-3119(20)63386-X)

- Hancock, G. R., Kunkel, V., Wells, T., & Martinez, C. (2019). Soil organic carbon and soil erosion – Understanding change at the large catchment scale. *Geoderma*, 343, 60–71. <https://doi.org/10.1016/j.geoderma.2019.02.012>
- Hawkins, T. S., Gardiner, E. S., & Comer, G. S. (2009). Modeling the relationship between extractable chlorophyll and SPAD-502 readings for endangered plant species research. *Journal for Nature Conservation*, 17(2), 123–127. <https://doi.org/10.1016/j.jnc.2008.12.007>
- Hetherington, A. M., & Woodward, F. I. (2003). The role of stomata in sensing and driving environmental change. In *Nature* (Vol. 424, Issue 6951, pp. 901–908). <https://doi.org/10.1038/nature01843>
- Hoffmann, W. A., & Poorter, H. (2002). Avoiding Bias in Calculations of Relative Growth Rate. *Annals of Botany*, 90(1), 37–42. <https://doi.org/10.1093/aob/mcf140>
- Hu, B., Bourennane, H., Arrouays, D., Denoroy, P., Lemerrier, B., & Saby, N. P. A. (2021). Developing pedotransfer functions to harmonize extractable soil phosphorus content measured with different methods: A case study across the mainland of France. *Geoderma*, 381, 114645. <https://doi.org/10.1016/j.geoderma.2020.114645>
- Huang, J., Hu, T., Yasir, M., Gao, Y., Chen, C., Zhu, R., Wang, X., Yuan, H., & Yang, J. (2019). Root growth dynamics and yield responses of rice (*Oryza sativa* L.) under drought—Flood abrupt alternating conditions. *Environmental and Experimental Botany*, 157, 11–25. <https://doi.org/10.1016/j.envexpbot.2018.09.018>
- Huang, N., Courtois, B., & Khush, G. S. (1996). Association of quantitative trait loci for plant height with major dwarfing genes in rice. In *Heredity* (Vol. 77).
- Ibarra-Caballero, J., Villanueva-Verduzco, C., Molina-Galán, J., & Sánchez-De-Jiménez, E. (1988). Proline Accumulation as a Symptom of Drought Stress in Maize: A Tissue Differentiation Requirement. In *Source: Journal of Experimental Botany* (Vol. 39, Issue 204).
- Indratmoko, S., Harmantyo, D., & Kusratmoko, E. (2017). Variabilitas curah hujan di Kabupaten Kebumen. *Jurnal Geografi Lingkungan Tropik*, 1(1). <https://doi.org/10.7454/jglitrop.v1i1.5>
- Ishibashi, Y., Okamura, K., Miyazaki, M., Phan, T., Yuasa, T., & Iwaya-Inoue, M. (2014). Expression of rice sucrose transporter gene OsSUT1 in sink and source organs shaded during grain filling may affect grain yield and quality. *Environmental and Experimental Botany*, 97, 49–54. <https://doi.org/10.1016/j.envexpbot.2013.08.005>
- Ishimaru, T., Sasaki, K., Lumanglas, P. D., Leo U. Cabral, C., Ye, C., Yoshimoto, M., Kumar, A., & Henry, A. (2022). Effect of drought stress on flowering characteristics in rice (*Oryza sativa* L.): a study using genotypes contrasting in drought tolerance and flower opening time. *Plant Production Science*, 25(3), 359–370. <https://doi.org/10.1080/1343943X.2022.2085589>

- Islam, Md. S. (2019). Sensing and Uptake of Nitrogen in Rice Plant: A Molecular View. *Rice Science*, 26(6), 343–355. <https://doi.org/10.1016/j.rsci.2018.12.007>
- Ismail, A. M., & Tuong, T. P. (2009). Brackish water coastal zones of the monsoon tropics: challenges and opportunities. *Natural Resource Management for Poverty Reduction and Environmental Sustainability in Rice-Based Systems*, 113–121.
- Jackson, M. B., & Colmer, T. D. (2005). Response and Adaptation by Plants to Flooding Stress. *Annals of Botany*, 96(4), 501–505. <https://doi.org/10.1093/aob/mci205>
- Ji, K., Wang, Y., Sun, W., Lou, Q., Mei, H., Shen, S., & Chen, H. (2012). Drought-responsive mechanisms in rice genotypes with contrasting drought tolerance during reproductive stage. *Journal of Plant Physiology*, 169(4), 336–344. <https://doi.org/10.1016/j.jplph.2011.10.010>
- Johannes, A., Matter, A., Schulin, R., Weiskopf, P., Baveye, P. C., & Boivin, P. (2017). Optimal organic carbon values for soil structure quality of arable soils. Does clay content matter? *Geoderma*, 302, 14–21. <https://doi.org/10.1016/j.geoderma.2017.04.021>
- Kato, Y., & Katsura, K. (2014). Rice Adaptation to Aerobic Soils: Physiological Considerations and Implications for Agronomy. *Plant Production Science*, 17(1), 1–12. <https://doi.org/10.1626/pp.17.1>
- Kawano, N., Ito, O., & Sakagami, J.-I. (2008). Morphological and physiological responses of rice seedlings to complete submergence (flash flooding). *Annals of Botany*, 103(2), 161–169. <https://doi.org/10.1093/aob/mcn171>
- Khaledian, Y., Brevik, E. C., Pereira, P., Cerdà, A., Fattah, M. A., & Tazikeh, H. (2017). Modeling soil cation exchange capacity in multiple countries. *CATENA*, 158, 194–200. <https://doi.org/10.1016/j.catena.2017.07.002>
- Kishné, A. Sz., Morgan, C. L. S., & Miller, W. L. (2009). Vertisol Crack Extent Associated with Gilgai and Soil Moisture in the Texas Gulf Coast Prairie. *Soil Science Society of America Journal*, 73(4), 1221–1230. <https://doi.org/10.2136/sssaj2008.0081>
- Kleinhenz, M. D., French, D. G., Gazula, A., & Scheerens, J. C. (2003). Variety, Shading, and Growth Stage Effects on Pigment Concentrations in Lettuce Grown under Contrasting Temperature Regimens. *Horlechnology*, 13–14.
- Kondo, M., Pablico, P. P., Aragones, D. V., Agbisit, R., Abe, J., Morita, S., & Courtois, & B. (2003). Genotypic and environmental variations in root morphology in rice genotypes under upland field conditions. In *Plant and Soil* (Vol. 255).
- Kovda, I. (2020). Vertisols: Extreme features and extreme environment. *Geoderma Regional*, 22, e00312. <https://doi.org/10.1016/j.geodrs.2020.e00312>
- Krishnan, P., Ramakrishnan, B., Reddy, K. R., & Reddy, V. R. (2011). High-Temperature Effects on Rice Growth, Yield, and Grain Quality (pp. 87–206). <https://doi.org/10.1016/B978-0-12-387689-8.00004-7>

- Kumar, A., Dhyani, B. P., Kumar, V., Rai, A., Kumar, A., & veer, K. (2018). Nutrient Uptake in Rice Crop as Influenced by Vermicompost and Nitrogen Application. *International Journal of Current Microbiology and Applied Sciences*, 7(03), 558–569. <https://doi.org/10.20546/ijcmas.2018.703.067>
- Kumar, S., Dwivedi, S. K., Singh, S. S., Bhatt, B. P., Mehta, P., Elanchezhian, R., Singh, V. P., & Singh, O. N. (2014). Morpho-physiological traits associated with reproductive stage drought tolerance of rice (*Oryza sativa* L.) genotypes under rain-fed condition of eastern Indo-Gangetic Plain. *Indian Journal of Plant Physiology*, 19(2), 87–93. <https://doi.org/10.1007/s40502-014-0075-x>
- Kuppe, C. W., Kirk, G. J. D., Wissuwa, M., & Postma, J. A. (2022). Rice increases phosphorus uptake in strongly sorbing soils by intra-root facilitation. *Plant, Cell & Environment*, 45(3), 884–899. <https://doi.org/10.1111/pce.14285>
- Lambers, H., Martinoia, E., & Renton, M. (2015). Plant adaptations to severely phosphorus-impooverished soils. *Current Opinion in Plant Biology*, 25, 23–31. <https://doi.org/10.1016/j.pbi.2015.04.002>
- Lawson, T., & Blatt, M. R. (2014). Stomatal Size, Speed, and Responsiveness Impact on Photosynthesis and Water Use Efficiency . *Plant Physiology*, 164(4), 1556–1570. <https://doi.org/10.1104/pp.114.237107>
- Lea, P. J., & Mifflin, B. J. (2010). Nitrogen Assimilation and its Relevance to Crop Improvement. In *Annual Plant Reviews Volume 42* (pp. 1–40). Wiley. <https://doi.org/10.1002/9781444328608.ch1>
- Li, D., Nanseki, T., Chomei, Y., & Yokota, S. (2018). Production efficiency and effect of water management on rice yield in Japan: two-stage DEA model on 110 paddy fields of a large-scale farm. *Paddy and Water Environment*, 16(4), 643–654. <https://doi.org/10.1007/s10333-018-0652-0>
- Li, H., Jiang, D., Wollenweber, B., Dai, T., & Cao, W. (2010). Effects of shading on morphology, physiology and grain yield of winter wheat. *European Journal of Agronomy*, 33(4), 267–275. <https://doi.org/10.1016/j.eja.2010.07.002>
- Li, R., Li, M., Ashraf, U., Liu, S., & Zhang, J. (2019). Exploring the Relationships Between Yield and Yield-Related Traits for Rice Varieties Released in China From 1978 to 2017. *Frontiers in Plant Science*, 10. <https://doi.org/10.3389/fpls.2019.00543>
- Li, Z. K., Yu, S. B., Lafitte, H. R., Huang, N., Courtois, B., Hittalmani, S., Vijayakumar, C. H. M., Liu, G. F., Wang, G. C., Shashidhar, H. E., Zhuang, J. Y., Zheng, K. L., Singh, V. P., Sidhu, J. S., Srivantaneeyakul, S., & Khush, G. S. (2003). QTL x environment interactions in rice. I. Heading date and plant height. *Theoretical and Applied Genetics*, 108(1), 141–153. <https://doi.org/10.1007/s00122-003-1401-2>
- Lin, H., Wang, R., Qian, Q., Yan, M., Meng, X., Fu, Z., Yan, C., Jiang, B., Su, Z., Li, J., & Wang, Y. (2009). DWARF27, an Iron-Containing Protein Required for the Biosynthesis of Strigolactones, Regulates Rice Tiller Bud Outgrowth . *The Plant Cell*, 21(5), 1512–1525. <https://doi.org/10.1105/tpc.109.065987>

- Liu, B. M., Wu, Y. J., Fu, X. D., & Qian, Q. (2008). Characterizations and molecular mapping of a novel dominant semi-dwarf gene Sdd(t) in rice (*Oryza sativa*). *Plant Breeding*, 127(2), 125–130. <https://doi.org/10.1111/j.1439-0523.2007.01444.x>
- Liu, L., Wang, L., Deng, F., Huang, Y., Liu, D. Y., Ren W, J., & Yang W, Y. (2012). Osmotic regulation substance contents and activities of protective enzymes in leaves of different hybrid rice combinations as affected by shading. *Chinese Journal of Rice Science*, 26, 569–575.
- Liu, Q., Wu, X., Chen, B., Ma, J., & Gao, J. (2014). Effects of Low Light on Agronomic and Physiological Characteristics of Rice Including Grain Yield and Quality. *Rice Science*, 21(5), 243–251. [https://doi.org/10.1016/S1672-6308\(13\)60192-4](https://doi.org/10.1016/S1672-6308(13)60192-4)
- Liu, W., Wang, J., Li, C., Chen, B., & Sun, Y. (2019). Using Bibliometric Analysis to Understand the Recent Progress in Agroecosystem Services Research. *Ecological Economics*, 156, 293–305. <https://doi.org/10.1016/j.ecolecon.2018.09.001>
- Liu, X., Cao, Q., Yuan, Z., Liu, X., Wang, X., Tian, Y., Cao, W., & Zhu, Y. (2018). Leaf area index based nitrogen diagnosis in irrigated lowland rice. *Journal of Integrative Agriculture*, 17(1), 111–121. [https://doi.org/10.1016/S2095-3119\(17\)61714-3](https://doi.org/10.1016/S2095-3119(17)61714-3)
- Liu, X., Hu, Q., Yan, J., Sun, K., Liang, Y., Jia, M., Meng, X., Fang, S., Wang, Y., Jing, Y., Liu, G., Wu, D., Chu, C., Smith, S. M., Chu, J., Wang, Y., Li, J., & Wang, B. (2020). ζ -Carotene Isomerase Suppresses Tillering in Rice through the Coordinated Biosynthesis of Strigolactone and Absciscic Acid. *Molecular Plant*, 13(12), 1784–1801. <https://doi.org/10.1016/j.molp.2020.10.001>
- Liu, Y., Zhang, C., Zhao, Y., Sun, S., & Liu, Z. (2017). Effects of growing seasons and genotypes on the accumulation of cadmium and mineral nutrients in rice grown in cadmium contaminated soil. *Science of The Total Environment*, 579, 1282–1288. <https://doi.org/10.1016/j.scitotenv.2016.11.115>
- Long, W., Li, Y., Yuan, Z., Luo, L., Luo, L., Xu, W., Cai, Y., & Xie, H. (2022). Development of InDel markers for *Oryza sativa* ssp. *javanica* based on whole-genome resequencing. *PLOS ONE*, 17(10), e0274418. <https://doi.org/10.1371/journal.pone.0274418>
- Longvah, T., Mangthya, K., Subhash, K., Sen, S., & Rathi, S. (2021). Comprehensive nutritional evaluation of popular rice varieties of Assam, Northeast India. *Journal of Food Composition and Analysis*, 101, 103952. <https://doi.org/10.1016/j.jfca.2021.103952>
- Lu, J., Ookawa, T., & Hirasawa, T. (2000). The effects of irrigation regimes on the water use, dry matter production and physiological responses of paddy rice. In *Plant and Soil* (Vol. 223).
- Luo, X., Ma, C., Yue, Y., Hu, K., Li, Y., Duan, Z., Wu, M., Tu, J., Shen, J., Yi, B., & Fu, T. (2015). Unravelling the complex trait of harvest index in rapeseed

- (*Brassica napus* L.) with association mapping. *BMC Genomics*, 16(1), 379. <https://doi.org/10.1186/s12864-015-1607-0>
- Mackill, D. J., & Lei, X. (1997). Genetic Variation for Traits Related to Temperate Adaptation of Rice Cultivars. *Crop Science*, 37(4), 1340.
- Mahmud, Y., & Purnomo, S. S. (2014). Keragaman Agronomis Beberapa Varietas Unggul Baru Tanaman Padi (*Oryza sativa* L.) Pada Model Pengelolaan Tanaman Terpadu. *Jurnal Ilmiah Solusi*, 1, 1–10.
- Maisura., Chozin, M. A., Lubis, I., Junaedi, A., & Ehara, H. (2014). Some physiological character responses of rice under drought conditions in a paddy system. *J Int Soc Southeast Asian Agric Sci*, 20, 104–114.
- Makino, A. (2011). Photosynthesis, Grain Yield, and Nitrogen Utilization in Rice and Wheat. *Plant Physiology*, 155(1), 125–129. <https://doi.org/10.1104/pp.110.165076>
- Manlay, R. J., Feller, C., & Swift, M. J. (2007). Historical evolution of soil organic matter concepts and their relationships with the fertility and sustainability of cropping systems. *Agriculture, Ecosystems & Environment*, 119(3–4), 217–233. <https://doi.org/10.1016/j.agee.2006.07.011>
- Marri, P. R., Sarla, N., Reddy, L. V., & Siddiq, E. A. (2005). Identification and mapping of yield and yield related QTLs from an Indian accession of *Oryza rufipogon*. *BMC Genetics*, 6. <https://doi.org/10.1186/1471-2156-6-33>
- Marx, E. S., Hart, J., & Stevens, R. G. (1999). *Soil Test Interpretation Guide*.
- Masdar., Kasim, Musliar., Rusman, Bujang., Hakim, Nurhajati., & Helmi. (2006). Lowland Rice Yield and Yield Components Of The System Of Rice Intensification Without Organic Fertilizer In Wet Tropics. *Jurnal Ilmu-Ilmu Pertanian Indonesia*, 8, 126–131.
- Massawe, P., & Mrema, J. (2017). Effects of Different Phosphorus Fertilizers on Rice (*Oryza sativa* L.) Yield Components and Grain Yields. *Asian Journal of Advances in Agricultural Research*, 3(2), 1–13. <https://doi.org/10.9734/AJAAR/2017/37202>
- Meng, C., Yang, W., Wang, D., Hao, Z., & Li, M. (2023). Development and testing of vehicle-mounted soil bulk density detection system. *Measurement*, 211, 112604. <https://doi.org/10.1016/j.measurement.2023.112604>
- Mills, A. L. (2003). *Keeping In Touch: Microbial Life On Soil Particle Surfaces*.
- Mir, S. A., & Bosco, S. J. D. (2014). Cultivar difference in physicochemical properties of starches and flours from temperate rice of Indian Himalayas. *Food Chemistry*, 157, 448–456. <https://doi.org/10.1016/j.foodchem.2014.02.057>
- Mishra, A., Ohtsubo, M., Li, L., & Higashi, T. (2010). Prediction of compressibility and hydraulic conductivity of soil-bentonite mixture. *International Journal of Geotechnical Engineering*, 4(3), 417–424. <https://doi.org/10.3328/IJGE.2010.04.03.417-424>

- Mohammed, U., Caine, R. S., Atkinson, J. A., Harrison, E. L., Wells, D., Chater, C. C., Gray, J. E., Swarup, R., & Murchie, E. H. (2019). Rice plants overexpressing OsEPF1 show reduced stomatal density and increased root cortical aerenchyma formation. *Scientific Reports*, 9(1), 5584. <https://doi.org/10.1038/s41598-019-41922-7>
- Mohanty, H. K., Mallik, S., & Grover, A. (2000). Current Science Association Prospects of improving flooding tolerance in lowland rice varieties by conventional breeding and genetic engineering. In *Source: Current Science* (Vol. 78, Issue 2).
- Moonen, A.-C., & Barberi, P. (2008). Functional biodiversity: An agroecosystem approach. *Agriculture, Ecosystems & Environment*, 127(1–2), 7–21. <https://doi.org/10.1016/j.agee.2008.02.013>
- Mori, A., Fukuda, T., Vejchasarn, P., Nestler, J., Pariasca-Tanaka, J., & Wissuwa, M. (2016). The role of root size versus root efficiency in phosphorus acquisition in rice. *Journal of Experimental Botany*, 67(4), 1179–1189. <https://doi.org/10.1093/jxb/erv557>
- Mu, H., Jiang, D., Wollenweber, B., Dai, T., Jing, Q., & Cao, W. (2010). Long-term Low Radiation Decreases Leaf Photosynthesis, Photochemical Efficiency and Grain Yield in Winter Wheat. *Journal of Agronomy and Crop Science*, 196(1), 38–47. <https://doi.org/10.1111/j.1439-037X.2009.00394.x>
- Munoz-Romero, V., López-Bellido, L., & López-Bellido, R. J. (2011). Faba bean root growth in a Vertisol: Tillage effects. *Field Crops Research*, 120(3), 338–344. <https://doi.org/10.1016/j.fcr.2010.11.008>
- Murase, J., & Asiloglu, R. (2023). Protists: the hidden ecosystem players in a wetland rice field soil. *Biology and Fertility of Soils*. <https://doi.org/10.1007/s00374-023-01705-9>
- Nadif, R. N., Kastono, D., Handayani, S., & Alam, T. (2021). Pengaruh Model Pemanenan Air Hujan terhadap Pertumbuhan dan Hasil Empat Kultivar Padi (*Oryza sativa* L.) dalam Sistem Agroforestri dengan Kayu Putih (*Melaleuca cajuputi* L.) pada Musim Hujan. *Vegetalika*, 10(4), 223. <https://doi.org/10.22146/veg.60049>
- Nahar, S., Kalita, J., Sahoo, L., & Tanti*, B. (2016). Morphophysiological and molecular effects of drought stress in rice. *Annals of Plant Sciences*, 5(09), 1409. <https://doi.org/10.21746/aps.2016.09.001>
- Nieves-Cordones, M., Alemán, F., Martínez, V., & Rubio, F. (2014). K⁺ uptake in plant roots. The systems involved, their regulation and parallels in other organisms. *Journal of Plant Physiology*, 171(9), 688–695. <https://doi.org/10.1016/j.jplph.2013.09.021>
- Nishigaki, T., Tsujimoto, Y., Rinasoa, S., Rakotoson, T., Andriamananjara, A., & Razafimbelo, T. (2019). Phosphorus uptake of rice plants is affected by phosphorus forms and physicochemical properties of tropical weathered soils. *Plant and Soil*, 435(1–2), 27–38. <https://doi.org/10.1007/s11104-018-3869-1>

- Niu, Y., Chen, T., Zhao, C., & Zhou, M. (2021). Improving Crop Lodging Resistance by Adjusting Plant Height and Stem Strength. *Agronomy*, 11(12), 2421. <https://doi.org/10.3390/agronomy11122421>
- Obalum, S. E., Chibuike, G. U., Peth, S., & Ouyang, Y. (2017). Soil organic matter as sole indicator of soil degradation. *Environmental Monitoring and Assessment*, 189(4), 176. <https://doi.org/10.1007/s10661-017-5881-y>
- Ort, D. R., Merchant, S. S., Alric, J., Barkan, A., Blankenship, R. E., Bock, R., Croce, R., Hanson, M. R., Hibberd, J. M., Long, S. P., Moore, T. A., Moroney, J., Niyogi, K. K., Parry, M. A. J., Peralta-Yahya, P. P., Prince, R. C., Redding, K. E., Spalding, M. H., van Wijk, K. J., & Zhu, X. G. (2015). Redesigning photosynthesis to sustainably meet global food and bioenergy demand. *Proceedings of the National Academy of Sciences*, 112(28), 8529–8536. <https://doi.org/10.1073/pnas.1424031112>
- Pan, Y., Lu, Z., Lu, J., Li, X., Cong, R., & Ren, T. (2017). Effects of low sink demand on leaf photosynthesis under potassium deficiency. *Plant Physiology and Biochemistry*, 113, 110–121. <https://doi.org/10.1016/j.plaphy.2017.01.027>
- Panda, D., & Barik, J. (2021). Flooding Tolerance in Rice: Focus on Mechanisms and Approaches. *Rice Science*, 28(1), 43–57. <https://doi.org/10.1016/j.rsci.2020.11.006>
- Panda, D., Mohanty, S., Das, S., Mishra, B., Baig, M. J., & Behera, L. (2023). Light intensity-mediated auxin homeostasis in spikelets links carbohydrate metabolism enzymes with grain filling rate in rice. *Protoplasma*, 260(4), 1233–1251. <https://doi.org/10.1007/s00709-023-01844-8>
- Pandey, V., & Shukla, A. (2015). Acclimation and Tolerance Strategies of Rice under Drought Stress. *Rice Science*, 22(4), 147–161. <https://doi.org/10.1016/j.rsci.2015.04.001>
- Panigrahy, M., Rao, D. N., & Sarla, N. (2009). Molecular mechanisms in response to phosphate starvation in rice. *Biotechnology Advances*, 27(4), 389–397. <https://doi.org/10.1016/j.biotechadv.2009.02.006>
- Patti, P. S., Kaya, E., & Silahooy, C. (2013). Analisis Status Nitrogen Tanah Dalam Kaitannya Dengan Serapan N Oleh Tanaman Padi Sawah Di Desa Waimital, Kecamatan Kairatu, Kabupaten Seram Bagian Barat (Vol. 2, Issue 1).
- Peng, S., Buresh, R. J., Huang, J., Yang, J., Zou, Y., Zhong, X., Wang, G., & Zhang, F. (2006). Strategies for overcoming low agronomic nitrogen use efficiency in irrigated rice systems in China. *Field Crops Research*, 96(1), 37–47. <https://doi.org/10.1016/j.fcr.2005.05.004>
- Peng, S., Cassman, K. G., Virmani, S. S., Sheehy, J., & Khush, G. S. (1999). Yield potential trends of tropical rice since the release of IR8 and the challenge of increasing rice yield potential. *Crop Science*, 39(6), 1552–1559. <https://doi.org/10.2135/cropsci1999.3961552x>
- Phengphaengsy, F., & Okudaira, H. (2008). Assessment of irrigation efficiencies and water productivity in paddy fields in the lower Mekong River Basin. *Paddy*

and Water Environment, 6(1), 105–114. <https://doi.org/10.1007/s10333-008-0108-z>

- Pierik, R., Cuppens, M. L. C., Voesenek, L. A. C. J., & Visser, E. J. W. (2004). Interactions between Ethylene and Gibberellins in Phytochrome-Mediated Shade Avoidance Responses in Tobacco. *Plant Physiology*, 136(2), 2928–2936. <https://doi.org/10.1104/pp.104.045120>
- Pieters, A. J., & El Souki, S. (2005). Effects of drought during grain filling on PS II activity in rice. *Journal of Plant Physiology*, 162(8), 903–911. <https://doi.org/10.1016/j.jplph.2004.11.001>
- Pirdashti, H., Sarvestani, Z. T., & Bahmanyar, M. A. (2009). Comparison of Physiological Responses among Four Contrast Rice Cultivars under Drought Stress Conditions. *World Academy of Science, Engineering and Technology*, 49, 52–53.
- Porra, R. J., Thompson, W. A., & Kriedemann, P. E. (1989). Determination of accurate extinction coefficients and simultaneous equations for assaying chlorophylls a and b extracted with four different solvents: verification of the concentration of chlorophyll standards by atomic absorption spectroscopy. In *Biochimica et Biophysica Acta* (Vol. 975). Springer-Verlag.
- Qiu, J., Liu, Z., Xie, J., Lan, B., Shen, Z., Shi, H., Lin, F., Shen, X., & Kou, Y. (2022). Dual impact of ambient humidity on the virulence of *Magnaporthe oryzae* and basal resistance in rice. *Plant, Cell & Environment*, 45(12), 3399–3411. <https://doi.org/10.1111/pce.14452>
- Radford, P. J. (1967). Growth Analysis Formulae - Their Use and Abuse 1. *Crop Science*, 7(3), 171–175. <https://doi.org/10.2135/cropsci1967.0011183X000700030001x>
- Radhika, V., Kost, C., Mithöfer, A., & Boland, W. (2010). Regulation of extrafloral nectar secretion by jasmonates in lima bean is light dependent. *Proceedings of the National Academy of Sciences*, 107(40), 17228–17233. <https://doi.org/10.1073/pnas.1009007107>
- Raghothama, K. G. (1999). PHOSPHATE ACQUISITION. *Annual Review of Plant Physiology and Plant Molecular Biology*, 50(1), 665–693. <https://doi.org/10.1146/annurev.arplant.50.1.665>
- Reddy, A. R., Chaitanya, K. V., & Vivekanandan, M. (2004). Drought-induced responses of photosynthesis and antioxidant metabolism in higher plants. *Journal of Plant Physiology*, 161(11), 1189–1202. <https://doi.org/10.1016/j.jplph.2004.01.013>
- Reddy, S. K., Holalu, S. V., Casal, J. J., & Finlayson, S. A. (2013). Absciscic Acid Regulates Axillary Bud Outgrowth Responses to the Ratio of Red to Far-Red Light. *PLANT PHYSIOLOGY*, 163(2), 1047–1058. <https://doi.org/10.1104/pp.113.221895>
- Rehmani, M. I. A., Zhang, J., Li, G., Ata-Ul-Karim, S. T., Wang, S., Kimball, B. A., Yan, C., Liu, Z., & Ding, Y. (2011). Simulation of future global warming scenarios

- in rice paddies with an open-field warming facility. *Plant Methods*, 7(1). <https://doi.org/10.1186/1746-4811-7-41>
- Reichert, J. M., Suzuki, L. E. A. S., Reinert, D. J., Horn, R., & Håkansson, I. (2009). Reference bulk density and critical degree-of-compactness for no-till crop production in subtropical highly weathered soils. *Soil and Tillage Research*, 102(2), 242–254. <https://doi.org/10.1016/j.still.2008.07.002>
- Rezvi, H. U. A., Tahjib-Ul-Arif, Md., Azim, Md. A., Tumpa, T. A., Tipu, M. M. H., Najnine, F., Dawood, M. F. A., Skalicky, M., & Brestič, M. (2023). Rice and food security: Climate change implications and the future prospects for nutritional security. *Food and Energy Security*, 12(1). <https://doi.org/10.1002/fes3.430>
- Rohilla, P., & Yadav, J. P. (2020). NITRATE REDUCTASE STRUCTURE, ROLE AND FACTORS AFFECTING ITS REGULATION: A REVIEW (Vol. 20, Issue 2).
- Rohilla, P., & Yadav, J. P. (2023). Promoter of Nitrate Reductase Gene Behaves Differently Under Salinity Stress in Contrasting Rice Genotype. *Journal of Plant Growth Regulation*. <https://doi.org/10.1007/s00344-022-10896-8>
- Romero-Ruiz, A., Linde, N., Keller, T., & Or, D. (2018). A Review of Geophysical Methods for Soil Structure Characterization. *Reviews of Geophysics*, 56(4), 672–697. <https://doi.org/10.1029/2018RG000611>
- Ross, D. S., & Ketterings, Q. (2011). Recommended Methods for Determining Soil Cation Exchange Capacity.
- Ruban, A. V. (2009). Plants in light. *Communicative & Integrative Biology*, 2(1), 50–55. <https://doi.org/10.4161/cib.2.1.7504>
- Sainju, U. M., Jabro, J. D., & Caesar-TonThat, T. (2010). Tillage, Cropping Sequence, and Nitrogen Fertilization Effects on Dryland Soil Carbon Dioxide Emission and Carbon Content. *Journal of Environmental Quality*, 39(3), 935–945. <https://doi.org/10.2134/jeq2009.0223>
- Saito, H., Fukuta, Y., Obara, M., Tomita, A., Ishimaru, T., Sasaki, K., Fujita, D., & Kobayashi, N. (2021). Two Novel QTLs for the Harvest Index that Contribute to High-Yield Production in Rice (*Oryza sativa* L.). *Rice*, 14(1), 18. <https://doi.org/10.1186/s12284-021-00456-1>
- Sakamoto, T., & Matsuoka, M. (2008a). Identifying and exploiting grain yield genes in rice. *Current Opinion in Plant Biology*, 11(2), 209–214. <https://doi.org/10.1016/j.pbi.2008.01.009>
- Sakamoto, T., & Matsuoka, M. (2008b). Identifying and exploiting grain yield genes in rice. *Current Opinion in Plant Biology*, 11(2), 209–214. <https://doi.org/10.1016/j.pbi.2008.01.009>
- Santosa, Y. T., Kurniasih, B., Alam, T., Handayani, S., Supriyanta, Ansari, A., & Taryono. (2024). Investigating the dynamics of upland rice (*Oryza sativa* L.) in rainfed agroecosystems: an in-depth analysis of yield gap and strategic exploration for enhanced production. *Frontiers in Sustainable Food Systems*, 8. <https://doi.org/10.3389/fsufs.2024.1384530>

- Sarkar, Md. I. U., Islam, Md. N., Jahan, A., Islam, A., & Biswas, J. C. (2017). Rice straw as a source of potassium for wetland rice cultivation. *Geology, Ecology, and Landscapes*, 1(3), 184–189. <https://doi.org/10.1080/24749508.2017.1361145>
- Sarkar, R. K., Reddy, J. N., Sharma, S. G., & Ismail, A. M. (2006). Physiological basis of submergence tolerance in rice and implications for crop improvement. In *Current Science* (Vol. 91, Issue 7). <https://about.jstor.org/terms>
- Sauter, M. (2013). Root responses to flooding. *Current Opinion in Plant Biology*, 16(3), 282–286. <https://doi.org/10.1016/j.pbi.2013.03.013>
- Sawan, Z. M. (2018). Climatic variables: Evaporation, sunshine, relative humidity, soil and air temperature and its adverse effects on cotton production. *Information Processing in Agriculture*, 5(1), 134–148. <https://doi.org/10.1016/j.inpa.2017.09.006>
- Schneider, S., Ziegler, C., & Melzer, A. (2006). Growth towards light as an adaptation to high light conditions in *Chara* branches. *New Phytologist*, 172(1), 83–91. <https://doi.org/10.1111/j.1469-8137.2006.01812.x>
- Schoch, P. G. (1972). Effects of Shading on Structural Characteristics of the Leaf and Yield of Fruit 10 in *Capsicum annum* L '.
- Seago, J. L., Marsh, L. C., Stevens, K. J., Soukup, A., Votrubova, O., & Enstone, D. E. (2005). A Re-examination of the Root Cortex in Wetland Flowering Plants With Respect to Aerenchyma. *Annals of Botany*, 96(4), 565–579. <https://doi.org/10.1093/aob/mci211>
- Shah, F., Huang, J., Cui, K., Nie, L., Shah, T., Chen, C., & Wang, K. (2011). Impact of high-temperature stress on rice plant and its traits related to tolerance. *The Journal of Agricultural Science*, 149(5), 545–556. <https://doi.org/10.1017/S0021859611000360>
- Shao, G., Lu, Z., Xiong, J., Wang, B., Jing, Y., Meng, X., Liu, G., Ma, H., Liang, Y., Chen, F., Wang, Y., Li, J., & Yu, H. (2019). Tiller Bud Formation Regulators MOC1 and MOC3 Cooperatively Promote Tiller Bud Outgrowth by Activating FON1 Expression in Rice. *Molecular Plant*, 12(8), 1090–1102. <https://doi.org/10.1016/j.molp.2019.04.008>
- Sharif, M. O., Wadud, M. A., Mondol, M. A., Tanni, A. D., & Rahman, G. M. M. (2008). Effect of shade of different trees on growth and yield of aman rice. *J. Agrofor. Environ*, 2(2), 9–13.
- Sharma, P., & Dubey, R. S. (2005). Drought Induces Oxidative Stress and Enhances the Activities of Antioxidant Enzymes in Growing Rice Seedlings. *Plant Growth Regulation*, 46(3), 209–221. <https://doi.org/10.1007/s10725-005-0002-2>
- Shetty, R., & Prakash, N. B. (2020). Effect of different biochars on acid soil and growth parameters of rice plants under aluminium toxicity. *Scientific Reports*, 10(1), 12249. <https://doi.org/10.1038/s41598-020-69262-x>

- Shi, D. W., Wei, X. D., & Chen, G. X. (2016). Effects of low temperature on photosynthetic characteristics in the super-high-yield hybrid rice 'Liangyoupeijiu' at the seedling stage. *Genetics and Molecular Research*, 15(4). <https://doi.org/10.4238/gmr15049021>
- Shibghatallah, M. A. H., Khotimah, S. N., Suhandono, S., Viridi, S., & Kesuma, T. (2013). Measuring Leaf Chlorophyll Concentration from Its Color: A Way in Monitoring Environment Change to Plantations. <https://doi.org/10.1063/1.4820322>
- Shrawat, A. K., Carroll, R. T., DePauw, M., Taylor, G. J., & Good, A. G. (2008). Genetic engineering of improved nitrogen use efficiency in rice by the tissue-specific expression of alanine aminotransferase. *Plant Biotechnology Journal*, 6(7), 722–732. <https://doi.org/10.1111/j.1467-7652.2008.00351.x>
- Sikuku, P., A, S. P., W, N. G., C, O. J., & M, M. D. (2010). Effects Of Water Deficit On Physiology and Morphology Of Three Varieties Of Nerica Rainfed Rice *ARNP Journal of Agricultural and Biological Science (Oryza sativa L.)*. 5(1). <https://www.researchgate.net/publication/303959441>
- Silva, F., Stevens, C. J., Weisskopf, A., Castillo, C., Qin, L., Bevan, A., & Fuller, D. Q. (2015). Modelling the Geographical Origin of Rice Cultivation in Asia Using the Rice Archaeological Database. *PLOS ONE*, 10(9), e0137024. <https://doi.org/10.1371/journal.pone.0137024>
- Sinclair, T. R. (1998). Historical Changes in Harvest Index and Crop Nitrogen Accumulation. *Crop Science*, 38(3), 638–643. <https://doi.org/10.2135/cropsci1998.0011183X003800030002x>
- Singh, A., Sengar, K., Sengar, R. S., Vallabh, S., & Patel, B. (2013). Gene Regulation and Biotechnology of Drought Tolerance in Rice. In *International Journal of Biotechnology and Bioengineering Research* (Vol. 4, Issue 6). <http://www.ripublication.com/ijbbr.htm>
- Singh, K., McClean, C. J., B ker, P., Hartley, S. E., & Hill, J. K. (2017). Mapping regional risks from climate change for rainfed rice cultivation in India. *Agricultural Systems*, 156, 76–84. <https://doi.org/10.1016/j.agsy.2017.05.009>
- Sone, C., Saito, K., & Futakuchi, K. (2009). Comparison of three methods for estimating leaf area index of upland rice cultivars. *Crop Science*, 49(4), 1438–1443. <https://doi.org/10.2135/cropsci2008.09.0520>
- Song, Q., Wang, Y., Qu, M., Ort, D. R., & Zhu, X.-G. (2017). The impact of modifying photosystem antenna size on canopy photosynthetic efficiency-Development of a new canopy photosynthesis model scaling from metabolism to canopy level processes. *Plant, Cell & Environment*, 40(12), 2946–2957. <https://doi.org/10.1111/pce.13041>
- Stamm, P., & Kumar, P. P. (2010). The phytohormone signal network regulating elongation growth during shade avoidance. *Journal of Experimental Botany*, 61(11), 2889–2903. <https://doi.org/10.1093/jxb/erq147>

- Stroppiana, D., Boschetti, M., Confalonieri, R., Bocchi, S., & Brivio, P. A. (2006). Evaluation of LAI-2000 for leaf area index monitoring in paddy rice. *Field Crops Research*, 99(2–3), 167–170. <https://doi.org/10.1016/j.fcr.2006.04.002>
- Sumith, D., Abey Siriwardena, D. Z., Ohba, K., & Maruyama, A. (2002). INFLUENCE OF TEMPERATURE AND RELATIVE HUMIDITY ON GRAIN STERILITY IN RICE. In *J. Natn. Sci. Foundation Sri Lanka* (Vol. 30, Issue 2).
- Sung, C., Ishak, C., Abdullah, R., Othman, R., Panhwar, Q., & Aziz, M. (2017). Soil Properties (Physical, Chemical, Biological, Mechanical). In *Soils of Malaysia* (pp. 103–154). CRC Press. <https://doi.org/10.1201/9781315277189-6>
- Suralta, R. R., & Yamauchi, A. (2008). Root growth, aerenchyma development, and oxygen transport in rice genotypes subjected to drought and waterlogging. *Environmental and Experimental Botany*, 64(1), 75–82. <https://doi.org/10.1016/j.envexpbot.2008.01.004>
- Suryanto, P., Taryono, Supriyanta, Kastono, D., Putra, E. T. S., Handayani, S., Widyawan, M. H., & Alam, T. (2020). Assessment of soil quality parameters and yield of rice cultivars in Melaleuca cajuputi agroforestry system. *Biodiversitas Journal of Biological Diversity*, 21(8). <https://doi.org/10.13057/biodiv/d210807>
- Suryanto, P., TARYONO, T., SUPRIYANTA, S., Kastono, D., Putra, E. T. S., Handayani, S., WIDYAWAN, M. H., & Alam, T. (2020). Assessment of soil quality parameters and yield of rice cultivars in Melaleuca cajuputi agroforestry system. *Biodiversitas Journal of Biological Diversity*, 21(8). <https://doi.org/10.13057/biodiv/d210807>
- Syamsiyah, J., Minardi, S., Bayu Winoto, dan, Ilmu Tanah, J., Pertanian, F., Sebelas Maret, U., & Program Studi Ilmu Tanah, A. (2010) P Uptake Efficiency and The Rice yield (*Oryza sativa* L.) with Quail Manure and Inorganic Fertilizer at Paddy Soil, Palur, Sukoharjo (Season II). In *Sains Tanah-Jurnal Ilmu Tanah dan Agroklimatologi* (Vol. 7, Issue 2).
- Takahashi, N. (1984). Differentiation of Ecotypes in *Oryza Sativa* L. (pp. 31–67). <https://doi.org/10.1016/B978-0-444-99615-2.50007-7>
- Takehisa, H., Sato, Y., Igarashi, M., Abiko, T., Antonio, B. A., Kamatsuki, K., Minami, H., Namiki, N., Inukai, Y., Nakazono, M., & Nagamura, Y. (2012). Genome-wide transcriptome dissection of the rice root system: implications for developmental and physiological functions. *The Plant Journal*, 69(1), 126–140. <https://doi.org/10.1111/j.1365-3113X.2011.04777.x>
- Tanabe, S., Ashikari, M., Fujioka, S., Takatsuto, S., Yoshida, S., Yano, M., Yoshimura, A., Kitano, H., Matsuoka, M., Fujisawa, Y., Kato, H., & Iwasaki, Y. (2005). A novel cytochrome P450 is implicated in brassinosteroid biosynthesis via the characterization of a rice dwarf mutant, dwarf11, with reduced seed length. *Plant Cell*, 17(3), 776–790. <https://doi.org/10.1105/tpc.104.024950>

- Tang, L., Zhu, Y., Hannaway, D., Meng, Y., Liu, L., Chen, L., & Cao, W. (2009). RiceGrow: A rice growth and productivity model. *NJAS: Wageningen Journal of Life Sciences*, 57(1), 83–92. <https://doi.org/10.1016/j.njas.2009.12.003>
- Taryono, Suryanto, P., Supriyanta, Basunanda, P., Wulandari, R. A., Handayani, S., Nurmansyah, & Alam, T. (2022). Soybean Crop Rotation Stability in Rainfed Agroforestry System through GGE Biplot and EBLUP. *Agronomy*, 12(9), 2012. <https://doi.org/10.3390/agronomy12092012>
- Tenorio, A. F., Ye, C., Redona, E., Sierra, S., Laza, M., & Argayoso, M. A. (2013). Screening rice genetic resource for heat tolerance. <https://www.researchgate.net/publication/263236729>
- Teramoto, S., & Uga, Y. (2020). A Deep Learning-Based Phenotypic Analysis of Rice Root Distribution from Field Images. *Plant Phenomics*, 2020. <https://doi.org/10.34133/2020/3194308>
- Thomson, M. J., Septiningsih, E. M., Suwardjo, F., Santoso, T. J., Silitonga, T. S., & McCouch, S. R. (2007). Genetic diversity analysis of traditional and improved Indonesian rice (*Oryza sativa* L.) germplasm using microsatellite markers. *Theoretical and Applied Genetics*, 114(3), 559–568. <https://doi.org/10.1007/s00122-006-0457-1>
- Tilman, D., Balzer, C., Hill, J., & Befort, B. L. (2011). Global food demand and the sustainable intensification of agriculture. *Proceedings of the National Academy of Sciences*, 108(50), 20260–20264. <https://doi.org/10.1073/pnas.1116437108>
- Tuong, T. P., Castillo, E. G., Cabangon, R. C., Boling, A., & Singh, U. (2002). The drought response of lowland rice to crop establishment practices and N-fertilizer sources. *Field Crops Research*, 74(2–3), 243–257. [https://doi.org/10.1016/S0378-4290\(01\)00213-1](https://doi.org/10.1016/S0378-4290(01)00213-1)
- Tuong, T. P., Kam, S. P., Wade, L. S., Bouman, B. A. M., & Hardy, B. (2000). Characterizing and understanding rainfed environments. IRRI.
- Uga, Y., Okuno, K., & Yano, M. (2011). Dro1, a major QTL involved in deep rooting of rice under upland field conditions. *Journal of Experimental Botany*, 62(8), 2485–2494. <https://doi.org/10.1093/jxb/erq429>
- Uhland, R. E., & Alfred, M. (1951). Soil Permeability Determinations for Use in Soil and Water Conservation. Soil Science, Soil Conservation Service, U.S.D.A., Washington, 72(1).
- USDA. (2012). Field Book for Describing and Sampling Soils; Version 3.0; 2021 Reprint.
- Vergara, B. S. (1980). Rice plant growth and development. Rice: production and utilization. Avi Publishing Company. Wesport. Conection, 75–86.
- Vincent, A. G., Turner, B. L., & Tanner, E. V. J. (2010). Soil organic phosphorus dynamics following perturbation of litter cycling in a tropical moist forest. *European Journal of Soil Science*, 61(1), 48–57. <https://doi.org/10.1111/j.1365-2389.2009.01200.x>

- Vinod, K. K., & Heuer, S. (2012). Approaches towards nitrogen- and phosphorus-efficient rice. *AoB Plants*, 2012(0). <https://doi.org/10.1093/aobpla/pls028>
- Vlek, P. L., & Byrnes, B. H. (1986). The efficacy and loss of fertilizer N in lowland rice.
- Voesenek, L., & Bailey-Serres, J. (2013). Flooding tolerance: O₂ sensing and survival strategies. *Current Opinion in Plant Biology*, 16(5), 647–653. <https://doi.org/10.1016/j.pbi.2013.06.008>
- Voitsekhovskaja, O. V., & Tyutereva, E. V. (2015). Chlorophyll b in angiosperms: Functions in photosynthesis, signaling and ontogenetic regulation. *Journal of Plant Physiology*, 189, 51–64. <https://doi.org/10.1016/j.jplph.2015.09.013>
- Vriezen, W. H. (2003). Regulation of Submergence-induced Enhanced Shoot Elongation in *Oryza sativa* L. *Annals of Botany*, 91(2), 263–270. <https://doi.org/10.1093/aob/mcf121>
- Wah, F. E. S. (2023). Mapping cation exchange capacity and exchangeable potassium using proximal soil sensing data at the multiple field scale. <https://doi.org/10.26190/unsworks/25192>
- Wahyudi, I., Budidaya, J., & Pertanian, F. (2009). Nitrogen Uptake of Maize Plant (*Zea mays* L.) as Result of the Application of Guano Fertilizer and Lamtoro Green Manure on Ultisol from Wanga. In *J. Agroland* (Vol. 16, Issue 4).
- Wang, B., Smith, S. M., & Li, J. (2018). Genetic Regulation of Shoot Architecture. *Annual Review of Plant Biology*, 69(1), 437–468. <https://doi.org/10.1146/annurev-arplant042817-040422>
- Wang, G., Zeng, F., Song, P., Sun, B., Wang, Q., & Wang, J. (2022). Effects of reduced chlorophyll content on photosystem functions and photosynthetic electron transport rate in rice leaves. *Journal of Plant Physiology*, 272, 153669. <https://doi.org/10.1016/j.jplph.2022.153669>
- Wang, L., Deng, F., & Ren, W.-J. (2015). Shading tolerance in rice is related to better light harvesting and use efficiency and grain filling rate during grain filling period. *Field Crops Research*, 180, 54–62. <https://doi.org/10.1016/j.fcr.2015.05.010>
- Wang, L., Deng, F., Ren, W.-J., & Yang, W.-Y. (2013). Effects of Shading on Starch Pasting Characteristics of Indica Hybrid Rice (*Oryza sativa* L.). *PLoS ONE*, 8(7), e68220. <https://doi.org/10.1371/journal.pone.0068220>
- Pasting Characteristics of Indica Hybrid Rice (*Oryza sativa* L.). *PLoS ONE*, 8(7), e68220. <https://doi.org/10.1371/journal.pone.0068220>
- Wang, L., Sun, S., Jin, J., Fu, D., Yang, X., Weng, X., Xu, C., Li, X., Xiao, J., & Zhang, Q. (2015). Coordinated regulation of vegetative and reproductive branching in rice. *Proceedings of the National Academy of Sciences*, 112(50), 15504–15509. <https://doi.org/10.1073/pnas.1521949112>
- Wang, M. Y., Yaeesh Siddiqi, M., Ruth, T. J., & M Class, A. D. (1993). Ammonium Uptake by Rice Roots' II. Kinetics of ¹³NH₄⁺ Influx across the Plasmalemma. In *Plant Physiol* (Vol. 103).

- Wang, Q., Xie, W., Xing, H., Yan, J., Meng, X., Li, X., Fu, X., Xu, J., Lian, X., Yu, S., Xing, Y., & Wang, G. (2015). Genetic Architecture of Natural Variation in Rice Chlorophyll Content Revealed by a Genome-Wide Association Study. *Molecular Plant*, 8(6), 946–957. <https://doi.org/10.1016/j.molp.2015.02.014>
- Wang, W., Yu, Z., Zhang, W., Shao, Q., Zhang, Y., Luo, Y., Jiao, X., & Xu, J. (2014). Responses of rice yield, irrigation water requirement and water use efficiency to climate change in China: Historical simulation and future projections. *Agricultural Water Management*, 146, 249–261. <https://doi.org/10.1016/j.agwat.2014.08.019>
- Wang, Y., & Li, J. (2005). The Plant Architecture of Rice (*Oryza sativa*). *Plant Molecular Biology*, 59(1), 75–84. <https://doi.org/10.1007/s11103-004-4038-x>
- Wang, Y., & Li, J. (2008). Molecular basis of plant architecture. In *Annual Review of Plant Biology* (Vol. 59, pp. 253–279). <https://doi.org/10.1146/annurev.arplant.59.032607.092902>
- Wang, Y., & Li, J. (2011). Branching in rice. *Current Opinion in Plant Biology*, 14(1), 94–99. <https://doi.org/10.1016/j.pbi.2010.11.002>
- Wang, Y., Lu, Y., Chang, Z., Wang, S., Ding, Y., & Ding, C. (2018). Transcriptomic analysis of field-grown rice (*Oryza sativa* L.) reveals responses to shade stress in reproductive stage. *Plant Growth Regulation*, 84(3), 583–592. <https://doi.org/10.1007/s10725-017-0363-3>
- Wang, Y., Zhang, X., & Huang, C. (2009). Spatial variability of soil total nitrogen and soil total phosphorus under different land uses in a small watershed on the Loess Plateau, China. *Geoderma*, 150(1–2), 141–149. <https://doi.org/10.1016/j.geoderma.2009.01.021>
- Wang, Y., Zheng, W., Zheng, W., Zhu, J., Liu, Z., Qin, J., & Li, H. (2018). Physiological and transcriptomic analyses of a yellow-green mutant with high photosynthetic efficiency in wheat (*Triticum aestivum* L.). *Functional & Integrative Genomics*, 18(2), 175–194. <https://doi.org/10.1007/s10142-017-0583-7>
- Watanabe, T. (2019). Paddy Fields as Artificial and Temporal Wetland. In *Irrigation in Agroecosystems*. IntechOpen. <https://doi.org/10.5772/intechopen.80581>
- Watson, D. J. (1947). Comparative Physiological Studies on the Growth of Field Crops: I. Variation in Net Assimilation Rate and Leaf Area between Species and Varieties, and within and between Years. In *Source: Annals of Botany* (Vol. 11, Issue 41). <https://www.jstor.org/stable/42907002>
- Wei, X., Xu, J., Guo, H., Jiang, L., Chen, S., Yu, C., Zhou, Z., Hu, P., Zhai, H., & Wan, J. (2010). DTH8 suppresses flowering in rice, influencing plant height and yield potential simultaneously. *Plant Physiology*, 153(4), 1747–1758. <https://doi.org/10.1104/pp.110.156943>
- Wigoda, N., Moshelion, M., & Moran, N. (2014). Is the leaf bundle sheath a “smart flux valve” for K⁺ nutrition? *Journal of Plant Physiology*, 171(9), 715–722. <https://doi.org/10.1016/j.jplph.2013.12.017>

- Wissuwa, M. (2005). Combining a modelling with a genetic approach in establishing associations between genetic and physiological effects in relation to phosphorus uptake. *Plant and Soil*, 269(1–2), 57–68. <https://doi.org/10.1007/s11104-004-2026-1>
- Wu, Q.-S., Zou, Y.-N., & Huang, Y.-M. (2013). The arbuscular mycorrhizal fungus *Diversispora spurca* ameliorates effects of waterlogging on growth, root system architecture and antioxidant enzyme activities of citrus seedlings. *Fungal Ecology*, 6(1), 37–43. <https://doi.org/10.1016/j.funeco.2012.09.002>
- Wu, X., Wang, L., An, J., Wang, Y., Song, H., Wu, Y., & Liu, Q. (2022). Relationship between Soil Organic Carbon, Soil Nutrients, and Land Use in Linyi City (East China). *Sustainability*, 14(20), 13585. <https://doi.org/10.3390/su142013585>
- Xia, K., Wang, R., Ou, X., Fang, Z., Tian, C., Duan, J., Wang, Y., & Zhang, M. (2012). OsTIR1 and OsAFB2 Downregulation via OsmiR393 Overexpression Leads to More Tillers, Early Flowering and Less Tolerance to Salt and Drought in Rice. *PLoS ONE*, 7(1), e30039. <https://doi.org/10.1371/journal.pone.0030039>
- Xing, Y., & Zhang, Q. (2010). Genetic and Molecular Bases of Rice Yield. *Annual Review of Plant Biology*, 61(1), 421–442. <https://doi.org/10.1146/annurev-arplant-042809-112209>
- Yan, C., Ding, Y., Wang, Q., Liu, Z., Li, G., Muhammad, I., & Wang, S. (2010). The impact of relative humidity, genotypes and fertilizer application rates on panicle, leaf temperature, fertility and seed setting of rice. *The Journal of Agricultural Science*, 148(3), 329–339. <https://doi.org/10.1017/S0021859610000018>
- Yan, H., Wang, C., Liu, K., & Tian, X. (2021). Detrimental effects of heat stress on grain weight and quality in rice (*Oryza sativa* L.) are aggravated by decreased relative humidity. *PeerJ*, 9, e11218. <https://doi.org/10.7717/peerj.11218>
- Yang, B., Tang, J., Yu, Z., Khare, T., Srivastav, A., Datir, S., & Kumar, V. (2019). Light Stress Responses and Prospects for Engineering Light Stress Tolerance in Crop Plants. *Journal of Plant Growth Regulation*, 38(4), 1489–1506. <https://doi.org/10.1007/s00344-019-09951-8>
- Yang, C., Yang, L., Yang, Y., & Ouyang, Z. (2004). Rice root growth and nutrient uptake as influenced by organic manure in continuously and alternately flooded paddy soils. *Agricultural Water Management*, 70(1), 67–81. <https://doi.org/10.1016/j.agwat.2004.05.003>
- Yang, F., Han, C., Li, Z., Guo, Y., & Chan, Z. (2015). Dissecting tissue- and species-specific responses of two *Plantago* species to waterlogging stress at physiological level. *Environmental and Experimental Botany*, 109, 177–185. <https://doi.org/10.1016/j.envexpbot.2014.07.011>
- Yang, J., & Zhang, J. (2010). Grain-filling problem in ‘super’ rice. *Journal of Experimental Botany*, 61(1), 1–5. <https://doi.org/10.1093/jxb/erp348>

- Yang, P. M., Huang, Q. C., Qin, G. Y., Zhao, S. P., & Zhou, J. G. (2014). Different drought-stress responses in photosynthesis and reactive oxygen metabolism between autotetraploid and diploid rice. *Photosynthetica*, 52(2), 193–202. <https://doi.org/10.1007/s11099-014-0020-2>
- Yang, X., Wang, B., Chen, L., Li, P., & Cao, C. (2019). The different influences of drought stress at the flowering stage on rice physiological traits, grain yield, and quality. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-40161-0>
- Yao, F., Huang, J., Nie, L., Cui, K., Peng, S., & Wang, F. (2015). Dry Matter and N Contributions to the Formation of Sink Size in Early- and Late-maturing Rice under Various N Rates in Central China. *International Journal of Agriculture and Biology*, 18(01), 46–51. <https://doi.org/10.17957/IJAB/15.0060>
- Yao, Y., Yamamoto, Y., Yoshida, T., Nitta, Y., & Miyazaki, A. (2000). Response of differentiated and degenerated spikelets to top-dressing, shading and day/night temperature treatments in rice cultivars with large panicles. *Soil Science and Plant Nutrition*, 46(3), 631–641. <https://doi.org/10.1080/00380768.2000.10409128>
- Yoshida. (1981). *Fundamentals of rice crop science*. International Rice Research Institute. Los Banos, Phillipine, 199, 72–95.
- Yoshida, H., Horie, T., Katsura, K., & Shiraiwa, T. (2007). A model explaining genotypic and environmental variation in leaf area development of rice based on biomass growth and leaf N accumulation. *Field Crops Research*, 102(3), 228–238. <https://doi.org/10.1016/j.fcr.2007.04.006>
- Yuan, Z., Ata-Ul-Karim, S. T., Cao, Q., Lu, Z., Cao, W., Zhu, Y., & Liu, X. (2016). Indicators for diagnosing nitrogen status of rice based on chlorophyll meter readings. *Field Crops Research*, 185, 12–20. <https://doi.org/10.1016/j.fcr.2015.10.003>
- Yulina, N., Ezward, C., Haitami, A., & Kuantan Singingi, I. (2021). Artikel dipublikasi oleh Jurnal Agrosains dan Teknologi © 2021. Artikel ini berlisensi di bawah naungan Creative Commons Attribution-NonCommercial 4.0 International License. 6(1).
- Zhai, L., Wang, F., Yan, A., Liang, C., Wang, S., Wang, Y., & Xu, J. (2020). Pleiotropic Effect of GNP1 Underlying Grain Number per Panicle on Sink, Source and Flow in Rice. *Frontiers in Plant Science*, 11. <https://doi.org/10.3389/fpls.2020.00933>
- Zhang, C.-J., Chu, H.-J., Chen, G.-X., Shi, D.-W., Zuo, M., Wang, J., Lu, C.-G., Wang, P., & Chen, L. (2007). Photosynthetic and biochemical activities in flag leaves of a newly developed superhigh-yield hybrid rice (*Oryza sativa*) and its parents during the reproductive stage. *Journal of Plant Research*, 120(2), 209–217. <https://doi.org/10.1007/s10265-006-0038-z>
- Zhang, Q., Li, J., Xue, Y., Han, B., & Deng, X. W. (2008). Rice 2020: A Call For An International Coordinated Effort In Rice Functional Genomics. *Molecular Plant*, 1(5), 715–719. <https://doi.org/10.1093/mp/ssn043>

- Zhang, X.-F., Yang, C.-Y., Lin, H.-X., Wang, J.-W., & Xue, H.-W. (2021). Rice SPL12 coevolved with GW5 to determine grain shape. *Science Bulletin*, 66(23), 2353–2357. <https://doi.org/10.1016/j.scib.2021.05.005>
- Zhang, Y., Yu, C., Lin, J., Liu, J., Liu, B., Wang, J., Huang, A., Li, H., & Zhao, T. (2017). OsMPH1 regulates plant height and improves grain yield in rice. *PLOS ONE*, 12(7), e0180825. <https://doi.org/10.1371/journal.pone.0180825>
- Zhang, Z., & Chu, C. (2020a). Nitrogen-Use Divergence Between Indica and Japonica Rice: Variation at Nitrate Assimilation. In *Molecular Plant* (Vol. 13, Issue 1, pp. 6–7). Cell Press. <https://doi.org/10.1016/j.molp.2019.11.011>
- Zhang, Z., & Chu, C. (2020b). Nitrogen-Use Divergence Between Indica and Japonica Rice: Variation at Nitrate Assimilation. *Molecular Plant*, 13(1), 6–7. <https://doi.org/10.1016/j.molp.2019.11.011>
- Zhao, H.-Y., Yao, F.-R., Zhang, Y. 2, Bin', X. U., Jingl, Y., Hu, Y.-N., & Yin-Long', X. U. (2007). Correlation Analysis of Rice Seed Setting Rate and Weight of 1 000-Grain and Agro-Meteorology over the Middle and Lower Reaches of the Yangtze River, China (Vol. 6, Issue 4). www.sciencedirect.com
- Zhao, S., Jang, S., Lee, Y. K., Kim, D.-G., Jin, Z., & Koh, H.-J. (2020). Genetic Basis of Tiller Dynamics of Rice Revealed by Genome-Wide Association Studies. *Plants*, 9(12), 1695. <https://doi.org/10.3390/plants9121695>
- Zhao, Z., Chow, T. L., Rees, H. W., Yang, Q., Xing, Z., & Meng, F.-R. (2009). Predict soil texture distributions using an artificial neural network model. *Computers and Electronics in Agriculture*, 65(1), 36–48. <https://doi.org/10.1016/j.compag.2008.07.008>