

DAFTAR PUSTAKA

- Aghili, H., Yassaei, S., and Eslami, F., (2017) Evaluation of the effect of three mouthwashes on the mechanical properties and surface morphology of several orthodontic wires: An in vitro study, *Dent Res J*, 14(4): 252 – 9
- Aghili, H., Yassaei, S., Ahmadabadi, M.N., and Joshan, N., (2015) Load Deflection Characteristics of Nickel Titanium Initial Archwires, *JDT*, 12(9): 695 – 704
- Akhtar, K., Khan, S.A., Khan, S.B., and Asiri, A.M. (2018) *Scanning Electron Microscopy: Principle and Applications in Nanomaterials Characterization. Handbook of Materials Characterization*. London. pp 125
- Aksakalli, S., and Malkoc, S., (2013) Esthetic Orthodontic Archwire: Literature Review, *J Orthod*, 1(1): 2 – 4
- Alavi, S., and Hosseini, N., (2014) Load-deflection and surface properties of coated and conventional superelastic orthodontic archwires in conventional and metal-insert ceramic brackets, *Dent Res J*, 9(2): 133 – 8
- Amal, A.S.S., (2017) Preparation of artificial saliva formation. *Pharmtech*. 2(1): 6 – 12
- Angelin, Djustiana, N., dan Nazrudin, (2021) Perbedaan pelepasan ion nikel kawat stainless steel ortodonti yang direndam dalam obat kumur ekstrak buah mengkudu (*Morinda citrifolia* L.), *PJDRS*, 5(2): 110 - 8
- Ashna, Y., Kumar, N., Jayalakshmi, S., and Balajiganesh, S., (2023) Evaluation of flexural strength of esthetic archwire versus conventional Niti wire – An in vitro study, *Int J Esth Res Dent*, 20(23): 1-7
- Batista, D.M., Faccini, M., Valarelli, F.P., Cancado, R.H., Oliveira, R.C., Oliviera, R.C.G and Freitas, K.M.S, (2019) Attractiveness of different esthetic orthodontic wires, *Dental Press J Orthod*, 25(6): 27 - 32
- Brantley, W.A., (2020) Evolution, clinical applications, and prospects of nickel titanium alloys for orthodontic purposes, *J. World Fed. Orthod.*, 9(3S): S19
- Bulska, E., and Wagner, B., (2016) Quantitative aspects of inductively coupled plasma mass spectrometry, *Philos Trans A Math Phys Eng Sci.*, 374(2079): 20150369
- Cahyana, A., Marzuki, A., and Cari, (2014) Analisa SEM (Scanning Electron Microscopy) Pada Kaca TZN yang dikristalkan Sebagian. *Proceeding of Mathematics and Sciences Forum* 2014. pp 23-6
- Choudary D., Jnaneshwar, P.R., and Kannan R., (2022) Evaluation and Comparison of Load Deflection Rate of Four Arch Wires Used in The

- Alignment Phase of Fixed Orthodontic Treatment: An In-Vitro Study, *Int J Orthod Rehabil*, 13(3):1-9
- Daniel, W.W., (2013) *Biostatistic a Foundation Analysis in The Health Science*, 10th ed., John Wiley and Sons, Inc., New York. pp 189
- Devi, I., Sufarnap, E., Finna, Pane, E.R.P., (2023) Chitosan's effects on the acidity, copper ion release, deflection, and surface roughness of copper-nickel-titanium archwire, *MKG*, 56(1): 41 – 47
- Dimic, I., Cvijovic-Alagic, I., Rakin, M., and Bugarski, B., (2013) Analysis of Metal Ion Release from Biomedical Implants, *Metal Mater Eng*, 19(2): 167-76.
- Dokku, A., Peddu, R., Prakash, A.S., Padhmanabhan, J., Kalyani, M., and Devikanth, L., (2018) Surface and Mechanical Properties of Different Coated Orthodontic Archwires, *J Indian Orthod.*, 52:238-42
- Doshi, U.H., and Mahindra, R.K., (2013) Comparison of the load deflection characteristics of esthetic and metal orthodontic wires on ceramic brackets using three point bending test, *J Indian Orthod Soc*, 47(4):400-4.
- Elayyan, F., Silikas, N., and Bearn, D., (2010) Mechanical properties of coated superelastic archwires in conventional and self-ligating orthodontic brackets, *Am J Orthod Dentofacial Orthop*, 137(2): 213-7
- Eliades, T. and Brantley, W. A., (2017) *Orthodontic Applications of Biomaterials A Clinical Guide*, Oxford: Elsevier. pp 5
- Eliades, T., (2013) *Research Methods in Orthodontics*, London: Springer. pp. 3 – 8
- Eliades, T., and Athanasiou, A.E., (2002) In Vivo Aging of Orthodontic Alloys: Implications for Corrosion Potential, Nickel Release, and Biocompatibility, *DOAJ*, 72(3): 227-237
- Evikawati, D., (2018) *Perbandingan Gaya Unloading Kawat Busur Nikel Titanium Tanpa Pelapis dan Berpelapis Polytetrafluoroethylene Setelah Defleksi pada Perawatan Ortodonti*. Yogyakarta: Tesis Fakultas Kedokteran Gigi.
- Fatimah, S., Soekarsono, S., dan Iman, P., (2013) Pelepasan ion nikel pada braket stainless steel baru dan daur ulang dalam saliva buatan (pemeriksaan laboratorium), *JKG*, 4(4): 283-9.
- Fernandes, D.J., Peres, R.V., Mendes, A.M., and Elias, C.N., (2011) Understanding the shape-memory alloys used in orthodontics, *ISRN Dentistry*, 2011:1-6

- Feu, D., Catharino, F., Duplat, C.B., and Capelli Junior, J., (2012) Esthetic perception and economic value of orthodontic appliances by lay Brazilian adults, *Dental Press J Orthod*, 17(5): 102-14
- Frois, A., Santos, A.C., dan Louro, C.S., (2023) Corrosion of fixed orthodontic appliances: causes, concerns, and mitigation strategies, *MDPI*, 13(1955): 1-87
- Goldstein, J., Newbury, D.E., Joy, D.C., Lyman, C.E., Echlin, P., dan Lifshin, E., (2007) *Scanning Electron Microscopy and X-ray Microanalysis*: third ed. Springer. pp 50
- Garcia, R., and Baez, A.P., 2012, *Atomic Absorption Spectrometry (AAS)*, Mexico: Intech. pp 1-3
- Gopalakrishnan, U., (2022) Effect of Fluoridated Mouthwashes on Corrosion Property of Orthodontic Appliances: A Narrative Review, *thejcdp*, 23(4):460–6
- Haryani, J., and Ranabhatt, R., (2016), Contemporary Esthetic Ortodontic Archwires: A Review, *J Dent Mater Tech*, 5 (3): 125-30.
- Kameda, T., Sato, H., Oka, S., Miyazaki, A., Ohkuma, K., and Terada, K., (2020) Low suhue polytetrafluoroethylene (PTFE) coating improves the appearance of orthodontic wires without changing their mechanical properties, *Dent Mater J*, 39(5): 721–34
- Katic, V., Curkovic, H.O., Semenski, D., Barsic, G., Marusic, K., and Spalj, S., (2014) Influence of Surface Layer on Mechanical and Corrosion Properties of Nickel-Titanium Orthodontic Wires, *Angel Orthod*, 84 (6): 1041-8
- Kaur, J., Mahajan, N., and Jindal, S., (2015) A review orthodontic wires, *J. dent. her.*, 4(2): 15-17.
- Kaur, S., Truppti, PS., Goyal, M., Kumar, J., Tak, A., and Kedia, NB., (2022) Assessment of Impact of Fluoride on Mechanical Properties of NiTi and CuNiTi Orthodontic Archwires: An In Vitro Study, *JCDP*, 23(5): 548–51.
- Komala, M.Y. Soemantri, E.S.S. Mardianti, E., dan Evangelina, I.A., (2017) The effect of using two types of moutwash on metal ions release of standard edgewise metal bracket iso and non iso (based on inductively coupled plasma-mass spectrometer measurement). *Proceeding of IAO*. pp 27-33
- Krishnamurthy, N., Vallinayagam, P., and Madhavan, D., (2014) *Engineering Chemistry*, 3rd ed. New Delhi: PHI. pp 303
- Lajumen, L.H.J., and Peramaki, P., (2004) *Spectrochemical Analysis by Atomic Absorption and Emission*, Finland: RSC, pp 39 - 44

- Lee, H.T, Huang T.K., Lin S.Y., Chen L.K., Chou M.Y., and Huang H.R., (2010) Corrosion resistance of different NickelTitanium archwire in acidic fluoride-countaining artificial saliva, *Angle Orthod.* 80: 547-53
- Lee, M.K., Park, C., Jang, T.S., Kim, H.E., dan Jeong, S.H, (2018) Enhanced mechanical stability of PTFE coating on nano-roughened NiTi for biomedical applications, *J.matlets*, 216 : 12-15
- Lindauer, S. J., Shroff, B., Tufekci, E., and Taylor, M., (2015) *Mosby's Review for The NBDE Part Two*, 2nd Ed, Missouri: Elsevier, pp 173
- Liu, J.K., Lee, T.M., dan Liu, I.H., (2011) Effect of loading force on the dissolution behavior and surface properties of nickel-titanium orthodontic archwires in artificial saliva, *AJODO*, 140(2) : 166-76.
- Lubis, H.F., Harahap, K.I., and Lubis, D.H.N., (2020) Nickel release and microstructure of stainless steel orthodontic archwire surfaces after immersion in detergent and non-detergent toothpaste: An in vitro study, *DJMKG*, 53(2): 67-70.
- Matias, M., Freitas, M.R., Freitas, K.M.S., Janson, G., Higa, R.H., dan Francisconi, M.F., (2017) Comparison of deflection forces of esthetic archwires combined with ceramic brackets, *J Appl Oral Sc*, 26(e20170220): 1 – 9
- Mawaddah, C. A., (2016) *Perbedaan Defleksi Kawat Ortodonti Nikel-Titanium dan NiTi Epoxy Resin Coated pada Perendaman dalam Saliva Buatan dan Minuman Berkarbonasi*. Jember: Skripsi Fakultas Kedokteran Gigi. pp 14
- Milella, P.P., (2013) *Fatigue and Corrosion in Metals*, Milan: Springer. pp 651-618
- Minano, E.F., Ortiz, C., Vicente, A., Calvo, J.L., Ortiz, A.J., 2011, (2011) Metallic Ion Content and Damage to the DNA in Oral Mucosa Cells of Children with Fixed Orthodontic Appliances, *J Biometals*, 24: 935-941.
- Mlinaric, M.R., Karlovic, S., Ciganj, Z., Acev, D.P., Pavlic, A., and Spalj, S., (2019) Oral antiseptics and nickel–titanium alloys: mechanical and chemical effects of interaction, *Odont*, 107:150-157
- Modi, N., Gupta, R., dan Borah, M., (2020) Newer orthodontic archwires- a review, *IJADS*, 6(4): 90-94
- Mohammadi, (2008) Chlorehexidine gluconate, its properties and application in endodontics, *IEJ*, 2(4): 113-25
- Murayama, M., Namura, Y., Tamura, T., Iwai, H., and Shimizu, N., (2013) Relationship between friction force and orthodontic force at the levelling, *J Appl Oral Sci*, 21(6):554 – 9

- Nalbantgil, D., Ulkur, F., Kardas, G., and Culha, M., (2016) Evaluation of corrosion resistance and surface characteristics of orthodontic wires immersed in different mouthwashes, *BME*, 27: 539-49
- Nathani, R., Daigavane, P., Shrivastav, S., Kamble, R., and Gupta, D., (2015) Esthetic archwires – a review, *IJAR*, 3(12): 743-51
- Noble, J. 2008, Nickel allergy and orthodontic a review and report of two cases, *BDJ*, 204(6):297-300
- Olievera, M.M.M., Almeida, A.C., Rodrigues, C.M.C., Sol, I., and Santos, D.M., (2021) COVID-19 - Mouthwash in dental clinical practice: review, *Arch Health Invest*, 10(1):6-10
- Omidkhoda, M., Poosti, M., Sahebnasagh, Z., Zebarjad, S.M., and Sahebnasagh, Z., (2017) Effects of three different mouthwashes on the surface characteristics of nickel-titanium and Stainless steel archwires in orthodontics, *JDMT*, 6(1): 19-26
- Pastor, F., Rodriguez, J.C., Barrera, J.M., García-Menocal, J.A.D., Brizuela, A., Puigdollers, A., Espinar, E., Gil, J., (2022) Effect of Fluoride Content of Mouthwashes on Superelastic Properties of NiTi Orthodontic Archwires, *MDPI*, 15 : 1-12
- Pataijindachote, J., Juntavee, N., and Viwattanatipa, N., (2018) Corrosion Analysis of Orthodontic Wire: An Interaction Study of Wire Type, pH, and Immersion Time, *ADOH*, 10(1): 1-5
- Pinzan-Vercelino, C.R.M., Gurge, J.D.J., Bramante, F.S., Pessoa, T.F., Albertin, S.A., Fialho, M.P.N., and Pinzan, A., (2020), Coated nickel titanium archwires and their uncoated counterparts: In-vitro contemporary comparison of unloading forces, *IJO*, 18: 374-9
- Pop, S.I., Dudescu, M., Bratu, D.C., Merie, V.V., and Pacurar, M., (2015), Effect of Esthetic Coating on the Load Deflection and Surface Characteristics of the NiTi Orthodontic Archwires, *REV.CHIM*, 66(3): 364-7
- Premkumar, S., (2015) *Textbook of Orthodontic*, India: Elsevier. pp. 2, 6, dan 353.
- Proffit, W.R., 2019, *Contemporary orthodontics*, 4th ed, St. Louis, Mosby Elsevier. pp 1-23
- Proffit, W.R., Fields, H.W., dan Sarver, D.M., (2013) *Contemporary Orthodontics*, 5th ed., St. Louis: Mosby, pp. 294-298
- Quintao, C.C.A., and Brunharo, I.H.V.P., (2009) Orthodontic Wire: Knowledges Ensures Clinical Optimization, *Dent Press J Orthod*, 14(6) :144-57
- Rayner-Canham, G., (2000) *Descriptive Inorganic Chemistry*, New York: W.H. Freeman and Company, pp. 30.

- Razavi, E.S.E., Nik, T.H., Hoosmand, T., Farazdaghi, H., and Arefi, A.H., (2021) Surface characterization and frictional force between stainless steel brackets and archwires in orthodontic patients using klorheksidin- and Persica-containing mouthrinses: A randomized controlled trial, *Dent Res J*,18:21
- Rongo, R., Ametrano, G., Gloria, A., Spagnuolo, G., Galeotti, A., Paduoano, S., Valletta, R., dan D'Anto, V., (2014), Effects of intraoral aging on surface properties of coated nickel-titanium archwires, *Angle Orthod*, 84(4):665-72
- Sari, N.K., (2010) *Analisa Instrumentasi*, Klaten: Yayasan Humaniora. pp 10-11
- Schiff, N., Grosogeat B., Lissac M., Dalard F., (2003) Influence of Fluoridated Mouthwashes on Corrosion Resistance of Orthodontics Wires, *Biomaterials*, 1(1): 4535-4542
- Senkutvan, R.S., Jacob, S., Charles, A., Vadgaonkar, V., Tekade, S.J., and Gangurde, P., (2015) Evaluation of nickel ion release from various orthodontic arch wires: An in vitro study, *JISPDC*, 4(1): 12 -6
- Sharma, B., and Tyagi, S., (2013) Simplification of Metal Ion Analysis in Fresh Water Samples by Atomic Absorption Spectroscopy for Laboratory Students, *JLCE*, 1(3): 54-58
- Sifakakis I, and Bourel C, (2017), *Orthodontic Applications of Biomaterials A Clinical Guide*, New York: Woodhead Publishing. pp 107-109
- Sufarnap, E., Harahap, K.I., Adiana, I.D., Lim, D., Lim, C., and Christy, C., (2023) Corrosion of copper nickel titanium archwire in chlorehexidine, sodium fluoride, and chitosan mouthwashes, *F1000Research*, 12: 1-15.
- Suga, M., Asahina, S., and Terasaki, O., (2014) Recent progress in scanning electron microscopy for the characterization of fine structural details of nano materials. *Prog Solid State Chem*. 8(9): 78-86
- Tang, Y.C., Peh, X.L., Zakaria, N.N., and Radzi, Z., (2017) Mechanical and Surface Properties of Initial and Working Aesthetic Orthodontic Archwires, *ADUM*, 23(1): 17-28
- Uysal, I., Yilmaz, B., Atilla, A.O., and Evis, Z., (2022), Nickel titanium alloys as orthodontic archwires: A narrative review, *Jestech*, 36: 1-16
- Verma, P., and George, A.M., (2022), Comparison of Nickel and Chromium Ion Release Using Four Different Commercially Available Mouthwashes on Orthodontic Brackets and Wires: An In vitro Study, *JICDRO*, 14(1): 44-7
- Wajahat, M., Moeen, F., Husain, S.W., Siddique, S., and Khursid, Z., (2019), Effects of Various Mouthwashes on the Orthodontic Nickel-Titanium Wires: Corrosion Analysis, *JPDA*, 29(01): 30-7



Wang, Y., Liu, C., Jian, F., McIntyre, GT., Millett, D.T., Hickman, J., and Lai, W., (2018) *Initial arch wires used in orthodontic treatment with fixed appliances (Review)*, The Cochrane Collaboration, John Wiley & Sons. pp 1

Yadaf, S.K., Sehgal, V., and Mittal, S., (2013) Effects of Fluoride on NiTi Orthodontic Archwires: An X-ray Diffraction Study, *JIOS*, 47(4):357-61