

## DAFTAR PUSTAKA

- Achuthan, S., Singh, I., Varthy, S.B., Srinivasan, A., Chakrabarti, A., dan Hota, D., 2015. Gabapentin prophylaxis for postoperative nausea and vomiting in abdominal surgeries: a quantitative analysis of evidence from randomized controlled clinical trials. *British Journal of Anaesthesia*, **114**: 588–597.
- American Society of Anesthesiologists, 2024. 'Statement on ASA Physical Status Classification System', *American Society of Anesthesiologists*. URL: <https://www.asahq.org/standards-and-practice-parameters/statement-on-asa-physical-status-classification-system> (diakses tanggal 30/7/2024).
- Anthony, L.B., Krozely, M.G., Woodward, N.J., Hainsworth, J.D., Hande, K.R., Brenner, D.E., dkk., 1986. Antiemetic effect of oral versus intravenous metoclopramide in patients receiving cisplatin: a randomized, double-blind trial. *Journal of Clinical Oncology*, **4**: 98–103.
- Apfel, C.C., Läärä, E., Koivuranta, M., Greim, C.-A., dan Roewer, N., 1999. A Simplified Risk Score for Predicting Postoperative Nausea and Vomiting: Conclusions from Cross-validations between Two Centers. *Anesthesiology*, **91**: 693.
- Badawy, A.A. dan Sakka, A.E., 2015. Preoperative gabapentin alone or in combination with dexamethasone on postoperative pain relief after abdominal hysterectomies. A randomized controlled trial. *Egyptian Journal of Anaesthesia*, **31**: 107–113.
- Bollag, L., Lim, G., Sultan, P., Habib, A.S., Landau, R., Zakowski, M., dkk., 2021. Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. *Anesthesia & Analgesia*, **132**: 1362–1377.
- Brunton, L.L., Knollmann, B.C., dan Hilal-Dandan, R. (Editor), 2018. *Goodman & Gilman's the Pharmacological Basis of Therapeutics*, Thirteenth edition. ed. McGraw Hill Medical, New York.
- Campos, G.O., De Jesus Martins, M., Jesus, G.N., De Oliveira, P.R.R., Lessa, C.N., De Oliveira Junior, J.C.M.F., dkk., 2019. Palonosetron versus ondansetron for prevention of nausea and vomiting after total abdominal hysterectomy under spinal anesthesia with intrathecal morphine: a double-blind, randomized controlled trial. *BMC Anesthesiology*, **19**: 159.
- Carugno, J. dan Fatehi, M., 2024. Abdominal Hysterectomy, dalam: *StatPearls*. StatPearls Publishing, Treasure Island (FL).
- Casati, A. dan Putzu, M., 2005. Anesthesia in the obese patient: Pharmacokinetic considerations. *Journal of Clinical Anesthesia*, **17**: 134–145.



- Chen, B., Ren, D.-P., Li, J.-X., dan Li, C.-D., 2014. Comparison of vaginal and abdominal hysterectomy:A prospective non-randomized trial. *Pakistan Journal of Medical Sciences*, **30**: 875–879.
- Choy, R., Pereira, K., Silva, S.G., Thomas, N., dan Tola, D.H., 2022. Use of Apfel Simplified Risk Score to Guide Postoperative Nausea and Vomiting Prophylaxis in Adult Patients Undergoing Same-day Surgery. *Journal of PeriAnesthesia Nursing*, **37**: 445–451.
- Darwish, A., Mustafa, M., Youness, E., dan Al-Harazi, B., 2022. Enhanced Recovery after Cesarean Section (CS) versus Conventional Care in a Lower Middle-Income Country: A Randomized Controlled Trial. *Open Journal of Nursing*, **12**: 831–841.
- DiPiro, J.T. (Editor), 2020. *Pharmacotherapy: A Pathophysiologic Approach*, Eleventh edition. ed. McGraw Hill Medical, New York.
- Eda, M.K., 2015. Indications and Complications of Obstetrical Hysterectomy: Sardjito Hospital Experience. *Jurnal Kesehatan Reproduksi*, **4**: 154–158.
- Fabling, J.M., Gan, T.J., El-Moalem, H.E., Warner, D.S., dan Borel, C.O., 2002. A Randomized, Double-Blind Comparison of Ondansetron Versus Placebo for Prevention of Nausea and Vomiting After Infratentorial Craniotomy. *Journal of Neurosurgical Anesthesiology*, **14**: 102.
- Fardoun, M., Dehaini, H., Shaito, A., Mesmar, J., El-Yazbi, A., Badran, A., dkk., 2020. The hypertensive potential of estrogen: An untold story. *Vascular Pharmacology*, **124**: 106600.
- Farhat, K., Ismail, M., Ali, S., dan Pasha, A.K., 2013. Resistance to ondansetron: Role of pharmacogenetics in post-operative nausea and vomiting. *Egyptian Journal of Medical Human Genetics*, **14**: 331–336.
- Feldman, M., S. Friedman, L., dan J. Brandt, L., 2020. *Sleisenger and Fordtran's Gastrointestinal and Liver Disease- 2 Volume Set: Pathophysiology, Diagnosis, Management.*, 11th ed. Elsevier.
- Feyisa, Z.T. dan Woldeamanuel, B.T., 2021. Prevalence and associated risk factors of gastritis among patients visiting Saint Paul Hospital Millennium Medical College, Addis Ababa, Ethiopia. *PLoS ONE*, **16**: e0246619.
- Fleisher, L.A. dan Rosenbaum, S.H., 2018. *Complication In Anesthesia*, 3rd ed. Elsevier.
- Fox-Geiman, M.P., Fisher, S.G., Kiley, K., Fletcher-Gonzalez, D., Porter, N., dan Stiff, P., 2001. Double-blind comparative trial of oral ondansetron versus oral granisetron versus IV ondansetron in the prevention of nausea and vomiting associated with highly emetogenic preparative regimens prior to



- stem cell transplantation. *Biology of Blood and Marrow Transplantation*, 7: 596–603.
- Gan, T.J., Belani, K.G., Bergese, S., Chung, F., Diemunsch, P., Habib, A.S., dkk., 2020. Fourth Consensus Guidelines for the Management of Postoperative Nausea and Vomiting. *Anesthesia & Analgesia*, 131: 411–448.
- Gecaj-Gashi, A., Hashimi, M., Sada, F., Baftiu, N., Salihu, S., Terziqi, H., dkk., 2010. Propofol vs isoflurane anesthesia-incidence of PONV in patients at maxillofacial surgery. *Advances in Medical Sciences*, 55: 308–312.
- Ghai, B., Jafra, A., Bhatia, N., Chanana, N., Bansal, D., dan Mehta, V., 2022. Opioid sparing strategies for perioperative pain management other than regional anaesthesia: A narrative review. *Journal of Anaesthesiology, Clinical Pharmacology*, 38: 3–10.
- Guimarães, G.M.N., Silva, H.B.G. da, dan Ashmawi, H.A., 2020. Risk factors for post-caesarean nausea and vomiting: a prospective prognostic study. *Brazilian Journal of Anesthesiology*, 70: 457–463.
- Hailu, S., Mekonen, S., dan Shiferaw, A., 2022. Prevention and management of postoperative nausea and vomiting after cesarean section: A systematic literature review. *Annals of Medicine and Surgery*, 75: 103433.
- Isazadehfar, K., Entezariasl, M., Shahbazzadegan, B., Nourani, Z., dan Shafaee, Y., 2017. The Comparative Study of Ondansetron and Metoclopramide Effects in Reducing Nausea and Vomiting After Laparoscopic Cholecystectomy. *Acta Medica Iranica*, 55: 254–258.
- Ituk, U. dan Habib, A.S., 2018. Enhanced recovery after cesarean delivery 7: 513.
- Jabalameli, M., Honarmand, A., Safavi, M., dan Chitsaz, M., 2012. Treatment of postoperative nausea and vomiting after spinal anesthesia for cesarean delivery: A randomized, double-blinded comparison of midazolam, ondansetron, and a combination. *Advanced Biomedical Research*, 1: 2.
- Jd, G. dan Gml, G., 2012. Interventions for preventing nausea and vomiting in women undergoing regional anaesthesia for caesarean section.
- Kamali, A., Ahmadi, L., Shokrpour, M., dan Pazuki, S., 2018. Investigation of Ondansetron, Haloperidol, and Dexmedetomidine Efficacy for Prevention of Postoperative Nausea and Vomiting In Patients with Abdominal Hysterectomy. *Open Access Macedonian Journal of Medical Sciences*, 6: 1659–1663.
- Katzung, B.G. (Editor), 2018. *Basic & Clinical Pharmacology*, Fourteenth edition. ed, A Lange medical book. McGraw-Hill Education, New York Chicago



San Francisco Athens London Madrid Mexico City Milan New Delhi  
Singapore Sydney Toronto.

Kaye, A.D., Urman, R.D., Rappaport, Y., Siddaiah, H., Cornett, E.M., Belani, K., dkk., 2019. Multimodal analgesia as an essential part of enhanced recovery protocols in the ambulatory settings. *Journal of Anaesthesiology, Clinical Pharmacology*, **35**: S40–S45.

Kementerian Kesehatan RI, 2018. *Laporan Nasional RISKESDAS*.

Kim, J. dan De Jesus, O., 2024. Medication Routes of Administration, dalam: *StatPearls*. StatPearls Publishing, Treasure Island (FL).

Lemeshow, S., Klar, J., W. Hosmer Jr., D., dan K. Lwanga, S., 1997. *Besar Sampel Dalam Penelitian Kesehatan*. Universitas Gadjah Mada, Yogyakarta.

Lexicomp, 2024. 'Metoclopramide', , *Pendidikan, UpToDate*. URL: [http://online.lexi.com/lco/action/doc/retrieve/docid/patch\\_f/7285?cesid=7TxQDrZ4RS9&searchUrl=%2Flco%2Faction%2Fsearch%3Fq%3Dmetocl opramide%26t%3Dname%26acs%3Dtrue%26acq%3Dmetocl#](http://online.lexi.com/lco/action/doc/retrieve/docid/patch_f/7285?cesid=7TxQDrZ4RS9&searchUrl=%2Flco%2Faction%2Fsearch%3Fq%3Dmetocl opramide%26t%3Dname%26acs%3Dtrue%26acq%3Dmetocl#) (diakses tanggal 31/7/2024).

Li, S.-C., Wang, Y., Choi, S.J., Jung, Y.S., Han, K.-H., Chung, I.B., dkk., 2019. Scheduled injection of ramosetron for prevention of nausea and vomiting following single-port access total laparoscopic hysterectomy: a prospective randomized study. *Obstetrics & Gynecology Science*, **62**: 344.

Li, Y., Deng, R., Zhou, J., Chen, Y., dan Ouyang, A., 2019. Comparison of ramosetron and ondansetron for the prevention of postoperative nausea and vomiting in patients undergoing laparoscopic surgery: a meta-analysis of randomized controlled trials. *Journal of International Medical Research*, **47**: 4591–4603.

Lianzi, I., Pitaloka, E., dan Unggul, U.E., 2014. Hubungan Pengetahuan Tentang Rokok dan Perilaku Merokok Pada Staf Administrasi Universitas Esa Unggul **2**: 67–81.

Macones, G.A., Caughey, A.B., Wood, S.L., Wrench, I.J., Huang, J., Norman, M., dkk., 2019. Guidelines for postoperative care in cesarean delivery: Enhanced Recovery After Surgery (ERAS) Society recommendations (part 3). *American Journal of Obstetrics and Gynecology*, **221**: 247.e1-247.e9.

Majhi, D. dan Das, M., 2021. A comparative study of metoclopramide, dexamethasone and ondansetron in control of nausea and vomiting after spinal anesthesia for cesarean section. *International Archives of Integrated Medicine*, **8**: 50–57.



- Mangoni, A.A. dan Jackson, S.H.D., 2004. Age-related changes in pharmacokinetics and pharmacodynamics: basic principles and practical applications. *British Journal of Clinical Pharmacology*, **57**: 6–14.
- McCallum, L., Lip, S., dan Padmanabhan, S., 2014. Chapter 18 - Pharmacodynamic Pharmacogenomics, dalam: Padmanabhan, S. (Editor), *Handbook of Pharmacogenomics and Stratified Medicine*. Academic Press, San Diego, hal. 365–383.
- Mikstacki, A., Skrzypczak-Zielinska, M., Tamowicz, B., Zakerska-Banaszak, O., Szalata, M., dan Slomski, R., 2013. The impact of genetic factors on response to anaesthetics. *Advances in Medical Sciences*, **58**: 9–14.
- Millizia, A., Iqbal, T.Y., dan Futtaqi, P., 2022. Perbedaan Sensitivitas Spesifisitas Skor Apfel Dan Skor Koivuranta Sebagai Prediktor Kejadian PONV Dengan Anestesi Umum. *COMSERVA : Jurnal Penelitian dan Pengabdian Masyarakat*, **2**: 874–883.
- Mishriky, B.M. dan Habib, A.S., 2012. Metoclopramide for nausea and vomiting prophylaxis during and after Caesarean delivery: a systematic review and meta-analysis. *BJA: British Journal of Anaesthesia*, **108**: 374–383.
- Mohd Daut, F., Seevaunnamtum, S., Nik Mohamad, N., Che Omar, S., dan Wan Hassan, W., 2021. Granisetron vs. Granisetron and Dexmethasone on The Reduction of Postoperative Nausea and Vomiting (PONV) After Caesarean Section with Intrathecal Morphine: A Randomised Controlled Trial. *Egyptian Journal of Anaesthesia*, **37**: 196–201.
- Muntasir, E., Handayani, R.N., dan Ningrum, E.W., 2023. Analisis Faktor Yang Mempengaruhi Kejadian Post Operatif Nausea and Vomiting (Ponv) Pada Pasien Sectio Caesarea Dengan Anestesi Spinal Di RSUD Tgk Chik Ditiro Sigli Kabupaten Pidie Provinsi Aceh. *Viva Medika: Jurnal Kesehatan, Kebidanan dan Keperawatan*, **16**: 187–193.
- National Institute for Health and Care Excellence, 2021. 'Caesarean birth', *National Institute for Health and Care Excellence*. URL: <https://www.nice.org.uk/guidance/ng192/chapter/Recommendations#recovery-after-caesarean-birth> (diakses tanggal 18/4/2023).
- Pan, P.H. dan Moore, C.H., 2001. Comparing the efficacy of prophylactic metoclopramide, ondansetron, and placebo in cesarean section patients given epidural anesthesia. *Journal of Clinical Anesthesia*, **13**: 430–435.
- Patel, K. dan Zakowski, M., 2021. Enhanced Recovery After Cesarean: Current and Emerging Trends. *Current Anesthesiology Reports*, **11**: 136–144.



- Pazoki, S., Modir, H., Kamali, A., Zamani, A., dan Shahidani, M., 2018. Ondansetron 8 mg and 4 mg with normal saline against post-operative headache and nausea/vomiting after spinal anesthesia: a randomized double-blind trial. *Medical Gas Research*, **8**: 48–53.
- Pierre, S. dan Whelan, R., 2013. Nausea and vomiting after surgery. *Continuing Education in Anaesthesia Critical Care & Pain*, **13**: 28–32.
- Pires, M.C., Barros, G.A.M.D., Fonseca, L.G.F., Thom, M.M., Junior, P.D.N., dan Módolo, N.S.P., 2022. Effects of Preoperative Acupuncture on Prevention of Nausea and Vomiting and Plasma Serotonin Values in the Hysterectomy Postoperative Period: a Randomized Clinical Trial. *Journal of Acupuncture and Meridian Studies*, **15**: 300–306.
- Price, G. dan Patel, D.A., 2024. Drug Bioavailability, dalam: *StatPearls*. StatPearls Publishing, Treasure Island (FL).
- Rengarajan, A. dan Gyawali, P., 2021. Nausea and Vomiting, dalam: *Sleisenger and Fordtran's Gastrointestinal and Liver Disease*. Elsevier.
- Rosen, M.A. dan Weiskopf, R.B., 1999. Management of Anesthesia for the Pregnant Surgical Patient. *Anesthesiology*, **91**: 1159.
- Sadawarte, P., Bhure, A., Deshmukh, S., dan Parate, D.S., 2015. Comparative study of Oral Vs IV Ondansetron for reducing PONV in patients undergoing laparoscopic surgery under General anesthesia **4**: 1–6.
- Sakti, Y.B.H., 2016. Perbandingan Antara Pemberian Ondansetron Dengan Pemberian Metoklopramid Untuk Mengatasi Mual dan Muntah Paska Laparotomi di RSUD PROF. DR. MARGONO SOEKARJO.
- Sanger, G.J., 1998. Therapeutic Applications of 5-HT<sub>4</sub> Receptor Agonists and Antagonists, dalam: Eglen, R.M. (Editor), *5-HT<sub>4</sub> Receptors in the Brain and Periphery*. Springer, Berlin, Heidelberg, hal. 213–226.
- Sardimon, S., Yusmalinda, Y., Jasa, Z.K., Rahmi, R., dan Amin, F.B., 2022. Implementation of Enhanced Recovery After Caesarean Section (ERACS) in Elective Procedure: A Case Report. *Solo Journal of Anesthesia, Pain and Critical Care (SOJA)*, **2**: 47–60.
- Sekhavat, L., Davar, R., dan Behdad, S., 2015. Efficacy of prophylactic dexamethasone in prevention of postoperative nausea and vomiting. *Journal of Epidemiology and Global Health*, **5**: 175–179.
- Setyaningsih, I., 2021. Factors Related to Gastritis Events At The Ages 17-21 Years Old in The Work Area of Pesanggrahan Public Health Center (Puskesmas) in 2018. *Muhammadiyah International Public Health and Medicine Proceeding*, **1**: 259–268.



- Shaikh, S.I., Nagarekha, D., Hegade, G., dan Marutheesh, M., 2016. Postoperative nausea and vomiting: A simple yet complex problem. *Anesthesia, Essays and Researches*, **10**: 388–396.
- Sharma, A.N.G. dan Shankaranarayana, P., 2015. Postoperative Nausea and Vomiting: Palonosetron with Dexamethasone vs. Ondansetron with Dexamethasone in Laparoscopic Hysterectomies. *Oman Medical Journal*, **30**: 252–256.
- Sofjan, I.P. dan McCutchan, A., 2023. *Anesthetic Management for Enhanced Recovery After Cardiac Surgery (ERACS)*, StatPearls [Internet]. StatPearls Publishing.
- Stovall, T.G., 2007. Hysterectomy, dalam: *Berek & Novak's Gynecology*. Lippincot Williams and Wilkins, hal. 805–846.
- Suhongsa, K., Wutitammasuk, J., dan Tangsiriwatthana, T., 2024. Intravenous Dexamethasone for Preventing Postoperative Nausea and/or Vomiting in Total Abdominal Hysterectomy: A randomized double-blinded, placebo-controlled trial. *Thai Journal of Obstetrics and Gynaecology*, **32**: 196–204.
- Talesh, K.T., Motamed, M.H.K., dan Kahnoumii, S., 2011. Comparison of ondansetron and metoclopramide antiemetic prophylaxis in maxillofacial surgery patients. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, **111**: 275–277.
- Tarigonda, S., Manem, A., Shenoy, K.U., Duggappa, A.K.H., dan Krishna, R., 2021. Comparison of Intravenous Ondansetron, Ramosetron and Palonosetron for Prevention of Postoperative Nausea and Vomiting in Patients Undergoing Total Abdominal Hysterectomy: A RCT. *Journal of Clinical and Diagnostic Research*, **15**: UC14–UC17.
- Teshome, D., Hunie, M., Kibret, S., Mestafa, M., dan Fenta, E., 2024. Prevalence and Factors Associated with Postoperative Nausea and Vomiting in an Ethiopian Comprehensive Specialized Hospital. *Advances in Preventive Medicine*, **2024**: 6699732.
- Thay, Y.J., Goh, Q.Y., Han, R.N., Sultana, R., dan Sng, B.L., 2018. Pruritus and postoperative nausea and vomiting after intrathecal morphine in spinal anaesthesia for caesarean section: Prospective cohort study. *Proceedings of Singapore Healthcare*, **27**: 251–255.
- Tramer, M.R., Reynolds, D.J.M., Moore, R.A., dan McQuay, H.J., 1997. Efficacy, Dose-Response, and Safety of Ondansetron in Prevention of Postoperative Nausea and Vomiting : A Quantitative Systematic Review of Randomized Placebo-controlled Trials. *Anesthesiology*, **87**: 1277–1289.



UNIVERSITAS  
GADJAH MADA

Perbandingan Efektivitas Ondansetron dengan Metoklopramid dalam Tatalaksana Mual dan Muntah Pasca  
**Beda Enhanced Recovery After Cesarean Surgery (ERACS) di RSUD Tenriawaru Kabupaten Bone**  
Rahmah Haerunnisa Halim, Prof. Dr. apt. Agung Endro Nugroho, M.Si. ; Dr. apt. Purwantiningsih, M.Si.  
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wilson, S.H., Fecho, K., Marshall, J., dan Spielman, F., 2010. Factors influencing cesarean delivery operative times: a prospective observational cohort study. *International Journal of Obstetric Anesthesia*, **19**: 417–421.

Yockey, L.J. dan Iwasaki, A., 2018. Role of Interferons and Cytokines in Pregnancy and Fetal Development. *Immunity*, **49**: 397–412.

Zhou, C., Zhu, Y., Bao, Z., Wang, X., dan Liu, Q., 2018. Efficacy of ondansetron for spinal anesthesia during cesarean section: a meta-analysis of randomized trials. *Journal of International Medical Research*, **46**: 654–662.