

DAFTAR PUSTAKA

- Alawiyah., (2017) Komplikasi dan resiko yang berhubungan dengan perawatan ortodonti. *J Ilm Widya*, 4(1): 256-61.
- Alfaqeeh, S.A., Anil, S., (2014) Gingival crevicular fluid flow rate and alkaline phosphatase level as potential marker of active tooth movement, *OHDM*, 13(2): 458-463.
- Alhasyimi AA, dkk., (2020) Effect of Carbonate hydroxyapatite Hydrogel-Advanced Platelet-Rich Fibrin Injection on Osteoblastogenesis during Orthodontic Relapse in Rabbits. *Eur. J. Dent* 1305-7456 : 1-7.
- Alhasyimi AA, Rosyida NF, Rihadini MS., (2019) Postorthodontic Relapse Prevention by Administration of Grape Seed (*Vitis vinifera*) Extract Containing Cyanidine in Rats. *Eur J Dent*. 13(4):629-634.
- Alhasyimi AA, dkk., (2018) Effect of carbonated hydroxyapatite incorporated advanced platelet rich fibrin intrasulcular injection on the alkaline phosphatase level during orthodontic relapse. *AIP Conf Proc*, 030006:1-6.
- Al-Hijazi AY dan Al-Mahammadawy AKAA., (2014) Expression of Alkaline Phosphatase by periodontial tissue treated with topical application of VEGF and TGF- β 1. *J.Nat.Sci.Res*. Vol 4(1) : 84-91.
- Al-Khatieeb, MM., dkk., (2018) The Relationship Between Orthodontic Force Applied by Monoblock and Salivary Levels of Alkaline Phosphatase and Lactate Dehydrogenase Enzymes. *J. Contemp. Dent. Pract*. 19(11): 1346-1351.
- Almoshari Y., (2022) Novel Hydrogels for Topical Applications: An Updated Comprehensive Review Based on Source. *Gels. Mar* 10;8(3):174.
- Andriani I dkk., (2020) The combination of carbonate hydroxyapatite and human β -defensin 3 to enhance collagen fibre density in periodontitis Sprague Dawley rats. *Dent J*. 53(2) : 76-80.
- Anindita PS, dkk., (2023). Prevalensi maloklusi pada anak usia 9-12 tahun di daerah pesisir kota manado. *E-Gigi*. 12(2): 168-174
- Asma, (2008) Crevicular alkaline phosphatase activity during orthodontic tooth movement: canine retraction stage, *J. Med. Sci.*, 8(3), 228-233.

- Ayukawa Y, Suzuki Y, Tsuru K, Koyano K, Ishikawa K., (2015) Histological Comparison in Rats between Carbonate Apatite Fabricated from Gypsum and Sintered Hydroxyapatite on Bone Remodeling. *Biomed Res Int*. Vol 2015:579541
- Colby, L.A., Nowland, M. H., dan Kennedy, L.H., (2020) Clinical Laboratory Animal Medicine: An Introduction, 5th ed, Wiley Blackwell, Hoboken, hal. 127.
- De Carvalho, C.A. dan Thomazini, J. A., (2013) Morphometric and Anatomical Evaluation of The Heart of Wistar Rats. *Int J Morphol*. 31(2): 724-28.
- Elih., (2015) Relaps and retention after orthodontic treatment. *Padjajaran J Dent*, 27 (3): 139-148.
- Fitria, L dan Sarto, M., (2014) Profil Hematologi tikus (*Rattus novergicus* Berkenhout, 1769) galur wistar jantan dan betina umur 4, 6, dan 8 minggu, *Biogenesis :Jurnal Ilmiah Biologi*, 2(2): 94-100.
- Fu, J., Yang, F., dan Guo, Z., (2018) The chitosan Hidrogel: from structure to function. *New J. Chem*, 42(21), pp. 17162-17180.
- Franzen, T.F., Brudvik, P., Vandevska-Radunovic, V., (2013) Periodontal tissue reaction during orthodontic relapse in rat molars. *Eur J Orthod*, 35(2):152– 9.
- Goenharto, S, Rusdiana, E., (2015) Peranti retensi pasca perawatan ortodonti. *J Dent Tech*, 4(1): 1–7.
- Hadi AFN, Aghniya SN, Haidar GA, Sihombing WSM, Sutedjo A, Alhasyimi AA., (2024) Post-Orthodontic Relapse Prevention through Administration of a Novel Synthetic Carbonated Hydroxyapatite-Chitosan Hydrogel Derived from Blood Cockle Shell (*Anadara granosa* L.). *Dent J*. 12(1):18.
- Handajani, F., (2021) *Metode Pemilihan dan Pembuatan Hewan Model Beberapa Penyakit Pada Penelitian Eksperimental*. Surabaya : Penerbit Zivatama Jawa.
- Handayani B dan Brahmanta A., (2018) Jumlah osteoblast pada daerah tarikan dengan pemberian ekstrak propolis sebagai pencegah relaps ortodonti. *Denta*. 12(1): 28-33.
- Hasegawa, M., Doi, Y., Uchida, A., (2003) Cell-mediated bioresorption of sintered carbonate hydroxyapatite in rabbits, *J.Bone Joint Surg. Br*, 85: 142-47.
- Herniyati., (2016) Analisis VEGF pada Pergerakan Gigi Ortodonti Setelah Pemberian Seduhan Kopi Robusta (*Coffeacanephora*). *Jurnal Teknosains*. 5(2): 90-96.

- Hosseinpour, S., Fekrazad, R., Arany, P.R., Ye, Q., (2019) Molecular Impacts of Photobiomodulation on Bone Regeneration: A Systematic Review, *Prog. Biophys. Mol. Biol.*, 149: 147-59.
- Iswari, SH., (2015) Relaps dan Pencegahannya dalam Ortodonti. *Majalah Ilmiah Widya*, 29(319).
- Jacob S, Nair AB, Shah J, Sreeharsha N, Gupta S, Shinu P., (2021) Emerging Role of Hydrogels in Drug Delivery Systems, Tissue Engineering and Wound Management. *Pharmaceutics*. 13(3):357 :1-36.
- Jasser R, Subaie M, Jasser N, Rasheed A., (2020) Rotational relapse of anterior teeth following orthodontic treatment and circumferential supracrestal fiberotomy. *Saudi Dent J*, 32: 293-9.
- Jeyraj Y, Katta AK, Vannala V, Lokanathan D, Reddy SN, Rajasigamani K., (2015) Estimation of alkaline phosphatase in the gingival crevicular fluid during orthodontic tooth movement in premolar extraction cases to predict therapeutic progression. *J Nat Sci Biol Med*. 6(2):343-6.
- Kapoor, P., Kharbanda, O.P., Monga, N., Miglani, R., Kapila, S., (2014) Effect of orthodontic forces on cytokine and receptor levels in gingival crevicular fluid: a systematic review. *Prog Orthod*, 15(65): 1-21.
- Kirschneck, C., Proff, P., Fanghaenel, J., Behr, M., Wahlmann, U. dan Roemer, P., (2013) Differentiated Analysis of Orthodontic Tooth Movement in Rats With an Improved Rat Model and Three-Dimensional Imaging. *Ann Anat*, 195 : 539-553.
- Krishnakumar dkk., (2016) Hydrogels in topical drug delivery – A review. *Int. J. Drug Discov*, Vol 6 issue 2 : 87-93.
- Kumar, A.A., Saravanan, K., Kohila, K., Kumar, S.S., (2015) Biomarkers in orthodontic tooth movement, *J Pharm Bioallied Sci*.7(2): S325–S330.
- Laguihi, V., Anindita, P dan Gunawan, P., (2014) Gambaran maloklusi dengan Menggunakan HMAR pada Pasien Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. *J e-Gigi*. 2(2): 1-7.
- Lee, Y., Hahm, Y.M., Matsuya, S., Nakagawa, M., Ishikawa, K., (2007) Characterization of macroporous carbonate-substituted hydroxyapatite bodies prepared in different phosphate solutions, *J. Mater. Sci*, 42: 7843-7849.
- Lei L, Bai Y, Qin X, Liu J, Huang W, Lv Q., (2022) Current Understanding of Hydrogel for Drug Release and Tissue Engineering. *Gels*. 8(5):301.

- Lisowska, B., Kosson, D., Domaracka, K., (2018) Lights and shadows of NSAIDs in bone healing: the role of prostaglandins in bone metabolism. *Dovepress*, 12 : 1753-1758.
- Littlewood SJ, Kandasamy S, Huang G., (2017) Retention and relapse in clinical practice. *Australian Dent J*, 62(1): 51-7.
- Li J., Mooney DJ., (2016) Designing hydrogels for controlled drug delivery. *Nat Rev Mater*. Dec;1(12):16071.
- Maleeh I., Robinson J., Wadhwa S., (2016) Role of Alveolar Bone in Mediating Orthodontic Tooth Movement and Relapse. *Springer Int. Publishing Switzerland*. 1-13.
- Maltha, J.C., Kuijpers-Jagtman, A.M., (2017) The biological background of relapse of orthodontic tooth movement in biological mechanisms of tooth movement edited by Vinod Krishnan and Ze'ev Davidovitch, John Wiley and Sons, Ltd., United Kingdom, pp: 201-14.
- Profit, WR., (2019) *Contemporary Orthodontic*, 6th ed. Philadelphia: Elsevier.
- Pudyani, P.S., Asmara, W., Ana, I.D., Utari, T.R., (2014) Alkaline phosphatase expression during relapse after orthodontic tooth movement, *Dent. J. (Maj. Ked. Gigi)*, 47(1): 25–30.
- Ratnadita A., Christnawati., Pudyani SP., (2023) Blue-light emitting diode exposure effect on alkaline phosphatase level post-orthodontic stabilization in rats. *Biomedicine*. 43(3) : 925-930.
- Remiro PFR, Nagahara MHT, Azoubel RA, Franz-Montan M, d'Ávila MA, Moraes ÂM., (2022) Polymeric Biomaterials for Topical Drug Delivery in the Oral Cavity: Advances on Devices and Manufacturing Technologies. *Pharmaceutics*. Dec 20;15(1):12.
- Rosidah, I., Ningsih, S., Renggani, T.N., Agustini, K., dan Efendi, J., (2020) Profil Hematologi Tikus (*Rattus novergicus*) Galur *Sprague Dawley* jantan Umur 7 dan 10 Minggu, *JBBI*. 7(1): 136-145.
- Sihombing I, Wangko S, Kalangi SJR., (2012) Peran estrogen pada remodeling tulang. *Jurnal Biomedik*, 4(3): 18-28.
- Singh Malik, D.; Mital, N.; Kaur, G., (2016) Topical drug delivery systems: A patent review. *Expert Opin Ther Pat*. 26(2): 213–228.

- Suparwitri S, Noviasari P., (2019) Effect of olive oil administration on the level of transforming growth factor $\beta 1$ during orthodontic tooth movement in old and young guinea pigs. *F1000Res.* 29;8:1-15.
- Tim Riskesdas Kementerian Kesehatan RI., (2019) *Hasil Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian RI.
- Utari TR., Pudyani PS., Asmara W., (2022) The potential of bisphosphonate risedronate hydrogel in preventing relapse movement. *Cumhuriyet Dent J.* 25(2): 103-110.
- Vaishnavi G, Thulasiram E., (2015) Relapse. *Biomedical & Pharmacology Journal*, 8; 523-4.
- Vesper HW., (2015) Analytical and preanalytical issues in measurement of biochemical bone markers. *Lb Med.* 36(7): 424-9.
- Wahyurianto, Y., (2022) *Absorpsi Glukosa Studi Kasus pada Tikus Putih (Rattus novergicus)*, Adab, hal 14-15.
- Wijayanti P, Krisnawati, Ismah N., (2014) Gambaran Maloklusi dan Kebutuhan Perawatan Ortodonti pada Anak Usia 9-11 tahun. *Jurnal PDGI.* 63(1): 25-29.
- Yadav S dan Madan J., (2020) Hydrogel : A review. *IJPL.* 11(6) : 6711-6717.
- Zakaria MN dan Cahyanto A., (2016) An introduction to carbonate apatite as a biocompatible material in dentistry. *Pertemuan Ilmiah tahunan.* 8: 80-84.
- Zawawi KH, Melis M., (2015) The role of mandibular third molars on lower anterior teeth crowding and relapse after orthodontic treatment: a systematic review. *Sci. World J.* 2(4):330-41.