

DAFTAR PUSTAKA

- Abarquero, D., Renes, E., Fresno, J. M., & Tornadijo, M. E. (2022). Study of exopolysaccharides from lactic acid bacteria and their industrial applications: a review. *International Journal of Food Science and Technology*, 57(1), 16–26. <https://doi.org/10.1111/ijfs.15227>
- Adolfsson, O., Meydani, S. N., & Russell, R. M. (2004). Yogurt and gut function. *American Journal of Clinical Nutrition*, 80(2), 245–256. <https://doi.org/10.1093/ajcn/80.2.245>
- Albalasmeh, A. A., Berhe, A. A., & Ghezzehei, T. A. (2013). A new method for rapid determination of carbohydrate and total carbon concentrations using UV spectrophotometry. *Carbohydrate Polymers*, 97(2), 253–261. <https://doi.org/10.1016/j.carbpol.2013.04.072>
- Amer, M. N., Elgammal, E. W., Atwa, N. A., Eldiwany, A. I., Dawoud, I. E., & Rashad, F. M. (2021). Structure elucidation and in vitro biological evaluation of sulfated exopolysaccharide from LAB *Weissella paramesenteroides* MN2C2. *Journal of Applied Pharmaceutical Science*, 11(5), 22–31. <https://doi.org/10.7324/JAPS.2021.110504>
- Angelin, J., & Kavitha, M. (2020). Exopolysaccharides from probiotic bacteria and their health potential. *International Journal of Biological Macromolecules*, 162, 853–865. <https://doi.org/10.1016/j.ijbiomac.2020.06.190>
- Anwar, M. A., Kralj, S., Piqué, A. V., Leemhuis, H., Van Der Maarel, M. J. E. C., & Dijkhuizen, L. (2010). Inulin and levan synthesis by probiotic *Lactobacillus gasseri* strains: Characterization of three novel fructansucrase enzymes and their fructan products. *Microbiology*, 156(4), 1264–1274. <https://doi.org/10.1099/mic.0.036616-0>
- Ayivi, R. D., Gyawali, R., Krastanov, A., Aljaloud, S. O., Worku, M., Tahergorabi, R., Silva, R. C. da, & Ibrahim, S. A. (2020). Lactic Acid Bacteria: Food Safety and Human Health Applications. *Dairy*, 1(3), 202–232. <https://doi.org/10.3390/dairy1030015>
- Badel, S., Bernardi, T., & Michaud, P. (2011). New perspectives for *Lactobacilli* exopolysaccharides. *Biotechnology Advances*, 29(1), 54–66. <https://doi.org/10.1016/j.biotechadv.2010.08.011>
- Bamigbade, G., Ali, A. H., Subhash, A., Tamiello-Rosa, C., Al Qudsi, F. R., Esposito, G., Hamed, F., Liu, S. Q., Gan, R. Y., Abu-Jdayil, B., & Ayyash, M. (2023). Structural characterization, biofunctionality, and environmental factors impacting rheological properties of exopolysaccharide produced by probiotic *Lactococcus lactis* C15. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-44728-w>
- Berghaus, L. J., Moore, J. N., Hurley, D. J., Vandenplas, M. L., Fortes, B. P., Wolfert, M. A., & Boons, G. J. (2010). Innate immune responses of primary murine macrophage-lineage cells and RAW 264.7 cells to ligands of Toll-like

receptors 2, 3, and 4. *Comparative Immunology, Microbiology and Infectious Diseases*, 33(5), 443–454. <https://doi.org/10.1016/j.cimid.2009.07.001>

Bermudez-Brito, M., Plaza-Díaz, J., Muñoz-Quezada, S., Gómez-Llorente, C., & Gil, A. (2012). Probiotic mechanisms of action. *Annals of Nutrition and Metabolism*, 61(2), 160–174. <https://doi.org/10.1159/000342079>

Berridge, M. V., Herst, P. M., & Tan, A. S. (2005). Tetrazolium dyes as tools in cell biology: New insights into their cellular reduction. *Biotechnology Annual Review*, 11(SUPPL.), 127–152. [https://doi.org/10.1016/S1387-2656\(05\)11004-7](https://doi.org/10.1016/S1387-2656(05)11004-7)

Bibi, A., Xiong, Y., Rajoka, M. S. R., Mehwish, H. M., Radicetti, E., Umair, M., Shoukat, M., Khan, M. K. I., & Aadil, R. M. (2021). Recent advances in the production of exopolysaccharide (EPS) from lactobacillus spp. and its application in the food industry: A review. *Sustainability (Switzerland)*, 13(22). <https://doi.org/10.3390/su132212429>

Chaisuwan, W., Jantanasakulwong, K., Wangtueai, S., Phimolsiripol, Y., Chaiyaso, T., Techapun, C., Phongthai, S., You, S. G., Regenstein, J. M., & Seesuriyachan, P. (2020). Microbial exopolysaccharides for immune enhancement: Fermentation, modifications and bioactivities. *Food Bioscience*, 35. <https://doi.org/10.1016/j.fbio.2020.100564>

Coates, J. (2006). Interpretation of Infrared Spectra, A Practical Approach. *Encyclopedia of Analytical Chemistry*. <https://doi.org/10.1002/9780470027318.a5606>

Coleman, J. W. (2001). Nitric oxide in immunity and inflammation. *International Immunopharmacology*, 1(8), 1397–1406. [https://doi.org/10.1016/S1567-5769\(01\)00086-8](https://doi.org/10.1016/S1567-5769(01)00086-8)

Cotter, P. D., Ross, R. P., & Hill, C. (2013). Bacteriocins-a viable alternative to antibiotics? *Nature Reviews Microbiology*, 11(2), 95–105. <https://doi.org/10.1038/nrmicro2937>

Cuthbertson, L., Mainprize, I. L., Naismith, J. H., & Whitfield, C. (2009). Pivotal Roles of the Outer Membrane Polysaccharide Export and Polysaccharide Copolymerase Protein Families in Export of Extracellular Polysaccharides in Gram-Negative Bacteria. *Microbiology and Molecular Biology Reviews*, 73(1), 155–177. <https://doi.org/10.1128/mmbr.00024-08>

Das, D., & Goyal, A. (2014). Characterization and biocompatibility of glucan: A safe food additive from probiotic *Lactobacillus plantarum* DM5. *Journal of the Science of Food and Agriculture*, 94(4), 683–690. <https://doi.org/10.1002/jsfa.6305>

De Vuyst, L., De Vin, F., Vaningelgem, F., & Degeest, B. (2001). Recent developments in the biosynthesis and applications of heteropolysaccharides from lactic acid bacteria. *International Dairy Journal*, 11(9), 687–707. [https://doi.org/10.1016/S0958-6946\(01\)00114-5](https://doi.org/10.1016/S0958-6946(01)00114-5)

De Vuyst, L., & Degeest, B. (1999). Heteropolysaccharides from lactic acid

bacteria. *FEMS Microbiology Reviews*, 23(2), 153–177.
<https://doi.org/10.1111/j.1574-6976.1999.tb00395.x>

De Vuyst, L., Vanderveken, F., Van De Ven, S., & Degeest, B. (1998). Production by and isolation of exopolysaccharides from *Streptococcus thermophilus* grown in a milk medium and evidence for their growth-associated biosynthesis. *Journal of Applied Microbiology*, 84(6), 1059–1068.
<https://doi.org/10.1046/j.1365-2672.1998.00445.x>

Dilna, S. V., Surya, H., Aswathy, R. G., Varsha, K. K., Sakthikumar, D. N., Pandey, A., & Nampoothiri, K. M. (2015). Characterization of an exopolysaccharide with potential health-benefit properties from a probiotic *Lactobacillus plantarum* RJF4. *Lwt*, 64(2), 1179–1186.
<https://doi.org/10.1016/j.lwt.2015.07.040>

Donot, F., Fontana, A., Baccou, J. C., & Schorr-Galindo, S. (2012). Microbial exopolysaccharides: Main examples of synthesis, excretion, genetics and extraction. *Carbohydrate Polymers*, 87(2), 951–962.
<https://doi.org/10.1016/j.carbpol.2011.08.083>

Du, R., Yu, L., Yu, N., Ping, W., Song, G., & Ge, J. (2022). Characterization of exopolysaccharide produced by *Levilactobacillus brevis* HDE-9 and evaluation of its potential use in dairy products. *International Journal of Biological Macromolecules*, 217, 303–311.
<https://doi.org/10.1016/j.ijbiomac.2022.07.057>

Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A., & Smith, F. (1956). Colorimetric Method for Determination of Sugars and Related Substances. *Analytical Chemistry*, 28(3), 350–356. <https://doi.org/10.1021/ac60111a017>

Elisia, I., Pae, H. B., Lam, V., Cederberg, R., Hofs, E., & Krystal, G. (2018). Comparison of RAW264.7, human whole blood and PBMC assays to screen for immunomodulators. *Journal of Immunological Methods*, 452, 26–31.
<https://doi.org/10.1016/j.jim.2017.10.004>

Freitas, F., Alves, V. D., & Reis, M. A. M. (2011). Advances in bacterial exopolysaccharides: From production to biotechnological applications. *Trends in Biotechnology*, 29(8), 388–398.
<https://doi.org/10.1016/j.tibtech.2011.03.008>

Freitas, F., Torres, C. A. V., & Reis, M. A. M. (2017). Engineering aspects of microbial exopolysaccharide production. *Bioresource Technology*, 245(PartB), 1674–1683. <https://doi.org/10.1016/j.biortech.2017.05.092>

Fujihara, M., Muroi, M., Tanamoto, K. I., Suzuki, T., Azuma, H., & Ikeda, H. (2003). Molecular mechanisms of macrophage activation and deactivation by lipopolysaccharide: Roles of the receptor complex. *Pharmacology and Therapeutics*, 100(2), 171–194.
<https://doi.org/10.1016/j.pharmthera.2003.08.003>

Fujii, J., & Osaki, T. (2023). Involvement of Nitric Oxide in Protecting against Radical Species and Autoregulation of M1-Polarized Macrophages through

- Metabolic Remodeling. *Molecules*, 28(2).
<https://doi.org/10.3390/molecules28020814>
- Gänzle, M. (2019). Fermented foods. *Food Microbiology: Fundamentals and Frontiers*, 855–900. <https://doi.org/10.1128/9781555819972.ch33>
- Geng, L., Hu, W., Liu, Y., Wang, J., & Zhang, Q. (2018). A heteropolysaccharide from *Saccharina japonica* with immunomodulatory effect on RAW 264.7 cells. *Carbohydrate Polymers*, 201, 557–565.
<https://doi.org/10.1016/j.carbpol.2018.08.096>
- Goldman, E., & Green, L. H. (2015). Practical Handbook of MICROBIOLOGY: Second Edition. In *Practical Handbook of Microbiology: Second Edition* (Third edit). CRC Press, Taylor & Francis Group.
<https://doi.org/10.1201/9781420009330>
- Gordon, S., & Plüddemann, A. (2017). Tissue macrophages: Heterogeneity and functions. *BMC Biology*, 15(1). <https://doi.org/10.1186/s12915-017-0392-4>
- Han, C., Yang, J., Song, P., Wang, X., & Shi, W. (2018). Effects of *Salvia miltiorrhiza* Polysaccharides on Lipopolysaccharide-Induced Inflammatory Factor Release in RAW264.7 Cells. *Journal of Interferon and Cytokine Research*, 38(1), 29–37. <https://doi.org/10.1089/jir.2017.0087>
- Hayek, S. A., Gyawali, R., Aljaloud, S. O., Krastanov, A., & Ibrahim, S. A. (2019). Cultivation media for lactic acid bacteria used in dairy products. *Journal of Dairy Research*, 86(4), 490–502.
<https://doi.org/10.1017/S002202991900075X>
- He, C., Lin, H. Y., Wang, C. C., Zhang, M., Lin, Y. Y., Huang, F. Y., Lin, Y. Z., & Tan, G. H. (2019). Exopolysaccharide from *Paecilomyces lilacinus* modulates macrophage activities through the TLR4/NF- κ B/MAPK pathway. *Molecular Medicine Reports*, 20(6), 4943–4952.
<https://doi.org/10.3892/mmr.2019.10746>
- Hidalgo-Cantabrana, C., López, P., Gueimonde, M., de los Reyes-Gavilán, C. G., Suárez, A., Margolles, A., & Ruas-Madiedo, P. (2012). Immune Modulation Capability of Exopolysaccharides Synthesised by Lactic Acid Bacteria and Bifidobacteria. *Probiotics and Antimicrobial Proteins*, 4(4), 227–237.
<https://doi.org/10.1007/s12602-012-9110-2>
- Hill, D., Sugrue, I., Tobin, C., Hill, C., Stanton, C., & Ross, R. P. (2018). The *Lactobacillus casei* group: History and health related applications. *Frontiers in Microbiology*, 9(SEP). <https://doi.org/10.3389/fmicb.2018.02107>
- Huang, J. J., Yang, L. C., & Liu, Y. C. (2022). Production, purification, and structural characteristics of extracellular polysaccharides derived from *Lactobacillus acidophilus*. *Journal of the Taiwan Institute of Chemical Engineers*, 137. <https://doi.org/10.1016/j.jtice.2021.104189>
- Hussain, A., Zia, K. M., Tabasum, S., Noreen, A., Ali, M., Iqbal, R., & Zuber, M. (2017). Blends and composites of exopolysaccharides; properties and applications: A review. *International Journal of Biological Macromolecules*,

94, 10–27. <https://doi.org/10.1016/j.ijbiomac.2016.09.104>

- Hutkins, R. W. (2008). Microbiology and Technology of Fermented Foods. In *Microbiology and Technology of Fermented Foods* (2nd ed., V). IFT Press Book Investigates. <https://doi.org/10.1002/9780470277515>
- Islam, S. T., & Lam, J. S. (2014). Synthesis of bacterial polysaccharides via the Wzx/Wzy-dependent pathway. *Canadian Journal of Microbiology*, *60*(11), 697–716. <https://doi.org/10.1139/cjm-2014-0595>
- Jaishankar, J., & Srivastava, P. (2017). Molecular basis of stationary phase survival and applications. *Frontiers in Microbiology*, *8*(OCT). <https://doi.org/10.3389/fmicb.2017.02000>
- Jaroszuk-Ściseł, J., Nowak, A., & Komaniecka, I. (2020). Differences in Production, Composition, and Antioxidant Activities of Exopolymeric Substances (EPS) Obtained from Cultures of Endophytic *Fusarium culmorum* Strains with Different Effects on Cereals. *Molecules*. <https://doi.org/10.3390/molecules25030616>
- Jenny Angel, S., Vidyadharani, G., Santhosh, S., & Dhandapani, R. (2018). Optimization and Characterisation of Thermo Stable Exopolysaccharide Produced from *Bacillus licheniformis* WSF-1 Strain. *Journal of Polymers and the Environment*, *26*(9), 3824–3833. <https://doi.org/10.1007/s10924-018-1261-0>
- Jeong, S. H., Kim, J., & Min, H. (2018). In vitro anti-inflammatory activity of the *Artemisia Montana* leaf ethanol extract in macrophage RAW 264.7 cells. *Food and Agricultural Immunology*, *29*(1), 688–698. <https://doi.org/10.1080/09540105.2018.1439454>
- Jurášková, D., Ribeiro, S. C., & Silva, C. C. G. (2022). Exopolysaccharides Produced by Lactic Acid Bacteria: From Biosynthesis to Health-Promoting Properties. *Foods*, *11*(2). <https://doi.org/10.3390/foods11020156>
- Kanamarlapudi, S. L. R. K., & Muddada, S. (2017). Characterization of Exopolysaccharide Produced by *Streptococcus thermophilus* CC30. *BioMed Research International*, 2017. <https://doi.org/10.1155/2017/4201809>
- Kashfi, K., Kannikal, J., & Nath, N. (2021). Macrophage reprogramming and cancer therapeutics: Role of inos-derived no. *Cells*, *10*(11). <https://doi.org/10.3390/cells10113194>
- Kavita, K., Singh, V. K., Mishra, A., & Jha, B. (2014). Characterisation and anti-biofilm activity of extracellular polymeric substances from *Oceanobacillus iheyensis*. *Carbohydrate Polymers*, *101*(1), 29–35. <https://doi.org/10.1016/j.carbpol.2013.08.099>
- Kawai, T., & Akira, S. (2007). Signaling to NF-κB by Toll-like receptors. *Trends in Molecular Medicine*, *13*(11), 460–469. <https://doi.org/10.1016/j.molmed.2007.09.002>
- Krishnamurthi, V. R., Niyonshuti, I. I., Chen, J., & Wang, Y. (2021). A new

analysis method for evaluating bacterial growth with microplate readers. *PLoS ONE*, 16(1 January). <https://doi.org/10.1371/journal.pone.0245205>

- Kröncke, K. D., Fehsel, K., Suschek, C., & Kolb-Bachofen, V. (2001). Inducible nitric oxide synthase-derived nitric oxide in gene regulation, cell death and cell survival. *International Immunopharmacology*, 1(8), 1407–1420. [https://doi.org/10.1016/S1567-5769\(01\)00087-X](https://doi.org/10.1016/S1567-5769(01)00087-X)
- Leroy, F., & De Vuyst, L. (2016). Advances in production and simplified methods for recovery and quantification of exopolysaccharides for applications in food and health. *Journal of Dairy Science*, 99(4), 3229–3238. <https://doi.org/10.3168/jds.2015-9936>
- Linares, D. M., Gómez, C., Renes, E., Fresno, J. M., Tornadijo, M. E., Ross, R. P., & Stanton, C. (2017). Lactic Acid Bacteria and Bifidobacteria with Potential to Design Natural Biofunctional Health-Promoting Dairy Foods. *Frontiers in Microbiology*, 8(MAY). <https://doi.org/10.3389/fmicb.2017.00846>
- Liu, C. F., Tseng, K. C., Chiang, S. S., Lee, B. H., Hsu, W. H., & Pan, T. M. (2011). Immunomodulatory and antioxidant potential of *Lactobacillus* exopolysaccharides. *Journal of the Science of Food and Agriculture*, 91(12), 2284–2291. <https://doi.org/10.1002/jsfa.4456>
- Liu, L., Li, H., Xu, R. H., & Li, P. L. (2017). Exopolysaccharides from *Bifidobacterium animalis* RH activates RAW 264.7 macrophages through toll-like receptor 4. *Food and Agricultural Immunology*, 28(1), 149–161. <https://doi.org/10.1080/09540105.2016.1230599>
- Liu, L., Xu, J., Na, R., Du, R., Ping, W., Ge, J., & Zhao, D. (2022). Purification, characterization and partial biological activities of exopolysaccharide produced by *Saccharomyces cerevisiae* Y3. *International Journal of Biological Macromolecules*, 206, 777–787. <https://doi.org/10.1016/j.ijbiomac.2022.03.083>
- Liu, T., Zhang, L., Joo, D., & Sun, S. C. (2017). NF-κB signaling in inflammation. *Signal Transduction and Targeted Therapy*, 2. <https://doi.org/10.1038/sigtrans.2017.23>
- Liu, X., Ren, Z., Yu, R., Chen, S., Zhang, J., Xu, Y., Meng, Z., Luo, Y., Zhang, W., Huang, Y., & Qin, T. (2021). Structural characterization of enzymatic modification of *Herichium erinaceus* polysaccharide and its immune-enhancement activity. *International Journal of Biological Macromolecules*, 166, 1396–1408. <https://doi.org/10.1016/j.ijbiomac.2020.11.019>
- López-García, J., Lehocký, M., Humpolíček, P., & Sába, P. (2014). HaCaT Keratinocytes Response on Antimicrobial Atelocollagen Substrates: Extent of Cytotoxicity, Cell Viability and Proliferation. *Journal of Functional Biomaterials*, 5(2), 43–57. <https://doi.org/10.3390/jfb5020043>
- Lv, H., Teng, Q., Chen, J., Peng, L., Ren, Z., Ma, L., Yang, W., Yu, B., Wu, Z., & Wan, C. (2024). Probiotic potential of a novel exopolysaccharide produced by *Bifidobacterium animalis* subsp. *Lactis* SF. *Lwt*, 193.

<https://doi.org/10.1016/j.lwt.2024.115764>

- Lynch, K. M., Coffey, A., & Arendt, E. K. (2018). Exopolysaccharide producing lactic acid bacteria: Their techno-functional role and potential application in gluten-free bread products. *Food Research International*, *110*, 52–61. <https://doi.org/10.1016/j.foodres.2017.03.012>
- Maajid, H. S., Nurliyani, N., & Widodo, W. (2022). Exopolysaccharide production in fermented milk using *Lactobacillus casei* strains AP and AG. *AIMS Microbiology*, *8*(2), 138–152. <https://doi.org/10.3934/microbiol.2022012>
- MacMicking, J., Xie, Q. W., & Nathan, C. (1997). Nitric oxide and macrophage function. *Annual Review of Immunology*, *15*, 323–350. <https://doi.org/10.1146/annurev.immunol.15.1.323>
- Mandal, S. K., Singh, R. P., & Patel, V. (2011). Isolation and Characterization of Exopolysaccharide Secreted by a Toxic Dinoflagellate, *Amphidinium carterae* Hulburt 1957 and Its Probable Role in Harmful Algal Blooms (HABs). *Microbial Ecology*, *62*(3), 518–527. <https://doi.org/10.1007/s00248-011-9852-5>
- Monmai, C., Go, S. H., Shin, I. S., You, S. G., Lee, H., Kang, S. B., & Park, W. J. (2018). Immune-enhancement and anti-inflammatory activities of fatty acids extracted from *halocynthia aurantium* tunic in RAW264.7 cells. *Marine Drugs*, *16*(9). <https://doi.org/10.3390/md16090309>
- Morrison, D. K. (2012). MAP kinase pathways. *Cold Spring Harbor Perspectives in Biology*, *4*(11). <https://doi.org/10.1101/cshperspect.a011254>
- Mosser, D. M., & Edwards, J. P. (2008). Exploring the full spectrum of macrophage activation. *Nature Reviews Immunology*, *8*(12), 958–969. <https://doi.org/10.1038/nri2448>
- Nadzir, M. M., Nurhayati, R. W., Idris, F. N., & Nguyen, M. H. (2021). Biomedical applications of bacterial exopolysaccharides: A review. *Polymers*, *13*(4), 1–25. <https://doi.org/10.3390/polym13040530>
- Nanakoudis, A. (2019). *EDX Analysis with SEM: How Does it Work?* Adv Mater. <https://www.thermofisher.com/blog/materials/edx-analysis-with-sem-how-does-it-work/>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, *4*(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Nemes, Z., Dietz, R., Lüth, J. B., Gomba, S., Hackenthal, E., & Gross, F. (1979). The pharmacological relevance of vital staining with neutral red. *Experientia*, *35*(11), 1475–1476. <https://doi.org/10.1007/BF01962793>
- Netrusov, A. I., Liyaskina, E. V., Kurgaeva, I. V., Liyaskina, A. U., Yang, G., & Revin, V. V. (2023). Exopolysaccharides Producing Bacteria: A Review. *Microorganisms*, *11*(6). <https://doi.org/10.3390/microorganisms11061541>
- Nguyen, P. T., Nguyen, T. T., Bui, D. C., Hong, P. T., Hoang, Q. K., & Nguyen, H.

- T. (2020). Exopolysaccharide production by lactic acid bacteria: The manipulation of environmental stresses for industrial applications. *AIMS Microbiology*, 6(4), 451–469. <https://doi.org/10.3934/MICROBIOL.2020027>
- Nielsen, S. S. (2019). *Correction to: Food Analysis Laboratory Manual*. C1–C2. https://doi.org/10.1007/978-3-319-44127-6_32
- Ordax, M., Marco-Noales, E., López, M. M., & Biosca, E. G. (2010). Exopolysaccharides favor the survival of *Erwinia amylovora* under copper stress through different strategies. *Research in Microbiology*, 161(7), 549–555. <https://doi.org/10.1016/j.resmic.2010.05.003>
- Ortega-Morales, B. O., López-Cortés, A., Hernández-Duque, G., Crassous, P., & Guezennec, J. (2001). Extracellular polymers of microbial communities colonizing ancient limestone monuments. *Methods in Enzymology*, 336, 331–339. [https://doi.org/10.1016/S0076-6879\(01\)36599-0](https://doi.org/10.1016/S0076-6879(01)36599-0)
- Padmanabhan, A., Tong, Y., Wu, Q., Lo, C., & Shah, N. P. (2020). Proteomic analysis reveals potential factors associated with enhanced EPS production in *Streptococcus thermophilus* ASCC 1275. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-57665-9>
- Padmanabhan, A., Tong, Y., Wu, Q., Zhang, J., & Shah, N. P. (2018). Transcriptomic insights into the growth phase- and sugar-associated changes in the exopolysaccharide production of a high EPS-producing *Streptococcus thermophilus* ASCC 1275. *Frontiers in Microbiology*, 9(JUL). <https://doi.org/10.3389/fmicb.2018.01919>
- Palmieri, E. M., McGinity, C., Wink, D. A., & McVicar, D. W. (2020). Nitric oxide in macrophage immunometabolism: Hiding in plain sight. *Metabolites*, 10(11), 1–34. <https://doi.org/10.3390/metabo10110429>
- Prete, R., Alam, M. K., Perpetuini, G., Perla, C., Pittia, P., & Corsetti, A. (2021). Lactic acid bacteria exopolysaccharides producers: A sustainable tool for functional foods. *Foods*, 10(7). <https://doi.org/10.3390/foods10071653>
- Rahbar Saadat, Y., Yari Khosroushahi, A., & Pourghassem Gargari, B. (2019). A comprehensive review of anticancer, immunomodulatory and health beneficial effects of the lactic acid bacteria exopolysaccharides. *Carbohydrate Polymers*, 217, 79–89. <https://doi.org/10.1016/j.carbpol.2019.04.025>
- Rajoka, M. S. R., Mehwish, H. M., Kitazawa, H., Barba, F. J., Berthelot, L., Umair, M., Zhu, Q., He, Z., & Zhao, L. (2022). Techno-functional properties and immunomodulatory potential of exopolysaccharide from *Lactiplantibacillus plantarum* MM89 isolated from human breast milk. *Food Chemistry*, 377. <https://doi.org/10.1016/j.foodchem.2021.131954>
- Reddy, C. (2007). Methods for General and Molecular Microbiology. In *Methods for General and Molecular Microbiology* (3rd editio). ASM Press. <https://doi.org/10.1128/9781555817497>
- Ren, D., Lin, D., Alim, A., Zheng, Q., & Yang, X. (2017). Chemical characterization of a novel polysaccharide ASKP-1 from *Artemisia*

sphaerocephala Krasch seed and its macrophage activation via MAPK, PI3k/Akt and NF- κ B signaling pathways in RAW264.7 cells. *Food and Function*, 8(3), 1299–1312. <https://doi.org/10.1039/c6fo01699e>

Riaz Rajoka, M. S., Mehwish, H. M., Zhang, H., Ashraf, M., Fang, H., Zeng, X., Wu, Y., Khurshid, M., Zhao, L., & He, Z. (2020). Antibacterial and antioxidant activity of exopolysaccharide mediated silver nanoparticle synthesized by *Lactobacillus brevis* isolated from Chinese koumiss. *Colloids and Surfaces B: Biointerfaces*, 186. <https://doi.org/10.1016/j.colsurfb.2019.110734>

Ruas-Madiedo, P., & De Los Reyes-Gavilán, C. G. (2005). Invited review: Methods for the screening, isolation, and characterization of exopolysaccharides produced by lactic acid bacteria. *Journal of Dairy Science*, 88(3), 843–856. [https://doi.org/10.3168/jds.S0022-0302\(05\)72750-8](https://doi.org/10.3168/jds.S0022-0302(05)72750-8)

Sadishkumar, V., & Jeevaratnam, K. (2017). In vitro probiotic evaluation of potential antioxidant lactic acid bacteria isolated from idli batter fermented with Piper betle leaves. *International Journal of Food Science and Technology*, 52(2), 329–340. <https://doi.org/10.1111/ijfs.13284>

Salimi, F., & Farrokh, P. (2023). Recent advances in the biological activities of microbial exopolysaccharides. *World Journal of Microbiology and Biotechnology*, 39(8). <https://doi.org/10.1007/s11274-023-03660-x>

Sardari, R. R. R., Kulcinskaja, E., Ron, E. Y. C., Björnsdóttir, S., Friðjónsson, Ó. H., Hreggviðsson, G. Ó., & Karlsson, E. N. (2017). Evaluation of the production of exopolysaccharides by two strains of the thermophilic bacterium *Rhodothermus marinus*. *Carbohydrate Polymers*, 156, 1–8. <https://doi.org/10.1016/j.carbpol.2016.08.062>

Savijoki, K., Ingmer, H., & Varmanen, P. (2006). Proteolytic systems of lactic acid bacteria. *Applied Microbiology and Biotechnology*, 71(4), 394–406. <https://doi.org/10.1007/s00253-006-0427-1>

Schmid, J., Sieber, V., & Rehm, B. (2015). Bacterial exopolysaccharides: Biosynthesis pathways and engineering strategies. *Frontiers in Microbiology*, 6(MAY). <https://doi.org/10.3389/fmicb.2015.00496>

Seyedsayamdost, M. R. (2019). Toward a global picture of bacterial secondary metabolism. *Journal of Industrial Microbiology and Biotechnology*, 46(3–4), 301–311. <https://doi.org/10.1007/s10295-019-02136-y>

Singh, H., & Singh, H. (2014). “Probiotics – An Emerging Concept.” *International Journal of Scientific and Research Publications*, 4(6), 4–6.

Sirin, S., & Aslim, B. (2020). Characterization of lactic acid bacteria derived exopolysaccharides for use as a defined neuroprotective agent against amyloid beta1–42-induced apoptosis in SH-SY5Y cells. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-65147-1>

Sørensen, H. M., Rochfort, K. D., Maye, S., MacLeod, G., Brabazon, D., Loscher, C., & Freeland, B. (2022). Exopolysaccharides of Lactic Acid Bacteria:

Production, Purification and Health Benefits towards Functional Food. *Nutrients*, 14(14). <https://doi.org/10.3390/nu14142938>

- Stockert, J. C., Horobin, R. W., Colombo, L. L., & Blázquez-Castro, A. (2018). Tetrazolium salts and formazan products in Cell Biology: Viability assessment, fluorescence imaging, and labeling perspectives. *Acta Histochemica*, 120(3), 159–167. <https://doi.org/10.1016/j.acthis.2018.02.005>
- Sun, X., & Zhang, J. (2021). Bacterial exopolysaccharides: Chemical structures, gene clusters and genetic engineering. *International Journal of Biological Macromolecules*, 173, 481–490. <https://doi.org/10.1016/j.ijbiomac.2021.01.139>
- Surayot, U., Wang, J. G., Lee, J. H., Kanongnuch, C., Peerapornpisal, Y., & You, S. G. (2015). Characterization and immunomodulatory activities of polysaccharides from *Spirogyra neglecta* (Hassall) Kützing. *Bioscience, Biotechnology and Biochemistry*, 79(10), 1644–1653. <https://doi.org/10.1080/09168451.2015.1043119>
- Taciak, B., Białasek, M., Braniewska, A., Sas, Z., Sawicka, P., Kiraga, Ł., Rygiel, T., & Król, M. (2018). Evaluation of phenotypic and functional stability of RAW 264.7 cell line through serial passages. *PLoS ONE*, 13(6). <https://doi.org/10.1371/journal.pone.0198943>
- Tian, J., Wang, X., Zhang, X., Zhang, C., Chen, X., Dong, M., Rui, X., Zhang, Q., Fang, Y., & Li, W. (2021). Isolation, structural characterization and neuroprotective activity of exopolysaccharide from *Paecilomyces cicada* TJJ1213. *International Journal of Biological Macromolecules*, 183, 1034–1046. <https://doi.org/10.1016/j.ijbiomac.2021.05.047>
- Torino, M. I., de Valdez, G. F., & Mozzi, F. (2015). Biopolymers from lactic acid bacteria. Novel applications in foods and beverages. *Frontiers in Microbiology*, 6(JUL). <https://doi.org/10.3389/fmicb.2015.00834>
- Van Geel-Schutten, G. H., Flesch, F., Ten Brink, B., Smith, M. R., & Dijkhuizen, L. (1998). Screening and characterization of *Lactobacillus* strains producing large amounts of exopolysaccharides. *Applied Microbiology and Biotechnology*, 50(6), 697–703. <https://doi.org/10.1007/s002530051353>
- Vijayalakshmi, S., Kim, J. R., Chelliah, R., Barathikannan, K., Hirad, A. H., & Oh, D. H. (2024). Structural Characterization and Immunomodulatory Activity of an Exopolysaccharide Produced by Probiotic *Leuconostoc mesenteroides* 201607 Isolated from Fermented Food. *Applied Microbiology*, 4(1), 329–340. <https://doi.org/10.3390/applmicrobiol4010022>
- Vinothini, G., Latha, S., Arulmozhi, M., & Dhanasekaran, D. (2019). Statistical optimization, physio-chemical and bio-functional attributes of a novel exopolysaccharide from probiotic *Streptomyces griseorubens* GD5. *International Journal of Biological Macromolecules*, 134, 575–587. <https://doi.org/10.1016/j.ijbiomac.2019.05.011>
- Wang, X., Tian, J., Zhang, X., Tang, N., Rui, X., Zhang, Q., Dong, M., & Li, W.

- (2022). Characterization and Immunological Activity of Exopolysaccharide from Lacticaseibacillus paracasei GL1 Isolated from Tibetan Kefir Grains. *Foods*, 11(21), 3330. <https://doi.org/10.3390/foods11213330>
- Wang, Y., Su, L., Morin, M. D., Jones, B. T., Whitby, L. R., Surakattula, M. M. R. P., Huang, H., Shi, H., Choi, J. H., Wang, K. W., Moresco, E. M. Y., Berger, M., Zhan, X., Zhang, H., Boger, D. L., & Beutler, B. (2016). TLR4/MD-2 activation by a synthetic agonist with no similarity to LPS. *Proceedings of the National Academy of Sciences of the United States of America*, 113(7), E884–E893. <https://doi.org/10.1073/pnas.1525639113>
- Wang, Y., Wu, J., Lv, M., Shao, Z., Hungwe, M., Wang, J., Bai, X., Xie, J., Wang, Y., & Geng, W. (2021). Metabolism Characteristics of Lactic Acid Bacteria and the Expanding Applications in Food Industry. *Frontiers in Bioengineering and Biotechnology*, 9. <https://doi.org/10.3389/fbioe.2021.612285>
- Werning, M. L., Hernández-Alcántara, A. M., Ruiz, M. J., Soto, L. P., Dueñas, M. T., López, P., & Frizzo, L. S. (2022). Biological Functions of Exopolysaccharides from Lactic Acid Bacteria and Their Potential Benefits for Humans and Farmed Animals. *Foods*, 11(9). <https://doi.org/10.3390/foods11091284>
- Widodo, W., Anindita, N. S., Taufiq, T. T., & Wahyuningsih, T. D. (2014). Evaluation of Two Lactobacillus Strains as Probiotics with Emphasis in Utilizing Prebiotic Inulin as Energy Source. *International Research Journal of Microbiology*, 5(3), 33–40.
- Widodo, W., Anindita, N. S., Tono, T., & Dwi, T. (2012). Identification of Pediococcus Strains Isolated from Feces of Indonesian Infants With in vitro Capability to Consume Prebiotic Inulin and to Adhere on Mucus. *Indonesian Journal of Biotechnology*, 17(2), 132–143.
- Widodo, W., Handaka, R., Wahyuni, E., & Taufiq, T. T. (2017). The quality of fermented milk produced using intestinal-origin lactic acid bacteria as starters. *International Food Research Journal*, 24(6), 2371–2376.
- Widodo, W., Taufiq, T. T., Aryati, E., Kurniawati, A., & Asmara, W. (2012). Human origin Lactobacillus casei isolated from Indonesian infants demonstrating potential characteristics as probiotics in vitro. *Indonesian Journal of Biotechnology*, 17(1), 79–89. <https://doi.org/10.22146/ijbiotech.7852>
- Winckler, J. (1974). Vital staining of lysosomes and other cell organelles of the rat with neutral red. *Progress in Histochemistry and Cytochemistry*, 6(3), 1–91. <http://www.ncbi.nlm.nih.gov/pubmed/4142096>
- Wuyts, S., Wittouck, S., De Boeck, I., Allonsius, C. N., Pasolli, E., Segata, N., & Lebeer, S. (2017). Large-Scale Phylogenomics of the Lactobacillus casei Group Highlights Taxonomic Inconsistencies and Reveals Novel Clade-Associated Features. *MSystems*, 2(4). <https://doi.org/10.1128/msystems.00061-17>

- Xiao, L., Li, Y., Tian, J., Zhou, J., Xu, Q., Feng, L., Rui, X., Fan, X., Zhang, Q., Chen, X., Dong, M., & Li, W. (2020). Influences of drying methods on the structural, physicochemical and antioxidant properties of exopolysaccharide from *Lactobacillus helveticus* MB2-1. *International Journal of Biological Macromolecules*, *157*, 220–231. <https://doi.org/10.1016/j.ijbiomac.2020.04.196>
- Xiao, L., Xu, D., Tang, N., Rui, X., Zhang, Q., Chen, X., Dong, M., & Li, W. (2021). Biosynthesis of exopolysaccharide and structural characterization by *Lacticaseibacillus paracasei* ZY-1 isolated from Tibetan kefir. *Food Chemistry: Molecular Sciences*, *3*. <https://doi.org/10.1016/j.fochms.2021.100054>
- Xiu, L., Zhang, H., Hu, Z., Liang, Y., Guo, S., Yang, M., Du, R., & Wang, X. (2018). Immunostimulatory activity of exopolysaccharides from probiotic *Lactobacillus casei* WXD030 strain as a novel adjuvant in vitro and in vivo. *Food and Agricultural Immunology*, *29*(1), 1086–1105. <https://doi.org/10.1080/09540105.2018.1513994>
- Xu, Y., Cui, Y., Wang, X., Yue, F., Shan, Y., Liu, B., Zhou, Y., Yi, Y., & Lü, X. (2019). Purification, characterization and bioactivity of exopolysaccharides produced by *Lactobacillus plantarum* KX041. *International Journal of Biological Macromolecules*, *128*, 480–492. <https://doi.org/10.1016/j.ijbiomac.2019.01.117>
- Xu, Y., Cui, Y., Yue, F., Liu, L., Shan, Y., Liu, B., Zhou, Y., & Lü, X. (2019). Exopolysaccharides produced by lactic acid bacteria and Bifidobacteria: Structures, physicochemical functions and applications in the food industry. *Food Hydrocolloids*, *94*, 475–499. <https://doi.org/10.1016/j.foodhyd.2019.03.032>
- Yahoum, M. M., Toumi, S., Hentabli, S., Tahraoui, H., Lefnaoui, S., Hadjsadok, A., Amrane, A., Kebir, M., Moula, N., Assadi, A. A., Zhang, J., & Mouni, L. (2023). Experimental Analysis and Neural Network Modeling of the Rheological Behavior of Xanthan Gum and Its Derivatives. *Materials*, *16*(7). <https://doi.org/10.3390/ma16072565>
- Yang, S., Xu, X., Peng, Q., Ma, L., Qiao, Y., & Shi, B. (2023). Exopolysaccharides from lactic acid bacteria, as an alternative to antibiotics, on regulation of intestinal health and the immune system. *Animal Nutrition*, *13*, 78–89. <https://doi.org/10.1016/j.aninu.2023.02.004>
- Zannini, E., Waters, D. M., Coffey, A., & Arendt, E. K. (2016). Production, properties, and industrial food application of lactic acid bacteria-derived exopolysaccharides. *Applied Microbiology and Biotechnology*, *100*(3), 1121–1135. <https://doi.org/10.1007/s00253-015-7172-2>
- Zeidan, A. A., Poulsen, V. K., Janzen, T., Buldo, P., Derkx, P. M. F., Øregaard, G., & Neves, A. R. (2017). Polysaccharide production by lactic acid bacteria: from genes to industrial applications. *FEMS Microbiology Reviews*, *41*. <https://doi.org/10.1093/FEMSRE/FUX017>

- Zhang, W., & Liu, H. T. (2002). MAPK signal pathways in the regulation of cell proliferation in mammalian cells. *Cell Research*, 12(1), 9–18. <https://doi.org/10.1038/sj.cr.7290105>
- Zheng, D., Zou, Y., Cobbina, S. J., Wang, W., Li, Q., Chen, Y., Feng, W., Zou, Y., Zhao, T., Zhang, M., Yang, L., & Wu, X. (2017). Purification, characterization and immunoregulatory activity of a polysaccharide isolated from *Hibiscus sabdariffa* L. *Journal of the Science of Food and Agriculture*, 97(5), 1599–1606. <https://doi.org/10.1002/jsfa.7908>
- Zheng, J., Wittouck, S., Salvetti, E., Franz, C. M. A. P., Harris, H. M. B., Mattarelli, P., O'toole, P. W., Pot, B., Vandamme, P., Walter, J., Watanabe, K., Wuyts, S., Felis, G. E., Gänzle, M. G., & Lebeer, S. (2020). A taxonomic note on the genus *Lactobacillus*: Description of 23 novel genera, emended description of the genus *Lactobacillus* beijerinck 1901, and union of *Lactobacillaceae* and *Leuconostocaceae*. *International Journal of Systematic and Evolutionary Microbiology*, 70(4), 2782–2858. <https://doi.org/10.1099/ijsem.0.004107>
- Zhou, Y., Cui, Y., & Qu, X. (2019). Exopolysaccharides of lactic acid bacteria: Structure, bioactivity and associations: A review. *Carbohydrate Polymers*, 207, 317–332. <https://doi.org/10.1016/j.carbpol.2018.11.093>
- Ziadi, M., Bouzaiene, T., M'Hir, S., Zaafouri, K., Mokhtar, F., Hamdi, M., & Boisset-Helbert, C. (2018). Evaluation of the efficiency of ethanol precipitation and ultrafiltration on the purification and characteristics of exopolysaccharides produced by three lactic acid bacteria. *BioMed Research International*, 2018. <https://doi.org/10.1155/2018/1896240>