

TABLE OF CONTENTS

AGREEMENT PAGE.....	ii
FOREWORD	iii
TABLE OF CONTENTS.....	vi
LIST OF FIGURES	viii
LIST OF TABLES	ix
ABSTRACT.....	x
INTISARI.....	xi
CHAPTER I.....	1
1.1 Background	1
1.2 Problem Formulation.....	3
1.3 Problem Limitation.....	3
1.4 Research Objectives	4
1.5 Benefits of Research.....	4
1.6 Research Methodology	4
CHAPTER II LITERATURE REVIEW	6
CHAPTER III THEORY FOUNDATION.....	10
3.1 Traffic Engineering Concept	10
3.2 Adaptive Traffic Light System Architecture.....	15
3.3 Multi-Induction Loop Sensors.....	18
3.4 Traffic Light Signal Control.....	20
3.5 Simulation of Urban Mobility (SUMO).....	21
3.6 Traffic Density Measurement.....	22
3.7 System Performance Index.....	23
CHAPTER IV RESEARCH METHOD	24
4.1 Research Stages	24
4.2 Tools and Materials	24
4.3 Problem Analysis	25
4.4 Data Acquisition.....	26
4.5 System Model Planning.....	26
4.6 System Test Design	27
4.7 Traffic Light Design.....	28
4.8 Induction Loop Detector Design	29
4.9 Road Intersection Layout Design	30
CHAPTER V IMPLEMENTATION	31
5.1 Environment	31
5.2 Traffic Demand	33
5.3 Vehicle Route	34
5.4 Traffic Light Cycle.....	38
5.5 Induction Loop Sensor Implementation	39
5.6 System Testing	41
5.7 Actuated Traffic Light.....	42
CHAPTER VI RESULTS AND DISCUSSION.....	44
6.1 Test Results	44
6.2 Static Traffic Light Low Demand Simulation.....	45
6.3 Actuated Traffic Light Low Demand Simulation	48
6.4 Static Traffic Light Medium Demand Simulation	50
6.5 Actuated Traffic Light Medium Demand Simulation	53



6.6	Static Traffic Light High Demand Simulation.....	55
6.7	Actuated Traffic Light High Demand Simulation.....	59
6.8	Results Discussion.....	62
CHAPTER VII CONCLUSION AND SUGGESTION		68
7.1	Conclusion.....	68
7.2	Suggestion	69
REFERENCES.....		70
APPENDIX		72

LIST OF FIGURES

Figure 3.1 Urban Road Traffic Flow (Slinn et al., 2005)	11
Figure 3.2 Automatic Traffic Counter (Slinn et al., 2005)	12
Figure 3.3 Road Traffic Signs (Slinn et al., 2005)	14
Figure 3.4 Protocol Architecture (Zanella et al., 2014).....	15
Figure 3.5 City System Architecture	17
Figure 3.6 Multiple-inductive loop sensor (a) Loops in series, (b) Multiple-loop on a road and (c) Loop design (Ali et al., 2013).	18
Figure 3.7 Multi-inductive loop electrical circuit (Ali et al., 2013).	19
Figure 3.8 Signal output for different vehicles (Ali et al., 2013).	20
Figure 4.1 Process of Research	24
Figure 4.2 Vehicle Travel Time Example (Song & Min, 2018).	26
Figure 4.3 Vehicle Speed with Kalman Filter Example (Dian Khumara et al., 2018).	27
Figure 4.4 System Design Process.	27
Figure 4.5 System Design Layout	28
Figure 4.6 Traffic Light Design	29
Figure 4.7 Induction Loop Detector Design.....	29
Figure 4.8 Ring Road Kaliurang Street Intersection Design.....	30
Figure 5.1 Ring Road Kaliurang Street Intersection	31
Figure 5.2 OSMWebWizard Script Overview	32
Figure 5.3 Map Area Selected for Simulation.....	32
Figure 5.4 OSMWebWizard Vehicle Generation Options.....	33
Figure 5.5 Traffic Demand for Low (left), Medium (middle), and High Density (right).....	34
Figure 5.6 OSM Vehicle Route Files	35
Figure 5.7 Python Code to Generate Random Trips	35
Figure 5.8 Main Function for Random Trip Generator.....	36
Figure 5.9 Main Function for Random Trip Generator (Continued)	37
Figure 5.10 Passenger Car Trips File	37
Figure 5.11 Static Traffic Light Cycle	38
Figure 5.12 Actuated Traffic Light Cycle	39
Figure 5.13 Traffic Light Phase Program.....	39
Figure 5.14 Implementation of Induction Loop Detector E1 for Junction.....	40
Figure 5.15 Assigning E1 Detectors.....	40
Figure 5.16 Traffic Light E1 Induction Loop Detectors Labeled	41
Figure 5.17 Running SUMO Simulation.....	42
Figure 6.1 Static Traffic Light Low Demand Occupancy Graph.....	47
Figure 6.2 Actuated Traffic Light Low Demand Occupancy Graph.....	49
Figure 6.3 Static Traffic Light Medium Demand Occupancy Graph.....	52
Figure 6.4 Actuated Traffic Light Medium Demand Occupancy Graph	54
Figure 6.5 Static Traffic Light High Demand Occupancy Graph	57
Figure 6.6 Simplified Static Traffic Light High Demand Occupancy Graph	58
Figure 6.7 Actuated Traffic Light High Demand Occupancy Graph.....	60
Figure 6.8 Simplified Actuated Traffic Light High Demand Occupancy Graph	62
Figure 6.9 Comparison of Static and Actuated Traffic Light at Low Demand.....	63
Figure 6.10 Comparison of Static and Actuated Traffic Light at Medium Demand..	64
Figure 6.11 Comparison of Static and Actuated Traffic Light at High Demand	65

LIST OF TABLES

Table 2.1 Summary of previous studies	8
Table 2.2 Summary of previous studies (continued).....	9
Table 3.1 Change in road traffic in the UK (Slinn et al., 2005).	10
Table 3.2 Performance Analysis (Tchuitcheu et al., 2020)	23
Table 4.1 Research Equipment.....	25
Table 4.2 Laptop Specification	25
Table 4.3 Data Acquired	25
Table 4.4 Design of Results Analysis	28
Table 6.1 Induction Loop Detector E1 Data Types.....	44
Table 6.2 Static Traffic Light Low Demand Vehicle Count.....	45
Table 6.3 Static Traffic Light Low Demand Detectors Occupancy Average	46
Table 6.4 Actuated Traffic Light Low Demand Detectors Occupancy Average	48
Table 6.5 Static Traffic Light Low Demand Vehicle Count.....	50
Table 6.6 Static Traffic Light Medium Demand Detectors Occupancy Average	50
Table 6.7 Static Traffic Light Medium Demand Detectors Occupancy Average (continued).....	51
Table 6.8 Actuated Traffic Light Medium Demand Detectors Occupancy Average.....	53
Table 6.9 Static Traffic Light High Demand Vehicle Count	56
Table 6.10 Static Traffic Light High Demand Detectors Occupancy Average.....	56
Table 6.11 Actuated Traffic Light High Demand Detectors Occupancy Average	59
Table 6.10.1 Static Traffic Light High Demand Detectors Occupancy Average.....	72
Table 6.10.2 Static Traffic Light High Demand Detectors Occupancy Average (continued).....	73
Table 6.11.1 Actuated Traffic Light High Demand Detectors Occupancy	74
Table 6.11.2 Actuated Traffic Light High Demand Detectors Occupancy (continued)	75