

DAFTAR PUSTAKA

- Abdelhamid, R. F., & Nagano, S. (2023). Crosstalk between oxidative stress and aging in neurodegeneration disorders. *Cells*, 12(5), 753.
- Allis, C. D., & Jenuwein, T. (2020). The molecular hallmarks of epigenetic control. *Nature Reviews Genetics*, 21(8), 488-508.
- Abubakar A., Ishak M.Y., Makmom A.A. (2021) Impacts of and adaptation to climate change on the oil palm in Malaysia : a systematic review. *Environ. Sci. Pollut. Res.* 28:1–23
- Abubakar, A., Ishak, M. Y., Bakar, A. A., & Uddin, M. K. (2022). *Ganoderma boninense* basal stem rot induced by climate change and its effect on oil palm. *Environmental Sustainability*, 5(3), 289-303.
- Ahmed, M., & Kim, D. R. (2018). pcr: an R package for quality assessment, analysis and testing of qPCR data. *PeerJ*, 6, e4473. 2019, 62, 349–356
- Arcuschin, C. D., Pinkasz, M., & Schor, I. E. (2023). Mechanisms of robustness in gene regulatory networks involved in neural development. *Frontiers in Molecular Neuroscience*, 16, 1114015.
- Awad, M. F., Albogami, B., Mwabvu, T., Hassan, M. M., Baazeem, A., Hassan, M. M., & Elsharkawy, M. M. (2023). Identification and biodiversity patterns of *Aspergillus* species isolated from some soil invertebrates at high altitude using morphological characteristics and phylogenetic analyses. *PeerJ*, 11, e15035. <https://doi.org/10.7717/peerj.15035>
- Argyle, D. J. (1995). The cloning, sequencing, expression and demonstration of biological activity of feline recombinant interferon- γ . University of Glasgow (United Kingdom)
- Bensoussan, N., Milojevic, M., Bruinsma, K., Dixit, S., Pham, S., Singh, V., Zhurov, V., Grbić, M. (2022). Localized efficacy of environmental RNAi in *Tetranychus urticae*. *Scientific Reports*, 12(1), 14791.
- Bharathi, J. K., Anandan, R., Benjamin, L. K., Muneer, S., & Prakash, M. A. S. (2022). Recent trends and advances of RNA interference (RNAi) to improve agricultural crops and enhance their resilience to biotic and abiotic stresses. *Plant Physiology and Biochemistry*. Pp 600-618



- Bijalwan A, Singh A, Chaudhary S, Tyagi A, Thakur MP, Thakur TK (2020) Insights of medicinal mushroom (*Ganoderma lucidum*): prospects and potential in India. *Biodivers Int J* 4:202–209
- Cagliari, D., dos Santos, E. A., Dias, N., & Zotti, G. S. (2018). Nontransformative strategies for RNAi in crop protection. *Modulating gene expression-abridging the RNAi and CRISPR-Cas9 technologies*, 2, 1-17.
- Cai, Q., He, B., Kogel, K. H., Jin, H. (2018). Cross-kingdom RNA trafficking and environmental RNAi—nature's blueprint for modern crop protection strategies. *Current Opinion in Microbiology* 46: 58-64.
- De Schutter, K., Taning, C. N. T., Van Daele, L., Van Damme, E. J., Dubruel, P., & Smagghe, G. (2022). RNAi-based biocontrol products: Market status, regulatory aspects, and risk assessment. *Frontiers in Insect Science*, 1.
- Dutta, T. K. (2022). Exogenous RNA Applications to Manage Crop Pests and Pathogens: A Boost to GMO-Free RNAi. *Evaluating the Agricultural Status of Some Unions of Kalapara Upazila, Bangladesh: Preliminary Investigation*, 93.
- Earley, K. W., Pontvianne, F., Wierzbicki, A. T., Blevins, T., Tucker, S., Costa-Nunes, P., ... & Pikaard, C. S. (2010). Mechanisms of HDA6-mediated rRNA gene silencing: suppression of intergenic Pol II transcription and differential effects on maintenance versus siRNA-directed cytosine methylation. *Genes & development*, 24(11), 1119-1132.
- Eisenberg, E., & Levanon, E. Y. (2013). Human housekeeping genes, revisited. *TRENDS in Genetics*, 29(10), 569-574.
- Elgarhi, H. E. M., Abu-Elhebal, H. M., Elewa, N. A. H., & Galal, E. A. (2020). Morphological characteristics of fungi species isolated from dairy products in Fayoum governorate. *Egyptian Journal of Food Science*, 48(1), 173-179.
- Flood, J., Bridge, P. D., & Pilotti, C. A. (2022). Basal stem rot of oil palm revisited. *Annals of Applied Biology*, 181(2), 160-181.
- Hu, D., Chen, Z. Y., Zhang, C., & Ganiger, M. (2019, July). Reduction of *Phakopsora pachyrhizi* infection of soybean through host and spray induced gene silencing. In *2019 IS-MPMI XVIII Congress*. ISMPMI.
- Isenmann, M., Stoddart, M. J., Schmelzeisen, R., Gross, C., Della Bella, E., & Rothweiler, R. M. (2023). Basic Principles of RNA Interference: Nucleic Acid Types and In Vitro Intracellular Delivery Methods. *Micromachines*, 14(7), 1321.

- Jazuli, N. A., Kamu, A., Chong, K. P., Gabda, D., Hassan, A., Abu Seman, I., & Ho, C. M. (2022). A Review of Factors Affecting *Ganoderma* Basal Stem Rot Disease Progress in Oil Palm. *Plants*, 11(19), 2462.
- Jikol, F., Akop, M. Z., Arifin, Y. M., Salim, M. A., & Herawan, S. G. (2022). Biofuel Development in Malaysia: Challenges and Future Prospects of Palm Oil Biofuel. *International Journal of Nanoelectronics & Materials*, 15.
- Koutouleas, A., Collinge, D. B., & Rødbild, A. (2022). Alternative plant protection strategies for tomorrow's coffee. *Plant Pathology*.
- Limaho, H.; Sugiarto; Pramono, R.; Christiawan, R. The Need for Global Green Marketing for the Palm Oil Industry in Indonesia. *Sustainability* 2022, 14, 8621 <https://doi.org/10.3390/su14148621>
- Lucena-Leandro, V. S., Abreu, E. F. A., Vidal, L. A., Torres, C. R., Junqueira, C. I. C. V. F., Dantas, J., & Albuquerque, É. V. S. (2022). Current Scenario of Exogenously Induced RNAi for Lepidopteran Agricultural Pest Control: From dsRNA Design to Topical Application. *International journal of molecular sciences*, 23(24), 15836. <https://doi.org/10.3390/ijms232415836>
- Mafa MI, Aminuzzaman FM, Chowdhury MSM, Tanni JF (2020) Occurrence, diversity and morphology of poroid wood decay by *Ganoderma* spp. from tropical moist deciduous forest region of Bangladesh. *J Agric Nat Resour* 3:160–174
- Martín-Villanueva, S., Fernández-Fernández, J., Rodríguez-Galán, O., Fernández-Boraita, J., Villalobo, E., & de La Cruz, J. (2020). Role of the 40S beak ribosomal protein eS12 in ribosome biogenesis and function in *Saccharomyces cerevisiae*. *RNA biology*, 17(9), 1261–1276. <https://doi.org/10.1080/15476286.2020.1767951>
- Naito, Y., Yoshimura, J., Morishita, S., & Ui-Tei, K. (2009). siDirect 2.0: updated software for designing functional siRNA with reduced seed-dependent off-target effect. *BMC bioinformatics*, 10, 392. <https://doi.org/10.1186/1471-2105-10-392>
- Nurazah Z, Idris AS, Mohd Din A, Manaf MAA, Othman A, Ramli US. 2021. Metabolite fingerprinting of oil palm (*Elaeis guineensis* Jacq.) root for the identification of altered metabolic pathways associated with basal stem rot (BSR) disease. *Physiological and Molecular Plant Pathology* 115(2):101647 DOI 10.1016/j.pmpp.2021.101647
- Othman, F. N., Azizi, N., Mohd-Zim, N. A., Ping, L. Y., & Sulaiman, S. (2022). In silico Genome-Wide Computational Profiling of Non-Coding RNA in Oil Palm *Elaeis guineensis* and its Pathogen *Ganoderma*

boninense. *Malaysian Applied Biology*, 51(5), 271–280.
<https://doi.org/10.55230/mabjournal.v51i5.2343>

- Price, D. R., & Gatehouse, J. A. (2008). RNAi-mediated crop protection against insects. *Trends in biotechnology*, 26(7), 393-400.
- Priwiratama, H., Prasetyo, A., Susanto, A., 2020. Incidence of basal stem rot disease of oil palm in converted planting areas and control treatments. *OP Conf. Series: Earth and Environmental. Science* 468,. <https://doi.org/10.1088/1755-1315/468/1/012036>
- Qiu, L., Chao, W., Zhong, S., & Ren, A. J. (2023). Eukaryotic Ribosomal Protein S5 of the 40S Subunit: Structure and Function. *International journal of molecular sciences*, 24(4), 3386.
<https://doi.org/10.3390/ijms24043386>
- Ray, P., Sahu, D., Aminedi, R., & Chandran, D. (2022). Concepts and considerations for enhancing RNAi efficiency in phytopathogenic fungi for RNAi-based crop protection using nanocarrier-mediated dsRNA delivery systems. *Frontiers in Fungal Biology*, 3. <https://doi.org/10.3389/ffunb.2022.977502>
- Sakai, K., Hassan, M. A., Vairappan, C. S., & Shirai, Y. (2022). Promotion of a green economy with the palm oil industry for biodiversity conservation: A touchstone toward a sustainable bioindustry. *Journal of bioscience and bioengineering*. Pp 414-424
- Sharma, R., Taning, C. N. T., Smaghe, G., & Christiaens, O. (2021). Silencing of Double-Stranded Ribonuclease Improves Oral RNAi Efficacy in Southern Green Stinkbug *Nezara viridula*. *Insects*, 12(2), 115.
<https://doi.org/10.3390/insects12020115>
- Sheu-Gruttadauria, J., & MacRae, I. J. (2017). Structural foundations of RNA silencing by Argonaute. *Journal of molecular biology*, 429(17), 2619-2639.
- Siddiqui Y, Surendran A, Paterson RRM, Ali A, Ahmad K. 2021. Current strategies and perspectives in detection and control of basal stem rot of oil palm. *Saudi Journal of Biological Sciences* 28(5):2840–2849 DOI 10.1016/j.sjbs.2021.02.016.
- Soffan, A., Antony, B., Abdelazim, M., Shukla, P., Witjaksono, W., Aldosari, S. A., & Aldawood, A. S. (2016). Silencing the olfactory co-receptor *RferOrco* reduces the response to pheromones in the red palm weevil, *Rhynchophorus ferrugineus*. *PLoS one*, 11(9), e0162203.
- Sujarit K, Pathom-aree W, Mori M, Dobashi K, Shiomi K, Lumyong S. 2020. *Streptomyces palmae* CMU-AB204T, an antifungal producing-actinomycete, as a potential biocontrol agent to protect palm oil producing trees from basal stem rot disease fungus, *Ganoderma boninense*. *Biological Control* 148:104307 DOI 10.1016/j.biocontrol.2020.104307.



- Susanto, A., Sudharto, P. S., & Purba, R. Y. (2005). Enhancing biological control of basal stem rot disease (*Ganoderma boninense*) in oil palm plantations. *Mycopathologia*, 159(1), 153-157.
- Vomáčková Kykalová, B., Sassù, F., Volf, P., & Telleria, E. L. (2023). RNAi-mediated gene silencing of *Phlebotomus papatasi* defensins favors *Leishmania major* infection. *Frontiers in physiology*, 14, 1182141. <https://doi.org/10.3389/fphys.2023.1182141>
- Wang, H. C., Chan, L. P., Wu, C. C., Chang, S. J., Moi, S. H., Luo, C. W., & Pan, M. R. (2021). Silencing DNA Polymerase β Induces Aneuploidy as a Biomarker of Poor Prognosis in Oral Squamous Cell Cancer. *International journal of molecular sciences*, 22(5), 2402. <https://doi.org/10.3390/ijms22052402>
- Wang, P., Zhou, Y., & Richards, A. M. (2021). Effective tools for RNA-derived therapeutics: siRNA interference or miRNA mimicry. *Theranostics*, 11(18), 8771–8796. <https://doi.org/10.7150/thno.62642>
- Wang, Z. G., Chen, R. Y., Jiang, Y. K., Wang, Z. W., Wang, J. J., & Niu, J. (2023). Investigation of potential non-target effects to a ladybeetle *Propylea japonica* in the scenario of RNAi-based pea aphid control. *Entomologia Generalis*, 43(1).
- Yang, L., Tian, Y., Peng, Y. Y., Niu, J., & Wang, J. J. (2020). Expression Dynamics of Core RNAi Machinery Genes in Pea Aphids Upon Exposure to Artificially Synthesized dsRNA and miRNAs. *Insects*, 11(2), 70. <https://doi.org/10.3390/insects11020070>
- Zhang, H. M., Kuang, S., Xiong, X., Gao, T., Liu, C., & Guo, A. Y. (2015). Transcription factor and microRNA co-regulatory loops: important regulatory motifs in biological processes and diseases. *Briefings in bioinformatics*, 16(1), 45-58.
- Zhang, D., Chen, H. P., Duan, H. F., Gao, L. H., Shao, Y., Chen, K. Y., Wang, Y. L., Lan, F. H., & Hu, X. W. (2016). Aggregation of Ribosomal Protein S6 at Nucleolus Is Cell Cycle-Controlled and Its Function in Pre-rRNA Processing Is Phosphorylation Dependent. *Journal of cellular biochemistry*, 117(7), 1649–1657.