

DAFTAR PUSTAKA

- Al-duliamy, M.J., Abdullah, B.H., 2015, Enhancement of orthodontic anchorage and retention by the local injection of strontium : An experimental study in rats. *Saudi Dent J*, 27(1):22–9.
- Alhasyimi A.A., Pudyani P.S., Asmara W., Ana I.D., 2017, Locally inhibition of orthodontic relapse by injection of carbonated hydroxy apatite-advanced platelet rich fibrin in a rabbit model. *Key Eng Mater*, 758:255–63
- Alhasyimi A.A., Pudyani P.P., Asmara W., Ana I.D., 2018, Enhancement of post-orthodontic tooth stability by carbonated hydroxyapatite-incorporated advanced platelet-rich fibrin in rabbits. *Orthod Craniofac Res*, 21(2):112–18
- Alikhani, M., Sangsuwon C., Alansari, S., Nervina, J.M., Teixeira, C.C., 2018, Biphasic theory: breakthrough understanding of tooth movement, *JWFO*, 7: 82-8
- Ana, I.D., Matsuya, S., Ishikawa, K., 2010, Engineering of Carbonate hydroxyapatite bone substitute based on composition-transformation of gypsum and calcium hydroxide, *Engineering* 2: 344-52.
- Andrade, J.R.I., Sousa, A.B.S., Silva, G.G., 2014, New therapeutic modalities to modulate orthodontic tooth movement. *Dental Press J Orthod*. 19(6):123-33.
- Andreazza, R., Morales, A., Pieniz, S., Labidi, J., 2023, Gelatin-Based Hydrogels: Potential Biomaterials for Remediation, *Polymers*, 15: 1-12
- Ardhana W., 2013, Identifikasi Perawatan Ortodonti Spesialistik dan Umum, *Maj Ked Gi*, 20(1): 1-8
- Ariffin S.H.Z., Yamamoto Z., Abidin I.Z.Z., Wahab R.M.A., Ariffin Z.Z., 2011, Cellular and Molecular Changes in Orthodontic Tooth Movement, *Sci World J*, 11: 1788–803.
- Bakravi, A., Hashemi, H., Namazi, H., 2018, Synthesis of gelatin-based biodegradable hydrogel nanocomposite and their application as drug delivery agent, *Adv Polym Technol*, 1-11

- Baloul, S.S., 2016, Osteoclastogenesis and osteogenesis during tooth movement, *Front Oral Biol*, 18: 75-9.
- Bar-Shavit, Z., 2007, The osteoclast: a multinucleated, hematopoietic-origin, bone-resorbing osteoimmune cell, *J. Cell. Biochem*, 102:1130-9
- Berkovitz, B.K.B., Holland, G.R., Moxham, B.J., 2009, *Oral anatomy histology and embryology*, 4th ed., Mosby Elsevier, Missouri, 211-5
- Bethesda, 2001, Biomarkers and surrogate endpoints: Preferred definitions and conceptual, *Clin Pharm Ther*, 69(3): 89-95
- Brito, D.I., Dias, P.F., Gleiser, R., 2009, Prevalence of malocclusion in children aged 9-12 years old in the city of Nova Friburgo, Rio de Janeiro state, Brazil, *Rev Dent Press Ortod Ortop Facial*, 14:118-24.
- Bull, H, Murray, P.G., Thomas, D., Fraser, A.M., Nelson, P.N., 2002, Acid Phosphatase, *J Clin Pathol Mol Path*, 55:65-72
- Calasans-Maia, M.D., Resende, R.F.dB., Louro R.S., Sartoretto S.C., Granjeiro, J.M., Aves, G.G., 2015, Cytocompatibility and biocompatibility of nanostructured carbonated hydroxyapatite spheres for bone repair, *J Appl Oral Sci*, 23(6): 599-608
- Dahlan, M.S., 2011, *Statistik untuk Kedokteran dan Kesehatan*, Jakarta: Salemba Medika, hal.36
- Davies, S.J., 2007, Malloclusion a Term in Need of Dropping or Redefinition, *British J*, 202(9):3-9
- Devreese, H., De Pauw, G., Van Maele, G., Kuijpers-Jagtman, A.M., Dermaut, L., 2007., Stability of upper incisor inclination changes in Class II division 2 patients, *Eur J Orthod*, 29(5): 314-320.
- Ernawati, D.S., Nugraha, A.P., Narmada, I.B., Ardani, I.G.A.W., Hamid, T., Winoto, E.R., Alida, A., Susanto, H., Ramadhani, N.F., Brahmanta, A., Nugraha A.P., Ihsan, I.O., Riawan, W., Saskianti, Eleena, T.N., 2022, The Number of Osteoblast and Osteoclast during Orthodontic Tooth Movement after Preconditioned Gingiva Mesenchymal Stem Cell Allogeneic Transplantation *in vivo*, *J Int Dent Med Res*, 15(3): 1069-1077

- Eroschenko, V.P., 2010, Atlas histologi *diFiore* dengan korelasi fungsional edisi ke – 11, EGC, Jakarta
- Fawcett, D. W., 2002, *Buku ajar histologi* (terj.), edisi 12, Jakarta: Penerbit Buku Kedokteran EGC.
- Feng, X., Teitelbaum, S. L., 2013, Osteoclasts: new Insights. *Bone Res*, 1: 11–26
- Franzen T.J., Brudvik P., Radunovic V.V., 2011, Periodontal tissue reaction during orthodontic relapse in rat molars, *Eur J Orthod*, 315: 152–159.
- Franzen, T.F., Brudvik, P., Vandevska-Radunovic, V., 2013, Periodontal tissue reaction during orthodontic relapse in rat molars, *Eur J Orthod*, 35(2):152–9.
- Fujioka-Kobayashi M., Tsuru K., Nagai H., et al., 2018, Fabrication and evaluation of Carbonate hydroxyapatite-coated calcium carbonate bone substitutes for bone tissue engineering, *J Tissue Eng Regen Med*, 12(10):2077–2087.
- Guyton, A.C., Hall, J.E., 2010, *Buku ajar fisiologi kedokteran. Alih bahasa oleh Irawati Setiawan*. Edisi 9, EGC: Jakarta
- Halleen, J.M., Raisanen, S., Salo, J.J, Reddy, S.V, Roodman, G.D., Hentunen, T.A, Lehenkari, P.P, Kaija, H., Vihko, P., Vaananen, H.K., 1999, Intracellular fragmentation of bone resorption products by reactive oxygen species generated by osteoclastic tartrate- resistant acid phosphatase, *J Biol Chem*, 274: 22907 – 22910.
- Halleen, J.M., Alatalo, S.L., Suominen, H., Cheng, S., Janckila, A.J., Vaananen, H.K., 2000, Tartrate-resistant acid phosphatase 5b: A novel serum marker of bone reorbtion, *J Bone and Miner Res*, 15(7):1337-45
- Hayman, A.R., 2008, Tartrate-resistant acid phosphatase (TRAP) and the osteoclast/immune cell dichotomy, *Autoimmunity*, 41(3):218–223
- Hill, P.A., 1998, Bone Remodelling, *BJO*, 25:101-107
- Hirate, Y., Yamaguchi, M., Kasai, K., 2012, Effects of Relaxin on Relapse and Periodontal Tissue Remodelling after Experimental Tooth Movement in Rats, *Tissue Res*, 53:3, 207-19

- Honig, A., Rieger, L., Kaap, M., Krockenberger, M., Eck, M., Dietl, J., and Kammerer, U. 2006. Increased tartrate-resistant acid phosphatase (TRAP) expression in malignant breast, ovarian and melanoma tissue: an investigational study. *BMC Cancer*. 6: 199
- Ishak, W.H.W., Rosli, N.A., Ahmad, I., Ramli, S., Amin, M.C.I.M., 2021, Drug delivery and in vitro biocompatibility studies of gelatin-nanocellulose smart hydrogels cross-linked with gamma radiation, *JMR&T*, 15: 7145-57
- Idris, A.I., van 't Hof, R.J., Greig, I.R., Ridge, S.A., Baker, D., Ross, R.A., and Ralston, S.H., 2005, Regulation of bone mass, bone loss and osteoclast activity by cannabinoid receptors, *Nat Med.*, 11(7): 774–9.
- Iyyer B.S., 2013, *Orthodontics The Art and Sciences 5th Ed.*, New Delhi: Arya Medi Publishing House.
- Jebahi, S., Saoudi, M., Badraoui, R., Rebai, T., Oudadesse, H., Ellouz, Z., 2012, Biologic response to carbonated hydroxyapatite associated with orthopedic device: experimental study in a rabbit model, *Korean J Path*, 46(1):48-54.
- Junqueira, L.C., Carneiro, J., Kelley, R.O., 2007, *Histologi Dasar* (terj.), Jakarta: Penerbit Buku Kedokteran EGC
- Kanayama, K., Sriarj, A., Shimokawa, H., Ohya K., Doi, Y., Shibutani, T., 2011, Osteoclast and Osteoblast Activities on Carbonate Apatite Plates in Cell Cultures, *J Biomater Appl*, 26(4):435-49
- Kenkre, J.S., Basset, J.H.D., 2018, The bone remodelling cycle, *Annals Clin Biochem*, 55(3): 308-27
- Kini, U., Nandeesh, U.B., 2012, *Physiology of bone formation, remodelling, and metabolism, in radionuclide and hybrid bone imaging*, Springer, Berlin Heidelberg, pp: 29-57
- Kirstein, B., Chambers, T.J., Fuller, K., 2006, Secretion of tartrate-resistant acid phosphatase by osteoclasts correlates with resorptive behaviour, *J Cell Biochem*, 98:1085 – 94
- Kitaura, H., Kimura, K., Ishida, M., Sugisawa, H., Kohara, H., Yoshimatsu, M., Takano-Yamamoto, T., 2014, Effect of Cytokines on Osteoclast Formation

and Bone Resorption during Mechanical Force Loading of the Periodontal Membrane, *Sci World J*, 1-7

Krishnan V., Davidovitch Z., 2006, Cellular, molecular, and tissue-level reactions to orthodontic force, *American J Orthod Dent Orthop*, 129(4) : 469.

Kumar A.A., Saravan, K., Kohila, K., Kumar, S.S., 2017, Biomarkers in orthodontic tooth movement, *J Pharm Bioallied Sci*, 7(2):325-30

Landi, E., Celotti, G., Logroscino, G., Tampieri, A., 2003, Carbonated hydroxyapatite as bone substitute, *J Eur Ceramic Soc*, 23: 2931–37

Landi, E., Tampieri A., Celotti, G., Langenati, R., San-dri, M., Sprio, S., 2005, Influence of Synthesis and Sintering Pa- rameters on the Characteristics of Calcium Phosphate, *Biomaterials*, 26: 2835

Lee, D.E., Kim, J.H., Choi, S.H., Cha, J.H., Bak, E.J., Yoo, Y.J., 2014, Periodontitis mainly increases osteoclast formation via enhancing the differentiation of quiescent osteoclast precursors into osteoclasts, *J Periodontal Res*, 50(2): 256-64.

Lee, Y., Hahm, Y.M., Matsuya, S., Nakagawa, M., Ishikawa, K., 2007, Characterization of macroporous carbonate-substituted hydroxyapatite bodies prepared in different phosphate solutions, *J Mat Sci*, 42: 7843-49.

Leeson, R.C., Paparo, A.A., 1996, *Buku teks histologi: textbook of histology* (terj.), Edisi 7, EGC, Jakarta

Leeuwen, E.J.V., V., Maltha, J.C., Kuijpers-Jagtman, A.M., Hof, M.A. V., 2003, The Effect of retention on orthodontic relapse after the use of small continuous or discontinuous forces. An experimental study in beagle dogs, *J Oral Sci*, 111:111-16

Lei, L., Bai, Y., Qin, X., Huang, W., Lv, Q., 2022, Current Understanding of Hydrogel for Drug Release and Tissue Engineering, *Gels*, 8(301):1-31

Lerner, U.l.f.H., 2012, Osteoblasts, Osteoclasts, and Osteocytes: Unveiling Their Intimate-Associated Responses to Applied Orthodontic Forces, *Semin Orthod*, 18(4): 237-48

- Littlewood, S.J., Russel J.S., Spencer, R.J., 2009, Why do Orthodontic Cases Relapse?, *Ortho Update*, 2: 38-44
- Littlewood, S.J., Millett, D.T., Doubleday, B., Bearn, D.R., Worthington, H.V., 2016. Retention procedures for stabilising tooth position after treatment with orthodontic braces (Review). *Cochrane Syst Rev*, (1): 1-4.
- Li Y., Jacox L.A., Little S.H., Ko C.C., 2018, Orthodontic tooth movement: The biology and clinical implications, *Kaohsiung J Med Sci*, 34 : 207-14.
- Maltha, J.C., Kuijpers-Jagtman, A.M., 2015, *the biological background of relapse of orthodontic tooth movement in biological mechanisms of tooth movement* edited by Vinod Krishnan and Ze'ev Davidovitch, John Wiley and Sons, Ltd., United Kingdom, pp: 201-14.
- Mao, Y., Wang, L., Zhu, Y., Liu, Y., Dai, H., Zhou, J., Geng, D., Wang, L., Ji, Y., 2018, Tension force-induced bone formation in orthodontic tooth movement via modulation of the GSK-3 β / β -catenin signaling pathway, *J Mol Histol*, 49(1):75-84
- Mahadik, R.A., Redasani, V.K., Jadhav, P.D., Bhagat, P.D., 2023, Review on a Oral Mucoadhesive Drug Delivery System, *AJPRHS*, 11(3): 201-205
- Masella, R.S., Meister, M., 2006, Current concepts in the biology of orthodontic tooth movement, *Am. J. Orthod. Dentofacial Ortho*, 129 (4), 458–68.
- Melrose, C., Millet, D.T., 1998, Toward a perspective on orthodontic retention?, *Am J Orthod Dentofac Orthop*, 113: 507–14.
- Mutiarahmi C.N., Hartady T., Lesmana R., 2021, Penggunaan Mencit Sebagai Hewan Coba di Laboratorium yang Mengacu pada Prinsip Kesejahteraan Hewan, *Indonesia Medicus Veterinus*, 10(1): 134-45.
- Nagarajan, D., Usha, K., Rao, G.U., et. al., 2015, Biomarkers in orthodontics, *Int J Oral Heal Med Res*, 2: 88-90
- Nomura, Y., Shimada, Y., Hanada, N., Numabe, Y., Kamoi, K., Sato, T., Gomi, K., Arai, T., Inagati, K., Fukuda, M., Noguchi, T., Yoshie, H., 2012, Salivary biomarkers for predicting the progression of chronic periodontitis, *Oral Biol*, 57:413-20

- Noxon, S.J., King G.J., Gu G., Huang G., 2001, Osteoclast clearance from periodontal tissues during orthodontic tooth movement, *Am J Orthod Dentofacial Orthop*, 120: 466–76.
- Perinetti, G., Capelli, J., 2017, The gingival crevicular fluid as a source of biomarkers to enhance efficiency of orthodontic and functional treatment of growing patients, *Hindawi*, Article ID:3257235
- Preussner, R., Sauer-Eppel, H., Oremek, G.M., 2014, Tartrate-resistant acid phosphatase 5b as a diagnostic marker of bone metastases in patients with renal cell carcinoma, *Integr Cancer Sci Therap*, 1(3):35-38
- Proffit, W.R., Fields, H.W., Sarver D.M., 2012, *Contemporary Orthodontics*, 5th ed., Mosby Elsevier, St. Louis., pp.286-87, 607.
- Ratheesh, V., Subramanian, S., Prakash, P.S.G., Appukuttan, D., 2019, Factors Governing Alveolar Bone Remodelling, *Inter J Sci Res*, 03(A): 31215-18
- Ratnayake, J.T.B., Mucalo, M., Dias, G.J., Substituted hydroxyapatites for bone regeneration: A review of current trends, *JBMR*, 00B(00):1-15
- Ren Y., Maltha J.C., Kuijpers-Jagman A.M., 2004, The rat as a model for orthodontic tooth movement a critical review and a proposed solution, *Eur J Orthod*, 26(5) : 483-90.
- Richardson M.E., 1989, The role of the third molar in the cause of late lower arch crowding: a review, *Am J Orthod Dentofac Orthod*, 95: 79-83.
- Rucci, N., 2008, Molecular biology of bone remodelling. *Clin Cases Miner Bone Metab*, 5:49-56
- Saito, T., Tabata, Y., 2012, Preparation of gelatin hydrogels incorporating low-molecular-weight heparin for anti-fibrotic therapy, *Acta Biomaterialia*, 8: 646–52
- Setyoko, B., Verisandri, A.L.A., Damayanti, A.T., Fitriana, F.A., Julieta, B.S., Noviasari, P., Alhasyimi, A.A., 2023, Effect of carbonated hydroxyapatite synthesis from cuttlefish shells on orthodontic relapse prevention: in silico study, *Odonto : Dental Journal*, 10(1):19-27

- Shroff, B., 2016, *Biology of Orthodontic Tooth Movement*, Springer Nature, Switzerland, pp. 45-63
- Siddiqi, S.A., Azhar, U., 2020, *Handbook of Ionic Substituted Hydroxyapatites*, Elsevier, pp. 149-173, 6
- Silvana, P.B., Ray, W., Steven, O., Thiago, M., 2016, Gingival crevicular as a source of biomarkers for periodontitis, *Periodontol*, 70(1): 53-64
- Sivakumar, M., Rao, K.P., 2002, Preparation, characterization and in vitro release of gentamicin from corraline hydroxyapatite-gelatin composit microspheres, *Biomaterials* 23: 3175-81.
- Solberg, L.B., Stang, E., Brorson, S.H., Andersson, G., Reinholt, F.P., 2015, Tartrate-resistant acid phosphatase (TRAP) co-localizes with receptor activator of NF- κ B ligand (RANKL) and osteoprotegerin (OPG) in lysosomal-associated membrane protein 1 (LAMP1)-positive vesicles in rat osteoblasts and osteocytes, *Histochem Cell Bio*, 143:195-207
- Srivastava, R.K., et.al., 2018, Retention and relapse: An anamnesis, *Indian J Orthod Dent Res*, 4(1):13-20
- Suala, H.N., Wibowo, D., Setyawardhana, R.H., 2021, Kebutuhan Perawatan Ortodonti Berdasarkan index of Orthodontic Treatment Need pada Remaja (Literature Review), *Dentin (Jur. Ked. Gigi)*, 2(3): 129-33
- Subbarao, K.C., Nattuthural, G.S., Sundararajan, S.K., Sujith, I., Joseph, J., Syedshah, Y.P., 2019, Gingival crevicular fluid: an overview, *J.Pharm Bioallied Sci*, 11(suppl 2): 135-9
- Surbakti, A., Oley, M.Ch., Prasetyo, E., 2017, Perbandingan antara penggunaan karbonat apatit dan hidroksi apatit pada proses penutupan defek kalvaria dengan menggunakan plasma kaya trombosit, *Jurnal Biomedik (JBM)*, 9(2):107-14
- Tada S., Chowdhury E.H., Cho C.S., Akaike T., 2010, pH-sensitive Carbonate hydroxyapatite as an intracellular protein transporter, *Biomaterials*, 31(6):1453-59
- Teitelbaum, S.L., 2007, Osteoclasts: What Do They Do and How Do They Do It?, *The Am J Path*, 170(2): 427-35

- Tiedemann, K., Le Nihouannen, D., Fong, J.E., Hussein, O., Barralet, J.E., Komarova, S.V., 2017, Regulation of Osteoclast Growth and Fusion by mTOR/raptor and mTOR/rictor/Akt, *Front. Cell Dev. Biol*, 5(54): 1-10
- Utari, T.R., 2014, Pengaruh aplikasi intrasulkuler bifosfonat risendronat hydrogel terhadap aktivitas osteoklas, proses remodelling dan relaps gigi setelah digerakkan secara ortodontik (penelitian eksperimental laboratoris pada marmot), *Disertasi*, Universitas Gadjah Mada, Yogyakarta
- Utari, T.R., Ana, I.D., Pudyani, P.S., Asmara, W., 2021, The intrasulcular application effect of bisphosphonate hydrogel toward osteoclast activity and relapse movement, *Saudi Dent J*, 33:292-8
- Vaananen, K.H., Zhou, H., Mulari, M., Halleenm J.M., 2002, the cell biology of osteoclast function. *J Cell Sci*, 113:377-81
- Valiense H., Fernandes G.V.O., Moura B., Calasans-Maia j., Alves A., Rossi A., Granjeiro J.M., Calasans-Maia M., 2012, Effect of Carbonate-apatite on bone repair in non-critical size defect of rat calvaria, *Key Eng Mater*, 493-494 : 258-62.
- Wahab, R.M.A., Dasor, M.M., Senafi., Abdullah, A.A.A., Jemain, A.A., Kasim, N.A., Yamamoto, Z., Ariffin, S.H.Z, 2011, Crevicular tartrate resistant acid phosphatase activity and rate of the tooth movement under different continuous force application, *Afr J Pharm and Pharmacol*, 5(20);2213-19
- Wichelhaus A., Eichenberg T., 2018, *Color Atlas of Dental Medicine*, Germany : Thieme Publishers Stuttgart
- Wilson, J.T.G., Kornman, K.S., 2003, *Fundamentals of periodontics*, 2nd ed., Elsevier, St. Louis, 85, 100-1
- Wise, G.E., King G.J, 2008, Mechanism of Tooth Eruption and Orthodontic Tooth Movement, *J Dent Res*, 87(5):4141-34
- Yam, L.T., Janckila, A.J., 2003, Tartrate-Resistant Acid Phosphatase (TRACP): A Personal Perspective, *J Bone Min Res*, 8(10): 1894-96
- Zhang, Y., Wu, B.M., 2023, Current Advances in Stimuli-Responsive Hydrogels as Smart Drug Delivery Carriers, *Gels*, 9:1-23.