

## DAFTAR PUSTAKA

- Agrawal, P., Goel, D., 2020, Biomarkers in Orthodontics: An Overview, *Med Leg J*, 20(4): 445-9
- Aguiar, M.C.S., Perinetti, G., Capelli Jr, J., 2017, The Gingival Crevicular Fluid as a Spouse of Biomarkers to Enhance Efficiency of Orthodontic and Functional Treatment of Growing Patient, *BioMed Res Int*, 10(15): 1-7
- Alhasyimi, A.A., Pudyani, P.S., Asmara, W., Ana, I.D., 2018, Effect of Carbonated Hydroxyapatite Incorporated Advanced Platelet Rich Fibrin Intraculcular Injection on the Alkaline Phosphatase Level during Orthodontic Relapse, *AIP Conference Proceed*, 030006: 1-6
- Alhasyimi, A.A., Rosyida, N.F., Rihadini, M.S., 2019, Postorthodontic Relapse Prevention by Administration of Grape Seed (*Vitis vinifera*) Extract Containing Cyanidine in Rats, *Eur J Dent*, 13(4): 629-3
- Alhasyimi, A.A., Suparwitri, S., Christnawati, 2020, Effect of Carbonate Apatit Hydrogel-Advanced Platelet Rich Fibrin Injection on Osteoblastogenesis during Orthodontic Relapse in Rabbit, *Eur J Dent*, 15(3): 412-19
- Almotareb, F.L., Al-Shameri, B.H.H., Al-Najhi, M.M.A., Omar, A.I.A., Al-Shamahy, H.A., 2023, Increase of Transforming Growth Factor Beta 1 in Gingival Crevicular Fluid during Human Orthodontic Tooth Movement, *J Oral Med and Dent Res*, 4(2): 1-9
- Alqahtan, I.M., Azizkhan, R.A., Alyawer, L.T., Alanzi, S.S., Alzahrani, R.A., Alhazmi, L.S., Bsher, F.F., Zahran, L.M., Aljahdali, R.A., Alqwizany, R.R., Tayeb, R.K., 2020, An Overview of Diagnosis and Management of Malocclusion: Literature Review, *Annals Dent Spec*, 8(4): 62-5
- Andersen, M.L., Winter, L.M.F., 2019, Animal Models in Biological and Biomedical Research-Experimental and Ethical Concerns, *An Acad Cienc Suppl*, 91(1): 1-14
- Arantes, E.L., Dragano, N., Ramalho, A., Vitorino, D., de-Souza, G.F., Lima, M.H.M., Velossi, L.A., Araujo, E.P., 2016, Topical Docosahexaenoic Acid (DHA) Accelerates Skin Wound Healing in Rats and Activates GPR120, *Biol Res Nurs*, 18(4): 411-9
- Asiry, M.A., 2018, Biological Aspect of Orthodontic Tooth Movement: A Review of Literature, *Saudi J Biol Sci*, 25: 1027-32

- Azuma, M.M., Cardoso, C.B.M., Silva, C.C., Oliviera, P.H., Jacinto, R.C., Andrada, A.C., Cintra, L.T.A., 2020, The Use of Omega-3 Fatty Acid in the Treatment of Oral Diseases, *Oral Dis*, 28(2): 264-74
- Badmaev, V., Mehta, D., Jonas, R., Scott, R., Hulse, S., 2011, Evolving Story of Bone Health and the Nutritional Support, *Nutr*, 1-5
- Bryda, E.C., 2013, The Mighty Mouse : THE Impact of Rodents on Advances in Biomedical Research, *Mo Med*, 110(3): 207-11
- Chang, M., T. Zhang, X. Guo, Y. Liu, R. Liu, Q. Jin, and X. Wang, 2020, Optimization of cultivation conditions for efficient production of carotenoid-rich DHA oil by *Schizochytrium* sp., *Process Biochem*, 94:190–7
- Chausu, S., Klein, Y., Mandelboim, O., Barenholz, Y., Fleissig, O., 2022, Immune Change Induced by Orthodontic Forces: A Critical Review, *J Dent Res*, 10(1):11-20
- Choi, Bo-Yun, Eun, J.S., Nepal, M., Lee, M.K., Bae, T.S., Kim, B.I., Soh, Y., 2011, Ethyl Docosahexaenoate and Its Acid Form Increase Bone Formation by Induction of Osteoblast Differentiation and Inhibition of Osteoclastogenesis, *Biomol Ther*, 19(1): 70-6
- Cifuentes-Mendiola, S.E., Fierros, L.M., Alva, P.G., Hernandez, A.L.G., 2022, Docosahexaenoic Acid Improves Altered Mineralization Proteins, the Decreased Quality of Hydroxyapatite Crystal and Suppresses Oxidative Stress Induced by High Glucose, *Exp Ther Med*, 23(3): 235
- Crane, J.L., Cao, X., 2014, Bone Marrow Mesenchymal Stem Cells and TGF- $\beta$  Signaling in Bone Remodeling, *J Clin Invest*, 124(2): 466-72
- Dahlan, M.S., 2011, Statistika untuk Kedokteran dan Kesehatan, Jakarta, h.36
- Ding, J., Fu, Z., He, J., Ma, L., Bu, D., 2022, Enhancing Docosahexaenoic Acid Production of *Schizochytrium* sp. by Optimizing Fermentation Using Central Composite Design, *BMC Biotechnol*, 22(39): 1-12
- Elih, 2015, Relaps and Retention after Orthodontic Treatment, *Padjajaran J Dent*, 27(3): 139-48
- English, D.J., Akyalcin, S., Peltomaki, T., Litschel, K., 2015, *Mosby's Orthodontic Review*, Second Edition, Elsevier Mosby, St. Louis Missouri, h. 297-98
- Estai, M.A., Suhaimi, F., Das, S., Shuid, A.N., Mohamed, Z., Soelaiman, N., 2011, Expression of TGF B1 in the Blood During Fracture in a Estrogen-deficient Rat Model, *Clinics*, 66(12): 2113-9

- Farahnak, Z., Freundorfer, M.T., Lavery, P., Weiler, H.A., 2019, Dietary Docosahexaenoic Acid Contributes to Increase Bone Mineral Accretion and Strengthen Young Female Sprague-Dawley Rats, *J PLEFA*, 144(10): 32-9
- Finco, D. A. M., L. D. Goyzueta Mamani, J. C. De Carvalho, G. V. De Melo Pereira, V. Thomaz-Soccol, and C. R. Soccol, 2017, Technological trends and market perspectives for production of microbial oils rich in omega-3, *Crit Rev Biotechnol*, 5(37): 656–71
- Franzen, T.J., Brudvik, P., Radunovic, V.V., 2013, Periodontal Tissue Reaction during Orthodontic Relapse in Rat Molars, *Eur J Orthod*, 35(2), 152-9
- Frianto, F., Fajriaty, I., Riza, H., 2015, Evaluasi Faktor yang Memengaruhi Jumlah Perkawinan Tikus Putih (*Ratus norvegicus*) secara Kualitatif, *J Mahasiswa Farmasi Fakultas Kedokteran Untan*, 3(1): 1-4
- Gad, A., Abdallah, E., ElHarouni, N., Soliman, S., 2018, Evaluation of the Effect of Systemic Omega-3 Polyunsaturated Fatty Acids on Post-Orthodontic Relapse in a Rabbit Model, *Egypt Orthod J*, 54:1-10
- Gill, D.S., 2015, *Orthodontia at a Glance*, EGC, Jakarta, h. 124-5
- Goeharto, S., Rusdiana, E., Khairryyah., I.N., 2017, Comparison Between Removable and Fixed Orthodontic Retainers, *JVHS*, 1(2): 82-7
- Harmita, Radji, M., 2006, *Buku Ajar Analisis Hayati*, Ed 3, EGC, Jakarta, h. 66
- Herniyati, Narmada, I.B., Soetjipto, 2016, Effects of Robusta Coffe (*Coffea canephora*) Brewing on Levels of RANKL and TGF- $\beta$ 1 in Orthodontic Tooth Movement, *Dent J*, 49(3): 143-7
- Husin, E., Tjandrawinata, R., Juliani, M., Roeslan, B.O., 2012, Orthodontic Force Application in Correlation with Salivary Lactate Dehydrogenase Activity, *Dent J*, 19(1): 10-3
- Ichingolo, F., Ichingolo, A.M., Ceci, S., Carpentiere, V., Garibaldi, M., Riccaldo, L., Di Venere, D., Inchingolo, A.D., Malcangi, G., Palermo, A., Tartaglia, F.C., Dipalma, G., 2023, Orthodontic Relapse after Fixed or Removable Retention Devices: A Systematic Review, *Appl Sci*, 13(20): 1-19
- Indriasari, V., Suparwitri, S., Chirstnawati, Alhasyimi, A.A., Different Effects of Soybean Isoflavone Genistein on Transforming Growth Factor Levels during Orthodontic Tooth Movement among Young and Old Rabbits, *F1000 Res*, 8(2074): 1-14

- Intan, P.R., Khairi, 2020, Pemanfaatan Hewan Laboratorium yang Sesuai untuk Pengujian Obat dan Vaksin, *Prosiding Seminar Nasional Biologi di Era Pandemi Covid 19*, 1(1): 1-6
- Jeon, H.H., Teixeira, H., Tsai, A., 2021, Mechanistic Insight into Orthodontic Tooth Movement Based on Animal Studies: A Critical Review, *J Clin Med*, 10(8): 1-15
- Karunia, D., Pudyani, P.S., Mubarika, S., Widayarni, S., 2019, Effects of Docosahexaenoic Acid (DHA) Microalgae on Orthodontic Tooth Movement in the New Zealand White Rabbits, *J Int Dent and Med Res*, 12(4): 1287-92
- Kasagi, S., Chen, W., 2013, TGF-beta 1 on Osteoimmunology and the Bone Component Cells, *Cells & Bioscience*, 3(4): 1-7
- Kaur, A., Kharbanda, O.P., Rajeswari, M.R., Kalyanasundaram, D., 2020, Levels of TGF- $\beta$ 1 in Peri-miniscrew Implant Crevicular Fluid, *J Oral Biol Craniofac Res*, 10(3): 93-8
- Khurshid, Z., Mali, M., Naseem, M., Najeeb, S., Zafar, M.S., 2017, Human Gingival Crevicular Fluid (GCF) Proteomics: An Overview, *Dent J*, 5(12): 1-8
- Krishnan, V., Davidovitch, Z., 2006, Cellular, Molecular, and Tissue Level Reaction to Orthodontic Force, *Am J Orthod Dentofacial Orthop*, 129(4): 469-483
- Krishnan, V., Davidovitch, Z., 2015, *Biological Mechanism of Tooth Movement*, John Wiley & Sons, Ltd., United Kingdom, 67, 135, 248
- Kruger, M.C., Coetzee, M., Haag, M., Weiler, H., 2010, Long-chain Polyunsaturated Fatty Acids: Selected Mechanisms of Action on Bone, *Prog Lipid Res*, 49(4): 438-49
- Li, J., Pora, B.L.R., Dong, K., Hasjim, J., 2020, Health Benefits of Docosahexaenoic Acid and its Bioavailability: a Review, *Food Sci Nutr*, 9: 5229-43
- Li, W., Yu-Long, X., Feng, Z., 2022, TGF- $\beta$  Signaling on Balancing Osteoblast, Osteoclast, and Chondrocyte, *Prog Biochem Biophys*, 49(4): 725-36
- Li, Y., Jacox, L.A., Little, S.H., Ko, C.C., 2018, Orthodontic Tooth Movement: The Biology and Clinical Implications, *The Kaohsiung J of Med Scie*, 34: 207-14
- Littlewood, S.J., Kandasamy, S., Huang, G., 2017, Retention and Relapse in Clinical Practice, *Aust Dent J*, 62(1): 51-57

- Ma, J., Kitaura, H., Ogawa, S., Otori, F., Noguchi, T., Marahleh, A., Nara, Y., Pramusita, A., Kinjo, R., Kanou, K., Kishikawa, A., Ichimura, A., Mizoguchi, I., 2023, Docosahexaenoic Acid Inhibits TNG-A-Induced Osteoclast Formation and Orthodontic Tooth Movement Through GPR120, *Frontiers Immun*, 10(3389): 1-12
- Mao, L., Wang, M., Li, Y., Wang, J., Xue, C., 2018, Docosahexaenoic acid-Containing Phosphatidylcholine Induced Osteoblastic Differentiation by Modulating Jey Transcription Factors, *J Food Biochem*, 42(6): 1-8
- Martin, T.J., Bone Biology and Anabolic Therapies for Bone: Current Status and Future Prospects, 2014, *J Bone Metab*, 21(1): 8-20
- Ogrenim, G., Cesur, M.G., Onal, T., Kara, M., Sirin, F.B., Yalcin, G.D., Inan, S., 2019, Influence of Omega-3 Fatty Acid on Orthodontic Tooth Movement in Rats: A Biochemical, Histological, Immunohistochemical, and Gene Expression Study, *Orthod Craniofac Res*, 22(1): 24-31
- Prameswari, N., Brahmanta, A., 2020, *Percepatan Pergerakan Gigi Dan Pencegahan Relaps pada Perawatan Ortodonti*, Surabaya, Airlangga UnivPress, 6-8
- Proffit, W.R., 2019, *The Biologic Basis of Orthodontic Treatment in Contemporary Orthodontics 4th ed*, Canada, Elsevier, h. 331-41
- Rosidah, I., Ningsih, S., Renggani, T.N., Agustini, K., Efendi, J., 2020, Profil Hematologi Tikus (*Rattus norvegicus*) Galur *Sprague-Dawley* Jantan Umur 7 dan 10 Minggu, *J Bioteknol Biosains Indones*, 7(1): 136:45
- Rosyda, N.F., Ana, I.D., Alhasyimi, A.A., 2022, The Use of Polimers to Enhance Post-Orthodontic Tooth Stability, *Polym J*, 15(103): 1-15
- Rucci, N., 2008, Molecular Biology of Bone Remodelling, *Clin Ces Min Bone Metab*, 5(1): 49-56
- Seddiqi, H., Nulend, J.K., Jin, J., 2023, Osteocyte Mechanotransduction in Orthodontic Tooth Movement, *Curr Osteoporos Rep*, 21(6): 731-42
- Sengupta, P., 2013, The Laboratory Rat: Relating its Age with Human's, *Int J Prev Med*, 4(6): 624-30
- Shah, R., Zermeno, J.P., 2019, Interfacing the Basic Sciences and Clinical Orthodontics, *J Orthod*, 46(S1):29-34

- Sinay, S.N., Wibowo, D., Azizah, A., 2023, The Need for Malocclusion Treatment at 12-14 years Based on IOTN-AC in South Daha District, *Dent J K G*, 7(1): 45-51
- Singh, Gurkeerat, 2015, *Textbook of Orthodontics 3rd ed*, Jaypee Brothers Medical Publisher Ltd, New Delhi, h. 159, 217-19, 224
- Sudrajat, D.S., Hermanto, E., Soemartono, 2019, Pengaruh Pemberian Minyak Ikan Lemuru (*Sardines longiceps*) Secara Sistemik terhadap Jumlah Osteoblas pada Proses Penyembuhan Soket Gigi, *Dent J K G*, 13(1): 54-60
- Suparwitri, S., Hidayat, W., Hendrawati, H., Alhasyimi, A.A., 2018, Levels of Tumor Necrosis Factor- $\alpha$  (TNF- $\alpha$ ) and Transforming Growth Factor- $\beta$ 1 (TGF-  $\beta$ 1) in Gingival Crevicular Fluid During Canine Retraction Using Elastic Chain and Closed Coil Spring, *Dent Hyp*, 9(2): 31-5
- Sutjiati, R., Rubianto, Narmada, I.B., Sudiana, I.K., Rahayu, R.P., 2017, The Inhibition of Relapse of Orthodontic Tooth Movement by NaF Administration in Expressions of TGF- $\beta$ 1, Runx2, Alkaline Phosphatase and Microscopic Appearance of Woven Bone, *Int J Med Sci*, 11(10): 567-74
- Taalab, M.R., Mahmoud, S.A., Moslemany, R.M.E., Abdelaziz, D.M., 2021 Intrapocket Application of Tea Tree Oil Gel in the Treatment of 2 Stage Periodontitis, *BMC Oral Health*, 21(239): 1-10
- Topal, S.G., Tuncer, B.B., Elgun, S., Ergunder, I., Nurdan, O., 2019, Levels of Cytokines in Gingival Crevicular Fluid during Rapid Maxillary Expansion and the Subsequent Retention Period, *J Clin Pediatr Dent*, 43(2): 137-43
- Tsatala, S.K., Kaklamanos, E.G., Tsalikis, L., 2002, Effects of Orthodontic Treatment on Gingival Crevicular Fluid Flow Rate and Composition: Clinical Implication and Applications, *Int J Adult Orthod Orthognath Surg*, 17(3): 191-205
- Tukatman, Laohm J.M., Purba, R.B., Junaidi, Razi, P., Langi, G., Trisnaningsih, R., Berliana, N., Astuti, A., Laska, Y., Daryanto, Bar, A., Sulistyowati, E.T., Wahyuningsih, Makalew, R.A., Sari, M.T., 2023, *Bunga Rampai Metodologi Penelitian*, CV Pena Persada, h. 120
- Wang, Q., M Han, W., Jin, W., Gao, S., Zhou, X., 2021, Docosahexaenoic Acid Production by *Schizochytrium* sp. : Review and Prospect, *Food Biotechnol*, 35(2): 111-35
- Xie, Y., Zhou, W., Zhong, Z., Yu, Haotao, Zhang, P., Shen, H., 2019, Docosahexaenoic Acid Inhibits Bone Remodelling and Vessel Formation in the Osteochondral Unit in a Rat Model, *J Biopharm*, 114:1-8

Zahra, D.A., Christnawati, Farmasyanti, C.A., 2023, Effect of Blue-light-emitting Diode Exposure on Osteoprotegerin Level During Orthodontic Relapse in Rats, *Mal J Med Health Sci*, 19(SUPP4):58-64

Zeb, L.X., Wang, W. L., Zheng, X., Teng, M., Shafiq, Y., Mu, Z., Chi, Xiu, 2019, Microwave-Assisted Three-Liquid-Phase Salting-out Extraction of Docosahexaenoic acid (DHA)-Rich Oil from Cultivation Broths of *Schizochytrium limacinium* SR21, *Food Bioprod Process*, 118: 237–47

Zeller, 2017, GRAS Notification for DHA Algal Oil Derived from *Schizochytrium* Sp., <http://www.fda.gov/download/Food/>, diakses tanggal 4/6/2023

Zhao, N., Jiuxiang, L., Kanzaki, H., Ni, J., Chen, Z., Liang, W., Liu, Y., 2012, Local Osteoprotegerin Gene Transfer Inhibits Relapse of Orthodontic Tooth Movement, *Am J Orthod Dentofacial Orthop*, 141(1): 30-40