

DAFTAR PUSTAKA

- Abija, F. A., Nwosu, J. I., Ifedotun, A. I., & Osadebe, C. C. (2019). Landslide susceptibility assessment of Calabar, Nigeria using Geotechnical, Remote Sensing and Multi-Criteria Decision Analysis: Implications for urban planning and development. *SDRP Journal of Earth Sciences & Environmental Studies*, 4(6), 774–788. <https://doi.org/10.25177/jeses.4.6.ra.617>
- Adition, A., Kubota, T., & Shinohara, Y. (2018). Comparison of GIS-based landslide susceptibility models using frequency ratio, logistic regression, and artificial neural network in a tertiary region of Ambon, Indonesia. *Geomorphology*, 318, 101–111. <https://doi.org/10.1016/j.geomorph.2018.06.006>
- Adnan, M. S. G., Rahman, M. S., Ahmed, N., Ahmed, B., Rabbi, M. F., & Rahman, R. M. (2020). Improving spatial agreement in machine learning-based landslide susceptibility mapping. *Remote Sensing*, 12(20), 1–23. <https://doi.org/10.3390/rs12203347>
- Ado, M., Amitab, K., Maji, A. K., Jasińska, E., Gono, R., Leonowicz, Z., & Jasiński, M. (2022). Landslide Susceptibility Mapping Using Machine Learning: A Literature Survey. *Remote Sensing*, 14(13). <https://doi.org/10.3390/rs14133029>
- Aghdam, I. N., Varzandeh, M. H. M., & Pradhan, B. (2016). Landslide susceptibility mapping using an ensemble statistical index (Wi) and adaptive neuro-fuzzy inference system (ANFIS) model at Alborz Mountains (Iran). *Environmental Earth Sciences*, 75(7). <https://doi.org/10.1007/s12665-015-5233-6>
- Al-Najjar, H. A. H., & Pradhan, B. (2021). Spatial landslide susceptibility assessment using machine learning techniques assisted by additional data created with generative adversarial networks. *Geoscience Frontiers*, 12(2), 625–637. <https://doi.org/10.1016/j.gsf.2020.09.002>
- Althuwaynee, O. F., Pradhan, B., Park, H. J., & Lee, J. H. (2014). A novel ensemble decision tree-based CHi-squared Automatic Interaction Detection (CHAID) and multivariate logistic regression models in landslide susceptibility mapping. *Landslides*, 11(6), 1063–1078. <https://doi.org/10.1007/s10346-014-0466-0>
- Awange, J. L., & Kyalo Kiema, J. B. (2013). *Environmental Geoinformatics Monitoring and Management*. <http://www.springer.com/series/3234>
- Ayalew, L., & Yamagishi, H. (2005). The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. *Geomorphology*, 65(1–2), 15–31. <https://doi.org/10.1016/j.geomorph.2004.06.010>
- Baeza, C., Lantada, N., & Amorim, S. (2016). Statistical and spatial analysis of landslide susceptibility maps with different classification systems. *Environmental Earth*

- Sciences*, 75(19). <https://doi.org/10.1007/s12665-016-6124-1>
- Basheer, I. A., & Hajmeer, M. (2000). Artificial neural networks: fundamentals, computing, design, and application. In *Journal of Methods Microbiological Journal of Microbiological Methods* (Vol. 43). www.elsevier.com/locate/jmicmeth
- Borrelli, L., Ciurleo, M., & Gullà, G. (2018). Shallow landslide susceptibility assessment in granitic rocks using GIS-based statistical methods: the contribution of the weathering grade map. *Landslides*, 15(6), 1127–1142. <https://doi.org/10.1007/s10346-018-0947-7>
- Bui, D. T., Shahabi, H., Omidvar, E., Shirzadi, A., Geertsema, M., Clague, J. J., Khosravi, K., Pradhan, B., Pham, B. T., Chapi, K., Barati, Z., Bin Ahmad, B., Rahmani, H., Gróf, G., & Lee, S. (2019). Shallow landslide prediction using a novel hybrid functional machine learning algorithm. *Remote Sensing*, 11(8). <https://doi.org/10.3390/rs11080931>
- Bui, M., Droms, C. M., & Craciun, G. (2014). The impact of attitudinal ambivalence on weight loss decisions: Consequences and mitigating factors. *Journal of Consumer Behaviour*, 13(4), 303–315. <https://doi.org/10.1002/cb.1475>
- Burrows, K., Desai, M. U., Pelupessy, D. C., & Bell, M. L. (2021). Mental wellbeing following landslides and residential displacement in Indonesia. *SSM - Mental Health*, 1(June), 100016. <https://doi.org/10.1016/j.ssmmh.2021.100016>
- Cahyani, M. D. (2019). Vulnerability and Direction of Landslide Disaster Mitigation in Pagedongan Sub-District, Banjarnegara District. *IOP Conference Series: Earth and Environmental Science*, 271(1). <https://doi.org/10.1088/1755-1315/271/1/012033>
- Can, A., Dagdelenler, G., Ercanoglu, M., & Sonmez, H. (2019). Landslide susceptibility mapping at Ovacık-Karabük (Turkey) using different artificial neural network models: comparison of training algorithms. *Bulletin of Engineering Geology and the Environment*, 78(1), 89–102. <https://doi.org/10.1007/s10064-017-1034-3>
- Chae, B. G., Park, H. J., Catani, F., Simoni, A., & Berti, M. (2017). Landslide prediction, monitoring and early warning: a concise review of state-of-the-art. *Geosciences Journal*, 21(6), 1033–1070. <https://doi.org/10.1007/s12303-017-0034-4>
- Chang, K. T., Merghadi, A., Yunus, A. P., Pham, B. T., & Dou, J. (2019). Evaluating scale effects of topographic variables in landslide susceptibility models using GIS-based machine learning techniques. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-48773-2>
- Chauhan, S., Sharma, M., & Arora, M. K. (2010). Landslide susceptibility zonation of the Chamoli region, Garhwal Himalayas, using logistic regression model. *Landslides*, 7(4), 411–423. <https://doi.org/10.1007/s10346-010-0202-3>
- Chen, W., & Li, Y. (2020). GIS-based evaluation of landslide susceptibility using hybrid

- computational intelligence models. *Catena*, 195.
<https://doi.org/10.1016/j.catena.2020.104777>
- Chen, W., Panahi, M., Tsangaratos, P., Shahabi, H., Ilija, I., Panahi, S., Li, S., Jaafari, A., & Ahmad, B. Bin. (2019). Applying population-based evolutionary algorithms and a neuro-fuzzy system for modeling landslide susceptibility. *Catena*, 172, 212–231.
<https://doi.org/10.1016/j.catena.2018.08.025>
- Chen, W., Pourghasemi, H. R., Panahi, M., Kornejady, A., Wang, J., Xie, X., & Cao, S. (2017). Spatial prediction of landslide susceptibility using an adaptive neuro-fuzzy inference system combined with frequency ratio, generalized additive model, and support vector machine techniques. *Geomorphology*, 297, 69–85.
<https://doi.org/10.1016/j.geomorph.2017.09.007>
- Chen, W., Xie, X., Peng, J., Wang, J., Duan, Z., & Hong, H. (2017). GIS-based landslide susceptibility modelling: a comparative assessment of kernel logistic regression, Naïve-Bayes tree, and alternating decision tree models. *Geomatics, Natural Hazards and Risk*, 8(2), 950–973. <https://doi.org/10.1080/19475705.2017.1289250>
- Chen, W., Yan, X., Zhao, Z., Hong, H., Bui, D. T., & Pradhan, B. (2019). Spatial prediction of landslide susceptibility using data mining-based kernel logistic regression, naive Bayes and RBFNetwork models for the Long County area (China). *Bulletin of Engineering Geology and the Environment*, 78(1), 247–266.
<https://doi.org/10.1007/s10064-018-1256-z>
- Chen, W., Zhang, G. ning, Xu, L. ming, Gu, R., Xu, Z. he, Wang, H. jiang, & He, Z. bing. (2016). Low temperature processed, high-performance and stable NiOx based inverted planar perovskite solar cells via a poly(2-ethyl-2-oxazoline) nanodots cathode electron-extraction layer. *Materials Today Energy*, 1–2, 1–10.
<https://doi.org/10.1016/j.mtener.2016.11.001>
- Chimidi, G., Raghuvanshi, T. K., & Suryabhadgavan, K. V. (2017). Landslide hazard evaluation and zonation in and around Gimbi town, western Ethiopia—a GIS-based statistical approach. *Applied Geomatics*, 9(4), 219–236.
<https://doi.org/10.1007/s12518-017-0195-x>
- Corominas, J., van Westen, C., Frattini, P., Cascini, L., Malet, J. P., Fotopoulou, S., Catani, F., Van Den Eeckhaut, M., Mavrouli, O., Agliardi, F., Pitilakis, K., Winter, M. G., Pastor, M., Ferlisi, S., Tofani, V., Hervás, J., & Smith, J. T. (2014). Recommendations for the quantitative analysis of landslide risk. *Bulletin of Engineering Geology and the Environment*, 73(2), 209–263.
<https://doi.org/10.1007/s10064-013-0538-8>
- Dai, F. C., Lee, C. F., & Ngai, Y. Y. (2002). *Landslide risk assessment and management: an overview*. *Engineering Geology*, 65-87 www.elsevier.com/locate/enggeo
- Darminto, M. R., Widodo, A., Alfatinah, A., & Chu, H.-J. (2021). *High-Resolution*

Landslide Susceptibility Map Generation using Machine Learning (Case Study in Pacitan, Indonesia). 11(1).

- Ding, Q., Chen, W., & Hong, H. (2017). Application of frequency ratio, weights of evidence and evidential belief function models in landslide susceptibility mapping. *Geocarto International*, 32(6), 619–639. <https://doi.org/10.1080/10106049.2016.1165294>
- Dou, J., Yamagishi, H., Pourghasemi, H. R., Yunus, A. P., Song, X., Xu, Y., & Zhu, Z. (2015). An integrated artificial neural network model for the landslide susceptibility assessment of Osado Island, Japan. *Natural Hazards*, 78(3), 1749–1776. <https://doi.org/10.1007/s11069-015-1799-2>
- Durić, U., Marjanović, M., Radić, Z., & Abolmasov, B. (2019). Machine learning based landslide assessment of the Belgrade metropolitan area: Pixel resolution effects and a cross-scaling concept. *Engineering Geology*, 256, 23–38. <https://doi.org/10.1016/j.enggeo.2019.05.007>
- Ferrario, M. F. (2019). Landslides triggered by multiple earthquakes: insights from the 2018 Lombok (Indonesia) events. *Natural Hazards*, 98(2), 575–592. <https://doi.org/10.1007/s11069-019-03718-w>
- Ge, Y., Chen, H., Zhao, B., Tang, H., Lin, Z., Xie, Z., Lv, L., & Zhong, P. (2018). A comparison of five methods in landslide susceptibility assessment: a case study from the 330-kV transmission line in Gansu Region, China. *Environmental Earth Sciences*, 77(19). <https://doi.org/10.1007/s12665-018-7814-7>
- Glade, Thomas., Anderson, Malcolm., & Crozier, M. J. (2005). *Landslide hazard and risk*.
- Goetz, J. N., Brenning, A., Petschko, H., & Leopold, P. (2015). Evaluating machine learning and statistical prediction techniques for landslide susceptibility modeling. *Computers and Geosciences*, 81, 1–11. <https://doi.org/10.1016/j.cageo.2015.04.007>
- Gokceoglu, C. (2012). Discussion on “Combining landslide susceptibility maps obtained from frequency ratio, logistic regression, and artificial neural network models using ASTER images and GIS” by Choi et al. (2012), *Engineering Geology*, 124, 12-23. In *Engineering Geology* (Vols. 129–130, pp. 104–105). <https://doi.org/10.1016/j.enggeo.2012.01.008>
- Gómez, H., & Kavzoglu, T. (2005). Assessment of shallow landslide susceptibility using artificial neural networks in Jabonosa River Basin, Venezuela. *Engineering Geology*, 78(1–2), 11–27. <https://doi.org/10.1016/j.enggeo.2004.10.004>
- Guo, C., Montgomery, D. R., Zhang, Y., Wang, K., & Yang, Z. (2015). Quantitative assessment of landslide susceptibility along the Xianshuihe fault zone, Tibetan

- Plateau, China. *Geomorphology*, 248, 93–110.
<https://doi.org/10.1016/j.geomorph.2015.07.012>
- Guzzetti, F., Galli, M., Reichenbach, P., Ardizzone, F., & Cardinali, M. (2006). Natural Hazards and Earth System Sciences Landslide hazard assessment in the Collazzone area, Umbria, Central Italy. In *Natural Hazards and Earth System Sciences* (Vol. 6).
- Guzzetti, F., Reichenbach, P., Ardizzone, F., Cardinali, M., & Galli, M. (2006a). Estimating the quality of landslide susceptibility models. *Geomorphology*, 81(1–2), 166–184. <https://doi.org/10.1016/j.geomorph.2006.04.007>
- Guzzetti, F., Reichenbach, P., Ardizzone, F., Cardinali, M., & Galli, M. (2006b). Estimating the quality of landslide susceptibility models. *Geomorphology*, 81(1–2), 166–184. <https://doi.org/10.1016/j.geomorph.2006.04.007>
- Hadmoko, D. S., Lavigne, F., & Samodra, G. (2017). Application of a semiquantitative and GIS-based statistical model to landslide susceptibility zonation in Kayangan Catchment, Java, Indonesia. *Natural Hazards*, 87(1), 437–468. <https://doi.org/10.1007/s11069-017-2772-z>
- Hammad Khaliq, A., Basharat, M., Talha Riaz, M., Tayyib Riaz, M., Wani, S., Al-Ansari, N., Ba Le, L., & Thi Thuy Linh, N. (2023). Spatiotemporal landslide susceptibility mapping using machine learning models: A case study from district Hattian Bala, NW Himalaya, Pakistan. *Ain Shams Engineering Journal*, 14(3). <https://doi.org/10.1016/j.asej.2022.101907>
- Hamza, T., & Raghuvanshi, T. K. (2017). GIS based landslide hazard evaluation and zonation – A case from Jeldu District, Central Ethiopia, GIS based landslide hazard evaluation and zonation. *Journal of King Saud University - Science*, 29(2), 151–165. <https://doi.org/10.1016/j.jksus.2016.05.002>
- He, S., Pan, P., Dai, L., Wang, H., & Liu, J. (2012). Application of kernel-based Fisher discriminant analysis to map landslide susceptibility in the Qinggan River delta, Three Gorges, China. *Geomorphology*, 171–172, 30–41. <https://doi.org/10.1016/j.geomorph.2012.04.024>
- Henriques, C., Zêzere, J. L., & Marques, F. (2015). The role of the lithological setting on the landslide pattern and distribution. *Engineering Geology*, 189, 17–31. <https://doi.org/10.1016/j.enggeo.2015.01.025>
- Higginbottom, T. P., Collar, N. J., Symeonakis, E., & Marsden, S. J. (2019). Deforestation dynamics in an endemic-rich mountain system: Conservation successes and challenges in West Java 1990–2015. *Biological Conservation*, 229(May 2018), 152–159. <https://doi.org/10.1016/j.biocon.2018.11.017>
- Hong, H., Liu, J., & Zhu, A. X. (2019a). Landslide susceptibility evaluating using

- artificial intelligence method in the Youfang district (China). *Environmental Earth Sciences*, 78(15). <https://doi.org/10.1007/s12665-019-8415-9>
- Hong, H., Liu, J., & Zhu, A. X. (2019b). Landslide susceptibility evaluating using artificial intelligence method in the Youfang district (China). *Environmental Earth Sciences*, 78(15). <https://doi.org/10.1007/s12665-019-8415-9>
- Hong, H., Naghibi, S. A., Pourghasemi, H. R., & Pradhan, B. (2016). GIS-based landslide spatial modeling in Ganzhou City, China. *Arabian Journal of Geosciences*, 9(2), 1–26. <https://doi.org/10.1007/s12517-015-2094-y>
- Hong, H., Pourghasemi, H. R., & Pourtaghi, Z. S. (2016). Landslide susceptibility assessment in Lianhua County (China): A comparison between a random forest data mining technique and bivariate and multivariate statistical models. *Geomorphology*, 259, 105–118. <https://doi.org/10.1016/j.geomorph.2016.02.012>
- Hong, H., Pradhan, B., Sameen, M. I., Kalantar, B., Zhu, A., & Chen, W. (2018). Improving the accuracy of landslide susceptibility model using a novel region-partitioning approach. *Landslides*, 15(4), 753–772. <https://doi.org/10.1007/s10346-017-0906-8>
- Huang, F. C., Fu, B. J., Liu, Y. T., Chang, Y. R., Chi, S. F., Chien, P. R., Huang, S. C., & Hwang, H. H. (2019). Correction: Arabidopsis RETICULON-LIKE3 (RTNLB3) and RTNLB8 participate in agrobacterium-mediated plant transformation (Int. J. Mol. Sci., (2018) 19, 2, 10.3390/ijms19020638). In *International Journal of Molecular Sciences* (Vol. 20, Issue 3). MDPI AG. <https://doi.org/10.3390/ijms20030664>
- Huang, F., Cao, Z., Guo, J., Jiang, S. H., Li, S., & Guo, Z. (2020). Comparisons of heuristic, general statistical and machine learning models for landslide susceptibility prediction and mapping. In *Catena* (Vol. 191). Elsevier B.V. <https://doi.org/10.1016/j.catena.2020.104580>
- Huang, F., Yin, K., Huang, J., Gui, L., & Wang, P. (2017). Landslide susceptibility mapping based on self-organizing-map network and extreme learning machine. *Engineering Geology*, 223, 11–22. <https://doi.org/10.1016/j.enggeo.2017.04.013>
- Ikram, N., Basharat, M., Ali, A., Usmani, N. A., Gardezi, S. A. H., Hussain, M. L., & Riaz, M. T. (2022). Comparison of landslide susceptibility models and their robustness analysis: a case study from the NW Himalayas, Pakistan. *Geocarto International*, 37(25), 9204–9241. <https://doi.org/10.1080/10106049.2021.2017010>
- Kalantar, B., Ueda, N., Saeidi, V., Ahmadi, K., Halin, A. A., & Shabani, F. (2020). Landslide susceptibility mapping: Machine and ensemble learning based on remote sensing big data. *Remote Sensing*, 12(11). <https://doi.org/10.3390/rs12111737>

- Kamisetty, A., Gandhi, I. S. R., & Kumar, A. (2022). Exploring the suitability of using Foam concrete as pore pressure dissipation measure for slope Stability: A state of art review. *Materials Today: Proceedings*, 65, 1399–1403. <https://doi.org/10.1016/j.matpr.2022.04.375>
- Kanungo, D. P., Arora, M. K., Sarkar, S., & Gupta, R. P. (2006). A comparative study of conventional, ANN black box, fuzzy and combined neural and fuzzy weighting procedures for landslide susceptibility zonation in Darjeeling Himalayas. *Engineering Geology*, 85(3–4), 347–366. <https://doi.org/10.1016/j.enggeo.2006.03.004>
- Kavzoglu, T., Colkesen, I., & Sahin, E. K. (2019). Machine learning techniques in landslide susceptibility mapping: A survey and a case study. In *Advances in Natural and Technological Hazards Research* (Vol. 50, pp. 283–301). Springer Netherlands. https://doi.org/10.1007/978-3-319-77377-3_13
- Kayastha, P., Dhital, M. R., & De Smedt, F. (2013). Application of the analytical hierarchy process (AHP) for landslide susceptibility mapping: A case study from the Tinau watershed, west Nepal. *Computers and Geosciences*, 52, 398–408. <https://doi.org/10.1016/j.cageo.2012.11.003>
- Kim, J., Lee, K., Jeong, S., & Kim, G. (2014). GIS-based prediction method of landslide susceptibility using a rainfall infiltration-groundwater flow model. *Engineering Geology*, 182(PA), 63–78. <https://doi.org/10.1016/j.enggeo.2014.09.001>
- Korup, O., & Stolle, A. (2014). Landslide prediction from machine learning. In *Geology Today* (Vol. 30, Issue 1).
- Lee, D. H., Kim, Y. T., & Lee, S. R. (2020). Shallow landslide susceptibility models based on artificial neural networks considering the factor selection method and various non-linear activation functions. *Remote Sensing*, 12(7). <https://doi.org/10.3390/rs12071194>
- Lei, X., Chen, W., & Pham, B. T. (2020). Performance evaluation of GIS-based artificial intelligence approaches for landslide susceptibility modeling and spatial patterns analysis. *ISPRS International Journal of Geo-Information*, 9(7). <https://doi.org/10.3390/ijgi9070443>
- Li, D., Huang, F., Yan, L., Cao, Z., Chen, J., & Ye, Z. (2019). Landslide susceptibility prediction using particle-swarm-optimized multilayer perceptron: Comparisons with multilayer-perceptron-only, BP neural network, and information value models. *Applied Sciences (Switzerland)*, 9(18). <https://doi.org/10.3390/app9183664>
- Li, Y., Huang, J., Jiang, S. H., Huang, F., & Chang, Z. (2017). A web-based GPS system for displacement monitoring and failure mechanism analysis of reservoir landslide. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-17507-7>

- Lissak, C., Bartsch, A., De Michele, M., Gomez, C., Maquaire, O., Raucoules, D., & Roulland, T. (2020). Remote Sensing for Assessing Landslides and Associated Hazards. In *Surveys in Geophysics* (Vol. 41, Issue 6, pp. 1391–1435). Springer Science and Business Media B.V. <https://doi.org/10.1007/s10712-020-09609-1>
- Lv, Z. Y., Shi, W., Zhang, X., & Benediktsson, J. A. (2018). Landslide Inventory Mapping from Bitemporal High-Resolution Remote Sensing Images Using Change Detection and Multiscale Segmentation. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 11(5), 1520–1532. <https://doi.org/10.1109/JSTARS.2018.2803784>
- Mengistu, F., Suryabhadgavan, K. V., Raghuvanshi, T. K., & Lewi, E. (2019). Landslide Hazard Zonation and Slope Instability Assessment using Optical and InSAR Data: A Case Study from Gidole Town and its Surrounding Areas, Southern Ethiopia. *Remote Sensing of Land*, 3(1), 1–14. <https://doi.org/10.21523/gcj1.19030101>
- Merghadi, A., Yunus, A. P., Dou, J., Whiteley, J., ThaiPham, B., Bui, D. T., Avtar, R., & Abderrahmane, B. (2020). Machine learning methods for landslide susceptibility studies: A comparative overview of algorithm performance. In *Earth-Science Reviews* (Vol. 207). Elsevier B.V. <https://doi.org/10.1016/j.earscirev.2020.103225>
- Nandi, A., & Shakoor, A. (2010). A GIS-based landslide susceptibility evaluation using bivariate and multivariate statistical analyses. *Engineering Geology*, 110(1–2), 11–20. <https://doi.org/10.1016/j.enggeo.2009.10.001>
- Nefeslioglu, H. A., Gokceoglu, C., & Sonmez, H. (2008). An assessment on the use of logistic regression and artificial neural networks with different sampling strategies for the preparation of landslide susceptibility maps. *Engineering Geology*, 97(3–4), 171–191. <https://doi.org/10.1016/j.enggeo.2008.01.004>
- Nguyen, V. V., Pham, B. T., Vu, B. T., Prakash, I., Jha, S., Shahabi, H., Shirzadi, A., Ba, D. N., Kumar, R., Chatterjee, J. M., & Bui, D. T. (2019). Hybrid machine learning approaches for landslide susceptibility modeling. *Forests*, 10(2). <https://doi.org/10.3390/f10020157>
- Nhu, V. H., Shirzadi, A., Shahabi, H., Singh, S. K., Al-Ansari, N., Clague, J. J., Jaafari, A., Chen, W., Miraki, S., Dou, J., Luu, C., Górski, K., Pham, B. T., Nguyen, H. D., & Ahmad, B. Bin. (2020). Shallow landslide susceptibility mapping: A comparison between logistic model tree, logistic regression, naïve bayes tree, artificial neural network, and support vector machine algorithms. *International Journal of Environmental Research and Public Health*, 17(8). <https://doi.org/10.3390/ijerph17082749>
- Nurwatik, N., Ummah, M. H., Cahyono, A. B., Darminto, M. R., & Hong, J. H. (2022). A Comparison Study of Landslide Susceptibility Spatial Modeling Using Machine Learning. *ISPRS International Journal of Geo-Information*, 11(12). <https://doi.org/10.3390/ijgi11120602>

- Pham, B. T., Jaafari, A., Prakash, I., & Bui, D. T. (2019). A novel hybrid intelligent model of support vector machines and the MultiBoost ensemble for landslide susceptibility modeling. *Bulletin of Engineering Geology and the Environment*, 78(4), 2865–2886. <https://doi.org/10.1007/s10064-018-1281-y>
- Pham, B. T., Pradhan, B., Tien Bui, D., Prakash, I., & Dholakia, M. B. (2016). A comparative study of different machine learning methods for landslide susceptibility assessment: A case study of Uttarakhand area (India). *Environmental Modelling and Software*, 84, 240–250. <https://doi.org/10.1016/j.envsoft.2016.07.005>
- Pham, B. T., Tien Bui, D., Prakash, I., & Dholakia, M. B. (2017). Hybrid integration of Multilayer Perceptron Neural Networks and machine learning ensembles for landslide susceptibility assessment at Himalayan area (India) using GIS. *Catena*, 149, 52–63. <https://doi.org/10.1016/j.catena.2016.09.007>
- Planet Developer. (2024). *PlanetScope*. <https://developers.planet.com/docs/data/planetscope/>
- Pradhan, A. M. S., & Kim, Y. T. (2016). Evaluation of a combined spatial multi-criteria evaluation model and deterministic model for landslide susceptibility mapping. *Catena*, 140, 125–139. <https://doi.org/10.1016/j.catena.2016.01.022>
- Pradhan, B. (2013). A comparative study on the predictive ability of the decision tree, support vector machine and neuro-fuzzy models in landslide susceptibility mapping using GIS. *Computers and Geosciences*, 51, 350–365. <https://doi.org/10.1016/j.cageo.2012.08.023>
- Priyono, K. D., Priyana, Y., & Priyono, D. (2006). Analisis Tingkat Bahaya Longsor Lahan di Kecamatan Banjarmangu Kabupaten Banjarnegara. *Forum Geografi*. Volume 20. Nomor 2
- Raghuvanshi, T. K., Ibrahim, J., & Ayalew, D. (2014a). Slope stability susceptibility evaluation parameter (SSEP) rating scheme - An approach for landslide hazard zonation. *Journal of African Earth Sciences*, 99(PA2), 595–612. <https://doi.org/10.1016/j.jafrearsci.2014.05.004>
- Raghuvanshi, T. K., Ibrahim, J., & Ayalew, D. (2014b). Slope stability susceptibility evaluation parameter (SSEP) rating scheme - An approach for landslide hazard zonation. *Journal of African Earth Sciences*, 99(PA2), 595–612. <https://doi.org/10.1016/j.jafrearsci.2014.05.004>
- Rahmati, O., Haghizadeh, A., Pourghasemi, H. R., & Noormohamadi, F. (2016). Gully erosion susceptibility mapping: the role of GIS-based bivariate statistical models and their comparison. *Natural Hazards*, 82(2), 1231–1258. <https://doi.org/10.1007/s11069-016-2239-7>

- Reichenbach, P., Busca, C., Mondini, A. C., & Rossi, M. (2014). The Influence of Land Use Change on Landslide Susceptibility Zonation: The Briga Catchment Test Site (Messina, Italy). *Environmental Management*, 54(6), 1372–1384. <https://doi.org/10.1007/s00267-014-0357-0>
- Reichenbach, P., Rossi, M., Malamud, B. D., Mihir, M., & Guzzetti, F. (2018). A review of statistically-based landslide susceptibility models. In *Earth-Science Reviews* (Vol. 180, pp. 60–91). Elsevier B.V. <https://doi.org/10.1016/j.earscirev.2018.03.001>
- Salgado, C. M., Azevedo, C., Proença, H., & Vieira, S. M. (2016). Secondary Analysis of Electronic Health Records. In *Secondary Analysis of Electronic Health Records*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-43742-2>
- Samodra, G., Hadmoko, D. S., Wicaksono, G. N., Adi, I. P., Yudinugroho, M., Wibowo, S. B., Suryatmojo, H., Purwanto, T. H., Widartono, B. S., & Lavigne, F. (2018). The March 25 and 29, 2016 landslide-induced debris flow at Clapar, Banjarnegara, Central Java. *Landslides*, 15(5), 985–993. <https://doi.org/10.1007/s10346-018-0958-4>
- Santangelo, M., Gioia, D., Cardinali, M., Guzzetti, F., & Schiattarella, M. (2015). Landslide inventory map of the upper Sinni River valley, Southern Italy. *Journal of Maps*, 11(3), 444–453. <https://doi.org/10.1080/17445647.2014.949313>
- Selamat, S. N., Majid, N. A., Taha, M. R., & Osman, A. (2022). Landslide Susceptibility Model Using Artificial Neural Network (ANN) Approach in Langat River Basin, Selangor, Malaysia. *Land*, 11(6). <https://doi.org/10.3390/land11060833>
- Shahabi, H., & Hashim, M. (2015). Landslide susceptibility mapping using GIS-based statistical models and Remote sensing data in tropical environment. *Scientific Reports*, 5. <https://doi.org/10.1038/srep09899>
- Shano, L., Raghuvanshi, T. K., & Meten, M. (2020). Landslide susceptibility evaluation and hazard zonation techniques – a review. In *Geoenvironmental Disasters* (Vol. 7, Issue 1). Springer. <https://doi.org/10.1186/s40677-020-00152-0>
- Shano, L., Raghuvanshi, T. K., & Meten, M. (2021). Landslide susceptibility mapping using frequency ratio model: the case of Gamo highland, South Ethiopia. *Arabian Journal of Geosciences*. <https://doi.org/10.1007/s12517-021-06995-7/Published>
- Shirzadi, A., Shahabi, H., Chapi, K., Bui, D. T., Pham, B. T., Shahedi, K., & Ahmad, B. Bin. (2017). A comparative study between popular statistical and machine learning methods for simulating volume of landslides. *Catena*, 157, 213–226. <https://doi.org/10.1016/j.catena.2017.05.016>
- Sterlacchini, S., Ballabio, C., Blahut, J., Masetti, M., & Sorichetta, A. (2011). Spatial agreement of predicted patterns in landslide susceptibility maps. *Geomorphology*,

125(1), 51–61. <https://doi.org/10.1016/j.geomorph.2010.09.004>

- Suharini, E., Arfina, F., & Kurniawan, E. (2021). The level of threats and community capacity concerning to landslide emergency in Banjarnegara Indonesia. *International Journal of Environmental Science and Development*, 12(4), 118–125. <https://doi.org/10.18178/IJESD.2021.12.4.1328>
- Sukristiyanti, S., Wikantika, K., Sadisun, I. A., Yayusman, L. F., & Soebowo, E. (2021). Preliminary Study of Landslide Susceptibility Modeling with Random Forest Algorithm Using R (Case Study: The Cisangkuy Sub-watershed). *IOP Conference Series: Earth and Environmental Science*, 936(1). <https://doi.org/10.1088/1755-1315/936/1/012015>
- Sulistian, T., Aditya, S., Triady Mugiarto, F., Istighfarini, F., Muhammad Harrys, R., & Sofian, I. (2021). *PEMUTAKHIRAN DIGITAL ELEVATION MODEL NASIONAL*. <http://tides.big.go.id/DEMNAS>.
- Sun, D., Wen, H., Wang, D., & Xu, J. (2020). A random forest model of landslide susceptibility mapping based on hyperparameter optimization using Bayes algorithm. *Geomorphology*, 362. <https://doi.org/10.1016/j.geomorph.2020.107201>
- Tang, R. X., Kulatilake, P. H. S. W., Yan, E. C., & Cai, J. Sen. (2020). Evaluating landslide susceptibility based on cluster analysis, probabilistic methods, and artificial neural networks. *Bulletin of Engineering Geology and the Environment*, 79(5), 2235–2254. <https://doi.org/10.1007/s10064-019-01684-y>
- Tehrani, F. S., Calvello, M., Liu, Z., Zhang, L., & Lacasse, S. (2022). Machine learning and landslide studies: recent advances and applications. *Natural Hazards*, 114(2), 1197–1245. <https://doi.org/10.1007/s11069-022-05423-7>
- Tien Bui, D., Tuan, T. A., Klempe, H., Pradhan, B., & Revhaug, I. (2016). Spatial prediction models for shallow landslide hazards: a comparative assessment of the efficacy of support vector machines, artificial neural networks, kernel logistic regression, and logistic model tree. *Landslides*, 13(2), 361–378. <https://doi.org/10.1007/s10346-015-0557-6>
- Tjahjono, H., Suripin, & Kismartini. (2018). Community Capacity in the Face of Landslide Hazards in the Southern of Semarang City. *E3S Web of Conferences*, 31. <https://doi.org/10.1051/e3sconf/20183109018>
- Warnadi. (2014). Inventarisasi Daerah Rawan Longsor Kabupaten Banjarnegara Jawa Tengah. *Jurnal Spasial Wahana Komunikasi Dan Informasi Geografi*. Volume 12. Nomor 2
- Wasowski, J., & Bovenga, F. (2014). Investigating landslides and unstable slopes with satellite Multi Temporal Interferometry: Current issues and future perspectives. In *Engineering Geology* (Vol. 174, pp. 103–138). Elsevier.

<https://doi.org/10.1016/j.enggeo.2014.03.003>

Wibowo, S. B., Lavigne, F., Rifai, S. L., Suryandari, R. R., Nurani, I. W., St. Dwi Ermawan Danas Putra, & Pamungkas, W. W. (2020). Raster-based Model for Mass Movement in Malang Regency, East Java, Indonesia. *Journal of Geoscience, Engineering, Environment, and Technology*, 5(4), 192–198. <https://doi.org/10.25299/jgeet.2020.5.4.4737>

Youssef, A. M., & Pourghasemi, H. R. (2021). Landslide susceptibility mapping using machine learning algorithms and comparison of their performance at Abha Basin, Asir Region, Saudi Arabia. *Geoscience Frontiers*, 12(2), 639–655. <https://doi.org/10.1016/j.gsf.2020.05.010>

Youssef, A. M., Pourghasemi, H. R., Pourtaghi, Z. S., & Al-Katheeri, M. M. (2016). Landslide susceptibility mapping using random forest, boosted regression tree, classification and regression tree, and general linear models and comparison of their performance at Wadi Tayyah Basin, Asir Region, Saudi Arabia. *Landslides*, 13(5), 839–856. <https://doi.org/10.1007/s10346-015-0614-1>

Zêzere, J. L., Pereira, S., Melo, R., Oliveira, S. C., & Garcia, R. A. C. (2017). Mapping landslide susceptibility using data-driven methods. *Science of the Total Environment*, 589, 250–267. <https://doi.org/10.1016/j.scitotenv.2017.02.188>

Zhang, G., Cai, Y., Zheng, Z., Zhen, J., Liu, Y., & Huang, K. (2016). Integration of the Statistical Index Method and the Analytic Hierarchy Process technique for the assessment of landslide susceptibility in Huizhou, China. *Catena*, 142, 233–244. <https://doi.org/10.1016/j.catena.2016.03.028>

Zhao, B., Liao, H., & Su, L. (2021). Landslides triggered by the 2018 Lombok earthquake sequence, Indonesia. *Catena*, 207. <https://doi.org/10.1016/j.catena.2021.105676>

Zhu, A. X., Miao, Y., Wang, R., Zhu, T., Deng, Y., Liu, J., Yang, L., Qin, C. Z., & Hong, H. (2018). A comparative study of an expert knowledge-based model and two data-driven models for landslide susceptibility mapping. *Catena*, 166, 317–327. <https://doi.org/10.1016/j.catena.2018.04.003>