

Reference

- Bajpai, P. (2018). Production of Dissolving Grade Pulp. In *Biermann's Handbook of Pulp and Paper* (pp. 375–388). Elsevier. <https://doi.org/10.1016/b978-0-12-814240-0.00014-8>
- Barthelemy~, H. L., & Williams, L. (n.d.). *Determination of Total Sulfur and of the Gamma Number of Viscose*.
- Ciechańska, D., Wesołowska, E., & Wawro, D. (2009). An introduction to cellulosic fibres. In *Handbook of Textile Fibre Structure* (Vol. 2, pp. 3–61). Elsevier Inc. <https://doi.org/10.1533/9781845697310.1.3>
- Coleyt, J. R. (1939). t Present address: Research Department. In *Standard Oil Company*.
- Davidson, M., Feinleib, M., & Bethesda, D. (n.d.). *Review Carbon dim poim~: A review*.
- Demartino, A. W., Zigler, D. F., Fukuto, J. M., & Ford, P. C. (2017). Carbon disulfide. Just toxic or also bioregulatory and/or therapeutic? In *Chemical Society Reviews* (Vol. 46, Issue 1, pp. 21–39). Royal Society of Chemistry. <https://doi.org/10.1039/c6cs00585c>
- E. Z. Kipershlak, A. B. P. (1979). *bf00551224 -REACTIVITY OF THE CELLULOSE IN THE VISCOSE PROCESS*. 170–172.
- Epa, U., & of Science, O. (2011). *Preliminary Study of Carbon Disulfide Discharges from Cellulose Products Manufacturers*.
- Fechter, C., Fischer, S., Reimann, F., Brelid, H., & Heinze, T. (2020). Influence of pulp characteristics on the properties of alkali cellulose. *Cellulose*, 27(12), 7227–7241. <https://doi.org/10.1007/s10570-020-03151-4>
- Finger, G. G., & Pakshver, A. B. (1990.-a). *Effect Of Sulfur Containing By-Product in Viscose on Its Properties and the Process of Fiber Spinning, Fibre Chem 22:168–176*
- Finger, G. G., & Pakshver, A. B. (1990.-b). *Effect Of Sulfur Containing By-Product in Viscose on Its Properties and the Process of Fiber Spinning, Fibre Chem 22:168–176*
- Gondhalekar, S. C., Pawar, P. J., Dhumal, S. S., & Thakre, S. (2022). Fate of CS₂ in viscose process: a chemistry perspective. *Cellulose*, 29(3), 1451–1461. <https://doi.org/10.1007/s10570-021-04398-1>
- Gondhalekar, S. C., Pawar, P. J., Dhumal, S. S., & Thakre, S. S. (2019). Mechanism of xanthation reaction in viscose process. *Cellulose*, 26(3), 1595–1604. <https://doi.org/10.1007/s10570-018-2213-5>
- Hellström, S., Wallenius, M., Ab, D. F., & Tesfalidet, S. (n.d.). *Viscose production-impact from alkali resistance (R18) and hemicellulose content in dissolving cellulose on the processability and quality of viscose*.
- HONGU, T., & PHILLIPS, G. O. (1997). Cellulosic fibers. In *New Fibers* (pp. 191–208). Elsevier. <https://doi.org/10.1533/9781855737570.191>



- Ibarra, D., Köpcke, V., & Ek, M. (2010). Behavior of different monocomponent endoglucanases on the accessibility and reactivity of dissolving-grade pulps for viscose process. *Enzyme and Microbial Technology*, 47(7), 355–362.
<https://doi.org/10.1016/j.enzmictec.2010.07.016>
- Jin, H., Yang, S., He, G., Liu, D., Tong, Z., & Zhu, J. (2014). Gas-Liquid mass transfer characteristics in a gas-liquid-solid bubble column under elevated pressure and temperature. *Chinese Journal of Chemical Engineering*, 22(9), 955–961.
<https://doi.org/10.1016/j.cjche.2014.06.019>
- Kaller, A. L., & Shanyuk, L. I. (1968). *XANTHATION OF ALKALI CELLULOSE ELEVATED TEMPERATURES*. 170–171.
- Kamide, K., Kowsaka, K., & Okajima, K. (1985). Determination of Intramolecular Hydrogen Bonds and Selective Coordination of Sodium Cation in Alkali cellulose by CP /MASS 13 C NMR. In *Polymer Journal* (Vol. 17, Issue 5).
- Kasper, C., & Rumbold, J. S. (1930). *The accuracy CONTRIBUTION FROM THE SIMON FREED DEPARTMENT O F CHEMISTRY THE ACTION OF SODIUM HYDROXIDE ON CELLULOSE*.
- Keshk, S. M. A. S. (2015). Effect of different alkaline solutions on crystalline structure of cellulose at different temperatures. *Carbohydrate Polymers*, 115, 658–662.
<https://doi.org/10.1016/j.carbpol.2014.09.045>
- Koutu, B. B., & Bhagwat, V. W. (1999). Study of xanthate group distribution during ripening of viscose. In *Journal of Chemical Technology* (Vol. 6).
- Levenspiel, Fluid-Fluid Reactions: Kinetics in Chemical Reaction Engineering, edited by W. John and Sons (Wiley, New York, 1999), p. 523–535.
- Li, H., Legere, S., He, Z., Zhang, H., Li, J., Yang, B., Zhang, S., Zhang, L., Zheng, L., & Ni, Y. (2018). Methods to increase the reactivity of dissolving pulp in the viscose rayon production process: a review. In *Cellulose* (Vol. 25, Issue 7, pp. 3733–3753). Springer Netherlands.
<https://doi.org/10.1007/s10570-018-1840-1>
- Li, J., Liu, Y., Duan, C., Zhang, H., & Ni, Y. (2015). Mechanical pretreatment improving hemicelluloses removal from cellulosic fibers during cold caustic extraction. *Bioresource Technology*, 192, 501–506. <https://doi.org/10.1016/j.biortech.2015.06.011>
- McKeen. (2017). Permeability Properties of Plastics and Elastomers 13 Environmentally Friendly Polymers. In *Permeability Properties of Plastics and Elastomers*.
<https://doi.org/10.1016/B978-0-323-50859-9/00013-0>
- Mendes, I. S. F., Prates, A., & Evtuguin, D. V. (2021a). Production of rayon fibres from cellulosic pulps: State of the art and current developments. In *Carbohydrate Polymers* (Vol. 273). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118466>



- Mendes, I. S. F., Prates, A., & Evtuguin, D. V. (2021b). Production of rayon fibres from cellulosic pulps: State of the art and current developments. In *Carbohydrate Polymers* (Vol. 273). Elsevier Ltd. <https://doi.org/10.1016/j.carbpol.2021.118466>
- Mozdyniewicz, D. J., Nieminen, K., & Sixta, H. (2013). Alkaline steeping of dissolving pulp. Part I: Cellulose degradation kinetics. *Cellulose*, 20(3), 1437–1451. <https://doi.org/10.1007/s10570-013-9926-2>
- Nikonova, E. A., Pakshver, A. B., & Serebryakova, Z. G. (1970). *Surface-Active Agents and Their Applications in the Man-Made Fibre Industry* (Issue 2). NIITEkhim.
- Östberg, L., Håkansson, H., & Germgård, U. (2012). Some aspects of the reactivity of pulp intended for high-viscosity viscose. *BioResources*, 7(1), 743–755. <https://doi.org/10.15376/biores.7.1.743-755>
- P. Rassolov and G. G. Finger. (1980). Effect of Alkali Cellulose Composition and Xanthation Temperature on The Maximum Possible Degree of Esterification of Cellulose Xanthate, *Fiber Chem*13, 28-29. <https://doi.org/10.1007/BF02396539>
- Rodgers, B., & Waddell, W. (2013). Tire Engineering. In *The Science and Technology of Rubber, Fourth Edition* (pp. 653–695). Elsevier. <https://doi.org/10.1016/B978-0-12-394584-6.00014-5>
- Rosenau, T., Potthast, A., Hofinger, A., Bacher, M., Yoneda, Y., Mereiter, K., Nakatsubo, F., Jäger, C., French, A. D., & Kajiwar, K. (2019). *5 Toward a Better Understanding of Cellulose Swelling, Dissolution, and Regeneration on the Molecular Level*.
- Sayyed, A. J., Deshmukh, N. A., & Pinjari, D. V. (2019). A critical review of manufacturing processes used in regenerated cellulosic fibres: viscose, cellulose acetate, cuprammonium, LiCl/DMAc, ionic liquids, and NMMO based lyocell. In *Cellulose* (Vol. 26, Issue 5, pp. 2913–2940). Springer Netherlands. <https://doi.org/10.1007/s10570-019-02318-y>
- Serkov, A. A., Finger, G. G., & Klinova, S. N. (1980). *WET XANTHATION OF THE ALKALI*.
- Shen, L., & Kumar Patel, M. (2010). *Life Cycle Assessment of man-made cellulose fibres IRENA-REMAP View project H2020 Hieff BioPower View project*. <https://www.researchgate.net/publication/50925966>
- Shimko, I. G., Mogilevskii, E. M., Eifer, I. Z., Gribanenkov, A. V., Korobochkin, D. F., Bork, Z. V., & Khrulev, V. I. (n.d.). *CHEMISTRY AND TECHNOLOGY OF NATURAL POLYMER FIBRES CONTINUOUS SODA CELLULOSE XANTHATION*.
- Sixta, Herbert. (2006). *Handbook of pulp*. Wiley-VCH.
- Stepanova, G. A., Kaller, A. L., Polyakova, G. V., & Mogilevskii, E. M. (n.d.). *WET XANTHATION OF THE SODA CELLULOSE*.
- Stepanova, G. A., Pakshver, A. B., & Kaller, A. L. (n.d.). *ACCELERATION OF THE XANTHATION PROCESS OF ALKALI CELLULOSE*.



Sugesty, S., Kardiansyah, T., & Hardiani, H. (2015). Bamboo as Raw Materials for Dissolving Pulp with Environmental Friendly Technology for Rayon Fiber. *Procedia Chemistry*, 17, 194–199. <https://doi.org/10.1016/j.proche.2015.12.122>

United States Patent (19) Mills (54) METHOD FOR CONTROLLING OXYGEN LEVEL DURING CONTINUOUS XANTHATION OF ALKAL CELLULOSE. (n.d.).

Wang, Y. (2008). *CELLULOSE FIBER DISSOLUTION IN SODIUM HYDROXIDE SOLUTION AT LOW TEMPERATURE: DISSOLUTION KINETICS AND SOLUBILITY IMPROVEMENT.*

WILKES, A. G. (2001). The viscose process. In *Regenerated Cellulose Fibres* (pp. 37–61). Elsevier. <https://doi.org/10.1533/9781855737587.37>

You, X., Chen, F., Ma, Y., Roselli, A., Enqvist, E., & Hassi, H. (2021). Single fiber swelling behavior for natural and man-made cellulose fibers under alkaline treatment. *Cellulose*, 28(18), 11287–11298. <https://doi.org/10.1007/s10570-021-04280-0>