

DAFTAR PUSTAKA

- Ajwang (2013) 'the Influence of Referral Service on Household Access To Healthcare Services in Eldoret Municipality , Kenya', *International Interdisciplinary Conference*, pp. 24–26.
- Alshaikh, R. *et al.* (2022) 'Factors influencing the length of stay among patients admitted to a tertiary pediatric intensive care unit in Saudi Arabia', *Frontiers in Pediatrics*, 10(December), pp. 1–8. doi: 10.3389/fped.2022.1093160.
- Arafah, Y. F., Murni, I. K. and Rusmawatiningsy, D. (2019) *PREDIKTOR PERAWATAN LAMA PASIEN DI INSTALASI RAWAT INTENSIF ANAK (IRIA) RSUP DR SARDJITO*. Gadjah Mada. Available at: <http://etd.repository.ugm.ac.id/penelitian/detail/173489>.
- Ardila Gómez, I. J. *et al.* (2017) 'Nutritional Support of the Critically Ill Pediatric Patient: Foundations and Controversies', *Clinical Medicine Insights: Trauma and Intensive Medicine*, 8, p. 117956031770110. doi: 10.1177/1179560317701108.
- Argent, A. C. *et al.* (2022) 'Factors to be Considered in Advancing Pediatric Critical Care Across the World', *Critical Care Clinics*, 38(4), pp. 707–720. doi: 10.1016/j.ccc.2022.07.001.
- Bacha, A. J., Gadisa, D. A., Gudeta, M. D., Beressa, T. B., & Negera, G. Z. (2023). Survival Status and Predictors of Mortality Among Patients Admitted to Pediatric Intensive Care Unit at Selected Tertiary Care Hospitals in Ethiopia: A Prospective Observational Study. *Clinical Medicine Insights: Pediatrics*, 17, 117955652311694. <https://doi.org/10.1177/11795565231169498>
- Baniasadi, T. *et al.* (2019) 'Factors affecting length of stay in Children Hospital in Southern Iran', *BMC Health Services Research*, 19(1), pp. 1–6. doi: 10.1186/s12913-019-4799-1.
- Barisonzo, R. *et al.* (2013) 'Length of stay as risk factor for inappropriate hospital days: Interaction with patient age and co-morbidity', *Journal of Evaluation in Clinical Practice*, 19(1), pp. 80–85. doi: 10.1111/j.1365-2753.2011.01775.x.
- Belway, D. *et al.* (2008) 'The role of transport intervals in outcomes for critically ill patients who are transferred to referral centers', *Journal of Critical Care*, 23(3), pp. 287–294. doi: 10.1016/j.jcrc.2007.04.007.
- Berry, J. G. *et al.* (2013) 'Inpatient growth and resource use in 28 children's hospitals: a longitudinal, multi-institutional study', *JAMA Pediatrics*, pp. 170–177. doi: 10.1001/jamapediatrics.2013.432.
- Chongcharoenyanon, T., Samransamruajkit, R. and Sophonphan, J. (2023) 'Corrigendum: Epidemiology, risk factors and outcomes of prolonged mechanical ventilation with different cut-points in a PICU (Frontiers in Pediatrics, (2023), 11, (1167595), 10.3389/fped.2023.1167595)', *Frontiers in Pediatrics*, 11(June), p. 1237299. doi: 10.3389/fped.2023.1237299.
- Conlon, N. P. *et al.* (2009) 'Health-related quality of life after prolonged pediatric intensive care unit stay', *Pediatric Critical Care Medicine*, 10(1), pp. 41–44. doi: 10.1097/PCC.0b013e31819371f6.

- Costa, G. de A. *et al.* (2010) 'Application of the Pediatric Risk of Mortality Score (PRISM) score and determination of mortality risk factors in a tertiary pediatric intensive care unit', *Clinics*, 65(11), pp. 1087–1092. doi: 10.1590/S1807-59322010001100005.
- Daniels, A. A. and Abuosi, A. (2020) 'Improving emergency obstetric referral systems in low and middle income countries: A qualitative study in a tertiary health facility in Ghana', *BMC Health Services Research*, 20(1), pp. 1–10. doi: 10.1186/s12913-020-4886-3.
- Dendir, G. *et al.* (2023) 'Factors Associated with the Outcome of a Pediatric Patients Admitted to Intensive Care Unit in Resource-Limited Setup: Cross-Sectional Study', *Pediatric Health, Medicine and Therapeutics*, Volume 14(February), pp. 71–79. doi: 10.2147/phmt.s389404.
- Dewi, R. and Fatimatuzzuhroh (2019) 'Profil Pasien Sakit Kritis yang Dirawat di PICU RSCM berdasarkan sistem skoring PELOD -2', *Sari Pediatri*, 21(1), pp. 37–43.
- Dieckmann, R., Brownstein, D. and Gausche-Hill, M. (2000) 'Pediatric education for prehospital professionals'. Available at: <https://www.semanticscholar.org/paper/Pediatric-education-for-prehospital-professionals-Dieckmann-Brownstein/b9b0f89290d5c6cf9634e05db519ce4bb3b8b771>.
- Durairaj, L. *et al.* (2003) 'Prognostic factors for mortality following interhospital transfers to the medical intensive care unit of a tertiary referral center', *Critical Care Medicine*, 31(7), pp. 1981–1986. doi: 10.1097/01.CCM.0000069730.02769.16.
- Elbaih, A., Elkilany, A. and Enany, M. (2017) 'Salivary cortisol level as a marker of adrenal function in children with systemic inflammatory response syndrome in Egypt.', *Annals of Paediatric Rheumatology*, 6(1), p. 1. doi: 10.5455/apr.022720171311.
- Elbaih, A. and Safi, M. (2021) 'Approach to critical ill child', *Medicine Science | International Medical Journal*, 10(1), p. 1. doi: 10.5455/medscience.2020.08.176.
- Ezhumalai, G. *et al.* (2020) 'Referrals to a pediatric emergency department of a tertiary care teaching hospital before and after introduction of a referral education module - A quality improvement study', *BMC Health Services Research*, 20(1), pp. 1–7. doi: 10.1186/s12913-020-05649-w.
- Fleck, A. *et al.* (1985) 'Increased Vascular Permeability: a Major Cause of Hypoalbuminaemia in Disease and Injury', *The Lancet*, 325(8432), pp. 781–784. doi: 10.1016/S0140-6736(85)91447-3.
- García Mancebo, J., de la Mata Navazo, S., López-Herce Arteta, E., Montero Mateo, R., López Esteban, I. M., Mazzuchelli Domínguez, A., Sánchez Doutel, M., López-Herce Cid, J., & González Cortés, R. (2021). A comparative two-cohort study of pediatric patients with long term stay in ICUs. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-84248-z>
- Gold, J. M. *et al.* (2016) 'Long length of hospital stay in children with medical complexity', *Journal of Hospital Medicine*, 11(11), pp. 750–756. doi: 10.1002/jhm.2633.

- Gonzales-Cortes, R. *et al.* (2011) 'Prolonged stay in pediatric intensive care units: mortality and healthcare resource consumption'. doi: <https://doi.org/10.1016/j.medin.2011.04.004>.
- Hamed Al-Farsi, F. A. *et al.* (2022) 'Predicting Patients at Risk for Prolonged Hospital Stays Following Pediatrics Traumatic Head Injuries in High-Income Developing Country: A Retrospective Cohort Study', *World Neurosurgery*, 166, pp. e382–e387. doi: 10.1016/J.WNEU.2022.07.004.
- Hamed Elbaih, A. and Khaled Alissa, Z. (2020) 'The Effect of Cardiopulmonary Resuscitation Quality on Cardiac Arrest Outcome', *J Emerg Med Care*, 3(1), p. 102. Available at: <https://www.researchgate.net/publication/344608200>.
- Handayani, P. W. *et al.* (2021) 'The Regional And Referral Compliance Of Online Healthcare Systems By Indonesia National Health Insurance Agency And Health-Seeking Behavior In Indonesia', *Heliyon*, 7(9), p. e08068. doi: 10.1016/j.heliyon.2021.e08068.
- Harvey, M., Edmunds, S. and Ghose, A. (2020) 'Transporting critically ill children', *Anaesthesia and Intensive Care Medicine*, 21(12), pp. 641–648. doi: 10.1016/j.mpaic.2020.10.011.
- Hort, K. *et al.* (2019) *Strategies to strengthen referral from primary care to secondary care in low- and middle-income countries*, World Health Organisation. World Health Organization. Published by Elsevier Ltd/Inc/BV. All rights reserved. Available at: <https://apps.who.int/iris/bitstream/handle/10665/325734/9789290227090-eng.pdf>.
- Hsia, R. Y. *et al.* (2012) 'Access to emergency and surgical care in sub-Saharan Africa: The infrastructure gap', *Health Policy and Planning*, 27(3), pp. 234–244. doi: 10.1093/heapol/czr023.
- Hung, S. C. *et al.* (2014) 'Determining delayed admission to the intensive care unit for mechanically ventilated patients in the emergency department', *Critical Care*, 18(4), pp. 1–9. doi: 10.1186/s13054-014-0485-1.
- Hussein, J. *et al.* (2012) 'The effectiveness of emergency obstetric referral interventions in developing country settings: A systematic review', *PLoS Medicine*, 9(7). doi: 10.1371/journal.pmed.1001264.
- Ilboudo, T. P., Chou, Y. and Huang, N. (2012) 'Compliance with referral for curative care in rural Burkina Faso', (May 2011), pp. 256–264. doi: 10.1093/heapol/czr041.
- Intensive Care Medicine of Ireland, J. F. (2018) *National Standards for Paediatric Critical Care Services Joint Faculty of Intensive Care Medicine of Ireland*.
- K. M., C. *et al.* (2018) 'Influence of nutritional status on clinical outcomes in critically ill children', *International Journal of Contemporary Pediatrics*, 5(2), p. 462. doi: 10.18203/2349-3291.ijcp20180536.
- Kaiser, S. V. *et al.* (2015) 'Risk Factors for Prolonged Length of Stay or Complications During Pediatric Respiratory Hospitalizations', *Hospital pediatrics*, 5(9), pp. 461–473. doi: 10.1542/hpeds.2014-0246.
- Kamau, K. J., Osuga, B. O. and Njuguna, S. (2017) 'Challenges Facing Implementation Of Referral System For Quality Health Care Services In Kiambu County, Kenya', *Health Systems and Policy Research*, 04(01), pp.

- 1–8. doi: 10.21767/2254-9137.100067.
- Karlsson, O. *et al.* (2022) ‘Age Distribution of All-Cause Mortality among Children Younger Than 5 Years in Low- and Middle-Income Countries’, *JAMA Network Open*, 5(5), pp. 1–13. doi: 10.1001/jamanetworkopen.2022.12692.
- Kemkes Republik Indonesia (2023) *Petunjuk Teknis Penggunaan Rujukan Sistem Terintegrasi*. Indonesia: Kementerian Kesehatan Republik Indonesia. Available at: https://sisrute.kemkes.go.id/assets/doc/manual_sisrute_baru.pdf.
- Kementerian Kesehatan Republik Indonesia (2012) *Pedoman Sistem Rujukan Nasional*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia (2019) ‘KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.01.07/MENKES/179/2019 TENTANG RUMAH SAKIT PENYELENGGARA UJI COBA PROGRAM REKAM MEDIK INTEGRASI DALAM SISTEM RUJUKAN’, p. 16. Available at: http://hukor.kemkes.go.id/uploads/produk_hukum/KMK_No__HK_01_07-MENKES-179-2019_ttg_RS_Penyelenggara_Uji_Coba_Program_Medik_Integrasi_Dalam_Sistem_Rujukan.pdf.
- Kementerian Kesehatan Republik Indonesia (2021) *Profil Kesehatan Indonesia 2020*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kesehatan, K. (2016) *Jaminan Kesehatan Nasional*. Available at: <https://promkes.kemkes.go.id/?p=5799> (Accessed: 25 June 2023).
- El Kholy, A. A. *et al.* (2014) ‘Risk factors of prolonged hospital stay in children with viral severe acute respiratory infections’, *Journal of Infection in Developing Countries*, 8(10), pp. 1285–1293. doi: 10.3855/jidc.4682.
- Kong, X., Zhu, Y. and Zhu, X. (2021) ‘Association between early fluid overload and mortality in critically-ill mechanically ventilated children: a single-center retrospective cohort study’, *BMC Pediatrics*, 21(1), pp. 1–10. doi: 10.1186/s12887-021-02949-w.
- Kyle, U. G., Genton, L. and Pichard, C. (2005) ‘Hospital length of stay and nutritional status’, *Current Opinion in Clinical Nutrition and Metabolic Care*, 8(4), pp. 397–402. doi: 10.1097/01.mco.0000172579.94513.db.
- Latief, A. *et al.* (2016) *Buku Panduan Pelayanan Emergensi , Rawat Intermediet dan Rawat Intensif Anak* *Buku Panduan Pelayanan Emergensi , Rawat Intermediet dan Rawat Intensif Anak*. Edited by A. Latief. Jakarta.
- Latief, A., Setiati, T. E. and Kushartono, H. (2011) *Buku Ajar Pediatri Gawat Darurat, Ikatan Dokter Anak Indonesia*.
- Marcin, J. P. *et al.* (2001) ‘Long-stay patients in the pediatric intensive care unit’, *Critical Care Medicine*, 29(3), pp. 652–657. doi: 10.1097/00003246-200103000-00035.
- Marfil-Garza, B. A., *et al.* (2018). Risk factors associated with prolonged hospital length-of-stay: 18-year retrospective study of hospitalizations in a tertiary healthcare center in Mexico. *PLoS ONE*, 13(11). <https://doi.org/10.1371/journal.pone.0207203>
- McWhirter, J. P. (1994) ‘Incidence and recognition of malnutrition in hospital’,

- Clinical Nutrition*, 13(4), pp. 267–268. doi: 10.1016/0261-5614(94)90087-6.
- Meert, K. L. *et al.* (2020) ‘Morbidity and Mortality in Critically Ill Children. A Qualitative Patient-Level Analysis of Pathophysiologies and Potential Therapeutic Solutions’, *Crit Care Med*, p. 15. doi: 10.1097/CCM.0000000000004332.
- Miura, S. *et al.* (2022) ‘Epidemiology of long-stay patients in the pediatric intensive care unit: prevalence, characteristics, resource consumption and complications’, *Journal of Public Health (Germany)*, 30(1), pp. 111–119. doi: 10.1007/s10389-020-01282-3.
- Molyneux, L., Paris, R. and Ross, O. (2015) ‘Recognising the Seriously Ill Child’, *Update in Anaesthesia*, 30(1), pp. 224–235.
- Nath Roy, R., Nandy, S., Shrivastava, P., Chakraborty, A., Dasgupta, M., & Kumar Kundu, T. (2008). Mortality Pattern of Hospitalized Children in a Tertiary Care Hospital of Kolkata. In *Indian Journal of Community Medicine* (Vol. 33).
- National Clinical Lead for Paediatric Critical Care. (2019). *Model of Care for Paediatric Critical Care - National Clinical Programme for Critical Care & National Clinical Programme for Paediatrics*. <https://www.hse.ie/eng/about/who/cspd/ncps/critical-care/moc/model-of-care-for-paediatric-critical-care.pdf>
- Newbrander, W. *et al.* (2012) ‘Compliance with referral of sick children : a survey in five districts of Afghanistan’.
- Parentmark, F., & Walther, S. M. (2022). Intensive care unit to unit capacity transfers are associated with increased mortality: an observational cohort study on patient transfers in the Swedish Intensive Care Register. *Annals of Intensive Care*, 12(1). <https://doi.org/10.1186/s13613-022-01003-x>
- Parker, M. *et al.* (2017) ‘Relationship between Adverse Tracheal Intubation Associated Events and Pediatric ICU Outcomes’, *Pediatr Crit Care Med*, 18(4), pp. 310–318. doi: 10.1097/PCC.0000000000001074.
- Pearson, J., Jeffrey, S. and Stone, D. H. (2009) ‘Varying gender pattern of childhood injury mortality over time in Scotland’, *Archives of Disease in Childhood*, 94(7), pp. 524–530. doi: 10.1136/adc.2008.148403.
- Permenkes RI (2012) *Permenkes RI Nomor 001 tahun 2012 Tentang Sistem Rujukan Pelayanan Kesehatan Perorangan*. Indonesia: Peraturan Menteri Kesehatan.
- Peterson, S. *et al.* (2004) ‘Coping with paediatric referral - Ugandan parents’ experience’, *Lancet*, 363(9425), pp. 1955–1956. doi: 10.1016/S0140-6736(04)16411-8.
- Ping Kirk, A. *et al.* (2018) ‘Characteristics and Outcomes of Long-Stay Patients in the Pediatric Intensive Care Unit’, *Journal of Pediatric Intensive Care*, 07(01), pp. 001–006. doi: 10.1055/s-0037-1601337.
- Pollack, Murray M; Wilkinson, James D; Glass, N. L. (1987) ‘Long-Stay Pediatric Intensive Care Unit Patients: Outcome and Resource Utilization’, *Pediatrics*, 80(6), pp. 855–60. Available at: <https://pubmed.ncbi.nlm.nih.gov/3684396/>.
- Pollack, M. M. *et al.* (2018) ‘PICU Length of stay: Factors associated with bed utilization and development of a benchmarking model’, *Pediatric Critical*

- Care Medicine*, 19(3), pp. 196–203. doi: 10.1097/PCC.0000000000001425.
- Powell-Tuck, J. and Hennessy, E. M. (2003) ‘A comparison of mid upper arm circumference, body mass index and weight loss as indices of undernutrition in acutely hospitalized patients’, *Clinical Nutrition*, 22(3), pp. 307–312. doi: 10.1016/S0261-5614(03)00009-8.
- Praveen, K. *et al.* (2020) ‘Brought in dead cases to a tertiary referral paediatric emergency department in India: A prospective qualitative study’, *BMJ Paediatrics Open*, 4(1), pp. 1–8. doi: 10.1136/bmjpo-2019-000606.
- Rahmadani, S. *et al.* (2021) ‘Analisis Penggunaan Sistem Rujukan Terintegrasi (SISRUTE) di Puskesmas Kota Makassar’, *Jurnal Manajemen Kesehatan Yayasan RS Dr. Soetomo*.
- Sarfatti, A. and Ramnarayan, P. (2017) ‘Transport of the critically ill child’, *Paediatrics and Child Health (United Kingdom)*, 27(5), pp. 222–228. doi: 10.1016/j.paed.2017.01.014.
- Sari, N. and Pasinringi, S. A. (2020) *Implementation of the Integrated Referral System (Sisrute) in Indonesia: Concept, Challenges and Progress, Public Health Doctoral Program*.
- Seaton, S. E., *et al.* (2021). The effect of care provided by paediatric critical care transport teams on mortality of children transported to paediatric intensive care units in England and Wales: a retrospective cohort study. *BMC Pediatrics*, 21(1). <https://doi.org/10.1186/s12887-021-02689-x>
- Seaton, S. E. *et al.* (2020) ‘Does time taken by paediatric critical care transport teams to reach the bedside of critically ill children affect survival? A retrospective cohort study from England and Wales’, pp. 1–11.
- Serra, J. A. *et al.* (2022) ‘Characteristics of Medically Transported Critically Ill Children with Respiratory Failure in Latin America: Implications for Outcomes’, *Journal of Pediatric Intensive Care*, 11(03), pp. 201–208. doi: 10.1055/s-0040-1722204.
- Simoës, E. A. F. *et al.* (2003) ‘Management of severely ill children at first-level health facilities in sub-Saharan Africa when referral is difficult’, *Bulletin of the World Health Organization*, 81(7), pp. 522–531.
- Slusher, T. M. *et al.* (2018) ‘Pediatric critical care in resource-limited settings-overview and lessons learned’, *Frontiers in Pediatrics*, 6(March), pp. 1–6. doi: 10.3389/fped.2018.00049.
- Study, T. S. versus A. F. E. (SAFE). (2005) ‘A Comparison of Albumin and Saline for Fluid Resuscitation in the Intensive Care Unit’, *Survey of Anesthesiology*, 49(6), p. 299. doi: 10.1097/01.sa.0000183988.26421.61.
- Teshager, N. W., Amare, A. T., & Tamirat, K. S. (2020). Incidence and predictors of mortality among children admitted to the pediatric intensive care unit at the University of Gondar comprehensive specialised hospital, northwest Ethiopia: A prospective observational cohort study. *BMJ Open*, 10(10). <https://doi.org/10.1136/bmjopen-2019-036746>
- Temsah, M. H. A. *et al.* (2020) ‘Long-stay patients in pediatric intensive care units: Five-years, 2-points, cross-sectional study’, *Saudi Medical Journal*, 41(11), pp. 1187–1196. doi: 10.15537/smj.2020.11.25450.
- Tiwari, L. *et al.* (2014) ‘Hypoalbuminemia in critically sick children’, *Indian*

- Journal of Critical Care Medicine*, 18(9), pp. 565–569. doi: 10.4103/0972-5229.140143.
- Treleaven, E. *et al.* (2017) ‘Referral patterns, delays, and equity in access to advanced paediatric emergency care in Vietnam’, *International Journal for Equity in Health*, 16(1), pp. 1–11. doi: 10.1186/s12939-017-0703-y.
- UNICEF. (2016). *Pakistan Maternal and Newborn Health Disparities*. https://data.unicef.org/wp-content/uploads/country_profiles/Pakistan/country%20profile_PAK.pdf
- Varshney, U. (2014) ‘Mobile health: Four emerging themes of research’, *Decision Support Systems*, 66, pp. 20–35. doi: 10.1016/j.dss.2014.06.001.
- Ventura, J. C. *et al.* (2020) ‘Undernutrition at PICU Admission Is Predictor of 60-Day Mortality and PICU Length of Stay in Critically Ill Children’, *Journal of the Academy of Nutrition and Dietetics*, 120(2), pp. 219–229. doi: 10.1016/j.jand.2019.06.250.
- Verburg, I. W. M. *et al.* (2014) ‘Comparison of regression methods for modeling intensive care length of stay’, *PLoS ONE*, 9(10). doi: 10.1371/journal.pone.0109684.
- World Health Organization (2016) *Updated Guideline: Paediatric emergency triage, assessment and treatment, Pediatric Emergency Triage, Assessment and Treatment: Care of Critically Ill Children*. Geneva: WHO Press. Available at: www.who.int/.
- World Health Organization (2022) *Child Mortality (Under 5 Years)*. Available at: <https://www.who.int/news-room/fact-sheets/detail/levels-and-trends-in-child-under-5-mortality-in-2020> (Accessed: 8 February 2023).
- Yogyakarta, D. K. D. I. (2020) *SISRUTE, TENTANG APA ITU, PERLUKAH BAGI FASILITAS KESEHATAN? Oleh Seksi Kesehatan Dasar, Rujukan dan Kesehatan Khusus Bidang Pelayanan Kesehatan*. Available at: <https://dinkes.jogjapro.go.id/berita/detail/sisrute-tentang-apa-itu-perluakah-bagi-fasilitas-kesehatan-oleh-seksi-kesehatan-dasar-rujukan-dan-kesehatan-khusus-bidang-pelayanan-kesehatan> (Accessed: 23 December 2022).