

REFERENCES

- [1] O. Alavi, M. Abdollah, and A. Hooshmand Viki, "Assessment of thermal network models for estimating igbt junction temperature of a buck converter," in *2017 8th Power Electronics, Drive Systems Technologies Conference (PEDSTC)*, 2017, pp. 102–107.
- [2] S. S. Shah, V. M. Iyer, and S. Bhattacharya, "An approach to unified full-order modeling of dual active bridge type converters," in *IECON 2018 - 44th Annual Conference of the IEEE Industrial Electronics Society*, 2018, pp. 986–992.
- [3] M. A. Hussein, V. M. Hameed, and H. T. Dhaiban, "An implementation study on a heat sink with different fin configurations under natural convective conditions," *Case Studies in Thermal Engineering*, vol. 30, p. 101774, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2214157X2200020X>
- [4] V. M. Hameed, M. A. Hussein, and H. T. Dhaiban, "Investigating the effect of various fin geometries on the thermal performance of a heat sink under natural convection," *Heat Transfer*, vol. 49, no. 8, pp. 5038–5049, 2020. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/htj.21866>
- [5] L. Streit, J. Stepanek, T. Komrska, M. Jara, and Z. Peroutka, "Dc losses heatsink verification of igbt converter for power systems," in *2019 IEEE 28th International Symposium on Industrial Electronics (ISIE)*, 2019, pp. 798–803.
- [6] M. R. Haque, T. J. Hridi, and M. M. Haque, "Cfd studies on thermal performance augmentation of heat sink using perforated twisted, and grooved pin fins," *International Journal of Thermal Sciences*, vol. 182, p. 107832, 2022. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S129007292200360X>
- [7] E. Deng, L. Borucki, and J. Lutz, "Correction of delay-time-induced maximum junction temperature offset during electrothermal characterization of igbt devices," *IEEE Transactions on Power Electronics*, vol. 36, no. 3, pp. 2564–2573, 2021.
- [8] H. Beiranvand, E. Rokrok, and M. Liserre, "Volume optimization in si igbt based dual-active-bridge converters," in *2019 10th International Power Electronics, Drive Systems and Technologies Conference (PEDSTC)*, 2019, pp. 577–582.
- [9] Y. Tsuruta and A. Kawamura, "Proposal of dab converter for partial boost circuit and test verification by means of the preceding fabrication," in *2015 9th International Conference on Power Electronics and ECCE Asia (ICPE-ECCE Asia)*, 2015, pp. 765–770.

- [10] H. Beiranvand, E. Rokrok, and M. Liserre, "Comparative study of heatsink volume and weight optimization in sst dab cells employing gan, sic-mosfet and si-igbt switches," in *2019 10th International Power Electronics, Drive Systems and Technologies Conference (PEDSTC)*, 2019, pp. 297–302.
- [11] K. Ma, M. Xu, and B. Liu, "Modeling and characterization of frequency-domain thermal impedance for igbt module through heat flow information," *IEEE Transactions on Power Electronics*, vol. 36, no. 2, pp. 1330–1340, 2021.
- [12] N. Fritz, M. Rashed, S. V. Bozhko, F. Cuomo, and P. Wheeler, "Analytical modelling and power density optimisation of a single phase dual active bridge for aircraft application," *The Journal of Engineering*, 2019. [Online]. Available: <https://api.semanticscholar.org/CorpusID:65272001>
- [13] Z. Shan, J. Jatskevich, H. H.-C. Iu, and T. Fernando, "Simplified load-feedforward control design for dual-active-bridge converters with current-mode modulation," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 6, no. 4, pp. 2073–2085, 2018.
- [14] I. Technologies, "Thermal equivalent circuit models," https://www.infineon.com/dgdl/Infineon-Thermal_equivalent_circuit_models-ApplicationNotes-v01_02-EN.pdf?fileId=db3a30431a5c32f2011aa65358394dd2, 2022, accessed: 2024-07-19.
- [15] V. M. Hameed and M. A. Khaleel, "A study on the geometry and shape effects on different aluminum fin types of a vertical cylindrical heat sink," *Heat and Mass Transfer*, vol. 56, pp. 2457–2467, 2019. [Online]. Available: <https://link.springer.com/article/10.1007/s00231-019-02750-7>
- [16] J. Saha, A. Subramaniam, and S. K. Panda, "Design of integrated medium frequency transformer (imft) for dual-active-bridge (dab) based solid-state-transformers," in *2021 IEEE 12th Energy Conversion Congress Exposition - Asia (ECCE-Asia)*, 2021, pp. 893–898.
- [17] Z. Li, Z. He, J. Yu, X. Jiang, and J. Wang, "Performance improvement of dual active bridge dc-dc converter using cost-effectiveness si/sic hybrid switch," in *2019 IEEE Energy Conversion Congress and Exposition (ECCE)*, 2019, pp. 1988–1991.
- [18] M. Ali, *Buku Elektronika Daya Lengkap*. Universitas Negeri Yogyakarta, 2024, accessed: 2024-07-19. [Online]. Available: <rb.gy/2whno4>
- [19] M. Ali, *Aplikasi Elektronika Daya pada Sistem Tenaga Listrik*. Yogyakarta: Universitas Negeri Yogyakarta Press (UNY Press), 2018, accessed: 2024-07-19. [Online]. Available: <https://opac.perpusnas.go.id/DetailOpac.aspx?id=1124496>

- [20] Y. Shabany, *Heat Transfer: Thermal Management of Electronics*. Boca Raton, FL: CRC Press, 2010, accessed: 2024-07-19. [Online]. Available: <https://www.taylorfrancis.com/books/mono/10.1201/9781439814680/heat-transfer-younes-shabany>
- [21] A. Sathe, S. Sanap, S. Dingare, and N. Sane, "Thermal analysis of vertical plate fin heat sink," *E3S Web of Conferences*, vol. 170, p. 01022, 2020. [Online]. Available: https://www.e3s-conferences.org/articles/e3sconf/pdf/2020/30/e3sconf_evf2020_01022.pdf
- [22] K. C. Wu, *Switch-Mode Power Converters: Design and Analysis*. Boca Raton, FL: Elsevier Science, 2005, accessed: 2024-07-19. [Online]. Available: <https://www.amazon.com/Switchmode-Converter-Circuits-Electrical-Engineering/dp/9401180873>
- [23] H. Zied, P. Mutschler, and G. Bachmann, "A modular igbt converter system for high frequency induction heating applications," 2002. [Online]. Available: <https://api.semanticscholar.org/CorpusID:58110760>
- [24] Y. Ma, H. Wen, X. Zhou, and J. Yin, "Modeling and control strategy simulation of dual active bridge dc-dc converter," in *2021 IEEE International Conference on Mechatronics and Automation (ICMA)*, 2021, pp. 431–435.
- [25] S. Madhusoodhanan, K. Mainali, A. K. Tripathi, A. Kadavelugu, D. Patel, and S. Bhattacharya, "Power loss analysis of medium-voltage three-phase converters using 15-kv/40-a sic n-igbt," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 4, no. 3, pp. 902–917, 2016.
- [26] A. Mueller, C. Buennagel, S. Monir, A. Sharp, Y. Vagapov, and A. Anuchin, "Numerical design and optimisation of a novel heatsink using ansys steady-state thermal analysis," in *2020 27th International Workshop on Electric Drives: MPEI Department of Electric Drives 90th Anniversary (IWED)*, 2020, pp. 1–5.
- [27] HeatsinkCalculator.com, "Heat sink thermal resistance calculator," <https://www.heatsinkcalculator.com/heat-sink-thermal-resistance-calculator.html>, accessed: 2024-07-22.
- [28] Y. Zhang, H. Wang, Z. Wang, Y. Yang, and F. Blaabjerg, "Impact of the thermal-interface-material thickness on igbt module reliability in the modular multilevel converter," in *2018 International Power Electronics Conference (IPEC-Niigata 2018 -ECCE Asia)*, 2018, pp. 2743–2749.
- [29] M. Giacomazzo, "Design and implementation of a gan based dual active bridge converter for electric vehicle charger," Master's thesis, Università degli studi di Padova, 2019/2020, accessed: 2024-07-19. [Online]. Available: <https://thesis.unipd.it/handle/20.500.12608/22763>

- [30] T. Instruments, “Isolated three-phase smart power switch with reinforced insulation reference design,” 2019, accessed: 2024-07-19. [Online]. Available: <https://www.ti.com/tool/TIDA-010054>
- [31] R. W. Ned Mohan, Erickson and D. Maksimovic, *Power Electronics: Converters, Applications, and Design*, 3rd ed. Wiley, 2003. [Online]. Available: <https://www.amazon.com/Power-Electronics-Converters-Applications-Design/dp/0471226939>
- [32] J. Brown, *Thermal Management in Electronics: Materials and Techniques*. New York: Springer, 2018.
- [33] HeatSinkCalculator, “Sizing heat sinks with a few simple equations,” n.d., accessed: 2024-07-19. [Online]. Available: <https://www.heatsinkcalculator.com/blog/sizing-heat-sinks-with-a-few-simple-equations/>
- [34] J. Sun, L. Qiu, X. Liu, J. Zhang, J. Ma, and Y. Fang, “Optimal simultaneous pwm control for three- phase dual-active-bridge converters to minimize current stress in the whole load range,” *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 9, no. 5, pp. 5822–5837, 2021.
- [35] C. J. Kobus and T. Oshio, “Simplified formula for estimating natural convection heat transfer coefficient on a flat plate,” 2001, accessed: 2024-07-19. [Online]. Available: <https://bit.ly/3y53uvj/>
- [36] HeatSinkCalculator.com, “The importance of radiation in heat sink design,” 2023, accessed: 2024-07-20. [Online]. Available: <https://www.heatsinkcalculator.com/blog/the-importance-of-radiation-in-heat-sink-design/>
- [37] Y. Shabany, “Radiation heat transfer from plate-fin heat sinks.”
- [38] R. Deepak, E. P. Thomas, N. Mahendran, and S. Ravikumar, “Comprehensive analysis and comparison of an ann controlled dual active bridge dc/dc converter and lcc-s resonant dc/dc converter for electric vehicle fast dc charging station,” in *2023 9th International Conference on Smart Computing and Communications (ICSCC)*, 2023, pp. 736–741.
- [39] H. Wen, J. Li, H. Shi, Y. Hu, and Y. Yang, “Fault diagnosis and tolerant control of dual-active-bridge converter with triple-phase shift control for bidirectional ev charging systems,” *IEEE Transactions on Transportation Electrification*, vol. 7, no. 1, pp. 287–303, 2021.
- [40] I. T. AG, “Ff900r17me7w_b11 igbt module,” https://www.infineon.com/cms/en/product/power/igbt/igbt-modules/ff900r17me7w_b11/, accessed: 2024-07-22.

- [41] G. Delette, U. Soupremanien, and S. Loudot, “Thermal management design of transformers for dual active bridge power converters,” *IEEE Transactions on Power Electronics*, vol. 37, no. 7, pp. 8301–8309, 2022.
- [42] B. Zhao, Q. Song, W. Liu, and Y. Sun, “Overview of dual-active-bridge isolated bidirectional dc/dc converter for high-frequency-link power-conversion system,” *IEEE Transactions on Power Electronics*, vol. 29, no. 8, pp. 4091–4106, 2014.
- [43] The Engineering ToolBox, “Air - thermal diffusivity vs. temperature and pressure,” 2018, [Accessed: 21-July-2024]. [Online]. Available: https://www.engineeringtoolbox.com/air-thermal-diffusivity-d_2011.html
- [44] The Engineering ToolBox, “Air - absolute and kinematic viscosity,” 2018, [Accessed: 21-July-2024]. [Online]. Available: https://www.engineeringtoolbox.com/air-absolute-kinematic-viscosity-d_601.html
- [45] The Engineering ToolBox, “Air properties - viscosity, conductivity, and heat capacity,” 2018, [Accessed: 21-July-2024]. [Online]. Available: https://www.engineeringtoolbox.com/air-properties-viscosity-conductivity-heat-capacity-d_1509.html
- [46] The Engineering ToolBox, “Emissivity coefficients of common materials,” 2018, [Accessed: 21-July-2024]. [Online]. Available: https://www.engineeringtoolbox.com/emissivity-coefficients-d_447.html
- [47] A. Bar-Cohen and W. M. Rohsenow, “Thermally Optimum Spacing of Vertical, Natural Convection Cooled, Parallel Plates,” *Journal of Heat Transfer*, vol. 106, no. 1, pp. 116–123, 02 1984. [Online]. Available: <https://doi.org/10.1115/1.3246622>