

DAFTAR PUSTAKA

- [1] A. Januszewski and M. Molenda, *Educational technology: A definition with commentary*. Routledge, 2013.
- [2] S. Mangal and U. Mangal, *Essentials of educational technology*. PHI Learning Pvt. Ltd., 2019.
- [3] S. Bulathwela, M. Pérez-Ortiz, C. Holloway, M. Cukurova, and J. Shawe-Taylor, “Artificial Intelligence Alone Will Not Democratise Education: On Educational Inequality, Techno-Solutionism and Inclusive Tools,” *Sustainability*, vol. 16, no. 2, p. 781, Jan. 2024, doi: 10.3390/su16020781.
- [4] W. Holmes, M. Bialik, and C. Fadel, “Artificial intelligence in education,” in *Data ethics : building trust : how digital technologies can serve humanity*, C. Stückelberger and P. Duggal, Eds., Globethics Publications, 2023, pp. 621–653. doi: 10.58863/20.500.12424/4276068.
- [5] M. Wilson, “Cognitive Diagnosis Using Item Response Models,” *Zeitschrift für Psychologie / Journal of Psychology*, vol. 216, no. 2, pp. 74–88, Jan. 2008, doi: 10.1027/0044-3409.216.2.74.
- [6] J. Hartig and J. Höhler, “Multidimensional IRT models for the assessment of competencies,” *Studies in Educational Evaluation*, vol. 35, no. 2–3, pp. 57–63, Jun. 2009, doi: 10.1016/j.stueduc.2009.10.002.
- [7] J. de la Torre, “DINA Model and Parameter Estimation: A Didactic,” *Journal of Educational and Behavioral Statistics*, vol. 34, no. 1, pp. 115–130, 2009.
- [8] Q. Liu *et al.*, “Fuzzy Cognitive Diagnosis for Modelling Examinee Performance,” *ACM Trans. Intell. Syst. Technol.*, vol. 9, no. 4, pp. 1–26, Jul. 2018, doi: 10.1145/3168361.
- [9] C. Piech *et al.*, “Deep Knowledge Tracing,” 2015, doi: 10.48550/ARXIV.1506.05908.
- [10] S. Minn, Y. Yu, M. C. Desmarais, F. Zhu, and J. J. Vie, “Deep Knowledge Tracing and Dynamic Student Classification for Knowledge Tracing,” Jan. 07, 2021, *arXiv*: arXiv:1809.08713. Accessed: Dec. 01, 2022. [Online]. Available: <http://arxiv.org/abs/1809.08713>
- [11] S. Minn, Y. Yu, M. C. Desmarais, F. Zhu, and J.-J. Vie, “Deep Knowledge Tracing and Dynamic Student Classification for Knowledge Tracing,” in *2018 IEEE International Conference on Data Mining (ICDM)*, Singapore: IEEE, Nov. 2018, pp. 1182–1187. doi: 10.1109/ICDM.2018.00156.
- [12] F. Wang *et al.*, “Neural Cognitive Diagnosis for Intelligent Education Systems,” 2019, doi: 10.48550/ARXIV.1908.08733.
- [13] F. Wang *et al.*, “NeuralCD: A General Framework for Cognitive Diagnosis,” *IEEE Trans. Knowl. Data Eng.*, vol. 35, no. 8, pp. 8312–8327, Aug. 2023, doi: 10.1109/TKDE.2022.3201037.
- [14] Y. Ma, L. Agnihotri, R. Baker, and S. Mojarad, “Effect of Student Ability and Question Difficulty on Duration.,” *International Educational Data Mining Society*, 2016.
- [15] Y. Kim, “Convolutional Neural Networks for Sentence Classification,” in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, Doha, Qatar: Association for Computational

- Linguistics, 2014, pp. 1746–1751. doi: 10.3115/v1/D14-1181.
- [16] H. Alibrahim and S. A. Ludwig, “Hyperparameter Optimization: Comparing Genetic Algorithm against Grid Search and Bayesian Optimization,” in *2021 IEEE Congress on Evolutionary Computation (CEC)*, Kraków, Poland: IEEE, Jun. 2021, pp. 1551–1559. doi: 10.1109/CEC45853.2021.9504761.
- [17] S. Tong *et al.*, “Item Response Ranking for Cognitive Diagnosis,” in *Proceedings of the Thirtieth International Joint Conference on Artificial Intelligence*, Montreal, Canada: International Joint Conferences on Artificial Intelligence Organization, Aug. 2021, pp. 1750–1756. doi: 10.24963/ijcai.2021/241.
- [18] L. L. Wang, T. Xin, and L. Yanlou, “An Improved Parameter-Estimating Method in Bayesian Networks Applied for Cognitive Diagnosis Assessment,” *Front. Psychol.*, vol. 12, p. 665441, May 2021, doi: 10.3389/fpsyg.2021.665441.
- [19] C. Bu, Z. Cao, C. He, and Y. Zhang, “Probabilistic model with evolutionary optimization for cognitive diagnosis,” in *Proceedings of the Genetic and Evolutionary Computation Conference*, Lisbon Portugal: ACM, Jul. 2023, pp. 891–899. doi: 10.1145/3583131.3590522.
- [20] S. Cheng *et al.*, “DIRT: Deep Learning Enhanced Item Response Theory for Cognitive Diagnosis,” in *Proceedings of the 28th ACM International Conference on Information and Knowledge Management*, Beijing China: ACM, Nov. 2019, pp. 2397–2400. doi: 10.1145/3357384.3358070.
- [21] L. Gao, Z. Zhao, C. Li, J. Zhao, and Q. Zeng, “Deep cognitive diagnosis model for predicting students’ performance,” *Future Generation Computer Systems*, vol. 126, pp. 252–262, Jan. 2022, doi: 10.1016/j.future.2021.08.019.
- [22] X. Chen *et al.*, “Disentangling Cognitive Diagnosis with Limited Exercise Labels,” in *Advances in Neural Information Processing Systems*, A. Oh, T. Neumann, A. Globerson, K. Saenko, M. Hardt, and S. Levine, Eds., Curran Associates, Inc., 2023, pp. 18028–18045. [Online]. Available: https://proceedings.neurips.cc/paper_files/paper/2023/file/3a14ae9951e8153a8fc814b5f506b5b7-Paper-Conference.pdf
- [23] C. Bu, Z. Cao, C. He, and Y. Zhang, “Probabilistic model with evolutionary optimization for cognitive diagnosis,” in *Proceedings of the Genetic and Evolutionary Computation Conference*, Lisbon Portugal: ACM, Jul. 2023, pp. 891–899. doi: 10.1145/3583131.3590522.
- [24] W. Ma, O. O. Adesope, J. C. Nesbit, and Q. Liu, “Intelligent tutoring systems and learning outcomes: A meta-analysis,” *Journal of Educational Psychology*, vol. 106, no. 4, pp. 901–918, Nov. 2014, doi: 10.1037/a0037123.
- [25] J. D. D. Oliveira Neto and E. V. Nascimento, “Intelligent Tutoring System for Distance Education,” *JISTEM*, vol. 9, no. 1, pp. 109–122, Apr. 2012, doi: 10.4301/S1807-17752012000100006.
- [26] C.-K. Yeung, “Deep-IRT: Make Deep Learning Based Knowledge Tracing Explainable Using Item Response Theory,” 2019, doi: 10.48550/ARXIV.1904.11738.
- [27] G. Abdelrahman, Q. Wang, and B. P. Nunes, “Knowledge Tracing: A Survey,” 2022, doi: 10.48550/ARXIV.2201.06953.

- [28] G. Abdelrahman, S. Abdelfattah, Q. Wang, and Y. Lin, “DBE-KT22: A Knowledge Tracing Dataset Based on Online Student Evaluation,” 2022, doi: 10.48550/ARXIV.2208.12651.
- [29] L. Yang and A. Shami, “On hyperparameter optimization of machine learning algorithms: Theory and practice,” *Neurocomputing*, vol. 415, pp. 295–316, Nov. 2020, doi: 10.1016/j.neucom.2020.07.061.
- [30] N. Buslim, I. L. Rahmatullah, B. A. Setyawan, and A. Alamsyah, “Comparing Bitcoin’s Prediction Model Using GRU, RNN, and LSTM by Hyperparameter Optimization Grid Search and Random Search,” in *2021 9th International Conference on Cyber and IT Service Management (CITSM)*, Bengkulu, Indonesia: IEEE, Sep. 2021, pp. 1–6. doi: 10.1109/CITSM52892.2021.9588947.
- [31] J. Wu, X.-Y. Chen, H. Zhang, L.-D. Xiong, H. Lei, and S.-H. Deng, “Hyperparameter Optimization for Machine Learning Models Based on Bayesian Optimization,” *Journal of Electronic Science and Technology*, vol. 17, no. 1, pp. 26–40, Mar. 2019, doi: 10.11989/JEST.1674-862X.80904120.
- [32] “Machine Learning | Coursera.” Accessed: May 15, 2024. [Online]. Available: <https://www.coursera.org/specializations/machine-learning-introduction>
- [33] J. Williamson, *Cognitive Diagnostic Models and how they can be useful*. Cambridge University Press & Assessment.
- [34] M. J. Gierl and J. P. Leighton, Eds., “Cognitively Based Statistical Methods – Technical Illustrations,” in *The Learning Sciences in Educational Assessment: The Role of Cognitive Models*, Cambridge: Cambridge University Press, 2011, pp. 234–264. doi: 10.1017/CBO9780511996276.007.
- [35] X. Guo, R. Li, Q. Yu, and A. Haake, “Modeling Physicians’ Utterances to Explore Diagnostic Decision-making,” in *Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence*, Melbourne, Australia: International Joint Conferences on Artificial Intelligence Organization, Aug. 2017, pp. 3700–3706. doi: 10.24963/ijcai.2017/517.
- [36] C. Li, “Development and Application of Assessment Tools Based on Cognitive Diagnosis,” in *2022 3rd International Conference on Information Science and Education (ICISE-IE)*, Guangzhou, China: IEEE, Nov. 2022, pp. 98–102. doi: 10.1109/ICISE-IE58127.2022.00028.
- [37] P. Jiang and X. Wang, “Preference Cognitive Diagnosis for Student Performance Prediction,” *IEEE Access*, vol. 8, pp. 219775–219787, 2020, doi: 10.1109/ACCESS.2020.3042775.
- [38] Y. Shuqun, C. Shenzheng, Y. Zhiqiang, and D. Shuliang, “The Concept Lattices of Q-Matrices,” in *2009 First International Workshop on Education Technology and Computer Science*, Wuhan, Hubei, China: IEEE, 2009, pp. 413–417. doi: 10.1109/ETCS.2009.101.
- [39] R. J. De Ayala, *The theory and practice of item response theory. in Methodology in the social sciences*. New York: Guilford Press, 2009.
- [40] “Understanding Convolutional Neural Networks for NLP,” Denny’s Blog. Accessed: Jul. 31, 2024. [Online]. Available: <https://dennybritz.com/posts/wildml/understanding-convolutional-neural-networks-for-nlp/>

- [41] B. Bischl *et al.*, “Hyperparameter optimization: Foundations, algorithms, best practices, and open challenges,” *WIREs Data Min & Knowl*, vol. 13, no. 2, p. e1484, Mar. 2023, doi: 10.1002/widm.1484.
- [42] V. Nguyen, “Bayesian Optimization for Accelerating Hyper-Parameter Tuning,” in *2019 IEEE Second International Conference on Artificial Intelligence and Knowledge Engineering (AIKE)*, Sardinia, Italy: IEEE, Jun. 2019, pp. 302–305. doi: 10.1109/AIKE.2019.00060.
- [43] J. Wu, X.-Y. Chen, H. Zhang, L.-D. Xiong, H. Lei, and S.-H. Deng, “Hyperparameter Optimization for Machine Learning Models Based on Bayesian Optimizationb,” *Journal of Electronic Science and Technology*, vol. 17, no. 1, pp. 26–40, Mar. 2019, doi: 10.11989/JEST.1674-862X.80904120.
- [44] T. Fawcett, “An introduction to ROC analysis,” *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, Jun. 2006, doi: 10.1016/j.patrec.2005.10.010.
- [45] “Pattern Recognition and Machine Learning,” *J. Electron. Imaging*, vol. 16, no. 4, p. 049901, Jan. 2007, doi: 10.1117/1.2819119.
- [46] C. Yuying, “Tracking Knowledge Proficiency of Students with Educational Priors,” *CIKM '17: Proceedings of the 2017 ACM on Conference on Information and Knowledge Management*, pp. 989–998, Nov. 2017.