



DAFTAR PUSTAKA

- Abewoy F. D., (2017). Review on Genetics and Breeding of Tomato (*Lycopersicon esculentum* Mill). *Advances in Crop Science and Technology*, 05(05).
- Acquaah, G. (2012). *Principles of Plant Genetics and Breeding*. John Wiley & Sons, Ltd. Oxford. p: 3-6.
- Akhmad A. E., Lestari P. S., & Rifianto, A. (2022). Pendugaan Nilai Heterosis Tujuh Hibrida Jagung Manis (*Zea mays* L. var. *Saccharata* Strut). *PLANTROPICA: Journal of Agricultural Science*, 7(2), 10–17.
- Al-Dairi, M., Pathare, P. B., & Al-Mahdouri, A. (2021). Effect of storage conditions on quality of paddy. *Journal of Pharmacognosy and Phytochemistry*, 26(1), 13–20.
- Al-kayyis, H. K., & Susanti, H. (2016). Perbandingan Metode Somogyi-Nelson Dan Anthrone-Sulfat Pada Penetapan Kadar Gula Pereduksi Dalam Umbi Cilembu (*Ipomea batatas* L.). *Journal of Pharmaceutical Sciences and Community*, 13(02), 81–89.
- Al-Mamun, M., Rafii, M. Y., Misran, A. B., Berahim, Z., Ahmad, Z., Khan, M. M. H., & Oladosu, Y. (2022). Combining ability and gene action for yield improvement in kenaf (*Hibiscus cannabinus* L.) under tropical conditions through diallel mating design. *Scientific Reports*, 12(1), 1–22.
- Anisa, W. N., Afifah, E. N., & Murti, R. H. (2022). Selection of tomato breeding lines based on morphological traits associated with high yield potential in double-cross population. *Biodiversitas*, 23(6), 2973–2980.
- Amato, L. D., Martin, E. A., & Lopez-Anido, F. S. (2022). Combining Ability and Heterosis for Market Yield in Green Asparagus. *Horticulturae*, 8(6), 1–13.
- Amegbor, I. K., van Biljon, A., Shargie, N., Tarekegne, A., & Labuschagne, M. T. (2022). Heritability and Associations among Grain Yield and Quality Traits in Quality Protein Maize (QPM) and Non-QPM Hybrids. *Plants*, 11(6), 1–17.
- Asare-Addo, D. C., Amissah, J. N., Ofori, P. A., Owusu-Nketia, S., Opoku-Agyemang, F., & Nkansah, G. O. (2022). Evaluation of Agronomic Performances and Fruit Quality of Improved Tomato (*Solanum lycopersicum* L.) lines under greenhouse conditions. *Journal of Agriculture and Food Research*, 9(March), 100360.
- Avdikos, I. D., Georgia-Maria Nteve, Athanasia Apostolopoulou, R. T., Mylona, I., Xynias, I. N., Papathanasiou, F., Kalaitzis, P., & G., Athanasios Mavromatis. (2021). Analysis of Re-Heterosis for Yield and Fruit Quality in Restructured Hybrids , Generated from Crossings among. *Agronomy*, (822), 1–24.



- Avdikos, I. D., Tagiakas, R., Tsouvaltzis, P., Mylonas, I., Xynias, I. N., & Mavromatis, A. G. (2021). Comparative evaluation of tomato hybrids and inbred lines for fruit quality traits. *Agronomy*, 11(3), 1–14.
- Badan Standarisasi Nasional (1992). Tomat Segar. SNI 01-3162-1992.
- Bin-Jumah, M. N., Nadeem, M. S., Gilani, S. J., Mubeen, B., Ullah, I., Alzarea, S. I., Ghoneim, M. M., Alshehri, S., Al-Abbasi, F. A., & Kazmi, I. (2022). Lycopene: A Natural Arsenal in the War against Oxidative Stress and Cardiovascular Diseases. *Antioxidants*, 11(2), 1–21.
- Barka, E. A., Kalantari, S., Makhlof, J., Arul, J. (2000). Impact Of UV-c Irradiation On the Cell Wall-degrading Enzymes During Ripening Of Tomato (*Lycopersicon Esculentum* L.) Fruit. *J. Agric. Food Chem.*, 3(48), 667-671.
- Berra, W. (2013). HPLC Method Optimization and Validation for Determination of Lycopene in Tomato (*Lycopersicon esculentum*, Mill.) Fruits. *Science, Technology and Arts Research Journal*, 1(4), 14.
- Cahyono, B. (2008). Tomat: Usaha Tani dan Penanganan Pascapanen. Kanisius, Yogyakarta.
- Chozin, M., Sudjatmiko, S., Setyowati, N., F., & Muktamar, Z. (2017). Daya Gabung Karakteristik Tongkol dari Galur-Galur Inbrida Jagung Manis pada Sistem Budidaya Organik. *Jurnal Hortikultura Indonesia*, 8(1), 48–58.
- Collins, E. J., Bowyer, C., Tsouza, A., & Chopra, M. (2022). Tomatoes: An Extensive Review of the Associated Health Impacts of Tomatoes and Factors That Can Affect Their Cultivation. *Biology*, 11(2).
- Cotrim, M. F., Farias, F. J. C., de Carvalho, L. P., Teodoro, L. P. R., Silva Junior, C. A. da, & Teodoro, P. E. (2020). Phenotypic adaptability of cotton genotypes to the brazilian cerrado for yield and fiber quality. *Bioscience Journal*, 36(4), 1223–1230.
- Cubero, C. & Baquiran, P. (2017). Tomato Production Guide. Department of Agriculture, Regional Field Office No. 02, High Value Crops Development Program, 53(9), 1–16.
- Dang, T., Qamar, S., Ilyas, A., Fatema, R., Kafle, M., Hussain, Z., Masood, S., Iqbal, S., & Shahzad, K. (2021). ReVisiting Plant Heterosis—From Field Scale to Molecules. *Genes*, 12(11), 1688.
- Darshan, S. N., Suneetha, C., Manjunathaswamy, T. S., & Tr, K. (2022). Biofortification of vegetable crops – A Review. 11(10), 1188–1192.
- Devkota, S., Shrestha, S. L., Dhakal, D. D., Shakya, S. M., & Pandey, A. (2018).



- Evaluation of Tomato Hybrids for Yield Attributes under Khumaltar Condition. *Journal of the Institute of Agriculture and Animal Science*, 35(1), 191–196.
- Dewi, S. M., Sobir, & Syukur, M. (2015). Interaksi Genotipe x Lingkungan Hasil dan Komponen Hasil 14 Genotipe Tomat di Empat Lingkungan Dataran Rendah Genotype x Environment Interaction of Yield and Yield Components of 14 Tomato Genotypes in Four Lowland Environments. *J. Agron. Indonesia*, 43(1), 59–65.
- Dirpan, A. (2019). The Quality of Tomato (*Lycopersicum esculentum* Mill.) Stored on ZECC (Zero Energy Cool Chamber). *IOP Conference Series: Earth and Environmental Science*, 270(1).
- Do, J. H., Park, S. Y., Park, S. H., Kim, H. M., Ma, S. H., Mai, T. D., Shim, J. S., & Joung, Y. H. (2022). Development of a Genome-Edited Tomato With High Ascorbate Content During Later Stage of Fruit Ripening Through Mutation of SIAPX4. *Frontiers in Plant Science*, 13(April), 1–11.
- Edwards, G. R., & Chapman, D. F. (2011). Plant responses to defoliation and relationships with pasture persistence. *NZGA: Research and Practice Series*, 15, 39–46.
- Ejiofor, E. J. (2015). Comparative Evaluation of Lycopene Content and Some Chemical Properties of Commonly Consumed Brands of Tomato Paste in Port – Harcourt, South-South, Nigeria. *Journal of Food and Nutrition Sciences*, 3(2), 35.
- Elkhazein, T. A., Abdeljabar, T. A., Abdelrahman, A. N., Adam, M. E., & Shantier, S. W. (2022). Development and validation of UV-spectrophotometric method for the determination of folic acid in bulk and tablet dosage forms. *Journal of Applied Pharmaceutical Research*, 10(2), 19–23.
- Falconer, D.S. and Mackay, T.F.C. (1996) *Introduction to Quantitative Genetics*. 4th Edition. Addison Wesley Longman. Harlow.
- Farneti, B. (2014). *Tomato quality: from the field to the consumer Interactions between genotype, cultivation*. Thesis: Wageningen University.
- Febrianto, R. D. (2017). *Pola Pewarisan Sifat Komponen Kualitas Buah Tomat (*Solanum Lycopersicum* L.) Three Way Cross*. Fakultas Pertanian Universitas Gadjah Mada. Skripsi.
- Fehr, W.R. (1987) *Principles of cultivar development*. Vol.1 Theory and Technique. Macmillan, New York.
- Floare-Avram, C. V., Covaciu, F., Voica, C., Puscas, R., Feher, I., Marincas, O., & Magdas, D. A. (2020). Differentiation of tomatoes based on isotopic, elemental



- and organic markers. *Journal of Food Science and Technology*, 57(6), 2222–2232.
- Fu, L., Xu, B. T., Xu, X. R., Gan, R. Y., Zhang, Y., Xia, E. Q., & Li, H. Bin. (2011). Antioxidant capacities and total phenolic contents of 62 fruits. *Food Chemistry*, 129(2), 345–350.
- Fufa, N., Gebretensay, F., Tsagaye, D., Fikre, D., Wegayehu, G., & Ali, A. (2021). Evaluation of seed production and quality performance of onion (*Allium cepa* L.) varieties at kulumsa in arsi zone south east ethiopia. *Journal of Agriculture and Crops*, 7(1), 33–38.
- Gebregziabher, A. A., Supriyadi, S., Indarti, S., & Setyowati, L. (2021). Texture Profile and Pectinase Activity in Tomato Fruit (*Solanum Lycopersicum*, Servo F1) at Different Maturity Stages and Storage Temperatures. *PLANTA TROPIKA: Jurnal Agrosains (Journal of Agro Science)*, 9(1), 20–34.
- Hagos, M., Redi-Abshiro, M., Chandravanshi, B. S., & Yaya, E. E. (2022). Development of Analytical Methods for Determination of β -Carotene in Pumpkin (*Cucurbita maxima*) Flesh, Peel, and Seed Powder Samples. *International Journal of Analytical Chemistry*, 2022(Figure 2).
- Hallauer A.R., Miranda Filho J.B., Carena M.J. (2010). Hereditary variance: mating designs. In *quantitative genetics in maize breeding*, 81-167.
- Hanifah, S. (2020). Variasi Fenotip dan Heritabilitas Karakter Hasil dan Beberapa Karakter Kualitas Fisik Buah Tomat pada Populasi F3 Asal Hibrida Precious, Arthaloka dan Mahkota. *Jurnal AgroSainTa: Widyaiswara Mandiri Membangun Bangsa*, 4(2), 117–130.
- Huseynzade, G., Akperov, Z., & Hasanov, S. (2020). Combining Ability and Gene Action of Tomato Hybrids (*Luopersicum Esculentum* L.) Genotypes in Azerbaijan. *American Journal of Agricultural Research*, 5(October), 1–9.
- Hwang, E. S., & Kim, S. (2022). Quality Characteristics, Bioactive Substances, and Antioxidant Activity of Differently Colored Cherry Tomatoes. *Journal of the Korean Society of Food Science and Nutrition*, 51(9), 924–932.
- Istianingrum. (2016). Keragaman dan heritabilitas sembilan genotip tomat (*Lycopersicum esculentum* Mill.) pada budidaya organik. *Agroekotek* 8, 8(2), 70–81.
- Jawaharlal, Krishi, N., & Vidyalaya, V. (2009). *Biology of Solanum lycopersicum* (Tomato). ii(October 2019), 1–47.



- Jaya, B. (1997). Botani Tanaman Tomat. Dalam Duriat, A. S., W.W. Hadisoeganda, A. H. Permadi, R. M. Sinaga, Y. Hilman, dan R. S. Basuki (eds) Teknologi Produksi Tomat. Balai Penelitian Sayur Pusat Penelitian dan Pengembangan Hortikultura, Lembang.25-41.
- Jaywant, S. A., Singh, H., & Arif, K. M. (2022). Sensors and Instruments for Brix Measurement: A Review. *Sensors*, 22(6).
- Jürkenbeck, K., Spiller, A., & Meyerding, S. G. H. (2020). Tomato attributes and consumer preferences – a consumer segmentation approach. *British Food Journal*, 122(1), 328–344.
- Kanayama, Y. (2017). Sugar metabolism and fruit development in the tomato. *Horticulture Journal*, 86(4), 417–425.
- Kaur, S., Sharma, S. P., Sarao, N. K., Deol, J. K., Gill, R., Abd-Elsalam, K. A., Alghuthaymi, M. A., Hassan, M. M., & Chawla, N. (2022). Heterosis and Combining Ability for Fruit Yield, Sweetness, β -Carotene, Ascorbic Acid, Firmness and Fusarium Wilt Resistance in Muskmelon (*Cucumis melo* L.) Involving Genetic Male Sterile Lines. *Horticulturae*, 8(1).
- Khairi, A., Murti, R. H., Irwan, S. N. R., & Putra, E. T. S. (2022). Postharvest Losses of NOR Tomato Fruit Line MA 131-6-3 Treated by Ethephon and Calcium Carbide. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 50(3), 315–321.
- Khamphan, P., Lomthaisong, K., Harakotr, B., Scott, M. P., Lertrat, K., & Suriharn, B. (2020). Combining ability and heterosis for agronomic traits, husk and cob pigment concentration of maize. *Agriculture (Switzerland)*, 10(11), 1–19.
- Kimura, S., & Sinha, N. (2008). *Tomato (Solanum lycopersicum): A model fruit-bearing crop*. Cold Spring Harbor Protocols, 3(11).
- Korkar, H.M., (2016). Impact of Calcium, Hot Water and Modified Atmosphere Treatments in Chilling Injury Susceptibility of Stored Papayas. *Arab Universities Journal of Agricultural Sciences*, 24(2), 593–608.
- Kurina, A. B., Solovieva, A. E., Khrupalova, I. A., & Artemyeva, A. M. (2021). Biochemical composition of tomato fruits of various colors. *Vavilovskii Zhurnal Genetiki i Seleksii*, 25(5), 514–527.
- Li, R., Sun, S., Wang, H., Wang, K., Yu, H., Zhou, Z., Xin, P., Chu, J., Zhao, T., Wang, H., Li, J., & Cui, X. (2020). FIS1 encodes a GA2-oxidase that regulates fruit firmness in tomato. *Nature Communications*, 11(1).
- Li, Z., Coffey, L., Garfin, J., Miller, N. D., White, M. R., Spalding, E. P., De Leon, N.,



- Kaeppler, S. M., Schnable, P. S., Springer, N. M., & Hirsch, C. N. (2018). Genotype-by-environment interactions affecting heterosis in maize. *PLoS ONE*, 13(1).
- Liu, Z., Jiang, J., Ren, A., Xu, X., Zhang, H., Zhao, T., Jiang, X., Sun, Y., Li, J., & Yang, H. (2021). Heterosis and combining ability analysis of fruit yield, early maturity, and quality in tomato. *Agronomy*, 11(4).
- Li, S., Chen, K., & Grierson, D. (2019). A critical evaluation of the role of ethylene and MADS transcription factors in the network controlling fleshy fruit ripening. *New Phytologist*, 221(4), 1724–1741.
- Mangoendidjojo, W. (2003). *Dasar-Dasar Pemuliaan Tanaman*. Kanisius: Yogyakarta.
- Mare, R., Maurotti, S., Ferro, Y., Galluccio, A., Arturi, F., Romeo, S., Procopio, A., Musolino, V., Mollace, V., Montalcini, T., & Pujia, A. (2022). A Rapid and Cheap Method for Extracting and Quantifying Lycopene Content in Tomato Sauces: Effects of Lycopene Micellar Delivery on Human Osteoblast-like Cells. *Nutrients*, 14(3), 1–14.
- Matsumoto, C., Yada, H., Hayakawa, C., Hoshino, K., Hirai, H., Kato, K., & Ikeda, H. (2021). Physiological characterization of tomato introgression line IL5-4 that increases brix and blossom-end rot in ripening fruit. *Horticulture Journal*, 90(2), 215–222.
- Maulana, H., Maxiselly, Y., Yuwariah, Y., & Ruswandi, D. (2023). Heritability and Selection Using GGE Biplots and the Sustainability Index (SI) of Maize Mutants under Different Cropping Systems in Upland. *Sustainability (Switzerland)*, 15(8).
- Mitchell, N., Campbell, L. G., Ahern, J. R., Paine, K. C., Giroldo, A. B., & Whitney, K. D. (2019). Correlates of hybridization in plants. *Evolution Letters*, 3(6), 570–585.
- Mishra, A., Nandi, A., Thriveni, V., Das, S., & Mohanty, I. C. (2021). Heterosis in tomato (*Solanum lycopersicum*) hybrids for growth, yield and quality traits. 10(6), 220–229.
- Murti R. H, Nindya F, Afifah E. N, Setiawan A. B. (2022). Evaluation of fourteen promising tomato lines (*Solanum lycopersicum* L.) as hybrids parent candidates. *Ilmu Pertanian (Agricultural Science)* 7(3): 132-139.
- Murti, R. H. & Trisnowati, S. (2001). Keragaman dan kandungan nutrisi buah 3 jenis tomat introduksi. *Agrivet* 5 (2) : 105-115.
- Nabil, S. A. N., Azam, M. M., & Amer Eissa, A. H. (2012). Mechanical properties of tomato fruits under storage conditions. *Journal of Applied Sciences Research*,



8(6), 3053–3064.

- Neyhart, J. L., Gutiérrez, L., Smith, K. M. (2021). Optimizing the Choice Of Test Locations For Multitrait Genotypic Evaluation. *Crop Science*, 1(62), 192-202.
- Nikolova, M., Taneva, D., Prokopov, T., & Hadjikinova, M. (2017). Influence of genotype and crop year on carotenoids content of peels from Bulgarian tomato cultivars. *Ukrainian Food Journal*, 6(3), 470–478.
- Oboulbiga, B. E., (2018). Assessment of the Content of β -Carotene, Lycopene and Total Phenolic of 45 Varieties of Tomatoes (*Solanum lycopersicum* L.). *Journal of Food and Nutrition Sciences*, 6(3), 82.
- OECD (2008), “Consensus document on compositional considerations for new varieties of tomato: Key food and feed nutrients, toxicants and allergens”, Series on the Safety of Novel Foods and Feeds, No. 17, OECD, Paris,
- OECD (2017), “Tomato (*Solanum lycopersicum*)”, in *Safety Assessment of Transgenic Organisms in the Environment*, Volume 7: OECD Consensus Documents, OECD Publishing, Paris.
- Olanrewaju, O. S., Oyatomi, O., Babalola, O. O., & Abberton, M. (2021). Genetic Diversity and Environmental Influence on Growth and Yield Parameters of Bambara Groundnut. *Frontiers in Plant Science*, 12(December), 1–15.
- Papastylianou, P., Vlachostergios, D. N., Dordas, C., Tigka, E., Papakaloudis, P., Kargiotidou, A., Pratsinakis, E., Koskosidis, A., Pankou, C., Kousta, A., Mylonas, I., Tani, E., Abraham, E. M., Karatassiou, M., & Kostoula, S. (2021). Genotype x environment interaction analysis of faba bean (*Vicia faba* L.) for biomass and seed yield across different environments. *Sustainability (Switzerland)*, 13(5), 1–18.
- Park, H., Kim, Y. J., & Shin, Y. (2020). Estimation of daily intake of lycopene, antioxidant contents and activities from tomatoes, watermelons, and their processed products in Korea. *Applied Biological Chemistry*, 63(1).
- Parkes, E., Aina, O., Kingsley, A., Iluebbey, P., Bakare, M., Agbona, A., Akpotuzor, P., Labuschagne, M., & Kulakow, P. (2020). Combining ability and genetic components of yield characteristics, dry matter content, and total carotenoids in provitamin a cassava f1 cross-progeny. *Agronomy*, 10(12).
- Pavan, M. P., Gangaprasad, S., Dushyanthakumar, B. M., Adivappan, N., & Shashikumara, P. (2022). Heterosis and combining ability studies by line x tester analysis for fruit biochemical, morpho-physiological, and yield traits governing shelf life in tomato (*Solanum lycopersicum* L.). *Euphytica*, 218(7).



- Peng, M., Wang, Z., He, Z., Li, G., Di, J., Luo, R., Wang, C., & Huang, F. (2024). Combining Ability , Heritability , and Heterosis for Seed Weight and Oil Content Traits of Castor Bean (*Ricinus communis* L .). 1–14.
- Petr F.C and K.J Frey. (1966). Genotypic correlations, dominance, and heritability of quantitative characters in oats. *Crop Sci.* 6,259-262.
- Pitojo. S.(2005). Benih Tomat. Kanisius. Yogyakarta.
- Poehlman, J.M. and Sleeper, D.A. (1995) *Breeding Field Crops*. 4th Edition. Inc. Westport Connecticut, Ani.
- Rachman, F., Trikoesoemaningtyas, Wirnas, D., & Reflinur. (2022). Estimation of genetic parameters and heterosis through line x tester crosses of national sorghum varieties and local Indonesian cultivars. *Biodiversitas*, 23(3), 1588–1597.
- Radzevi, A., Viškelis, P., Viškelis, J., Bobinait, R., Karklelien, R., & Juškevi, D. (2013). Tomato Fruit Quality of Different Cultivars Growth in Lithuania. 7(7), 708–711.
- Sah, S. K., Singh, A. K., Singh, B. K., Barman, K., Pal, A. K., & Kumar, A. (2020). Heterosis Studies for Growth and Yield Traits in Tomato (*Solanum lycopersicum* L.). *International Journal of Current Microbiology and Applied*.
- Salehi, B., Sharifi-Rad, R., Sharopov, F., Namiesnik, J., Roointan, A., Kamle, M., Kumar, P., Martins, N., & Sharifi-Rad, J. (2019). Beneficial effects and potential risks of tomato consumption for human health: An overview. *Nutrition*, 62, 201–208.
- Sato, S., Tabata, S., Hirakawa, H., Asamizu, E., Shirasawa, K., Isobe, S., Kaneko, T., Nakamura, Y., Shibata, D., Aoki, K., Egholm, M., Knight, J., Bogden, R., Li, C., Shuang, Y., Xu, X., Pan, S., Cheng, S., Liu, X., ... Gianese, G. (2012). The tomato genome sequence provides insights into fleshy fruit evolution. *Nature*, 485(7400), 635–641.
- Schnable, P.S. and Springer, N.M. (2013) Progress toward Understanding Heterosis in Crop Plants. *Annual Review of Plant Biology*, 64, 71-88.
- Sekretariat Jendral Kementrian Pertanian (2022). Statistik Konsumsi Pangan Tahun 2022. Pusat Data dan Sistem Informasi Pertanian.
- Shah, K., Modi, B., Lamsal, B., Shrestha, J., & Aryal, S. (2020). Bioactive compounds in tomato and their roles in disease prevention. *Fundamental and Applied Agriculture*, 0, 1.
- Sharma, P., Thakur, S., & Negi, R. (2019). Recent Advances in Breeding of Tomato- A Review. *International Journal of Current Microbiology and Applied Sciences*,



8(03), 1275–1283.

- Setyorini, D., Sugito, Y., Aini, N., & Tyasmoro, S. Y. (2018). Lycopene, beta-carotene and productivity of tomato varieties at different shade levels under medium land of Indonesia. *Journal of Applied Horticulture*, 20(2), 92–96.
- Singh, N., Ram, C. N., Singh, V., & Kumar, D. (2022). Line × Tester Analysis and Estimating Combining Abilities for Yield and Some Quality Attributes in Tomato (*Solanum lycopersicum* L.). *International Journal of Plant & Soil Science*, 34(21), 176–194.
- Sinha, S. R., Singha, A., Faruquee, M., Jiku, M. A. S., Rahaman, M. A., Alam, M. A., & Kader, M. A. (2019). Post-harvest assessment of fruit quality and shelf life of two elite tomato varieties cultivated in Bangladesh. *Bulletin of the National Research Centre*, 43(1).
- Soytong, M., Guevarra, P. R., Mateo, J. M. C., & Galvez, H. F. (2021). Evaluation of tomatoes fruits flesh colour, beta-carotene and lycopene content. *International Journal of Agricultural Technology*, 17(2), 727–736.
- Stansfield, W. D. 1983. *Theory and Problem of Genetic*, Second Edition (Schaum series). Mcgraw-Hill Inc. New York. Pp 248.
- Steenis, C.G.G.J. Van. (2013). *Flora*. Jakarta Timur : PT Balai Pustaka (Persero).
- Subedi, M., Khazaei, H., Arganosa, G., Etukudo, E., & Vandenberg, A. (2021). Genetic stability and genotype × environment interaction analysis for seed protein content and protein yield of lentil. *Crop Science*, 61(1), 342–356.
- Suganthi, S. (2019). Relative heterosis , heterobeltiosis and standard heterosis for seed yield and yield component characters in sesame (*Sesamum indicum* L .). *10*, 1113–1125.
- Syukur, M. Sujprihati, S. Yuniarti, R. (2015). *Teknik Pemuliaan Tanaman (revisi)*. Penebar Swadaya : Jakarta.
- Temesgen, B. (2021a). Combining ability and heterosis in plant improvement. *Open Journal of Plant Science*, 6, 108–117.
- Temesgen, B. (2021b). Global role of plant breeding in tackling climate change. *International Journal of Agricultural Science and Food Technology*, 7, 223–229.
- Tomato quality : from the field to the consumer Interactions between genotype , cultivation Brian Farneti. (n.d.).
- Trustinah, & Iswanto, R. (2015). Pengaruh Interaksi Genotipe dan Lingkungan terhadap Hasil Kacang Hijau. *Jurnal Penelitian Pertanian Tanaman Pangan*, 32(1), 36–42.



- Tsouvaltzis, P., Gkountina, S., & Siomos, A. S. (2023). Quality Traits and Nutritional Components of Cherry Tomato in Relation to the Harvesting Period, Storage Duration and Fruit Position in the Truss. *Plants*, 12(2).
- Virmani, S.S. B.C. Viraktamath, C.L. Casal, R.S. Toledo, M. T. Lopez, and J.O. Manalo. (1997). Hybrid rice breeding manual. IRRI. Philippines. 156 p.
- Vitara, F. N. (2021). Uji Daya Hasil dan Kualitas Buah Empat Belas Galur Tomat (*Solanum Lycopersicum* L.). Fakultas Pertanian Universitas Gadjah Mada: Skripsi.
- Wang, S., Wu, H., Lu, Z., Liu, W., Wang, X., Fang, Z., & He, X. (2023). Combining Ability Analysis of Yield-Related Traits of Two Elite Rice Restorer Lines in Chinese Hybrid Rice. *International Journal of Molecular Sciences*, 24(15)
- Wang, L., Zheng, Y., Duan, L., Wang, M., Wang, H., Li, H., Li, R., & Zhang, H. (2022). Artificial Selection Trend of Wheat Varieties Released in Huang-Huai-Hai Region in China Evaluated Using DUS Testing Characteristics. *Frontiers in Plant Science*, 13(June), 1–11.
- Wang, R., Lammers, M., Tikunov, Y., Bovy, A. G., Angenent, G. C., & de Maagd, R. A. (2020). The rin, nor and Cnr spontaneous mutations inhibit tomato fruit ripening in additive and epistatic manners. *Plant Science*, 294 (October 2019), 110436.
- Wani S.H., Hussain W., Sanghera G.S., Haribhushan A., & Singh N.B. (2011). The Magic of Heterosis: New Tools and Complexities. *Nature and Science*, 9(11), 42–53.
- Wardani, L. A. (2012). Validasi Metode Analisis dan Penentuan Kadar Vitamin C Pada Minuman Buah Kemasan Dengan Spektrofotometri UV-Visible. Fakultas Matematika Dan Ilmu Pengetahuan Alam Program Studi Kimia Universitas Indonesia, 1–67.
- Wiguna, G., & Sumpena, U. (2016). Evaluasi Nilai Heterosis dan Heterobeltiosis Beberapa Persilangan Mentimun (*Cucumis Sativus* L.) pada Berbagai Altitud. *Jurnal Hortikultura*, 26(1), 1.
- Wiguna, G., Damayanti, F., Mubarak, S., Ezura, H., & Anas. (2021). Genetic control of fruit shelf-life in a cross between sletr1-2 mutant and some Indonesian tropical tomatoes. *Biodiversitas*, 22(10), 4671–4675.
- Wilcox, M. D., Shelbourne, J. A., & Firth, A. (1975). General and Specific Combining Ability in Eight Selected Clones of Radiata Pine. *New Zealand Journal of Forestry Science*, 5(2), 219–225.



- Yang, Z., Li, W., Li, D., & Chan, A. S. C. (2023). Evaluation of Nutritional Compositions, Bioactive Components, and Antioxidant Activity of Three Cherry Tomato Varieties. *Agronomy*, 13(3), 637.
- Zhang, J., Liu, S., Zhu, X., Chang, Y., Wang, C., Ma, N., Wang, J., Zhang, X., Lyu, J., & Xie, J. (2023). A Comprehensive Evaluation of Tomato Fruit Quality and Identification of Volatile Compounds. *Plants*, 12(16), 1–18.
- Zhao, S., Huang, Y., & Qi, H. (2024). Fruit quality analysis and comprehensive evaluation of 30 bayberry varieties. *Journal of Fruit Science*, 41(3), 392–402.