

DAFTAR PUSTAKA

- Arirohman, I. D., Paundra, F., & Yunesti, P. (2021). Studi Karakteristik Pola Aliran Stratified pada Pipa Horizontal 16 mm. *Journal of Science, Technology, and Virtual Culture*, 1((1)).
- Baker, O. (1953). Design of pipelines for the simultaneous flow of oil and gas. *Society of Petroleum Engineers - Fall Meeting of the Petroleum Branch of AIME, FM 1953*. <https://doi.org/10.2118/323-g>
- Brauner, N., Rovinsky, J., & Moalem Maron, D. (1996). Determination of the interface curvature in stratified two-phase systems by energy considerations. *International Journal of Multiphase Flow*, 22(6). [https://doi.org/10.1016/0301-9322\(96\)00046-8](https://doi.org/10.1016/0301-9322(96)00046-8)
- Chen, X. T., Cai, X. D., & Brill, J. P. (1997). Gas-liquid stratified-wavy flow in horizontal pipelines. *Journal of Energy Resources Technology, Transactions of the ASME*, 119(4). <https://doi.org/10.1115/1.2794992>
- Crawford, T. J., Weinberger, C. B., & Weisman, J. (1985). Two-phase flow patterns and void fractions in downward flow Part I: Steady-state flow patterns. *International Journal of Multiphase Flow*, 11(6). [https://doi.org/10.1016/0301-9322\(85\)90023-0](https://doi.org/10.1016/0301-9322(85)90023-0)
- Dinaryanto, O., Prayitno, Y. A. K., Majid, A. I., Hudaya, A. Z., Nusirwan, Y. A., Widyaparaga, A., Indarto, & Deendarlianto. (2017). Experimental investigation on the initiation and flow development of gas-liquid slug two-phase flow in a horizontal pipe. *Experimental Thermal and Fluid Science*, 81. <https://doi.org/10.1016/j.expthermflusci.2016.10.013>
- Dinaryanto, O., Widayatama, A., Prestinawati, M., Indarto, & Deendarlianto. (2018). The characteristics of the sub regime of slug flow in 16 mm horizontal pipe. *AIP Conference Proceedings, 2001*. <https://doi.org/10.1063/1.5049980>

- Hudaya, A. Z., Dinaryanto, O., Widyatama, A., Indarto, & Deendarlianto. (2018). Experimental study on interfacial friction factor of the air-water stratified two-phase flow in a horizontal pipe. *AIP Conference Proceedings*, 2001. <https://doi.org/10.1063/1.5049979>
- Li, X., Li, L., Ma, W., & Wang, W. (2022). Two-phase flow patterns identification in porous media using feature extraction and SVM. *International Journal of Multiphase Flow*, 156. <https://doi.org/10.1016/j.ijmultiphaseflow.2022.104222>
- Lin, P. Y., & Hanratty, T. J. (1987). Effect of pipe diameter on flow patterns for air-water flow in horizontal pipes. *International Journal of Multiphase Flow*, 13(4). [https://doi.org/10.1016/0301-9322\(87\)90021-8](https://doi.org/10.1016/0301-9322(87)90021-8)
- Lockhart, R. W., & Martinelli, R. C. (1949). Proposed correlation of data for isothermal two-phase two component flow in pipes. *Chemical Engineering Progress*, 45.
- Mileiko, S., Cetinkaya, O., Mackie, D., Shafik, R., & Balsamo, D. (2023). A TEG-Based Non-Intrusive Ultrasonic System for Autonomous Water Flow Rate Measurement. *IEEE Transactions on Sustainable Computing*, 8(3). <https://doi.org/10.1109/TSUSC.2023.3236524>
- Murakawa, H., Ichimura, S., Sugimoto, K., Asano, H., Umezawa, S., & Sugita, K. (2020). Evaluation method of transit time difference for clamp-on ultrasonic flowmeters in two-phase flows. *Experimental Thermal and Fluid Science*, 112. <https://doi.org/10.1016/j.expthermflusci.2019.109957>
- Murugesan, T., & Sivakumar, V. (2002). Pressure drop and flow regimes in cocurrent gas-liquid upflow through packed beds. *Chemical Engineering Journal*, 88(1-3). [https://doi.org/10.1016/S1385-8947\(02\)00039-6](https://doi.org/10.1016/S1385-8947(02)00039-6)
- O'Sullivan, I. J., & Wright, W. M. D. (2002). Ultrasonic measurement of gas flow using electrostatic transducers. *Ultrasonics*, 40(1-8). [https://doi.org/10.1016/S0041-624X\(02\)00259-7](https://doi.org/10.1016/S0041-624X(02)00259-7)

- Quibén, J. M., Cheng, L., da Silva Lima, R. J., & Thome, J. R. (2009). Flow boiling in horizontal flattened tubes: Part I - Two-phase frictional pressure drop results and model. *International Journal of Heat and Mass Transfer*, 52(15–16). <https://doi.org/10.1016/j.ijheatmasstransfer.2008.12.032>
- Rahim, R. A., Rahiman, M. H. F., Chan, K. S., & Nawawi, S. W. (2007). Non-invasive imaging of liquid/gas flow using ultrasonic transmission-mode tomography. *Sensors and Actuators, A: Physical*, 135(2). <https://doi.org/10.1016/j.sna.2006.07.031>
- Sanderson, M. L., & Yeung, H. (2002). Guidelines for the use of ultrasonic non-invasive metering techniques. *Flow Measurement and Instrumentation*, 13(4). [https://doi.org/10.1016/S0955-5986\(02\)00043-2](https://doi.org/10.1016/S0955-5986(02)00043-2)
- Sukamta, S., Hidayat, F. N., Sudarja, S., & Sundari, S. (2022). Fraksi Hampa Aliran Dua-Fase Udara-Air dan Minyak pada Pipa Kapiler dengan Kemiringan 75 Derajat Terhadap Horizontal. *Semesta Teknika*, 25(2). <https://doi.org/10.18196/st.v25i2.16666>
- Taitel, Y., & Dukler, A. E. (2004). A model for predicting flow regime transitions in horizontal and near horizontal gas-liquid flow. *SPE Reprint Series*, 58.
- Tosun, G. (1984). A Study of Cocurrent Downflow of Nonfoaming Gas-Liquid Systems in a Packed Bed. 1. Flow Regimes: Search for a Generalized Flow Map. *Industrial and Engineering Chemistry Process Design and Development*, 23(1). <https://doi.org/10.1021/i200024a006>
- Tung, V. X., & Dhir, V. K. (1988). A hydrodynamic model for two-phase flow through porous media. *International Journal of Multiphase Flow*, 14(1). [https://doi.org/10.1016/0301-9322\(88\)90033-X](https://doi.org/10.1016/0301-9322(88)90033-X)
- Villarreal, J., Laverde, D., & Fuentes, C. (2006). Carbon-steel corrosion in multiphase slug flow and CO₂. *Corrosion Science*, 48(9). <https://doi.org/10.1016/j.corsci.2005.09.003>

- Wang, M., Liu, J., Bai, Y., Zheng, D., & Fang, L. (2024). Flow rate measurement of gas-liquid annular flow through a combined multimodal ultrasonic and differential pressure sensor. *Energy*, 288. <https://doi.org/10.1016/j.energy.2023.129852>
- Wang, M., Zheng, D., & Xu, Y. (2022). A new two-fluid model for flow rate measurement of annular flow in horizontal pipe. *Measurement: Journal of the International Measurement Confederation*, 196. <https://doi.org/10.1016/j.measurement.2022.111224>
- Xing, L., Hua, C., Zhu, H., & Drahm, W. (2014). Flow measurement model of ultrasonic flowmeter for gas-liquid two-phase stratified and annular flows. *Advances in Mechanical Engineering*, 2014. <https://doi.org/10.1155/2014/194871>
- Cerna, M., Harvey, A.F., 2000, The Fundamentals of FFT-Based Signal Analysis and Measurement in LabView dan LabWindows, <http://www.ni.com/white-paper/4278/en/>.
- Khan, U., Pao, W., & Sallih, N. (2023). Numerical Gas–Liquid Two-Phase Flow Regime Identification in a Horizontal Pipe Using Dynamic Pressure Data. *Applied Sciences (Switzerland)*, 13(2). <https://doi.org/10.3390/app13021225>