

**DAFTAR PUSTAKA**

- Alejano, L.R., Alonso, E., Rodríguez-Dono, A., and Fernández-Manín, G., 2010, Application of the Convergence-Confinement Method to Tunnels in Rock Masses Exhibiting Hoek-Brown Strain-Softening Behaviour: International Journal of Rock Mechanics and Mining Sciences, v. 47, p. 150–160, doi:10.1016/j.ijrmms.2009.07.008.
- Anggara, R., and Dwinagara, B., 2018, Determination of Temporary Support for Squeezing Zone Underground Mine PT. Cibaliung Sumberdaya, in IOP Conference Series: Earth and Environmental Science, Institute of Physics Publishing, v. 212, doi:10.1088/1755-1315/212/1/012057.
- Aydan, Ö., Akagi, T., and Kawamoto, T., 1993, The Squeezing Potential of Rocks Around Tunnels; Theory and Prediction: Rock Mechanics and Rock Engineering, v. 26, p. 137–163.
- Basarir, H., 2006, Engineering Geological Studies and Tunnel Support Design at Sulakyurt Dam Site, Turkey: Engineering Geology, v. 86, p. 225–237, <https://doi.org/10.1016/j.enggeo.2006.05.003>
- Basuki, A., Sumanagara, D.A., and Sinambela, D., 1994, The Gunung Pongkor gold-silver deposit, West Java, Indonesia: Journal of Geochemical Exploration, v. 50, p. 371–391.
- Bieniawski, Z.T., 1989, Engineering Rock Mass Classifications: Canada, John Wiley & Sons.Inc.
- Broch, E., and Franklin, J.A., 1972, The Point-Load Strength Test: International Journal of Rock Mechanics and Mining Sciences, v. 9, p. 669–676, doi:10.1016/0148-9062(72)90030-7.
- Bunaci, A.A., Udriștioiu, E. gabriela, and Aboul-Enein, H.Y., 2015, X-Ray Diffraction: Instrumentation and Applications: Critical Reviews in Analytical Chemistry, v. 45, p. 289–299, doi:10.1080/10408347.2014.949616.
- Carranza-Torres, C., and Fairhurst, C., 2000, Application of the Convergence-Confinement Method of Tunnel Design to Rock Masses That Satisfy the Hoek-Brown Failure Criterion: Tunneling and Underground Space Technology, v. 15, p. 187–213, www.elsevier.com/locate/tust.



Daraei, A., and Zare, S., 2019, Modified Criterion for Prediction of Tunnel Deformation

in Non-Squeezing Ground Conditions: Journal of Modern Transportation, v. 27, p. 11–24, doi:10.1007/s40534-018-0173-y.

Deere, D.U., and Deere, D.W., 1988, The Rock Quality Designation (RQD) Index in Practice: Rock Classification System for Engineering Purposes, ASTM STP 984, p. 91–101.

Fama, M.E.D., 1993, Numerical Modeling of Yield Zones in Weak Rock, in Fairhurst, C. ed., Analysis and Design Methods, Oxford, Pergamon, p. 49–75, doi:<https://doi.org/10.1016/B978-0-08-040615-2.50009-5>.

Fathurrahmi, 2013, Identification of Natural Clay's Type Using X-Ray Diffraction: Jurnal Natural, v. 1.

Grimstad, E., and Barton, N., 1993, Updating the Q-system for NMT:, <https://www.researchgate.net/publication/312619292>.

Ha, S.G., Naji, A.M., Rehaman, H., Nam, K.M., Kim, H.E., Park, J.W., and Yoo, H.K., 2021, Expanded Longitudinal Deformation Profile in Tunnel Excavations Considering Rock Mass Conditions Via 3D Numerical Analyses: Applied Sciences (Switzerland), v. 11, doi:10.3390/app11125405.

Hadjigeorgiou, J., and Potvin, Y., 2023, Ground Support Guidelines for Squeezing Ground Conditions: Journal of the Southern African Institute of Mining and Metallurgy, v. 123, p. 371–380, doi:10.17159/2411.

Hamrin, H., 2001, Underground Mining Methods Engineering Fundamentals and International Case Studies: Underground Mining Methods and Application (W. A. Hustrulid & R. L. Bullock, Eds.): Society for Mining, Metallurgy, and Exploration, 1–14 p.

Hoek, E., and Brown, E.T., 1997, Practical Estimates of Rock Mass Strength: International Journal of Rock Mechanics and Mining Sciences, v. 34, p. 1165–1186.

Hoek, E., and Brown, E.T., 2019, The Hoek–Brown Failure Criterion and GSI – 2018 Edition: Journal of Rock Mechanics and Geotechnical Engineering, v. 11, p. 445–463, doi:10.1016/j.jrmge.2018.08.001.

Hoek, E., and Brown, E.T., 1982, Underground Excavation in Rock: London, E & FN Spon.

Hoek, E., Carranza-Torres, C., and Corkum, B., 2002, Hoek-Brown Failure Criterion-2002 Edition, in NARMS-TAC Conference, Toronto, v. 1, p. 267–273, www.rocscience.com.



Hoek, E., Kaiser, P.K., and Bawden, W.F., 1995, Support of Underground Excavation in

Hard Rock: <https://www.researchgate.net/publication/37408005>.

Hoek, E., and Marinos, P., 2000, Predicting Tunnel Squeezing Problems in Weak Heterogeneous Rock Masses.

Jethwa, J.L., Singh, B., and Singh, B., 1984, Estimation of Ultimate Rock Pressure for Tunnel Linings Under Squeezing Rock Conditions-A New Approach, in Brown, E.T. and Hudson, J.A. eds., Design and Performance of Underground Excavations: ISRM Symposium, p. 231–238, doi:10.1680/dapoue.35652.0028.

Kabwe, E., Karakus, M., and Chanda, E.K., 2020, Proposed Solution for the Ground Reaction of Non-Circular Tunnels in an Elastic-Perfectly Plastic Rock Mass: Computers and Geotechnics, v. 119, doi:10.1016/j.compgeo.2019.103354.

Kaya, A., and Sayın, A., 2019, Engineering Geological Appraisal and Preliminary Support Design for the Salarha Tunnel, Northeast Turkey: Bulletin of Engineering Geology and the Environment, v. 78, p. 1095–1112, doi:10.1007/s10064-017-1177-2.

Komurlu, E., and Demir, S., 2019, Use of Rock Mass Rating (RMR) Values for Support Designs of Tunnels Excavated in Soft Rocks Without Squeezing Problem: GeoScience Engineering, v. 65, p. 1–17, doi:10.35180/gse-2019-0007.

Kurniawan, P., and Hadimuljono, M.B., 2021, Applied Geotechnics for Engineers 1: Andi Offset.

Marcoux, E., and Milesi, J.-P., 1994, Epithermal Gold Deposits in West Java, Indonesia: Geology, Age and Crustal Source: Journal of Geochemical Exploration, v. 50, p. 393–408.

Milesi, J.P., Marcoux, E., Sitorus, T., Simandjuntak, M., Leroy, J., and Baily, L., 1999, Pongkor (West Java, Indonesia): A Pliocene Supergene-Enriched Epithermal Au-Ag-(Mn) Deposit: Mineralium Deposita, v. 34, p. 131–149.

Mousivand, M., and Maleki, M., 2018, Constitutive Models and Determining Methods Effects on Application of Convergence-Confinement Method in Underground Excavation: Geotechnical and Geological Engineering, v. 36, p. 1707–1722, doi:10.1007/s10706-017-0426-2.

Nugroho, B.W., Suparjono, and Pratama, R., 2019, Rekayasa Geoteknik Untuk Penanganan Squeezing Failure Dan Penembusan, in Prosiding TPT XXVIII PERHAPI 2019, p. 561–571.



Panet, M., and Sulem, J., 2022, Convergence-Confinement Method for Tunnel Design:

Springer Cham, doi:<https://doi.org/10.1007/978-3-030-93193-3>.

Potvin, Y., and Hadjigeorgiou, J., 2008, Ground Support Strategies to Control Large Deformations in Mining Excavations: The Journal of The Southern African Institute of Mining and Metallurgy, v. 108, p. 404.

Pratama, R., Nur, T., and Rasyid, E., 2015, Desain Penyanggaan Berdasarkan Pola Runtuhan Di Tambang Bawah Tanah UBPE Pongkor (Ground Support Design Based on Failure Types in UBPE Pongkor's Underground Mine) (Unpublished).

Priest, S.D., and Hudson, J.A., 1976, Discontinuity Spacing in Rock: International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts, v. 13, p. 135–148.

Purwanto, 2015, Design of Support System by Overhand Cut And Fill Mining Method in Underground Gold Mine, Indonesia: Graduate School of Engineering, Kyushu University.

Rai, M.A., Kramadibrata, S., and Wattimena, R.K., 2013, Mekanika Batuan (Rik-Rik Sundari, Ed.): Bandung, ITB.

Rosana, M.F., and Matsueda, H., 2002, Cikidang Hydrothermal Gold Deposit in Western Java, Indonesia: Resource Geology, v. 50, p. 341–352.

Singh, B., and Goel, R.K., 2006b, Tunnelling in Weak Rocks: Elsevier Geo-Engineering Book Series (J. A. Hudson, Ed.): Amsterdam, Elsevier Science, v. 5, 285–287 p.

Syafrizal, Imai, A., Motomura, Y., and Watanabe, K., 2005, Characteristics of Gold Mineralization at The Ciurug Vein, Pongkor Gold-Silver Deposit, West Java, Indonesia: Resource Geology, v. 55, p. 225–238, doi:10.1111/j.1751-3928.2005.tb00244.x.

Syafrizal, Imai, A., and Watanabe, K., 2007, Origin of Ore-Forming Fluids Responsible for Gold Mineralization of The Pongkor Au-Ag Deposit, West Java, Indonesia: Evidence from mineralogic, fluid inclusion microthermometry and stable isotope study of the Ciurug-Cikoret veins: Resource Geology, v. 57, p. 136–148, doi:10.1111/j.1751-3928.2007.00013.x.

Tekkaya, E.A., and Soyarslan, C., 2014, CIRP Encyclopedia of Production Engineering: Finite Element Method, in Laperrie`re, L. and Reinhart, G. eds., Paris, Springer-Verlag Berlin Heidelberg, doi:10.1007/978-3-642-20617-7.



Terron-Almenara, J., Holter, K. G., and Høien, A. H., (2023), A Hybrid Methodology of

Rock Support Design for Poor Ground Conditions in Hard Rock Tunnelling: Rock Mechanics and Rock Engineering, v. 56, p. 4061–4088.

Titisari, A.D., Phillips, D., Warmada, I.W., Hartono, and Idrus, A., 2020, 40Ar/39Ar Geochronology of The Pongkor Low Sulfidation Epithermal Gold Mineralisation, West Java, Indonesia: Ore Geology Reviews, v. 119, doi:10.1016/j.oregeorev.2020.103341.

Varden, R., and Woods, M., 2015, Design Approach for Squeezing Ground, in Underground Design Methods, Australian Centre for Geomechanics, p. 489–504, doi:10.36487/acg_rep/1511_30_varden.

Vlachopoulos, N., and Diederichs, M.S., 2009a, Improved Longitudinal Displacement Profiles for Convergence Confinement Analysis of Deep Tunnels: Rock Mechanics and Rock Engineering, v. 42, p. 131–146, doi:10.1007/s00603-009-0176-4.

Wicaksono, D.D., Setiawan, N.I., Wilopo, W., and Harijoko, A., 2017, Teknik Preparasi Sampel Dalam Analisis Mineralogi Dengan XRD (X-Ray Diffraction) Di Departemen Teknik Geologi, Fakultas Teknik, Universitas Gajah Mada, in Seminar Nasional Kebumian Ke-10, p. 1864–1880.