

DAFTAR PUSTAKA

- Adnan, M., Islam, W., Shabbir, A., Ali, K., Ghramh, H. A., Huang, Z., Chen, H. Y. H., & Lu, G. (2019). Microbial Pathogenesis Plant defense against fungal pathogens by antagonistic fungi with *Trichoderma* in focus. *Microbial Pathogenesis*, *129*, 7–18. <https://doi.org/10.1016/j.micpath.2019.01.042>
- Adnan, M., Zheng, W., Islam, W., Arif, M., Abubakar, Y. S., Wang, Z., & Lu, G. (2018). Carbon Catabolite Repression in Filamentous Fungi. *International Journal of Molecular Science*, *19*(48), 1–23. <https://doi.org/10.3390/ijms19010048>
- Amengual, N. G., Csarman, F., Wohlschlager, L., & Ludwig, R. (2022). Expression and characterization of a family 45 glycosyl hydrolase from *Fomitopsis pinicola* and comparison to *Phanerochaete chrysosporium* Cel45A. *Enzyme and Microbial Technology*, *156*, 1–26. <https://doi.org/10.1016/j.enzmictec.2022.110000>
- Amore, A., Giacobbe, S., & Faraco, V. (2013). Regulation of Cellulase and Hemicellulase Gene Expression in Fungi. *Current Genomics*, *14*(4), 230–249. <https://doi.org/10.2174/1389202911314040002>
- Ang, S. K., Shaza, E. M., Adibah, Y. A., Suraini, A. A., & Madihah, M. S. (2013). Production of cellulases and xylanase by *Aspergillus fumigatus* SK1 using untreated oil palm trunk through solid state fermentation. *Process Biochemistry*, *48*(9), 1293–1302. <https://doi.org/10.1016/j.procbio.2013.06.019>
- Aro, N., Ilme, M., Saloheimo, A., & Penttila, M. (2003). ACEI of *Trichoderma reesei* Is a Repressor of Cellulase and Xylanase Expression. *Applied and Environmental Microbiology*, *69*(1), 56–65. <https://doi.org/10.1128/AEM.69.1.56>
- Ashburner, M., Ball, C. A., Blake, J. A., Botstein, D., Butler, H., Cherry, J. M., Davis, A. P., Dolinski, K., Dwight, S. S., Eppig, J. T., Harris, M. A., Hill, D. P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J. C., Richardson, J. E., Ringwald, M., Rubin, G. M., & Sherlock, G. (2000). Gene Ontology : tool for the unification of biology. *Nature Genetics*, *25*, 25–29. <https://doi.org/10.1038/75556>
- Bairoch, A., & Apweiler, R. (2000). The SWISS-PROT protein sequence database and its supplement TrEMBL in 2000. *Nucleic Acids Research*, *28*(1), 45–48. <https://doi.org/10.1093/nar/28.1.45>
- Bansal, N., Tewari, R., Soni, R., & Soni, S. K. (2012). Production of cellulases from *Aspergillus niger* NS-2 in solid state fermentation on agricultural and

kitchen waste residues. *Waste Management*, 32(7), 1341–1346.
<https://doi.org/10.1016/j.wasman.2012.03.006>

- Bansal, P., Hall, M., Realff, M. J., Lee, J. H., & Bommarius, A. S. (2009). Modeling cellulase kinetics on lignocellulosic substrates. *Biotechnology Advances*, 27(6), 833–848. <https://doi.org/10.1016/j.biotechadv.2009.06.005>
- Bech, L., Busk, P. K., & Lange, L. (2014). Cell Wall Degrading Enzymes in *Trichoderma asperellum* Grown on Wheat Bran. *Fungal Genomics & Biology*, 04(01), 1–11. <https://doi.org/10.4172/2165-8056.1000116>
- Bhattacharyya, A., & He, Y. (2019). Genome sequence databases: Annotation. In M. Schaechter (Ed.), *Encyclopedia of Microbiology* (4th ed., pp. 390–399). Academic Press. <https://doi.org/10.1016/B978-0-12-801238-3.98823-8>
- Cantarel, B. I., Coutinho, P. M., Rancurel, C., Bernard, T., Lombard, V., & Henrissat, B. (2009). The Carbohydrate-Active EnZymes database (CAZy): An expert resource for glycogenomics. *Nucleic Acids Research*, 37, 233–238. <https://doi.org/10.1093/nar/gkn663>
- Castro, S., Cristina, A., Antoniêto, C., Ramos, W., Silva-rocha, R., Persinoti, G. F., & Nascimento, R. (2014). Expression pattern of cellulolytic and xylanolytic genes regulated by transcriptional factors XYR1 and CRE1 are affected by carbon source in *Trichoderma reesei*. *Gene Expression Pattern*, 14(2), 88–95. <https://doi.org/10.1016/j.gep.2014.01.003>
- Chan, C., Sin, L. L., Chan, K. G., Shamsir, M. S., Manan, F. A., Sani, R. K., & Goh, K. M. (2016). Characterization of a glucose-tolerant β -glucosidase from *Anoxybacillus* sp. DT3-1. *Biotechnology for Biofuels*, 9(174), 1–11. <https://doi.org/10.1186/s13068-016-0587-x>
- Chand, P., Aruna, A., Maqsood, A., & Rao, L. (2005). Novel mutation method for increased cellulase production. *Journal of Applied Microbiology*, 98(2), 318–323. <https://doi.org/10.1111/j.1365-2672.2004.02453.x>
- Chandra, M., Kalra, A., Sangwan, N. S., Gaurav, S. S., Darokar, M. P., & Sangwan, R. S. (2009). Development of a mutant of *Trichoderma citrinoviride* for enhanced production of cellulases. *Bioresource Technology*, 100(4), 1659–1662. <https://doi.org/10.1016/j.biortech.2008.09.011>
- Christa, I., Jonas, R., Aouam, T., Alexa, F., Baker, S. E., Crom, S. Le, Lemoine, S., Christa, I., Jonas, R., Aouam, T., Alexa, F., & Seiboth, B. (2017). Genome sequencing and transcriptome analysis of *Trichoderma reesei* QM9978 strain reveals a distal chromosome translocation to be responsible for loss of *vib1* expression and loss of cellulase induction. *Biotechnology for Biofuels*, 10(209), 1–15. <https://doi.org/10.1186/s13068-017-0897-7>
- Chuenchor, W., Pengthaisong, S., Robinson, R. C., Yuvaniyama, J., Oonanant, W., Bevan, D. R., Esen, A., Chen, C. J., Opassiri, R., Svasti, J., & Cairns, J.

- R. K. (2008). Structural Insights into Rice BGlu1 β -Glucosidase Oligosaccharide Hydrolysis and Transglycosylation. *Journal of Molecular Biology*, 377(4), 1200–1215. <https://doi.org/10.1016/j.jmb.2008.01.076>
- Cristina, A., Antoniêto, C., Paula, R. G. De, Castro, S., Persinoti, G. F., & Silva, R. N. (2016). Trichoderma reesei CRE1-mediated Carbon Catabolite Repression in Response to Sophorose Through RNA Sequencing Analysis. *Current Genomics*, 17(2), 119–131. <https://doi.org/10.2174/1389202917666151116212901>
- Darabzadeh, N., Hamidi-Esfahani, Z., & Hejazi, P. (2018). Improvement of Cellulase Production and its Characteristics by Inducing Mutation on Trichoderma reesei 2414 under Solid State Fermentation on Rice By-product. *Applied Food Biotechnology*, 5(1), 11–18. <https://doi.org/10.22037/afb.v5i1.18651>
- De Giuseppe, P. O., Souza, T. D. A. C. B., Souza, F. H. M., Zanphorlin, L. M., Machado, C. B., Ward, R. J., Jorge, J. A., Furriel, R. D. P. M., & Murakami, M. T. (2014). Structural basis for glucose tolerance in GH1 β -glucosidases. *Acta Crystallographica Section D: Biological Crystallography*, 70(6), 1631–1639. <https://doi.org/10.1107/S1399004714006920>
- Delabona, P. da S., Pirota, R. D. P. B., Codima, C. A., Tremacoldi, C. R., Rodrigues, A., & Farinas, C. S. (2012). Using Amazon forest fungi and agricultural residues as a strategy to produce cellulolytic enzymes. *Biomass and Bioenergy*, 37, 243–250. <https://doi.org/10.1016/j.biombioe.2011.12.006>
- Denton, J. A., & Kelly, J. M. (2011). Disruption of Trichoderma reesei cre2, encoding an ubiquitin C-terminal hydrolase, results in increased cellulase activity. *BMC Biotechnology*, 11(1), 103. <https://doi.org/10.1186/1472-6750-11-103>
- Dhillon, G. S., Oberoi, H. S., Kaur, S., Bansal, S., & Brar, S. K. (2011). Value-addition of agricultural wastes for augmented cellulase and xylanase production through solid-state tray fermentation employing mixed-culture of fungi. *Industrial Crops and Products*, 34(1), 1160–1167. <https://doi.org/10.1016/j.indcrop.2011.04.001>
- Dong, M., Wang, S., Xu, F., Xiao, G., Bai, J., Wang, J., & Sun, X. (2022). Integrative transcriptome and proteome analyses of Trichoderma longibrachiatum LC and its cellulase hyper-producing mutants generated by heavy ion mutagenesis reveal the key genes involved in cellulolytic enzymes regulation. *Biotechnology for Biofuels and Bioproducts*, 15(1), 1–13. <https://doi.org/10.1186/s13068-022-02161-7>
- Druzhinina, I. S., Chenthamara, K., Zhang, J., Atanasova, L., Yang, D., Miao, Y., Rahimi, M. J., Grujic, M., Cai, F., Pourmehdi, S., Salim, K. A., Pretzer, C., Kopchinskiy, A. G., Henrissat, B., Kuo, A., Hundley, H., Wang, M., Aerts,

- A., Salamov, A., ... Kubicek, C. P. (2018). Massive lateral transfer of genes encoding plant cell wall-degrading enzymes to the mycoparasitic fungus *Trichoderma* from its plant-associated hosts. *PLoS Genetics*, *14*(4), 1–33. <https://doi.org/10.1371/journal.pgen.1007322>
- Druzhinina, I. S., & Kubicek, C. P. (2017). Genetic engineering of *Trichoderma reesei* cellulases and their production. *Microbial Biotechnology*, *10*(6), 1485–1499. <https://doi.org/10.1111/1751-7915.12726>
- Ergun, R., Guo, J., Pharma, D. O. W., & Solutions, F. (2016). Cellulose. In *Encyclopedia of Food and Health* (pp. 694–702). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-384947-2.00127-6>
- Fatma, H. A. E.-Z., & Fadel, M. (2010). Production of Bioethanol Via Enzymatic Saccharification of Rice Straw by Cellulase Produced by *Trichoderma reesei* Under Solid State Fermentation. *New York Science*, *3*(4), 72–78. <http://www.sciencepub.net/newyork>
- Finn, R. D., Bateman, A., Clements, J., Coggill, P., Eberhardt, R. Y., Eddy, S. R., Heger, A., Hetherington, K., Holm, L., Mistry, J., Sonnhammer, E. L. L., Tate, J., & Punta, M. (2014). Pfam: The protein families database. *Nucleic Acids Research*, *42*, 222–230. <https://doi.org/10.1093/nar/gkt1223>
- Flores-Gallegos, A. C., Veana-Hernandez, F., Michel-Michel, M., Lara-Victoriano, F., & Rodriguez-Herrera, R. (2016). Molecular Evolution of *Aspergillus*. In *New and Future Developments in Microbial Biotechnology and Bioengineering*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63505-1.00003-8>
- Galperin, M. Y., Makarova, K. S., Wolf, Y. I., & Koonin, E. V. (2015). Expanded Microbial genome coverage and improved protein family annotation in the COG database. *Nucleic Acids Research*, *43*, 261–269. <https://doi.org/10.1093/nar/gku1223>
- Godbey, W. T. (2014). Genes: The Blueprints for Protein. In W. T. Godbey (Ed.), *An Introduction to Biotechnology* (pp. 65–105). Elsevier Ltd. <https://doi.org/10.1016/B978-1-907568-28-2.00004-6>
- Golan, A. E. (2011). *Cellulase: Types, Actions, Mechanisms and Uses* (A. E. Golan (ed.)). Nova Science Publishers, Inc.
- Gupta, A., & Turner, S. R. (2017). Cellulose. In *Encyclopedia of Applied Plant Sciences* (2nd ed., Vol. 1, pp. 185–190). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-394807-6.00115-5>
- Gupta, V. (2016). New and Future Developments in Microbial Biotechnology and Bioengineering. In *New and Future Developments in Microbial Biotechnology and Bioengineering*. Elsevier. <https://doi.org/10.1016/c2014-0-00092-5>

- Häkkinen, M., Sivasiddharthan, D., Aro, N., Saloheimo, M., & Pakula, T. M. (2015). The effects of extracellular pH and of the transcriptional regulator PACI on the transcriptome of *Trichoderma reesei*. *Microbial Cell Factories*, *14*, 1–15. <https://doi.org/10.1186/s12934-015-0247-z>
- Häkkinen, M., Valkonen, M. J., Westerholm-parvinen, A., Aro, N., Arvas, M., & Vitikainen, M. (2014). Screening of candidate regulators for cellulase and hemicellulase production in *Trichoderma reesei* and identification of a factor essential for cellulase production. *Biotechnology for Biofuels*, *7*(14), 1–21. <https://doi.org/10.1186/1754-6834-7-14>
- Hamdan, N. T., & Jasim, H. M. (2018). Purification and Characterization of Cellulase enzyme from *Trichoderma longibrachiatum* isolated in Iraqi soil. *Journal of Biotechnology and Biochemistry*, *4*(1), 32–41. <https://doi.org/10.9790/264X-04013241>
- He, Y., Wang, C., Jiao, R., Ni, Q., Wang, Y., Gao, Q., Zhang, Y., & Xu, G. (2022). Biochemical characterization of a novel glucose - tolerant GH3 β - glucosidase (*Bgl1973*) from *Leifsonia* sp . ZF2019. 5063–5079. <https://doi.org/10.1007/s00253-022-12064-0>
- Hong, C., Lee, S., Ryu, S., & Kim, M. (2017). Whole-genome de novo sequencing of wood rot fungus *Fomitopsis palustris* (ATCC62978) with both a cellulolytic and ligninolytic enzyme system. *Journal of Biotechnology*, *251*, 156–159. <https://doi.org/10.1016/j.jbiotec.2017.04.009>
- Hong, M., Tao, S., Zhang, L., Diao, L. T., Huang, X., Huang, S., & Xie, S. J. (2020). RNA sequencing : new technologies and applications in cancer research. *Journal of Hematology & Oncology*, *13*(166), 1–16. <https://doi.org/10.1186/s13045-020-01005-x>
- Idris, A. S. O., Pandey, A., Rao, S. S., & Sukumaran, R. K. (2017). Cellulase production through solid-state tray fermentation, and its use for bioethanol from sorghum stover. *Bioresource Technology*, *242*, 265–271. <https://doi.org/10.1016/j.biortech.2017.03.092>
- Ike, M., Park, J. Y., Tabuse, M., & Tokuyasu, K. (2010). Cellulase production on glucose-based media by the UV-irradiated mutants of *Trichoderma reesei*. *Applied Microbiology and Biotechnology*, *87*(6), 2059–2066. <https://doi.org/10.1007/s00253-010-2683-3>
- Imran, M., Anwar, Z., Irshad, M., Asad, M. J., & Ashfaq, H. (2016). Cellulase Production from Species of Fungi and Bacteria from Agricultural Wastes and Its Utilization in Industry: A Review. *Advances in Enzyme Research*, *4*(4), 44–55. <https://doi.org/10.4236/aer.2016.42005>
- Ioelovich, M. (2008). Cellulose as a nanostructured polymer: A short review. *BioResources*, *3*(4), 1403–1418. <https://doi.org/10.15376/biores.3.4.1403-1418>

- Jha, V. K., Prasad, B., & Pranay, K. (2017). Screening and Isolation of Cellulase Producing Fungal Strains. *Journal of Microbiology and Biotechnology Research*, 6(6), 16–21.
- Jones, P., Binns, D., Chang, H. Y., Fraser, M., Li, W., McAnulla, C., McWilliam, H., Maslen, J., Mitchell, A., Nuka, G., Pesseat, S., Quinn, A. F., Sangrador-Vegas, A., Scheremetjew, M., Yong, S. Y., Lopez, R., & Hunter, S. (2014). InterProScan 5: Genome-scale protein function classification. *Bioinformatics*, 30(9), 1236–1240. <https://doi.org/10.1093/bioinformatics/btu031>
- Juturu, V., & Wu, J. C. (2014). Microbial cellulases: Engineering, production and applications. *Renewable and Sustainable Energy Reviews*, 33, 188–203. <https://doi.org/10.1016/j.rser.2014.01.077>
- Kanehisa, M., Goto, S., Hattori, M., Aoki-Kinoshita, K. F., Itoh, M., Kawashima, S., Katayama, T., Araki, M., & Hirakawa, M. (2006). From genomics to chemical genomics: new developments in KEGG. *Nucleic Acids Research*, 34, 354–357. <https://doi.org/10.1093/nar/gkj102>
- Kanehisa, M., Goto, S., Kawashima, S., Okuno, Y., & Hattori, M. (2004). The KEGG resource for deciphering the genome. *Nucleic Acids Research*, 32, 277–280. <https://doi.org/10.1093/nar/gkh063>
- Kobakhidze, A., Asatiani, M., Kachlishvili, E., & Elisashvili, V. (2016). Induction and catabolite repression of cellulase and xylanase synthesis in the selected white-rot basidiomycetes. *Annals of Agrarian Sciences*, 14(3), 169–176. <https://doi.org/10.1016/j.aasci.2016.07.001>
- Kooloth-Valappil, P., Christopher, M., Sreeja-Raju, A., Mathew, R. M., Kuni-Parambil, R., Abraham, A., Sankar, M., Pandey, A., & Sukumaran, R. K. (2021). Draft genome of the glucose tolerant β -glucosidase producing rare *Aspergillus unguis* reveals complete cellulolytic machinery with multiple beta-glucosidase genes. *Fungal Genetics and Biology*, 151(103551), 1–9. <https://doi.org/10.1016/j.fgb.2021.103551>
- Krisnawati, R., Sardjono, Widada, J., Suroto, D. A., & Cahyanto, M. N. (2022). Effect of Glucose on Endo-xylanase and β -xylosidase Production by Fungi Isolated in Indonesia. *Journal of Pure and Applied Microbiology*, 16(1), 226–234. <https://doi.org/10.22207/JPAM.16.1.12>
- Kubicek, C. P., Steindorff, A. S., Chenthamara, K., Manganiello, G., Henrissat, B., Zhang, J., Cai, F., Kopchinskiy, A. G., Kubicek, E. M., Kuo, A., Baroncelli, R., Sarrocco, S., Noronha, E. F., Vannacci, G., & Shen, Q. (2019). Evolution and comparative genomics of the most common *Trichoderma* species. *BMC Genomics*, 20(485), 1–24. <https://doi.org/10.1186/s12864-019-5680-7>
- Kumar, A., Dutt, D., & Gautam, A. (2016). Production of crude enzyme from

- Aspergillus nidulans* AKB-25 using black gram residue as the substrate and its industrial applications. *Journal of Genetic Engineering and Biotechnology*, 14(1), 107–118. <https://doi.org/10.1016/j.jgeb.2016.06.004>
- Kumar, S., Sharma, H. K., & Sarkar, B. C. (2011). Effect of substrate and fermentation conditions on pectinase and cellulase production by *Aspergillus niger* NCIM 548 in submerged (SmF) and solid state fermentation (SSF). *Food Science and Biotechnology*, 20(5), 1289–1298. <https://doi.org/10.1007/s10068-011-0178-3>
- Kumari, A. V. A. G., Sunilson, J. A. J., Prema, M., & Vinayagamurthi, M. R. (2020). Isolation and screening of cellulolytic fungi from mangrove ecosystem. *AIP Conference Proceedings*, 2378(1), 1–8. <https://doi.org/10.1063/5.0058314>
- Lapidus, A. L. (2019). Genome sequence databases: Sequencing and assembly. In A. L. Lapidus (Ed.), *Encyclopedia of Microbiology* (pp. 400–418). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-801238-3.02495-8>
- Li, C., Zhao, S., Zhang, T., Xian, L., Liao, L., & Liu, J. (2017). Genome sequencing and analysis of *Talaromyces pinophilus* provide insights into biotechnological applications. *Scientific Reports*, 7(490), 1–10. <https://doi.org/10.1038/s41598-017-00567-0>
- Li, J., Zhang, F., Jiang, D. D., Li, J., Wang, F. Lou, Zhang, Z., Wang, W., & Zhao, X. Q. (2020). Diversity of Cellulase-Producing Filamentous Fungi From Tibet and Transcriptomic Analysis of a Superior Cellulase Producer *Trichoderma harzianum* LZ117. *Frontiers in Microbiology*, 11(1617), 1–15. <https://doi.org/10.3389/fmicb.2020.01617>
- Li, L., Zeng, X., Chen, J.-Y., Tian, J., Huang, J., & Su, S. (2021). Genome Sequence of the Fungus *Trichoderma asperellum* SM-12F1 revealing candidate Functions of Growth Promotion, Biocontrol, and Bioremediation. *PhytoFrontier*, 2, 1–16. <https://doi.org/10.1094/phytofr-12-20-0052-a>
- Li, W., Jaroszewski, L., & Godzik, A. (2002). Tolerating some redundancy significantly speeds up clustering of large protein databases. *Bioinformatics*, 18(1), 77–82. <https://doi.org/10.1093/bioinformatics/18.1.77>
- Li, Y., Yu, J., Zhang, P., Long, T., Mo, Y., Li, J., & Li, Q. (2021). Comparative transcriptome analysis of *Trichoderma reesei* reveals different gene regulatory networks induced by synthetic mixtures of glucose and β -disaccharide. *Bioresources and Bioprocessing*, 8(57), 1–16. <https://doi.org/10.1186/s40643-021-00411-4>
- Lichius, A., Bidard, F., Buchholz, F., Crom, S. Le, Martin, J., Schackwitz, W., Austerlitz, T., Grigoriev, I. V, Baker, S. E., Margeot, A., Seiboth, B., & Kubicek, C. P. (2015). Genome sequencing of the *Trichoderma reesei* QM9136 mutant identifies a truncation of the transcriptional regulator XYR1

as the cause for its cellulase-negative phenotype. *BioMed Central Genomics*, 16(326), 1–20. <https://doi.org/10.1186/s12864-015-1526-0>

- Lichius, A., Seidl-Seiboth, V., Seiboth, B., & Kubicek, C. P. (2014). Nucleo-cytoplasmic shuttling dynamics of the transcriptional regulators XYR1 and CRE1 under conditions of cellulase and xylanase gene expression in *Trichoderma reesei*. *Molecular Microbiology*, 94(5), 1162–1178. <https://doi.org/10.1111/mmi.12824>
- Liguori, R., Pennacchio, A., Vandenberghe, L. P. de S., De Chiaro, A., Birolo, L., Soccol, C. R., & Faraco, V. (2021). Screening of fungal strains for cellulolytic and xylanolytic activities production and evaluation of brewers' spent grain as substrate for enzyme production by selected fungi. *Energies*, 14(4443), 1–17. <https://doi.org/10.3390/en14154443>
- Lin, C., Shen, Z., & Qin, W. (2017). Characterization of Xylanase and Cellulase Produced by a Newly Isolated *Aspergillus fumigatus* N2 and Its Efficient Saccharification of Barley Straw. *Applied Biochemistry and Biotechnology*, 182(2), 559–569. <https://doi.org/10.1007/s12010-016-2344-9>
- Lin, L., Liu, X., Zhou, Y., Guan, L., He, J., & Huang, W. (2016). A novel pH-stable, endoglucanase (JqCel5A) isolated from a salt-lake microorganism, *Jonesia quinghaiensis*. *Electronic Journal of Biotechnology*, 24, 56–62. <https://doi.org/10.1016/j.ejbt.2016.09.004>
- Liu, D., Zhang, R., Yang, X., Wu, H., Xu, D., Tang, Z., & Shen, Q. (2011). Thermostable cellulase production of *Aspergillus fumigatus* Z5 under solid-state fermentation and its application in degradation of agricultural wastes. *International Biodeterioration and Biodegradation*, 65(5), 717–725. <https://doi.org/10.1016/j.ibiod.2011.04.005>
- Liu, J., Zhang, X., Fang, Z., Fang, W., Peng, H., Xiao, Y., & Ioeng, J. B. I. B. (2011). The 184th residue of β -glucosidase Bgl1B plays an important role in glucose tolerance. *Journal of Bioscience and Bioengineering*, 112(5), 447–450. <https://doi.org/10.1016/j.jbiosc.2011.07.017>
- Liu, Y., Luo, Z. Y., Long, C. N., Wang, H. D., Long, M. N., & Hu, Z. (2011). Cellulase production in a new mutant strain of *Penicillium decumbens* ML-017 by solid state fermentation with rice bran. *New Biotechnology*, 28(6), 733–737. <https://doi.org/10.1016/j.nbt.2010.12.003>
- Lockington, R. A., Rodbourn, L., Barnett, S., Carter, C. J., & Kelly, J. M. (2002). Regulation by carbon and nitrogen sources of a family of cellulases in *aspergillus nidulans*. *Fungal Genetics and Biology*, 37(2), 190–196. [https://doi.org/10.1016/S1087-1845\(02\)00504-2](https://doi.org/10.1016/S1087-1845(02)00504-2)
- M'Barek, H. N., Taidi, B., Smaoui, T., Ben Aziz, M., Mansouri, A., & Hajjaj, H. (2019). Isolation, screening and identification of ligno-cellulolytic fungi from northern central Morocco. *Biotechnology, Agronomy and Society and*

Environment, 23(4), 207–217. <https://doi.org/10.25518/1780-4507.18182>

- Mafa, M. S., Pletschke, B. I., & Malgas, S. (2021). Defining the frontiers of synergism between cellulolytic enzymes for improved hydrolysis of lignocellulosic feedstocks. *Catalysts*, 11(11), 1–19. <https://doi.org/10.3390/catal11111343>
- Mariano, D. C. B., Leite, C., Santos, L. H. S., Marins, L. F., Machado, K. S., Werhli, A. V., Lima, L. H. F., & De Melo-Minardi, R. C. (2017). Characterization of glucose-tolerant β -glucosidases used in biofuel production under the bioinformatics perspective: A systematic review. *Genetics and Molecular Research*, 16(3). <https://doi.org/10.4238/gmr16039740>
- Martinez, D., Berka, R. M., Henrissat, B., Saloheimo, M., Arvas, M., Baker, S. E., Chapman, J., Chertkov, O., Coutinho, P. M., Cullen, D., Danchin, E. G. J., Grigoriev, I. V., Harris, P., Jackson, M., Kubicek, C. P., Han, C. S., Ho, I., Larrondo, L. F., Leon, A. L. De, ... Brettin, T. S. (2008). Genome sequencing and analysis of the biomass-degrading fungus *Trichoderma reesei*. *Nature Biotechnology*, 26(5), 553–561. <https://doi.org/10.1038/nbt1403>
- Matkar, K., Chapla, D., Divecha, J., Nighojkar, A., & Madamwar, D. (2013). Production of cellulase by a newly isolated strain of *Aspergillus sydowii* and its optimization under submerged fermentation. *International Biodeterioration and Biodegradation*, 78, 24–33. <https://doi.org/10.1016/j.ibiod.2012.12.002>
- Mattam, A. J., Chaudhari, Y. B., & Velankar, H. R. (2022). Factors regulating cellulolytic gene expression in filamentous fungi: an overview. *Microbial Cell Factories*, 21(1), 1–20. <https://doi.org/10.1186/s12934-022-01764-x>
- Mekala, N. K., Singhanian, R. R., Sukumaran, R. K., & Pandey, A. (2008). Cellulase production under solid-State fermentation by *trichoderma reesei* RUT C30: Statistical optimization of process parameters. *Applied Biochemistry and Biotechnology*, 151(2–3), 122–131. <https://doi.org/10.1007/s12010-008-8156-9>
- Mhuantong, W., Charoensri, S., Poonsrisawat, A., Pootakham, W., Tangphatsornruang, S., Siamphan, C., Suwannarangsee, S., Eurwilaichitr, L., Champreda, V., Charoensawan, V., & Chantasingh, D. (2021). High Quality *Aspergillus aculeatus* Genomes and Transcriptomes: A Platform for Cellulase Activity Optimization Toward Industrial Applications. *Frontiers in Bioengineering and Biotechnology*, 8(607178), 1–8. <https://doi.org/10.3389/fbioe.2020.607176>
- Momeni, M. H., Goedegebuur, F., Hansson, H., Karkehabadi, S., Askarieh, G., Mitchinson, C., Larenas, E. A., Ståhlberg, J., & Sandgren, M. (2014).

- Expression, crystal structure and cellulase activity of the thermostable cellobiohydrolase Cel7A from the fungus *Humicola grisea* var. *thermoidea*. *Acta Crystallographica Section D: Biological Crystallography*, 70(9), 2356–2366. <https://doi.org/10.1107/S1399004714013844>
- Monteiro, L. M. O., Vici, A. C., Pinheiro, M. P., Heinen, P. R., de Oliveira, A. H. C., Ward, R. J., Prade, R. A., Buckeridge, M. S., & Polizeli, M. de L. T. de M. (2020). A Highly Glucose Tolerant β -Glucosidase from *Malbranchea pulchella* (MpBg3) Enables Cellulose Saccharification. *Scientific Reports*, 10(1), 1–12. <https://doi.org/10.1038/s41598-020-63972-y>
- Oberoi, H. S., Rawat, R., & Chadha, B. S. (2014). Response surface optimization for enhanced production of cellulases with improved functional characteristics by newly isolated *Aspergillus niger* HN-2. *Antonie van Leeuwenhoek, International Journal of General and Molecular Microbiology*, 105(1), 119–134. <https://doi.org/10.1007/s10482-013-0060-9>
- Okereke, O. E., Akanya, H. O., & Egwim, E. C. (2017). Purification and characterization of an acidophilic cellulase from *Pleurotus ostreatus* and its potential for agrowastes valorization. *Biocatalysis and Agricultural Biotechnology*, 12, 253–259. <https://doi.org/10.1016/j.bcab.2017.10.018>
- Pachauri, P., V., A., More, S., Sullia, S. B., & Deshmukh, S. (2017). Purification and characterization of cellulase from a novel isolate of *Trichoderma longibrachiatum*. *Biofuels*, 11(1), 1–7. <https://doi.org/10.1080/17597269.2017.1345357>
- Pandey, S., Srivastava, M., Shahid, M., Kumar, V., Singh, A., Trivedi, S., & Srivastava, Y. K. (2015). *Trichoderma* species Cellulases Produced by Solid State Fermentation. *Journal of Data Mining in Genomics & Proteomics*, 6(2), 1–4. <https://doi.org/10.4172/2153-0602.1000170>
- Pang, A.-P., Wang, H., Luo, Y., Yang, Z., Liu, Z., Wang, Z., Li, B., Yang, S., Zhou, Z., Lu, X., Wu, F.-G., Lu, Z., & Lin, F. (2021). Dissecting cellular function and distribution of beta-glucosidases in *Trichoderma reesei*. *American Society for Microbiology*, 12(3), 19. <https://doi.org/https://doi.org/10.1128/mBio.03671-20>
- Passos, D., Jr, N., & Castro, A. (2018a). A comparative review of recent advances in cellulases production by *Aspergillus*, *Penicillium* and *Trichoderma* strains and their use for lignocellulose deconstruction. *Current Opinion in Green and Sustainable Chemistry*, 14, 60–66. <https://doi.org/10.1016/j.cogsc.2018.06.003>
- Passos, D., Jr, N. P., & Castro, A. M. De. (2018b). A comparative review of recent advances in cellulases production by *Aspergillus*, *Penicillium* and *Trichoderma* strains and their use for lignocellulose deconstruction. *Current Opinion in Green and Sustainable Chemistry*, 14, 60–66.

<https://doi.org/10.1016/j.cogsc.2018.06.003>

- Peral, C. (2016). Biomass Pretreatment Strategies (Technologies, Environmental Performance, Economic Considerations, Industrial Implementation). In *Biotransformation of Agricultural Waste and By-Products: The Food, Feed, Fibre, Fuel (4F) Economy* (pp. 125–160). Elsevier Inc.
<https://doi.org/10.1016/B978-0-12-803622-8.00005-7>
- Petersen, T. N., Brunak, S., Von Heijne, G., & Nielsen, H. (2011). SignalP 4.0: Discriminating signal peptides from transmembrane regions. *Nature Methods*, 8(10), 785–786. <https://doi.org/10.1038/nmeth.1701>
- Pitt, J. I. (2014). Penicillium. In *Encyclopedia of Food Microbiology* (Second Edi, Vol. 3, pp. 6–13). Elsevier. <https://doi.org/10.1016/B978-0-12-384730-0.00248-2>
- Pitt, J. I., & Hocking, A. D. (2009). *Fungi and Food Spoilage* (3rd ed.). Springer.
- Poidevin, L., Feliu, J., Doan, A., Berrin, J. G., Bey, M., Coutinho, P. M., Henrissat, B., Record, E., & Heiss-Blanquet, S. (2013). Insights into exo- and endoglucanase activities of family 6 glycoside hydrolases from *Podospora anserina*. *Applied and Environmental Microbiology*, 79(14), 4220–4229. <https://doi.org/10.1128/AEM.00327-13>
- Portnoy, T., Margeot, A., Seidl-seiboth, V., Crom, L., Chaabane, F. Ben, Linke, R., Seiboth, B., & Kubicek, C. P. (2011). Differential Regulation of the Cellulase Transcription Factors XYR1, ACE2, and ACE1 in *Trichoderma reesei* Strains Producing High and Low Levels of Cellulase □ †. *American Society for Microbiology*, 10(2), 262–271. <https://doi.org/10.1128/EC.00208-10>
- Prajapati, B. P., Kumar Suryawanshi, R., Agrawal, S., Ghosh, M., & Kango, N. (2018). Characterization of cellulase from *Aspergillus tubingensis* NKBP-55 for generation of fermentable sugars from agricultural residues. *Bioresource Technology*, 250, 733–740. <https://doi.org/10.1016/j.biortech.2017.11.099>
- Prates, É. T., Stankovic, I., Silveira, R. L., Liberato, M. V., Henrique-Silva, F., Pereira, N., Polikarpov, I., & Skaf, M. S. (2013). X-ray Structure and Molecular Dynamics Simulations of Endoglucanase 3 from *Trichoderma harzianum*: Structural Organization and Substrate Recognition by Endoglucanases That Lack Cellulose Binding Module. *PLoS ONE*, 8(3), 1–11. <https://doi.org/10.1371/journal.pone.0059069>
- Pyeon, H., Lee, Y., & Choi, Y. (2019). Cloning, purification, and characterization of GH3 β -glucosidase, MtBgl85, from *Microbulbifer thermotolerans* DAU221. *PeerJ*, 7(7106), 1–18. <https://doi.org/10.7717/peerj.7106>
- Qaisar, S., Zohra, R., Aman, A., & Qader, S. (2014). Enhanced production of cellulose degrading CMCase by newly isolated strain of *Aspergillus*

versicolor. *Carbohydrate Polymers*, 104(1), 199–203.
<https://doi.org/10.1016/j.carbpol.2014.01.014>

- Qian, Y., Gao, Z., Wang, J., Wang, C., Li, G., Fu, F., & Guo, J. (2021). Safety Evaluation and Whole Genome Sequencing of *Aspergillus japonicus* PJ01 Reveal Its Potential to Degrade Citrus Segments in Juice Processing. *Food*, 10(1736), 1–16. <https://doi.org/10.3390/foods10081736>
- Ries, L. N. A., Beattie, S. R., Espeso, E. A., Cramer, R. A., & Golman, G. H. (2016). Diverse regulation of the CreA carbon catabolite repressor in *Aspergillus nidulans*. *Genetics*, 203(1), 335–352.
<https://doi.org/dx.doi.org/10.1534/genetics.116.187872>
- Rosyida, V. T., Indrianingsih, A. W., Maryana, R., & Wahono, S. K. (2015). Effect of Temperature and Fermentation Time of Crude Cellulase Production by *Trichoderma Reesei* on Straw Substrate. *Energy Procedia*, 65, 368–371.
<https://doi.org/10.1016/j.egypro.2015.01.065>
- Salgado, J. C. S., Meleiro, L. P., Carli, S., & Ward, R. J. (2018). Glucose tolerant and glucose stimulated B-glucosidases – A review. *Bioresource Technology*, 267, 704–713. <https://doi.org/10.1016/j.biortech.2018.07.137>
- Sandle, T. (2014). *Trichoderma*. In *Encyclopedia of Food Microbiology* (Vol. 3, pp. 644–646). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-384730-0.00337-2>
- Sanjaya, R. E., Putri, K. D. A., Kurniati, A., Rohman, A., & Puspaningsih, N. N. T. (2021). In silico characterization of the GH5-cellulase family from uncultured microorganisms: physicochemical and structural studies. *Journal of Genetic Engineering and Biotechnology*, 19(143), 1–21.
<https://doi.org/10.1186/s43141-021-00236-w>
- Saraswathy, N., & Ramalingam, P. (2011a). DNA sequencing methods. In N. Saraswathy & P. Ramalingam (Eds.), *Concepts and Techniques in Genomics and Proteomics* (pp. 57–76). Woodhead Publishing Limited.
<https://doi.org/10.1533/9781908818058.57>
- Saraswathy, N., & Ramalingam, P. (2011b). Genome sequence assembly and annotation. In N. Saraswathy & P. Ramalingam (Eds.), *Concepts and Techniques in Genomics and Proteomics* (pp. 109–121). Woodhead Publishing Limited. <https://doi.org/10.1533/9781908818058.109>
- Saraswathy, N., & Ramalingam, P. (2011c). Genome sequencing methods. In N. Saraswathy & P. Ramalingam (Eds.), *Concepts and Techniques in Genomics and Proteomics* (pp. 95–107). Woodhead Publishing Limited.
<https://doi.org/10.1533/9781908818058.95>
- Saraswathy, N., & Ramalingam, P. (2011d). Introduction to genes and genomes. *Concepts and Techniques in Genomics and Proteomics*, 1–14.

<https://doi.org/10.1533/9781908818058.1>

- Schiano-di-Cola, C., Kolaczowski, B., Sorensen, T. H., Christensen, S. J., Cavaleiro, A. M., Windahl, M. S., Borch, K., Morth, J. P., & Westh, P. (2020). Structural and biochemical characterization of a family 7 highly thermostable endoglucanase from the fungus *Rasamsonia emersonii*. *The FEBS Journal*, *287*, 2577–2596. <https://doi.org/10.1111/febs.15151>
- Shahriarinour, M., Wahab, M. N. A., Ariff, A., & Mohamad, R. (2011). Screening, Isolation and Selection of Cellulolytic Fungi from Oil Palm Empty Fruit Bunch Fiber. *Biotechnology*, *10*(1), 108–113. <https://doi.org/10.3923/botech2011.108.113>
- Sharma, R., Rawat, R., Bhogal, R. S., & Oberoi, H. S. (2015). Multi-component thermostable cellulolytic enzyme production by *Aspergillus niger* HN-1 using pea pod waste: Appraisal of hydrolytic potential with lignocellulosic biomass. *Process Biochemistry*, *50*(5), 696–704. <https://doi.org/10.1016/j.procbio.2015.01.025>
- Shida, Y., Furukawa, T., & Ogasawara, W. (2016). Deciphering the molecular mechanisms behind cellulase production in *trichoderma reesei*, the hyper-cellulolytic filamentous fungus. *Bioscience, Biotechnology and Biochemistry*, *80*(9), 1712–1729. <https://doi.org/10.1080/09168451.2016.1171701>
- Shimokawa, T., Shibuya, H., Ishihara, M., Yamaguchi, M., Ota, Y., Miyazaki, K., Ikeda, T., Magara, K., & Nojiri, M. (2012). Screening of lignocellulolytic enzyme producers : enzyme system from *Aspergillus tubingensis* for hydrolysis of sugi pulp. *Bulletin of FFPRI*, *11*(2), 57–63.
- Shu, G., Hu, M., Wang, S., & Chen, H. (2011). Effect of some factors on production of cellulase by *Trichoderma reesei* HY07. *Procedia Environmental Sciences*, *8*, 357–361. <https://doi.org/10.1016/j.proenv.2011.10.056>
- Silva-rocha, R., Castro, S., Cristina, A., Antonie, C., Guazzaroni, E., Persinoti, G. F., & Silva, R. N. (2014). Deciphering the Cis-Regulatory Elements for XYR1 and CRE1 Regulators in *Trichoderma reesei*. *Plos One*, *9*(6), 1–10. <https://doi.org/10.1371/journal.pone.0099366>
- Singh, A., Adsul, M., Vaishnav, N., Mathur, A., & Singhania, R. R. (2017). Improved cellulase production by *Penicillium janthinellum* mutant. *Indian Journal of Experimental Biology*, *55*(7), 436–440.
- Singh, A., Bajar, S., Devi, A., & Pant, D. (2021). An overview on the recent developments in fungal cellulase production and their industrial applications. *Bioresource Technology Reports*, *14*(100652), 1–13. <https://doi.org/10.1016/j.biteb.2021.100652>
- Singh, A., Patel, A. K., Adsul, M., & Singhania, R. R. (2017). Genetic

- modification: A tool for enhancing cellulase secretion. *Biofuel Research Journal*, 4(2), 600–610. <https://doi.org/10.18331/BRJ2017.4.2.5>
- Singh, S., & Khajuria, R. (2017). Penicillium Enzymes for the Textile Industry. In *New and Future Developments in Microbial Biotechnology and Bioengineering* (pp. 201–215). <https://doi.org/10.1016/b978-0-444-63501-3.00011-9>
- Singhania, R. R., Adsul, M., Pandey, A., & Patel, A. K. (2016). Cellulases. In A. Pandey, S. Negi, & C. R. Soccol (Eds.), *Current Developments in Biotechnology and Bioengineering: Production, Isolation and Purification of Industrial Products* (pp. 73–101). Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63662-1.00004-X>
- Singhania, R. R., Sukumaran, R. K., & Pandey, A. (2007). Improved cellulase production by *Trichoderma reesei* RUT C30 under SSF through process optimization. *Applied Biochemistry and Biotechnology*, 142(1), 60–70. <https://doi.org/10.1007/s12010-007-0019-2>
- Souza, M. F. de, Silva, A. S. A. da, & Bon, E. P. S. (2018). A novel *Trichoderma harzianum* strain from the Amazon Forest with high cellulolytic capacity. *Biocatalysis and Agricultural Biotechnology*, 14, 183–188. <https://doi.org/10.1016/j.bcab.2018.03.008>
- Srivastava, N., Srivastava, M., Mishra, P. K., Gupta, V. K., Molina, G., Rodriguez-Couto, S., Manikanta, A., & Ramteke, P. W. (2018). Applications of fungal cellulases in biofuel production: Advances and limitations. *Renewable and Sustainable Energy Reviews*, 82(3), 2379–2386. <https://doi.org/10.1016/j.rser.2017.08.074>
- Stappler, E., Dattenbock, C., Tisch, D., & Schmoll, M. (2017). Analysis of Light- and Carbon-Specific Transcriptomes Implicates a Class of G-Protein-Coupled Receptors in Cellulose Sensing. *Applied and Environmental Science*, 2(3), 1–19. <https://doi.org/10.1128/mSphere.00089-17>
- Strauss, J., Mach, R. L., Zeilinger, S., Hartler, G., Stöffler, G., Wolschek, M., & Kubicek, C. P. (1995). CreI, the carbon catabolite repressor protein from *Trichoderma reesei*. *FEBS Letters*, 376, 103–107. [https://doi.org/10.1016/0014-5793\(95\)01255-5](https://doi.org/10.1016/0014-5793(95)01255-5)
- Sukumaran, R. K., Christopher, M., Kooloth-Valappil, P., Sreeja-Raju, A. R., Mathew, R. M., Sankar, M., Puthiyamadam, A., Adarsh, V. P., Aswathi, A., Rebinro, V., Abraham, A., & Pandey, A. (2021). Addressing challenges in production of cellulases for biomass hydrolysis: Targeted interventions into the genetics of cellulase producing fungi. *Bioresource Technology*, 329(124746), 1–15. <https://doi.org/10.1016/j.biortech.2021.124746>
- Sutaoney, P., Rai, S. N., Sinha, S., Choudhary, R., Gupta, A. K., Singh, S. K., & Banerjee, P. (2024). Current perspective in research and industrial

- applications of microbial cellulases. *International Journal of Biological Macromolecules*, 264(130639), 1–16.
<https://doi.org/10.1016/j.ijbiomac.2024.130639>
- Suto, M., & Tomita, F. (2001). Induction and Catabolite Repression Mechanisms of Cellulase in Fungi. *Journal of Bioscience and Bioengineering*, 92(4), 305–311.
- Takahashi, H., Sakagawa, E., Toyoda, R., Motomura, T., Murase, M., Takahashi, A., Fukuyoshi, S., & Kanamasa, S. (2021). Draft Genome Sequence of Glycoside Hydrolase-producing *Trichoderma asperellum* Strain IC-1. *Microbiology Resource Announcements*, 9(40), 1–2.
<https://doi.org/doi.org/10.1128/MRA.00958-20>
- Tayeb, A. H., Amini, E., Ghasemi, S., & Tajvidi, M. (2018). Cellulose nanomaterials-binding properties and applications: A review. *Molecules*, 23(2684), 1–24. <https://doi.org/10.3390/molecules23102684>
- Teoh, Y. P., Don, M. M., & Fadzilah, K. (2017). Optimization of cellulase production by *Pycnoporus sanguineus* in 5 L stirred tank bioreactor and enhanced fermentation by employing external loop. *Chiang Mai Journal of Science*, 44(3), 774–787.
- Wang, B., Kumar, V., Olson, A., & Ware, D. (2019). Reviving the Transcriptome Studies : An Insight Into the Emergence of Transcriptome Sequencing. *Frontiers in Genetics*, 10(April), 1–11.
<https://doi.org/10.3389/fgene.2019.00384>
- Wang, Q., Lin, H., Shen, Q., Fan, X., Bai, N., & Zhao, Y. (2015). Characterization of cellulase secretion and Cre1-mediated carbon source repression in the potential lignocellulose-degrading strain *Trichoderma asperellum* T-1. *PLoS ONE*, 10(3), 1–15.
<https://doi.org/10.1371/journal.pone.0119237>
- Wang, Y., Liu, R., Liu, H., Li, X., Shen, L., Zhang, W., Song, X., Liu, W., Liu, X., & Zhong, Y. (2022). Development of a powerful synthetic hybrid promoter to improve the cellulase system of *Trichoderma reesei* for efficient saccharification of corncob residues. *Microbial Cell Factories*, 21(1), 1–18.
<https://doi.org/10.1186/s12934-021-01727-8>
- Wang, Z., Gerstein, M., & Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Genetics*, 10, 57–63.
<https://doi.org/https://doi.org/10.1038/nrg2484>
- Watanabe, T. (2002). *Pictorial atlas of soil and seed fungi: morphologies of cultured fungi and key to species* (S. Haddad (ed.); 2nd ed.). CRC Press.
<https://doi.org/10.5860/choice.40-3398>
- Westereng, B., Ishida, T., Vaaje-Kolstad, G., Wu, M., Eijsink, V. G. H., Igarashi,

- K., Samejima, M., Ståhlberg, J., Horn, S. J., & Sandgren, M. (2011). The putative endoglucanase pcGH61D from phanerochaete chrysosporium is a metal-dependent oxidative enzyme that cleaves cellulose. *PLoS ONE*, *6*(11), 1–11. <https://doi.org/10.1371/journal.pone.0027807>
- Xu, C., Long, M., Wu, X., Xu, H., Chen, Z., Zhang, F., & Xu, L. (2006). Screening and characterization of the high-cellulase-producing strain *Aspergillus glaucus* XC9. *Frontiers of Biology in China*, *1*(1), 35–40. <https://doi.org/10.1007/s11515-005-0010-7>
- Yang, J., Yue, H. R., Pan, L. Y., Feng, J. X., Zhao, S., Suwannarangsee, S., Chempreda, V., Liu, C. G., & Zhao, X. Q. (2023). Fungal strain improvement for efficient cellulase production and lignocellulosic biorefinery: Current status and future prospects. *Bioresource Technology*, *385*(June), 129449. <https://doi.org/10.1016/j.biortech.2023.129449>
- Yang, Y., Zhang, X., Yin, Q., Fang, W., Fang, Z., Wang, X., Zhang, X., & Xiao, Y. (2015). A mechanism of glucose tolerance and stimulation of GH1 β -glucosidases. *Scientific Reports*, *5*(17296), 1–12. <https://doi.org/10.1038/srep17296>
- Yao, G., Wu, R., Kan, Q., Gao, L., Liu, M., Yang, P., Du, J., Li, Z., & Qu, Y. (2016). Production of a high-efficiency cellulase complex via B-glucosidase engineering in *Penicillium oxalicum*. In *Biotechnology for Biofuels* (Vol. 9, Issue 78, pp. 1–11). <https://doi.org/10.1186/s13068-016-0491-4>
- Zapata, Y., Galviz-quezada, A., & Salcedo-reyes, J. C. (2018). Cellulases production on paper and sawdust using native *Trichoderma asperellum*. *Universitas Scientiarum*, *23*(3), 419–436. <https://doi.org/10.11144/Javeriana.SC23-3.cpop>
- Zeilinger, S., Schmoll, M., Pail, M., Mach, R. L., & Kubicek, C. P. (2003). Nucleosome transactions on the *Hypocrea jecorina* (*Trichoderma reesei*) cellulase promoter *cbh2* associated with cellulase induction. *Molecular Genetics and Genomics*, *270*, 46–55. <https://doi.org/10.1007/s00438-003-0895-2>
- Zhang, F., Zhao, X., & Bai, F. (2018). Improvement of cellulase production in *Trichoderma reesei* Rut-C30 by overexpression of a novel regulatory gene *Trvib-1*. *Bioresource Technology*, *247*, 676–683. <https://doi.org/10.1016/j.biortech.2017.09.126>
- Zhang, R., Cao, C., Bi, J., & Li, Y. (2022). Fungal cellulases : protein engineering and post - translational modifications. *Applied Microbiology and Biotechnology*, *106*, 1–24. <https://doi.org/10.1007/s00253-021-11723-y>
- Zhang, X., Chen, X., Li, S., Bello, A., Liu, J., Gao, L., Fan, Z., Wang, S., Liu, L., Ma, B., & Li, H. (2022). Mechanism of differential expression of β -glucosidase genes in functional microbial communities in response to carbon

catabolite repression. *Biotechnology for Biofuels and Bioproducts*, 15(1), 1–16. <https://doi.org/10.1186/s13068-021-02101-x>

Zhang, X., Ma, B., Liu, J., Chen, X., Li, S., Su, E., Gao, L., & Li, H. (2020). β -Glucosidase genes differentially expressed during composting. *Biotechnology for Biofuels*, 13(1), 1–11. <https://doi.org/10.1186/s13068-020-01813-w>

Zhang, Y., Hong, J., & Ye, X. (2009). Cellulase Assays. In J. R. Mielenz (Ed.), *Biofuels: Method and Protocols, Method in molecular biology* (Issue 581, pp. 213–231). Humana Press. <https://doi.org/10.1007/978-1-60761-214-8>

Zhao, S., Yan, Y. S., He, Q. P., Yang, L., Yin, X., Li, C. X., Mao, L. C., & Liao, L. S. (2016). Comparative genomic, transcriptomic and secretomic profiling of *Penicillium oxalicum* HP7 - 1 and its cellulase and xylanase hyper-producing mutant EU2106, and identification of two novel regulatory genes of cellulase and xylanase gene expression. *Biotechnology for Biofuels*, 9(203), 1–17. <https://doi.org/10.1186/s13068-016-0616-9>

Zheng, M., Ni, H., Li, Q., & Zhu, Y. (2021). Characterization of a glucose-stimulated β -glucosidase from *Microbulbifer*. *Microbiological Research*, 251(126840), 1–11. <https://doi.org/10.1016/j.micres.2021.126840>