

## DAFTAR PUSTAKA

- Aguiar, M.C.S., Perinetti, G., Capelli Jr, J., 2017., The Gingival Crevicular Fluid as a Source of Biomarkers to Enhance Efficiency of Orthodontic and Functional Treatment of Growing Patients, *J.Biomed*, 1-7.
- Akbar B. (2010) *Tumbuhan dengan kandungan senyawa aktif yang berpotensi sebagai bahan antifertilitas*. Jakarta: Adabia Press.
- Alhasyimi lhasyimi, A.A., Pudyani, P.S., Asmara, W., Ana, I.D., 2018, Enhancement of Post-Orthodontic Tooth Stability by Carbonated Hydroxyapatite- Incorporated Advanced Platelet-Rich Fibrin in Rabbits, *Orthod. Craniofac. Res.*, 21 (2): 112-8.
- Alhasyimi, A.A., Suparwitri, S., Christnawati, 2020, Effect of Carbonate Apetite HydrogelAdvanced Platelet-Rich Fibrin Injection on Osteoblasatogenesis during Orthodontic Relapse in Rabbits, *Eur. J. Dent.*, 15 (3): 412-9.
- Alfaqeeh, S.A., Anil, S., 2014, Gingival Crevicular Fluid Flow Rate and Alkaline Phosphatase Level as Potential Marker of Active Tooth Movement, *OHDM*, 13 (2): 458-63.
- Almotareb, F.L., Al-Shameri, B.H.H., Al-Najhi, M.M.A., Al- dossary, O.A.I., Al-Shamahy, H.A., 2023, Increase of Transforming Growth Factor Beta 1 in Gingival Crevicular Fluid during Human Orthodontic Tooth Movement, *J Oral Med and Dent Res*: 4 (2)-43
- Astuti, L.A., Hatta, M., Oktawati, S., Natzir, R., Dwiyantri, R., 2018, Change of TGF- $\beta$ 1 Gene Expression and TGF- $\beta$ 1 Protein Level in Gingival Crevicular Fluid and Identification of Plaque Bacteria in a Patient with Recurrent Localized Gingival Enlargement before and after Gingivectomy, *Case Reports in Dentistry*, 1-7.
- Ana, I.D., Mudjosemedi, M., Sofro, A.S.M., Leeuwenburgh, S.C.G., Wolke, J.G.C., Ishikawa, K., Jansen, J.A., 2008, Development of injectable carbonate apatite bone substitute based on phasetransformation of gypsum and calcium hydroxide: preliminary studies on factors influencing carbonate apatite synthesis, *MIKG*, 10(1): 35- 8.
- Baba, AB, Rah B, Bhat GR, Mushtaq I, Parveen S, Hassan R, Hameed Zargar M, Afroze D.2022, Transforming Growth Factor-Beta (TGF- $\beta$ ) Signaling in Cancer-A Betrayal Within. *Front Pharmacol.* ;13
- Bernstein, R.L., Preston, C.B., Lampasso, J., 2007, Leveling the curve of Spee with a continuous archwire technique: a longterm cephalometric study. *AJODO*. 131: 363-37.

- Boateng, J.S., Matthews, K.L., Stevens, H.N.E., Eccleston, G.M., 2008, Wound healing dressing and drug delivery systems: a review, *J. of Pharm. Sciences* 97(8):2892-923.
- Boyce, B.F., Xing, L., 2008, Functions of RANKL/RANK/OPG in bone modeling and remodelling, *Arch Biochem Biophys*, 15;473(2):139-46.
- Chen G, Deng C, Li Y P. (2012). TGF- and BMP signaling in osteoblast differentiation and bone formation. *Int J Biol Sci*, 8(02):272–88.
- Chowdhury EH, Akaike T. High performance DNA nano-carriers of carbonate apatite: Multiple factors in regulation of particle synthesis and transfection efficiency. *Int J Nanomedicine*. 2007; 2(1):101–6.
- Devreese, H., De Pauw, G., Van Maele, G., Kuijpers-Jagtman, A.M., Dermaut, L., 2007., Stability of upper incisor inclination changes in Class II division 2 patients, *Eur J Orthod*, 29(5): 314–20.
- Drake, M. T., Clarke, B. L., Khosla, S. (2008). Bisphosphonates: mechanism of action and role in clinical practice. *M. Clinic Proceedings*, 83(9): 1032–45.
- Elmitra, 2017, *Dasar-Dasar Farmasetika dan Sediaan Semi Solid*, Depublish. P. 155.
- Farmasyanti, C.A., Maulani, A. (2023). Effect of force direction and masticatory force towards orthodontic tooth movement in rats, *M. Ked Gigi Indonesia*, 9(2): 109-16.
- Franzen, T.F., Brudvik, P., Vandevska-Radunovic, V., (2013) Periodontal Tissue Reaction During Orthodontic Relaps in Rat Molars, *Eur J Orthod*, 35(2):152-9.
- Fujioka-Kobayashi, M., Tsuru, K., Nagai, H., Fujisawa, K., Kudoh, T., Ohe, G., Ishikawa, K., & Miyamoto, Y. (2018) Fabrication and evaluation of carbonate apatite-coated calcium carbonate bone substitutes for bone tissue engineering. *JTERM*, 12(10), 2077–87.
- Ghallab, N.A., 2018, Diagnostic potential and future directions of biomarkers in gingival crevicular fluid and saliva of periodontal diseases: Review of the current evidence, *Arch. Oral Biol*, 87 (6): 115-24.
- Gkantidis, N., Christou, P., Topouzelis, N. (2010). The orthodontic-periodontic interrelationship in integrated treatment challenges: a systematic review. *J.Oral Rehabil*, 37(5), 377–90.
- Hoare, T.R., Kohane, D.S., 2008, *Hidrogels in Drug Delivery: Progress and Challenges*, *Polymer*, 49: 1993-2007.

- Harrison, J. (2011). Orthodontic treatment. *Vital*, 8(1), 31-5.
- Hsiong, S.X., Mooney, D.J., 2006, Regeneration of vascularized bone. *JPeriodontal*. 41:109–22.
- Huang, H., Williams, R.C., Kyrkanides, S., 2014, Accelerated orthodontic tooth movement: molecular mechanisms, *OJODO.*, 146 (5): 620–32.
- Hughes, F.J., Turner, W., Belibasakis, G., Gianluca, M., 2006, Effects of growth factors and cytokines on osteoblast differentiation, *Period 2000*, 41:48–72.
- Jebahi, S., Saoudi, M., Badraoui, R., Rebai, T., Ellouz, Z., Feki, H.E, 2012, Biologic Response To Carbonated Hydroxyapatite Associated With Orthopedic Device: Experimental Study In A Rabbit Model, *Korean J Pathol*, 46(1):48-54.
- Kaan, M., Madle'na, M., 2011, Retention and relapse ortodonti. Review of the literature. *Fogorv.Sz*, 104:139–46.
- Karyat, F.P., Devi, T.S., Ahmed, V.K.S., 2017, Evaluation of Transforming Growth Factor-Beta 1 (TGF- $\beta$ 1) Level in GCF and Saliva during Initial Orthodontic Tooth Movement – An In Vivo Study, *World. J. Pharm. Res.*, 6 (13): 430-9.
- Kasagi S., Chen W. (2013). TGF-beta1 on osteoimmunology and the bone component cells. *Cell Biosci*, 15:1–4.
- Kenre, J.S., Basset, J.H.D., 2018, The Bone Remodelling Cycle. *Ann Clin Biochem Intl J Lab Med*. 55(3): 308-27.
- Kim, J. M., Lin, C., Stavre, Z., Greenblatt, M. B., Shim, J. H. (2020). Osteoblast-Osteoclast Communication and Bone Homeostasis. *Cells*, 9(9): 2073.
- Kirschneck, C., Peter, P., Jochen, F., Michael, B., Ulrich, W., Piero, R. (2013). Differentiated analysis of orthodontic tooth movement in rats with an improved rat model and three-dimensional imaging. *Anal of Anatomy* 195:539-53.
- Kitaura, H., Kimura, K., Ishida, M., Sugisawa, H., Kohara, H., Yoshimatsu, M., & Takano-Yamamoto, T. (2014). Effect of Cytokines on Osteoclast Formation and Bone Resorption during Mechanical Force Loading of the Periodontal Membrane. *Sci. World J.* 617032.
- Krishnan, S., Pandian, S., Kumar, S.A., 2015, Effect of bisphosphonates on orthodontic tooth movement- an update. *J Clin Diagnostic Res*; 9(4):ZE01–ZE05.

- Laguhi, V., Anindita, P dan Gunawan, P. 2014. Gambaran maloklusi dengan Menggunakan HMAR pada Pasien Rumah Sakit Gigi dan Mulut Universitas Sam Ratulangi Manado. *J e-Gigi*. 2(2): 1-7.
- Landi, E., Celotti, G., Logroscino, G., Tampieri, A., (2003) Carbonate hydroxyapatite as bone substitute, *J.Eur.Ceram.*, 23:2931-7.
- Li, Y., Zhan, Q., Bao, M., Yi, J., Li, Y. (2021). Biomechanical and biological responses of periodontium in orthodontic tooth movement: Up-date in a new decade. *Int.J.Oral Sci*, 13(1), 1-19.
- Liu, X., Muhammed, F. K., Liu, Y. (2022). Simvastatin encapsulated in exosomes can enhance its inhibition of relapse ortodonti after orthodontic tooth movement. *Am.J.Orthod*, 162(6), 881–9.
- Lin F, Sun H, Ni Z, Zheng M, Yao L. (2015) A feasible method to improve adherence of Hawley retainer in adolescent orthodontic patients: a randomized controlled trial. *Patient Prefer. Adherence*. 9:1525–30.
- Long, F. (2012). Building strong bones: Molecular regulation of the osteoblast lineage. *Rev.Mol.Cell Biol*, 13(1), 27-38.
- Maltha, J. C., Kuijpers-Jagtman, A. M., Von Den Hoff, J. W. Onkosowito, E. M. (2017) Relapse ortodonti revisited – animal studies and its translational application to the orthodontic office *Semin.Orthod*. 23: 390–398.
- Maltha, J. C., Vandevska-Radunovic, V., Kuijpers-Jagtman, A. M. (2021). *The Biological Background of Relapse ortodonti of Orthodontic Tooth Movement. Biological Mechanisms of Tooth Movement*, 297–307
- Merzel, J. Salmon, C.R., (2008) Groeth and the Modeling/Remodeling of the Alveolar Bone of the Rat Incisor. *Anat. Rec*, 291:827-34.
- Mavrokokki, T., Cheng, A., Stein, B., Goss, A., 2007, Nature and frequency of bisphosphonate-associated osteonecrosis of the jaws in Australia, *J.Maxillofac. Surg.*, 65(3):415-423.
- Nanda, R. (2014). *Esthetics and Biomechanics in Orthodontics*. 2<sup>nd</sup> Edition. Missouri: Elsevier Saunders.
- Narmada I.B., Rubianto M., Putra S.T. (2019). The Role of Low-Intensity Biostimulation Laser Therapy in Transforming Growth Factor  $\beta$ 1, Bone Alkaline Phosphatase and Osteocalcin Expression during Orthodontic Tooth Movement in *Cavia porcellus*. *Eur. J. Dent*, 13:102–107.

- Newman, M.G., Takei, H.H., Klokkevold, P.R., Carranza, F.A., (2019) *Newman and Carranza's Clinical Periodontology 13<sup>th</sup> edition*, W. B. Saunders Company, Philadelphia, pp.19-20, 105, 237-9, 311.
- Nimeri, G., Kau, C.H., Abou-Kheir, N.S., Corona, R., 2013, Acceleration of Tooth Movement During Orthodontic Treatment—a Frontier in Orthodontics, *Prog. Orthod.*, 14 (42): 1-8.
- Nugroho, S.W., Fauziyah, K.R., Sajuthi, D., Darusman, H.S. (2018). Profil Tekanan Darah Normal Tikus Putih (*Rattus norvegicus*) Galur Wistar dan Sprague-Dawley. *ACTA Veterinaria Indonesiana*, 6(2): 32-7.
- Olive, R. J., Basford, K. E., 2003, a longitudinal index study of orthodontic stability and relapse ortodonti. *Aus.Orthod.J.*, 19: 47–55
- Ozeki, M., Tabata, Y., 2005. *In vitro* Degradability of Hydrogels Prepared from Different Gelatins by Various Cross-linking Methods. *J. Biomater. Sci.*, 16(5): 549-61
- Park, S.B., Lih, E., Park, K.S., Joung, Y.K., Han, D.K., 2017, Biopolymer-Based Functional Composite for Medical Applications, *Polym.J.* 68: 77-105.
- Perinetti, G., Paolantonio, M., D'Attilio, M., Archivio, D., Tripodi, D., Femminella, B., Festa, F., Spoto, G., (2002) Alkaline phosphatase activity in gingival crevicular fluid during human orthodontic tooth movement, *AJODO*, 122: 548-56.
- Proffit W.R. (2012). *Contemporary Orthodontics*. 5<sup>th</sup> Edition. Philadelphia: Elsevier. Pp. 286-87, 607.
- Rahardjo, P., 2009, *Ortodonsia Dasar*, edisi 1, Airlangga University Press: Surabaya, h: 143-59.
- Remiro, P. F. R., Nagahara, M. H. T., Azoubel, R. A., Franz-Montan, M., d'Ávila, M. A., Moraes, Â. M. (2022). Polymeric Biomaterials for Topical Drug Delivery in the Oral Cavity: Advances on Devices and Manufacturing Technologies. *Int.J.Pharm.*, 15(1), 12.
- Ren, Y., Maltha, J. C., Kuijpers-Jagtman, A. M. (2004). The rat as a model for orthodontic tooth movement—a critical review and a proposed solution. *Eur.J.Orthod*, 26(5), 483–90.
- Rezalinoor MA, Kurniawan FKD, Wibowo D.(2017) Gambaran tingkat kebutuhan perawatan ortodonti di SMPN 2 Takisung berdasarkan indeks of orthodontic treatment need. *Dent.J*; 2 (2): 188–193.

- Risikesdas, (2018). *Laporan Nasional Riskesdas 2018*, Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia, Jakarta:188
- Roberts-Harry D,dan Sandy J., 2004. Orthodontics Part 11: Orthodontic Tooth Movement. *Br.Dent.J.*, 196 (7): 391-394
- Robinson. (1979). Taxonomi and genetic. In Beker H.J., Lindsay, J.R., Weisbroth, S., editor. *The Laboratory Rat*. Academic Press: (1). 37-54
- Rosenberg, N., Rosenberg, O., Soudry, M. (2012). Osteoblasts in Bone Physiology—Mini Review. *Rambam Maimonides Med. J.*, 3(2).
- Rosyida, N. F., Ana, I. D., & Alhasyimi, A. A. (2022). The Use of Polymers to Enhance Post-Orthodontic Tooth Stability. *Polymers*, 15(1), 103.
- Saito, T., Tabata, T., 2012. Preparation of gelatin hydrogels incorporating low molecular-weight heparin for anti-fibrotic therapy. *Acta Biomater.* 8, 646–652.
- Seide M., Kruse, T., Graf, I., Bourauel, C., Lapatki, B.G., Jager, R. (2022). Inadvertent side effects of fixed lingual retainers. *OJODO.*, 85(3):223-32.
- Setiawatie, dkk., (2019) Carbonate Hydroksiapatite-Hyaluronic Acid as Bone Healing Accelerator in-vitro and in-vivo Studies on the Alveolar Bone of Wistar Rats. *J. Int. Dent. Medical Res.*, 12(4): 1280-6
- Sheibaninia, A., Valaei, N., Vosooghi, M., 2010, Noorbakhsh M. Incidence of relapse ortodonti in orthodontics treatments and related factors. *J Res Dent Sci*, 7(2): 32-41.
- Sivakumar, M., Rao, K.P., 2002, Preparation, characterization and in vitro release of gintamicin from coralline hydroxyapatite-gelatin composite microspheres, *Biomaterials* 23:3175-82.
- Suparwitri, S., Hidayat, W., Hendrawati, H., Alhasyimi, A.A., 2018, Levels of Tumor Necrosis Factor- $\alpha$  (TNF- $\alpha$ ) and Transforming Growth Factor- $\beta$ 1 (TGF- $\beta$ 1) in Gingival Crevicular Fluid During Canine Retraction Using Elastic Chain and Closed Coil Spring, *Dent Hypotheses*, 9 (2): 31-5.
- Suckow, M.A., Weisbroth, S.H., Franklin, C.L., 2006, *The Laboratory Rat 2<sup>nd</sup> edition*, United States of America: Elsevier Academic Press, p. 72, 101.
- Sutjiati, R., Rubianto, Narmada, I.B., Sudiana, I.K., Rahayu, R.P., 2017, The Inhibition of Relapse of Orthodontic Tooth Movement by NaF Administration in Expressions of TGF- $\beta$ 1, Runx2, Alkaline Phosphatase and Microscopic Appearance of Woven Bone, *IJMRHS*, 11 (10): 567-74.

Sulajandri, J.C.P.H. (2008). *Buku Ajar Ortodonsia I KGO I*. Yogyakarta: Universitas Gadjah Mada Press.

Tada S, Chowdhury EH, Cho CS, Akaike T.(2010) pH-sensitive carbonate apatite as an intracellular protein transporter, *J. Biomaterials* ;31: 1453-9.

Thailander, B., 2011, Tissue Reactions in Orthodontics dalam Graber L., Vanarsdall R., Katherine W.V., *Orthodontics:Current Principles and Techniques*, Mosbt,. 1104.

Wongdee K, dan Charoenphandhu N., 2011. Osteoporosis in Diabetes Mellitus: Possible Cellular and Molecular Mechanisms. *World J of Diabetes*2(3): 41-48.

Yamamoto, M. Tabata, Y., 2006. Tissue Engineering by Modulated Gene Delivery. *Adv. Drug Del. Rev.*, 58(4): 535-554