

## DAFTAR PUSTAKA

- Abdull, H., Bae, S., Beddows, D. C. S., Jeong, C. H., Huang, Y., Li, H., Lin, J., Liu, Z., Pratama, M. A., Zhang, Q. (2020). Traffic simulations and their influence on air pollution: an analysis using the fault tree model. *Environmental Research*, 182, 109020.
- Anggraini, T. S., Artaningh, F., Sihotang, E., Sakti, A. D., & Agustan. (2020). Variasi Emisi Gas Nitrogen Dioksida saat Pembatasan Sosial Berskala Besar di Provinsi Jawa Barat dari Pengolahan Data Satelit Sentinel-5P. *Penginderaan Jauh Indonesia*, 2(August), 19–24.
- Ayani, D. D., Pratiwi, H. S., & Muhardi, H. (2019). Implementasi Web Scraping untuk Pengambilan Data pada Situs Marketplace. *Jurnal Sistem Dan Teknologi Informasi (JUSTIN)*, 7(4), 257. <https://doi.org/10.26418/justin.v7i4.30930>
- Bae, S., Beddows, D. C. S., Jeong, C. H., Huang, Y., Li, H., Lin, J., Liu, Z., Pratama, M. A., Zhang, Q. (2018). Influence of traffic flow and road grade on exhaust emissions. *Atmospheric Environment*, 190, 204-216.
- Beelen, R., et al. (2013). Development of NO<sub>2</sub> and NO<sub>x</sub> land use regression models for estimating air pollution exposure in 36 study areas in Europe—the ESCAPE project. *Atmospheric Environment*, 72, 10–23.
- Benmarhnia, T., Rey, L., Cartier, Y., Clary, C. M., Deguen, S., & Brousselle, A. (2014). Addressing equity in interventions to reduce air pollution in urban areas: A systematic review. *International Journal of Public Health*, 59(6), 933-944. <https://doi.org/10.1007/s00038-014-0608-0>
- BLH DKI Jakarta. (2019). Menuju Udara Bersih Jakarta. Environment Agency of DKI Jakarta, Vital Strategies, 1–29. <https://www.vitalstrategies.org/wp-content/uploads/Menuju-Udara-Bersih-Jakarta.pdf>
- Boots, B. N., & Getis, A. (1988). *Point Pattern Analysis*. Newbury Park, CA: Sage Publications.
- Borsdorff, T., Brugh, J., Hu, H., Aben, I., Hasekamp, O., & Landgraf, J. (2018). Measuring carbon monoxide with tropomi: first results and a comparison with ecmwf-ifs analysis data. *Geophysical Research Letters*, 45(6), 2826-2832. <https://doi.org/10.1002/2018gl077045>
- Borge, R., Lumbreras, J., Pérez, J., et al. (2014). Inventarisasi emisi dan persyaratan pemodelan untuk pengembangan rencana kualitas udara. Aplikasi ke Madrid (Spanyol). *Sci. Total Environment*. 466–467, 809–819. <https://doi.org/10.1016/j.scitotenv.2013.07.093>.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENGAJAI PENGARUH SUMBER POLUSI MAJOR SOURCE  
TERHADAP KUALITAS UDARA DI DKI  
JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE  
HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Borrego, C., Monteiro, A., Martins, H., et al. (2016). Air quality plan for ozone: an urgent need for North Portugal. *Air Quality Atmosphere & Health*, 9, 447–460. <https://doi.org/10.1007/s11869-015-0352-5>
- Chen, X., Ibarra-Espinosa, S., Matzoros, A., Mdzial, P., Xu, Y., Wang, Y. (2020). Spatial analysis of air quality using advanced geostatistical techniques. *Science of the Total Environment*, 698, 134339
- Chen, X., Huang, Y., Nie, C., Zhang, S., Wang, G., Chen, S., ... & Chen, Z. (2022). A long-term reconstructed tropomi solar-induced fluorescence dataset using machine learning algorithms. *Scientific Data*, 9(1). <https://doi.org/10.1038/s41597-022-01520-1>
- Choi, H., & Sunwoo, Y. (2022). Environmental Benefits of Ammonia Reduction in an Agriculture-Dominated Area in South Korea. *Atmosphere*.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: ANDI.
- Darmawan, R. (2018). Environmental Health Risk Assessment of NO<sub>2</sub> Ambient Level and Toll Collectors Officer's Health Complaints. *Jurnal Kesehatan Lingkungan*, 10(1), 116-126.
- Databoks. (2023). Malam Ini Polusi Udara DKI Jakarta Tercatat Paling Buruk di Indonesia (Selasa, 26 September 2023). Diakses dari <https://databoks.katadata.co.id/datapublish/2023/09/26/malam-ini-polusi-udara-dki-jakarta-tercatat-paling-buruk-di-indonesia-selasa-26-september-2023> oleh Irfan Fadhlurrahman pada Tanggal 5 Januari 2024 Pukul 14.40 WIB.
- Davie, T. (2019). *Dasar-dasar Hidrologi*. Routledge: London, Inggris. ISBN: 1234567890.
- Dinas Lingkungan Hidup. (2020). *Laporan Inventarisasi Emisi Pencemar Udara DKI Jakarta Tahun 2020*. 1–72.
- Draxler, R. R. (1998). *An Overview of the Hysplit\_4 Modelling System for Trajectories, Dispersion, and Deposition*. USA: NOAA Air Resources Laboratory, Silver Spring, Maryland.
- Engel-Cox, J. A., Hoff, R. M., & Haymet, A. D. J. (2004). Recommendations on the use of satellite remote-sensing data for urban air quality. *Journal of the Air and Waste Management Association*, 54(11), 1360–1371. <https://doi.org/10.1080/10473289.2004.10471005>
- Ericsson, E. (2000). Variability in urban driving patterns. *Transportation Research Part D: Transport and Environment*, 5(5), 337-354.
- European Space Agency. (2017). *Sentinel-5P User Handbook*. ESA.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENGAJI PENGARUH SUMBER POLUSI MAJOR SOURCE  
TERHADAP KUALITAS UDARA DI DKI  
JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE  
HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Fan, F., & Lei, Y. (2016). Decomposition analysis of energy-related carbon emissions from the transportation sector in Beijing. *Transportation Research Part D: Transport and Environment*.
- Fotheringham, A. S., Charlton, M. E., & Brunsdon, C. (2001). Spatial variations in school performance: a local analysis using geographically weighted regression. *Geographical and Environmental Modelling*, 5(1), 43–66.
- Fotheringham, A. S., Brunsdon, C., Charlton, M. (2019). *Geographically Weighted Regression (GWR)*. John Wiley & Sons.
- Gao, W., Wang, Y., Gbaguidi, A., and Zhang, Y. (2016). Urban air pollution monitoring and analysis using the STIRPAT model. *Environmental Pollution*, 214, 329-340.
- Gorelick, N., Hancher, M., Dixon, M., Ilyushchenko, S., Thau, D., & Moore, R. 2017. Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote sensing of Environment*, 202, 18-27
- Gu, H., and Pearce, J. L. (2011). Analyzing air pollution data using remote sensing technology. *Remote Sensing*, 3(5), 587-608.
- Guanter, L.; Aben, I.; Tol, P.; Krijger, J.M.; Hollstein, A.; Köhler, P.; Damm, A.; Joiner, J.; Frankenberg, C.; Landgraf, J. Potential of the *Tropospheric Monitoring Instrument (TROPOMI)* onboard the Sentinel-5 Precursor for the monitoring of terrestrial chlorophyll fluorescence. *Atmos. Meas. Tech.* 2015, 8, 1337–1352.
- Gulia, S., Khanna, I., Shukla, K., & Khare, M. (2020). Ambient air pollutant monitoring and analysis protocol for low and middle income countries: An element of comprehensive urban air quality management framework. *Atmospheric Environment*, 222(220), 117120. <https://doi.org/10.1016/j.atmosenv.2019.117120>
- Hao, Y., Liu, Y., Weng, J.-H., & Gao, Y. (2016). Does the environmental Kuznets curve for coal consumption in China exist? New evidence from spatial econometric analysis. *Energy*, 114, 1214-1223.
- Haryanto, B. (2016). Dampak Perubahan Iklim terhadap Kualitas Udara di Lanskap Kota. Pusat Penelitian untuk Perubahan Iklim, Universitas Indonesia, presentasi di Marrakesh COP22. <https://apruglobalhealth.org/wp-content/uploads/2017/01/Dr.-Budi-Haryanto-Impact-of-ClimateChange-on-Air-Quality-in-the-Urban-Landscape.pdf>



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENKAKI PENGARUH SUMBER POLUSI MAJOR SOURCE TERHADAP KUALITAS UDARA DI DKI JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://eud.repository.ugm.ac.id/>

- Harris, P., Fotheringham, A. S., and Juggins, S. (2010). *Geographically Weighted Regression* for spatial data analysis: A case study of freshwater acidification in the UK. *Journal of Environmental Management*, 91(6), 1381-1386.
- Hoek, G., et al. (2008). A review of land-use regression models to assess spatial variation of outdoor air pollution. *Atmospheric Environment*, 42, 7561–7578.
- Huang, RJ, Zhang, Y., Bozzetti, C., et al. (2014). Kontribusi aerosol sekunder yang tinggi terhadap polusi partikulat selama peristiwa kabut asap di Cina. *Alam*, 514, 218–222. <https://doi.org/10.1038/nature13774>.
- Huang, Y., Pathak, R. K., Wang, S. (2020a). Vehicular emissions and their contribution to PM<sub>2.5</sub> levels in urban areas. *Environmental Science and Technology*, 54(14), 8485-8493.
- Huang, Y., Pathak, R. K., Wang, S. (2020b). Spatial heterogeneity of traffic emissions and their impact on air quality. *Science of the Total Environment*, 699, 134245.
- IDX. (2021). 61 Persen Sumber Listrik RI Berasal dari Pembangkit Batu Bara. Diakses dari <https://www.idxchannel.com/economics/61-persen-sumber-listrik-ri-berasal-dari-pembangkit-batu-bara-pada-Tanggal-9-Januari-2024-Pukul-11.40-WIB>.
- Indriyaningtyas, S., Hasandy, L., & Dewantoro, B. (2021). Dinamika konsentrasi emisi gas karbon monoksida (co) selama periode psbb menggunakan komputasi berbasis cloud pada *Google Earth Engine* studi kasus di provinsi dki jakarta, indonesia. *Majalah Ilmiah Globe*, 23(1), 35. <https://doi.org/10.24895/mig.2021.23-1.1258>
- IQAir. (2023). Indeks Kualitas Udara (AQI) Jakarta dan Polusi Udara di Indonesia. Diakses dari <https://www.iqair.com/id/indonesia/jakarta-pada-Tanggal-5-Januari-2024-Pukul-14.40-WIB>.
- Jerrett, M., et al. (2005). A review and evaluation of intraurban air pollution exposure models. *Journal of Exposure Analysis and Environmental Epidemiology*, 15, 185–204.
- Jeong, C. H., Li, H., Lin, J., Liu, Z. (2019). The impact of road density and traffic flow on air quality. *Atmospheric Pollution Research*, 10(6), 1966-1973.
- Kim, M. J. (2019). The effects of *Transboundary Air Pollution* from China on ambient air quality in South Korea. *Heliyon*, 5(12), e02953. <https://doi.org/10.1016/j.heliyon.2019.e02953>
- Kazuo, S., Lin, J., Oish, Y., Pathak, R. K., Wang, S. (2019). Analysis of vehicle exhaust emissions and their impact on urban air quality. *Environmental Pollution*, 252, 1349-1359.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENGAJAI PENGARUH SUMBER POLUSI MAJOR SOURCE  
TERHADAP KUALITAS UDARA DI DKI  
JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE  
HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Kim, Y., Lee, S. (2018). The environmental Kuznets curve (EKC) for air pollutants in China: Evidence from the provincial panel data. *Environmental Science and Pollution Research*, 25, 35352-35361.
- Kementerian Perhubungan. (2019). *Statistik Transportasi 2019*. Jakarta: Kementerian Perhubungan.
- KOMPAS. (2023). Alat Pemantauan Terbatas, Data yang Diperoleh Tidak Ideal. Diakses dari <https://www.kompas.id/baca/investigasi/2023/09/21/buta-tanpa-data-kualitas-udara> oleh Margaretha Puteri Rosalina pada Tanggal 21 Desember 2023 Pukul 14.40 WIB.
- Kozicka, K., Gozdowski, D., & Wójcik-Gront, E. (2021). Spatial-temporal changes of methane content in the atmosphere for selected countries and regions with high methane emission from rice cultivation. *Atmosphere*, 12(11), 1382. <https://doi.org/10.3390/atmos12111382>
- Kurniawati, Nurullita, Mifbakhudin. (2017). Indikator Pencemaran Udara Berdasarkan Jumlah Kendaraan dan Kondisi Iklim (Studi di Daerah Terminal Mangkang dan Terminal Penggaron Semarang). *Kesehatan Masyarakat*, 12(2), 19–24.
- Latif, M. T., Dominick, D., Hawari, N. S. S. L., et al. (2021). The concentration of major air pollutants during the movement control order due to the COVID-19 pandemic in the Klang Valley, Malaysia. *Sustainable Cities and Society*, 66, Article 102660.
- Lestari, P., Damayanti, S., & Arrohman, M. K. (2020). Emission Inventory of Pollutants (CO, NO<sub>2</sub>, PM<sub>2.5</sub>, and NO<sub>x</sub>) in Jakarta Indonesia. *IOP Conference Series: Earth and Environmental Science*, 489(1). <https://doi.org/10.1088/1755-1315/489/1/012014>
- Lillesand, T. M., & Kiefer, R. W. (1979). *Remote Sensing and Image Interpretation*. John Willey & Sons.
- Liu, Y., Gao, C., & Lu, Y. (2017). Dampak urbanisasi terhadap emisi GRK di Cina: Peran kepadatan penduduk. *Jurnal Produksi Bersih*, 157, 299–309.
- Liu, Z., Lin, J., Pratama, M. A., Zhang, Q. (2018). The impact of traffic emissions on urban air pollution: a study in Beijing and Jinan. *Environmental Pollution*, 234, 543-550.
- Lin, J., Liu, Z., Oish, Y., Pathak, R. K., Wang, S. (2020). Urban air pollution and its relationship with traffic emissions. *Science of the Total Environment*, 705, 135491.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENKAJI PENGARUH SUMBER POLUSI MAJOR SOURCE TERHADAP KUALITAS UDARA DI DKI JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Lu, D., Liu, Z., Wang, Y. (2017). Factors influencing sulfur dioxide pollution in Chinese cities: a GWR analysis. *Environmental Pollution*, 224, 479-488.

Lu, D., Ma, J., Wang, Y. (2014). Spatial analysis of sulfur dioxide pollution using GWR. *Atmospheric Environment*, 95, 456-464.

Lorente, A., Borsdorff, T., Butz, A., Hasekamp, O., Brugh, J., Schneider, A., ... & Landgraf, J. (2021). Methane retrieved from tropomi: improvement of the data product and validation of the first 2 years of measurements. *Atmospheric Measurement Techniques*, 14(1), 665-684. <https://doi.org/10.5194/amt-14-665-2021>

Lowy Institute. (2019). Kualitas udara Jakarta membunuh penduduknya – dan semakin buruk. Penerjemah, Kate Walton. <https://www.lowyinstitute.org/the-interpreter/jakarta-s-air-quality-kills-its-residents-and-it-s-getting-worse>.

Ma, Z., Liu, R., Liu, Y., & Bi, J. (2021). Effects of air pollution control policies on PM<sub>2.5</sub> pollution improvement in China from 2005 to 2017: A satellite-based perspective. *Atmospheric Chemistry and Physics*, 21(8), 6315-6338. <https://doi.org/10.5194/acp-21-6315-2021>.

Ma, J., Lu, D., Wang, Y. (2017). The influence of industrial structure on PM<sub>2.5</sub> pollution in Chinese cities: a spatial econometric approach. *Environmental Science and Pollution Research*, 24, 10029-10041.

Matzoros, A., Mdział, P., Xu, Y., Wang, Y. (2020). Fault tree model for analyzing the impact of traffic emissions on air pollution. *Environmental Research*, 183, 109057.

Mądział, M., Jaworski, A., & Lejda, K. (2020). The Impact of Exhaust Emission from Combustion Engines on the Environment: Modelling of Vehicle Movement at Roundabouts Calibration of the Roundabout Microscopic Model Concerning Emission. *Environmental Science and Pollution Research*, 17(4), 8360-8371.

Matandirotya, N. R., & Burger, R. P. (2021). Spatiotemporal variability of tropospheric NO<sub>2</sub> over four megacities in Southern Africa: Implications for transboundary regional air pollution. *Environmental Challenges*, 5(2), 100271. <https://doi.org/10.1016/j.envc.2021.100271>



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENGAJI PENGARUH SUMBER POLUSI MAJOR SOURCE TERHADAP KUALITAS UDARA DI DKI JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Meng, Z., Dabdub, D., & Seinfeld, J. H. (2015). Development of a chemical mechanism for secondary organic aerosol formation from dicarbonyls. *Atmospheric Chemistry and Physics*, 15, 5295-5329.
- Myllyvirta, L., Zhang, Q., Gbaguidi, A. (2020). Dampak peningkatan kapasitas batubara terhadap kualitas udara di Jakarta. *Penelitian Lingkungan*, 186, 109497.
- Ogen, Y. (2020). Menilai kadar nitrogen dioksida (NO<sub>2</sub>) sebagai faktor penyebab kematian akibat virus corona (COVID-19). *Sci. Total Lingkungan*. 726. <https://doi.org/10.1016/j.scitotenv.2020.138605>.
- Ohara, T., Akimoto, H., Kurokawa, J., Horii, N., Yamaji, K., Yan, X., & Hayasaka, T. (2007). Inventarisasi emisi Asia dari sumber emisi antropogenik untuk periode 1980-2020. *Atmos. Chem. Phys.* 7, 4419–4444.
- Pasculli, A., Ciotoli, G., and Martelli, S. (2014). GWR analysis of indoor radon levels and geological factors. *Environmental Science and Pollution Research*, 21(6), 4156-4167.
- Pathak, R. K., Oish, Y., Wang, S. (2020). Analysis of VOC emissions from vehicles and their impact on air quality. *Environmental Pollution*, 264, 114764.
- Pukite, J., Borger, C., Dörner, S., Gu, M., Frieß, U., Meier, A., ... & Wagner, T. (2021). Retrieval algorithm for o<sub>3</sub> from tropomi (*Tropospheric Monitoring Instrument*) by differential optical absorption spectroscopy. *Atmospheric Measurement Techniques*, 14(12), 7595-7625. <https://doi.org/10.5194/amt-14-7595-2021>
- Putra, JY, et al. (2010). Paparan individu terhadap polusi udara dan fungsi paru-paru di Korea: analisis spasial menggunakan pendekatan paparan ganda. *Lingkungan. Res.* 110, 739–749.
- Perusahaan Listrik Negara (PLN), (2023). Statistik PLN 2022. <https://web.pln.co.id/statics/uploads/2023/05/Statistik-PLN-2022-Final-2.pdf>
- Priyambada, R., Triharyogi, A., & Tania, I. (2020). Analysis of NO<sub>2</sub> Air Pollution Using Sentinel-5P Imagery to Support Smart Environment in Palembang City. *Journal of Geospatial Information Science and Technology*, 3(1), 21-27. <https://doi.org/10.13140/RG.2.2.28683.54564>
- Qiao, Z., Liu, Y., Cui, C., Shan, M., Tu, Y., Liu, Y., Xu, S., Mi, K., Chen, L., Ma, Z., Zhang, H., Gao, S., & Sun, Y. (2022). Estimation of Short-Term and Long-Term Ozone Exposure

Levels in Beijing–Tianjin–Hebei Region Based on *Geographically Weighted Regression*  
Model. *Atmosphere*, 13(10). <https://doi.org/10.3390/atmos13101706>

- Qiao, S., Huang, Y., and Wang, S. (2019). Regional weather patterns and their impact on air pollution in urban areas. *Atmospheric Environment*, 212, 102-115.
- Qin, Y., Tonnesen, G. S., & Wang, Z. (2016). Weekend/weekday differences of ozone, NO<sub>x</sub>, CO, VOCs, PM<sub>10</sub> and the light extinction coefficient in California's South Coast Air Basin. *Atmospheric Environment*, 42(14), 3375-3389. <https://doi.org/10.1016/j.atmosenv.2007.12.034>.
- Quan, W., Jian, N., Tenhunen, J., 2005. Application of a geographically-weighted regression analysis to estimate net primary production of Chinese forest ecosystems. *Global Ecol. Biogeogr.* 14, 379–393.
- Radio Republik Indonesia, 2023. Prakiraan Musim Hujan 2023-2024 di NTB : Fenomena El Nino Moderat Berdampak pada Keterlambatan Musim Hujan dan Kekeringan. Diakses dari <https://www.rii.co.id/ntb/daerah/387433/prakiraan-musim-hujan-2023-2024-di-ntb-fenomena-el-nino-moderat-berdampak-pada-keterlambatan-musim-hujan-dan-kekeringan> oleh Lalu Ariyan Darmandita pada Tanggal 8 Desember 2023 Pukul 16.00 WIB.
- Raja, D., & Prasad, P. R. C. (2021). Assessment of urban air pollution using remote sensing and GIS techniques in Hyderabad, India. *Urban Climate*, 38(3), 100877. <https://doi.org/10.1016/j.uclim.2021.100877>
- Ramdani, R., Hakim, A., & Supriatna, N. (2021). Investigasi Dampak Pemanfaatan Angkutan Umum Terhadap Penurunan Emisi CO<sub>2</sub> di Kota Bandung. *Jurnal Teknik Sipil*, 18(2), 57-69. <https://doi.org/10.14710/jts.18.2.57-69>
- Reidmiller, DR, Fiore, AM, Jaffe, DA, Bergmann, D., Cuvelier, C., Dentener, FJ, Duncan, BN, Folberth, G., Gauss, M., Gong, S., Hess, P., Jonson, JE, Keating, T., Lupu, A., Marmer, E., Park, R., Schultz, MG, Shindell, DT, Szopa, S., Vivanco, MG, Wild, O., & Zuber, A. (2009). Pengaruh emisi asing vs. Amerika Utara terhadap ozon permukaan di AS. *Atmos. Chem. Phys.* 9, 5027–5042. <https://doi.org/10.5194/acp-9-5027-2009>.
- Rijal, S. S. 2020. Mengolah Citra Pengindraan Jauh Dengan Google Earth Engine. Deepublish.



UNIVERSITAS  
GADJAH MADA

PENGINDERAAN JAUH UNTUK MENGAJI PENGARUH SUMBER POLUSI MAJOR SOURCE  
TERHADAP KUALITAS UDARA DI DKI  
JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE  
HYSPLIT

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Ryan, M., & Pratama, K. R. (2017). Identifikasi Trajektori Debu Vulkanik Letusan Gunung Gamalama Dengan Hysplit Dan Metode Rgb Pada Citra Satelit Himawari 8. *Jurnal Meteorologi Klimatologi Dan Geofisika*, 4(2), 29–35.  
<http://www.arl.noaa.gov/VolcAsh.php>
- Sahsuvaroglu, T., et al. (2009). Analisis spasial polusi udara dan asma masa kanak-kanak di Hamilton, Kanada: membandingkan metode paparan dalam subkelompok sensitif. *Lingkungan. Kesehatan*. 8, 14.
- Saleh, S. A. H., & Hasan, G. (2014). Estimation of PM<sub>10</sub> Concentration using Ground Measurements and Landsat 8 OLI Satellite Image. *Journal of Geophysics & Remote Sensing*, 03(02). <https://doi.org/10.4172/2169-0049.1000120>
- Santoso, D. S., & Setiawan, W. (2018). Pemantauan Kualitas Udara di Kota Besar Menggunakan Sensor PM<sub>2.5</sub> dan PM<sub>10</sub> Berbasis IoT. *Jurnal Rekayasa Sistem Industri*, 7(1), 49–55.
- Sathe, Y., Kulkarni, R. (2019). Satellite remote sensing for air quality monitoring. *Atmospheric Environment*, 218, 116973.
- Setiadi, R. (2019). Assessment of Urban Air Pollution using Geographical Information Systems (GIS) in Jakarta, Indonesia. *Journal of Environmental Science and Technology*, 12(2), 231-243. <https://doi.org/10.3923/jest.2019.231.243>
- Schneider, P., et al. (2015). Spatiotemporal variability of NO<sub>2</sub> in Paris: Comparison of 2 years of mobile measurements and 1-year of fixed-site measurements. *Environmental Pollution*, 196, 1–9.
- Schneising, O., Buchwitz, M., Reuter, M., Bovensmann, H., Burrows, J., Borsdorff, T., ... & Wunch, D. (2019). A scientific algorithm to simultaneously retrieve carbon monoxide and methane from tropomi onboard sentinel-5 precursor. *Atmospheric Measurement Techniques*, 12(12), 6771-6802. <https://doi.org/10.5194/amt-12-6771-2019>
- Shi, Y., Matsunaga, T., Yamaguchi, Y., Li, Z., Gu, X., Chen, X., 2018. Long-term trends and spatial patterns of satellite-retrieved PM<sub>2.5</sub> concentrations in South and Southeast Asia from 1999 to 2014. *Sci. Total. Environ.* 615, 177–186.
- Shi, C., Nduka, I. C., Yang, Y., Huang, Y., Yao, R., Zhang, H., He, B., Xie, C., Wang, Z., & Yim, S. H. L. (2020). Characteristics and meteorological mechanisms of *Transboundary Air Pollution* in a persistent heavy PM<sub>2.5</sub> pollution episode in Central-East China. *Atmospheric Environm PM<sub>2.5</sub> ent*, 223(December 2019), 117239.

- Shifana, F. A. (2017). Pengaruh Transportasi Terhadap Kualitas Udara. *Jurnal Teknik Sipil Dan Lingkungan*, 3(2), 77-89. <https://doi.org/10.14710/jtsl.3.2.77-89>
- Singh, V., et al. (2021). Diurnal and temporal changes in air pollution during COVID-19 strict lockdown over different regions of India. *Environmental Pollution*, 266(1), 115368. <https://doi.org/10.1016/j.envpol.2020.115368>
- Smith, R. A., & Jarvis, S. C. (1998). Scales of atmospheric processes in an urban area: the importance of small scale effects. *Journal of Applied Meteorology and Climatology*, 37(9), 1011-1026.
- Soedomo M. 2001. *Polusi Udara*. Bandung : ITB
- Song, Y. S., Guo, Y., Zhang, L., et al. (2014). Review and recommendations on a water pollution control framework for the pulp and paper sector in China. *Water Policy*.
- Stein, A.F., Draxler, R.R, Rolph, G.D., Stunder, B.J.B., Cohen, M.D., and Ngan, F., (2015). NOAA's HYSPLIT atmospheric transport and dispersion modeling system, *Bull. Amer. Meteor. Soc.*, 96, 2059-2077
- Stohl, A., Wotawa, G., Seibert, P., & Kromp-Kolb, H. (2003). Interpolation errors in wind fields as a function of spatial and temporal resolution and their impact on different types of kinematic trajectories. *Journal of Applied Meteorology and Climatology*, 34(10), 2149-2165. <https://doi.org/10.1175/1520-0450-34.10.2149>.
- Suryani, Gunawan, Upe A. 2010. Model Sebaran Polutan NO<sub>2</sub> pada Cerobong Asap. [abstrak] di dalam kongres dan seminar nasional badan koordinasi pusat studi lingkungan hidup se-Indonesia ke XX. Pekanbaru : 14-16 Mei 2010x
- Suryoprayogo, H. (2023). Spatio-temporal analysis polutan karbon monoksida (co) jakarta selama pandemi menggunakan sentinel-5p tropomi. *Journal of Informatics and Communication Technology (Jict)*, 4(2), 47-54. [https://doi.org/10.52661/j\\_ict.v4i2.101](https://doi.org/10.52661/j_ict.v4i2.101)
- Sutanto. (1992). *Penginderaan Jauh Dasar I*. Yogyakarta : Gadjah Mada University. Press
- Suwargana, N. (2018). *Pengantar Sistem Informasi Geografis (SIG) Dan Penginderaan Jauh (Inderaja)*. Bandung: ITB Press.
- Tao, M., Zhang, Z., and Wang, L. (2012). Analysis of aerosol optical depth (AOD) and its relationship with PM<sub>2.5</sub> concentration. *Atmospheric Environment*, 60, 84-91.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENKAKI PENGARUH SUMBER POLUSI MAJOR SOURCE TERHADAP KUALITAS UDARA DI DKI JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Tao, S., Shen, G., Cheng, H., et al. (2021). Toward Clean Residential Energy: Challenges and Priorities in Research. *Environmental Science & Technology*.
- Theys, N., Smedt, I., Yu, H., Danckaert, T., Gent, J., Hörmann, C., ... & Roozendaël, M. (2017). Sulfur dioxide retrievals from tropomi onboard sentinel-5 precursor: algorithm theoretical basis. *Atmospheric Measurement Techniques*, 10(1), 119-153. <https://doi.org/10.5194/amt-10-119-2017>
- Timilsina, G. R., & Shrestha, A. (2009). Factors influencing the growth of transportation sector CO<sub>2</sub> emissions in selected Asian countries during 1980-2005. *Energy Policy*.
- Tobler, W. (1970). Film komputer yang mensimulasikan pertumbuhan perkotaan di wilayah Detroit. *Geografi Ekonomi*, 46 (Tambahan: Prosiding, Persatuan Geografis Internasional, Komisi Metode Kuantitatif), 234-240.
- van Geffen, J. H. G., Eskes, H. J., Boersma, K. F., Maasackers, J. D., & Veefkind, J. P. 2019. TROPOMI ATBD of the total and tropospheric NO<sub>2</sub> data products, KNMI.
- Veefkind, P., van Oss, R. F., Eskes, H., Borowiak, A., Dentner, F., & Wilson, J. (2007). The Applicability of Remote Sensing in the Field of Air Pollution. *Institute of Environment and Sustainability, Italy*, 1–54.
- Verbeek, T., & Hincks, S. (2022). The ‘just’ management of urban air pollution? A geospatial analysis of low emission zones in Brussels and London. *Applied Geography*, 140(October 2021), 102642. <https://doi.org/10.1016/j.apgeog.2022.102642>
- Vital Strategies. (2020). Jakarta’s Clean Air Partnership (CAP). <https://www.vitalstrategies.org/programs/jakartas-clean-air-partnership-cap/>
- Wang, HJ, & Chen, HP. (2016). Memahami tren polusi asap baru-baru ini di Cina timur: peran perubahan iklim. *Atmos. Chem. Phys.* 16(6), 1–18.
- Wang, Y., Li, X., Zhao, X. (2018). The influence of road density and traffic flow on exhaust emissions. *Atmospheric Pollution Research*, 9(5), 893-904.
- Watson, J. G., Chow, J. C. (2001). Measurement methods to determine compliance with ambient air quality standards for suspended particles. *Journal of the Air & Waste Management Association*, 51(12), 1658-1664.



UNIVERSITAS  
GADJAH MADA

**PENGINDERAAN JAUH UNTUK MENGAJI PENGARUH SUMBER POLUSI MAJOR SOURCE  
TERHADAP KUALITAS UDARA DI DKI  
JAKARTA MENGGUNAKAN GEOGRAPHIC WEIGHTING REGRESSION (GWR) DAN METODE  
HYSPLIT**

Muhammad Iqbal, Dr Bowo Susilo, S.Si., M.T.; Dr. Dyah Rahmawati Hizbaron, S.Si., M.T., M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://ejd.repository.ugm.ac.id/>

- Wei, J., Li, Z., and Sun, L. (2021). Advances in remote sensing technology for air quality monitoring. *Atmospheric Environment*, 247, 118176.
- Wei, J., Huang, W., Li, Z., & Wang, Q. (2017). Estimating 1-km-resolution PM<sub>2.5</sub> concentrations across China using the space-time random forest approach. *Remote Sensing of Environment*, 216, 91-104. <https://doi.org/10.1016/j.rse.2018.06.023>.
- Winarso, H., and Yasin, A. (2016). Development of an air pollution standard index using the MGWR approach. *Environmental Monitoring and Assessment*, 188, 118.
- WHO. (2016). Ambient air pollution: A global assessment of exposure and burden of disease. World Health Organization, 1–121. <https://apps.who.int/iris/handle/10665/250141>
- Wu, Y., & Xie, S. (2017). Spatial distribution of ozone pollution based on the analysis of monitoring data from Beijing, Shanghai, and Guangzhou. *Environmental Monitoring and Assessment*, 189, 355. <https://doi.org/10.1007/s10661-017-6087-8>
- Xu, Y., Wang, Y., and Zhang, Q. (2020). The application of traffic simulations in air pollution analysis. *Science of the Total Environment*, 709, 136966.
- Zhang, Y., Wang, Y., Zhao, X. (2016). Model GWR gabungan untuk menganalisis konsentrasi PM<sub>2.5</sub> menggunakan data AOD. *Penelitian Polusi Atmosfer*, 7(2), 282-289.
- Zhao, P., Xu, X., Wang, Y. (2017). Spatial variability of air pollution using the GWR model. *Atmospheric Environment*, 170, 17-27.
- Zhao, G., & Li, W. (2009). Evaluating on the Industrial Pollution Emission Intensity. *Environmental Science & Technology*, 43(14), 5526-5531.
- Zhou, Y., and Liu, H. (2018). *Transboundary Air Pollution* analysis using remote sensing data. *Environmental Science and Pollution Research*, 25, 35873-35884.
- Zhou, S.X., Wang, X., Gong, Z.Q., & Shi, CE (2017). Pola transportasi PM<sub>2.5</sub> di distrik delta Yangtze barat, Cina. *Acta Meteorol. Dosa*. 75(6), 996–1010.