

## DAFTAR PUSTAKA

- Adom, K. K. and Liu, R. H. (2004). Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice J. Agric. Food Chem. 52: 4808-4813
- Aladedunye, F., Przybylski, R., Rudzinska, M., & Klensporf-Pawlik, D. (2013).  $\gamma$  - Oryzanols of north American wild rice (*Zizania palustris*). Journal of the American Oil Chemists Society, 90, 1101–1109.
- Albarracín, M., Dyner, L., Silvia, M., Adriana, G., Zuleta, A., & Drago, S. R. (2019). Modification of nutritional properties of whole rice flours (*Oryza sativa* L.) by soaking, germination, and extrusion. March, 1–8.
- Altmann, S. W., Davis Jr, H. R., Zhu, L. J., Yao, X., Hoos, L. M., Tetzloff, G., ... & Graziano, M. P. (2004). Niemann-Pick C1 Like 1 protein is critical for intestinal cholesterol absorption. Science, 303(5661), 1201-1204.
- Alves-Bezerra, M., & Cohen, D. E. (2017). Triglyceride metabolism in the liver. Compr Physiol 8: 1–8.
- Andersen, O. M., & Markham, K. R. (2005). Flavonoids: chemistry, biochemistry and applications. CRC press.
- Arnold R., and Kwiterovich Jr, P.O 2003. CHOLESTEROL | Absorption, Function, and Metabolism. Elsevier Science Ltd: Encyclopedia of Food Sciences and Nutrition (Second Edition).
- Arsana, I. N., Adiputra, N., Pangkahila, J. A., & Putra-Manuaba, I. B. (2013). *Garcinia mangostana* L. rind extract and physical training reduce oxidative stress in wistar rats during maximal physical activity. *Indonesian Journal of Biomedical Science*, 7(2), 63-68.
- Atmadani. 2023. Profil Komposisi Kimia, Kandungan Total Fenolik dan Aktivitas Antioksidan Beras Coklat Pragerminasi Dan Beras Putih Varietas IR-64 dan Sintanur. Universitas Gadjah Mada.
- Au, D. T., Strickland, D. K., & Muratoglu, S. C. (2017). The LDL receptor-related protein 1: at the crossroads of lipoprotein metabolism and insulin signaling. Journal of diabetes research, 2017.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014(1), 360438.
- Ayernor, G. S. and Ocloo, F. C. K. (2007). Physico-chemical changes and diastatic activity associated with germinating paddy rice (PSB.Rc 34). *Afr. J. Food. Sci.* 1:37–41.
- Azmi, N. H., Ismail, N., Imam, M. U., Ooi, D. J., & Oslan, S. N. H. (2022). Modulation of high-fat diet-induced brain oxidative stress by ferulate-rich germinated brown rice ethyl acetate extract. *Molecules*, 27(15), 4907.
- Barauskaite, D., Gineikiene, J., Fennis, B. M., Auruskeviciene, V., Yamaguchi, M., & Kondo, N. (2018). Eating healthy to impress: How conspicuous consumption, perceived self-control motivation, and descriptive normative influence determine functional food choices. *Appetite*, 131, 59-67.

- Berberich, A. J., & Hegele, R. A. (2022). A modern approach to dyslipidemia. *Endocrine Reviews*, 43(4), 611-653.
- Bolkent, S., Yanardag, R., Karabulut-Bulan, O., & Yesilyaprak, B. (2005). Protective role of *Melissa officinalis* L. extract on liver of hyperlipidemic rats: a morphological and biochemical study. *Journal of ethnopharmacology*, 99(3), 391-398.
- Bouche, N. and Fromm, H. 2004. GABA in plants: just a metabolite? *Trends Plant Sci.* 9:110-115.
- Brahm, A. J., & Hegele, R. A. (2015). Chylomicronaemia—current diagnosis and future therapies. *Nature Reviews Endocrinology*, 11(6), 352-362.
- Cáceres, P. J., Martínez-Villaluenga, C., Amigo, L., & Frias, J. (2014). Maximising the phytochemical content and antioxidant activity of Ecuadorian brown rice sprouts through optimal germination conditions. *Food chemistry*, 152, 407-414.
- CASTELLUCCIO, C., BOLWELL, G. P., GERRISH, C., & RICE-EVANS, C. (1996). Differential distribution of ferulic acid to the major plasma constituents in relation to its potential as an antioxidant. *Biochemical journal*, 316(2), 691-694.
- Cevallos-Casals, B. A., & Cisneros-Zevallos, L. (2010). Impact of germination on phenolic content and antioxidant activity of 13 edible seed species. *Food Chemistry*, 119(4), 1485-1490.
- Chairerk, N., Pongyeela, P., Chungsiriporn, J., & Rakmak, N. (2021). Ethanol extraction of active ingredients and antioxidants from germinated sangyod rice. *Applied Science and Engineering Progress*, 14(1), 52-59.
- Chakraborty, R., Kalita, P., & Sen, S. (2023). Phenolic Profile, Antioxidant, Antihyperlipidemic and Cardiac Risk Preventive Effect of Pigmented Black Rice Variety Chakhao poireiton in High-Fat High-Sugar Induced Rats. *Rice Science*, 30(6), 641-651.
- Chavan, J. K. and Kadam, S. S. (1989). Nutritional improvement of cereals by sprouting. *Crit. Rev. Food Sci.* 28:401-437
- Chen, H., Siebenmorgen, T. J., and Griffin, K. (1998). Quality characteristics of long-grain rice milled in two commercial systems. *Cereal Chem.* 75:560-565.
- Chen, J., Zhao, H., Yang, Y., Liu, B., Ni, J., & Wang, W. (2011). Lipid-lowering and antioxidant activities of Jiang-Zhi-Ning in traditional Chinese medicine. *Journal of Ethnopharmacology*, 134(3), 919-930.
- Cheynier, V. (2012). Phenolic compounds: from plants to foods. *Phytochemistry reviews*, 11(2), 153-177.
- Chiang, J. Y. (2009). Bile acids: regulation of synthesis: thematic review series: bile acids. *Journal of lipid research*, 50(10), 1955-1966.
- Chima, J. U., & Fasuan, T. O. (2021). Symbiotic and adverse interplay of hypogeal germination periods on brown rice (*Oryza sativa*): nutrient and non-nutrient characteristics. *Food Production, Processing and Nutrition*, 3, 1-19.
- Cho, D. H., & Lim, S. T. (2018). Changes in phenolic acid composition and associated enzyme activity in shoot and kernel fractions of brown rice during germination. *Food Chemistry*, 256, 163-170.
- Chotimarkorn, C., Benjakul, S., & Silalai, N. (2008). Antioxidant components and properties of five long-grained rice bran extracts from commercial available cultivars in Thailand. *Food Chemistry*, 111(3), 636-641.

- Christensen, H. N., Greene, A. A., Kakuda, D. K., & MacLeod, C. L. (1994). Special transport and neurological significance of two amino acids in a configuration conventionally designated as D. *The Journal of experimental biology*, 196(1), 297-305.
- Ciapaite, J., van den Broek, N. M., Te Brinke, H., Nicolay, K., Jeneson, J. A., Houten, S. M., & Prompers, J. J. (2011). Differential effects of short-and long-term high-fat diet feeding on hepatic fatty acid metabolism in rats. *Biochimica et biophysica acta (Bba)-molecular and cell biology of lipids*, 1811(7-8), 441-451.
- Cifarelli, V., & Abumrad, N. A. (2018). Intestinal CD36 and other key proteins of lipid utilization: role in absorption and gut homeostasis. *Comprehensive Physiology*, 8(2), 493.
- Csonka, C., Sárközy, M., Pipicz, M., Dux, L., & Csont, T. (2016). Modulation of hypercholesterolemia-induced oxidative/nitrative stress in the heart. *Oxidative medicine and cellular longevity*, 2016(1), 3863726.
- da Silva, L. R., de Carvalho, C. W. P., Velasco, J. I., & Fakhouri, F. M. (2020). Extraction and characterization of starches from pigmented rice. *International journal of biological macromolecules*, 156, 485-493.
- de Jongh, S., Ose, L., Szamosi, T., Gagné, C., Lambert, M., Scott, R., ... & Kastelein, J. J. (2002). Efficacy and safety of statin therapy in children with familial hypercholesterolemia: a randomized, double-blind, placebo-controlled trial with simvastatin. *Circulation*, 106(17), 2231-2237.
- Dey, P. M. and Harborne, J. B. (1991). *Methods in Plant Biochemistry Vol.7*. Academic Press Inc. San Diego, CA.
- Di Ciaula, A., Wang, D. Q. H., Molina-Molina, E., Baccetto, R. L., Calamita, G., Palmieri, V. O., & Portincasa, P. (2017). Bile acids and cancer: direct and environmental-dependent effects. *Annals of hepatology*, 16, S87-S105.
- Diaz, M. N., Frei, B., Vita, J. A., & Keaney Jr, J. F. (1997). Antioxidants and atherosclerotic heart disease. *New England Journal of Medicine*, 337(6), 408-416.
- Doblado, R., Frías, J., & Vidal-Valverde, C. (2007). Changes in vitamin C content and antioxidant capacity of raw and germinated cowpea (*Vigna sinensis* var. carilla) seeds induced by high pressure treatment. *Food Chemistry*, 101(3), 918-923.
- Droge, W. (2002). Free radicals in the physiological control of cell function. *Physiological reviews*, 82(1), 47-95.
- Ebizuka, H., Ihara, M., & Arita, M. (2009). Antihypertensive effect of pre-germinated brown rice in spontaneously hypertensive rats. *Food Science and Technology Research*, 15(6), 625-630.
- Esa, N. M., Kadir, K. K. A., Amom, Z., & Azlan, A. (2013). Antioxidant activity of white rice, brown rice and germinated brown rice (in vivo and in vitro) and the effects on lipid peroxidation and liver enzymes in hyperlipidaemic rabbits. *Food chemistry*, 141(2), 1306-1312.
- Espinale, C., Palacios-Ponce, S., Plaza-Ibarra, L., Peñas, E., Martinez-Villaluenga, C., & Cáceres, P. J. (2023). Addition of ungerminated and germinated white rice and brown rice to improve the quality of salami. *LWT*, 181, 114769.



- Fatmawati, N. K., Ali, M., & Widjanto, E. (2012). Efek Proteksi Kombinasi Minyak Wijen (Sesame Oil) dengan  $\alpha$ -Tocopherol terhadap Steatosis melalui Penghambatan Stres Oksidatif pada Tikus Hiperkolesterolemia. *The Journal of Experimental Life Science*, 2(2), 56-64.
- Feingold KR. (2000) Introduction to lipids and lipoproteins. In: Feingold KR, Anawalt B, Boyce A, et al., eds. *Endotext* [Internet]. MDText.com, Inc; <https://www.ncbi.nlm.nih.gov/books/NBK305896>
- Ferdinandy, P., Csonka, C., Csont, T., Szilvassy, Z., & Dux, L. (1998). Rapid pacing-induced preconditioning is recaptured by farnesol treatment in hearts of cholesterol-fed rats: role of polyprenyl derivatives and nitric oxide. *Myocardial Ischemia and Reperfusion*, 27-34.
- Frei, B., Stocker, R., & Ames, B. N. (1988). Antioxidant defenses and lipid peroxidation in human blood plasma. *Proceedings of the National Academy of Sciences*, 85(24), 9748-9752.
- Garg, B., Yashveer, S., Singh, M., & Duhan, J. (2023). Brown Rice Sprouts: A Leading Functional Food Product. In *Advances in Plant Sprouts: Phytochemistry and Biofunctionalities* (pp. 99-125). Cham: Springer International Publishing.
- Garuti, R., Jones, C., Li, W. P., Michaely, P., Herz, J., Gerard, R. D., ... & Hobbs, H. H. (2005). The modular adaptor protein autosomal recessive hypercholesterolemia (ARH) promotes low density lipoprotein receptor clustering into clathrin-coated pits. *Journal of Biological Chemistry*, 280(49), 40996-41004.
- Giricz, Z., Csonka, C., Onody, A., Csont, T., & Ferdinandy, P. (2003). Role of cholesterol-enriched diet and the mevalonate pathway in cardiac nitric oxide synthesis. *Basic research in cardiology*, 98, 304-310.
- Goldstein, J. L., & Brown, M. S. (2009). The LDL receptor. *Arteriosclerosis, thrombosis, and vascular biology*, 29(4), 431-438.
- Gould, K. S. (2010). Muriel wheldale onslow and the rediscovery of anthocyanin function in plants.
- Graf, E. (1992). Antioxidant potential of ferulic acid. *Free radical biology and medicine*, 13(4), 435-448.
- Halliwell, B. (1995, November). How to characterize an antioxidant: an update. In *Biochemical Society Symposia* (Vol. 61, pp. 73-101). Portland Press Limited.
- Haralampu, S. G. (2000). Resistant starch: A review of the physical properties and biological impact of RS3. *Carbohydrate Polymers*, 41, 285-292.
- Hartati, S., Marsono, Y., Suparmo, S., & Santoso, U. (2015). Komposisi kimia serta aktivitas antioksidan ekstrak hidrofilik bekatul beberapa varietas padi. *Agritech*, 35(1), 35-42.
- Hegele, R. A. (2009). Plasma lipoproteins: genetic influences and clinical implications. *Nature Reviews Genetics*, 10(2), 109-121.
- Howles, P.N.(2016). Cholesterol absorption and metabolism. *Methods Mol Biol*. 1438:177-197.
- Hsu, T. F., Kise, M., Wang, M. F., Ito, Y., Yang, M. D., Aoto, H., ... & Yamamoto, S. (2008). Effects of pre-germinated brown rice on blood glucose and lipid levels in

- free-living patients with impaired fasting glucose or type 2 diabetes. *Journal of nutritional science and vitaminology*, 54(2), 163-168.
- Huang, C. C. J. (2003). Potential functionality and digestibility of oryzanol as determined using in vitro cell culture models. Louisiana State University and Agricultural & Mechanical College.
- Huang, J., Mei, L. H., Wu, H., & Lin, D. Q. (2007). Biosynthesis of  $\gamma$ -aminobutyric acid (GABA) using immobilized whole cells of *Lactobacillus brevis*. *World Journal of Microbiology and Biotechnology*, 23, 865-871.
- Hussain, M. M. (2014). Intestinal lipid absorption and lipoprotein formation. *Current opinion in lipidology*, 25(3), 200.
- Ikonen, E. (2008). Cellular cholesterol trafficking and compartmentalization. *Nature reviews Molecular cell biology*, 9(2), 125-138.
- Imam, M. U., Ishaka, A., Ooi, D. J., Zamri, N. D. M., Sarega, N., Ismail, M., & Esa, N. M. (2014). Germinated brown rice regulates hepatic cholesterol metabolism and cardiovascular disease risk in hypercholesterolaemic rats. *Journal of Functional Foods*, 8, 193-203.
- Imam, M. U., Musa, S. N. A., Azmi, N. H., & Ismail, M. (2012). Effects of white rice, brown rice and germinated brown rice on antioxidant status of type 2 diabetic rats. *International Journal of Molecular Sciences*, 13(10), 12952-12969.
- Iqbal, S., Bhanger, M. I., & Anwar, F. (2005). Antioxidant properties and components of some commercially available varieties of rice bran in Pakistan. *Food chemistry*, 93(2), 265-272.
- Jiamyangyuen, S. (2006). The study of antioxidant content in germinated-rice and pigmented-germinated rice.
- Jun, H. I., Song, G. S., Yang, E. I., Yoon, Y., & Kim, Y. S. (2012). Antioxidant activities and phenolic compounds of pigmented rice bran extracts. *Journal of food science*, 77(7), C759-C764.
- Kahlon, T. S., Chow, F. I., Sayre, R. N., & Betschart, A. A. (1992). Cholesterol-lowering in hamsters fed rice bran at various levels, defatted rice bran and rice bran oil. *The Journal of nutrition*, 122(3), 513-519.
- Kang, S., & Davis, R. A. (2000). Cholesterol and hepatic lipoprotein assembly and secretion. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1529(1-3), 223-230.
- Kaur, B., Ranawana, V., & Henry, J. (2016). The glycemic index of rice and rice products: a review, and table of GI values. *Critical reviews in food science and nutrition*, 56(2), 215-236.
- Kawana-Ebizuka, H., Ihara, M., Iton, Y., Mizukuchi, A., Ohnishi, M., Ishiwata, K., & Arita, M. (2005). Effects of pre-germinated brown rice diet on skin condition in female university students. *J. Jpn. diet*, 16, 108-113.
- Kemenkes RI. (2018). Laporan Nasional Riskesdas 2018. Jakarta: Kemenkes RI
- Klimov A.N., and Nikulcheva, N.G. (1999). Lipid and lipoprotein metabolism and its disorders. A guide for doctors. 3rd edn. St. Petersburg: Piter.
- Kocsis, G. F., Csont, T., Varga-Orvos, Z., Puskas, L. G., Murlasits, Z., & Ferdinandy, P. (2010). Expression of genes related to oxidative/nitrosative stress in mouse hearts:

effect of preconditioning and cholesterol diet. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research*, 16(1), BR32-9.

- Komatsuzaki, N., Shima, J., Kawamoto, S., Momose, H., & Kimura, T. (2005). Production of  $\gamma$ -aminobutyric acid (GABA) by *Lactobacillus paracasei* isolated from traditional fermented foods. *Food microbiology*, 22(6), 497-504.
- Komatsuzaki, N., Tsukahara, K., Toyoshima, H., Suzuki, T., Shimizu, N., & Kimura, T. (2007). Effect of soaking and gaseous treatment on GABA content in germinated brown rice. *Journal of food engineering*, 78(2), 556-560.
- Kono, I., & Himeno, K. (2000). Changes in  $\gamma$ -aminobutyric acid content during beni-koji making. *Bioscience, biotechnology, and biochemistry*, 64(3), 617-619.
- Kumar, A., Sahoo, U., Baisakha, B., Okpani, O. A., Ngangkham, U., Parameswaran, C., ... & Sharma, S. G. (2018). Resistant starch could be decisive in determining the glycemic index of rice cultivars. *Journal of Cereal Science*, 79, 348-353.
- Lagace, T. A. (2014). PCSK9 and LDLR degradation: regulatory mechanisms in circulation and in cells. *Current opinion in lipidology*, 25(5), 387.
- Lamberts, L., De Bie, E., Vandeputte, G. E., Veraverbeke, W. S., Derycke, V., De Man, W., and Delcour, J. A. (2007). Effect of milling on colour and nutritional properties of rice. *Food Chem.* 100:1496–1503.
- Lecumberri, E., Goya, L., Mateos, R., Alía, M., Ramos, S., Izquierdo-Pulido, M., & Bravo, L. (2007). A diet rich in dietary fiber from cocoa improves lipid profile and reduces malondialdehyde in hypercholesterolemic rats. *Nutrition*, 23(4), 332-341.
- Lee, Y. R., Kim, C. E., Kang, M. Y., & Nam, S. H. (2008). Cholesterol-lowering and antioxidant status-improving efficacy of germinated giant embryonic rice (*Oryza sativa* L.) in high cholesterol-fed rats. *Annals of Nutrition and Metabolism*, 51(6), 519-526.
- Levy, E., Poinso, P., & Spahis, S. (2019). Chylomicron retention disease: genetics, biochemistry, and clinical spectrum. *Current opinion in lipidology*, 30(2), 134-139.
- Li, W., Yang, C., Mei, X., Huang, R., Zhang, S., Tang, Y., ... & Zhou, C. (2021). Effect of the polyphenol-rich extract from *Allium cepa* on hyperlipidemic sprague-dawley rats. *Journal of Food Biochemistry*, 45(1), e13565.
- Lim, S. M., Goh, Y. M., Mohtarrudin, N., & Loh, S. P. (2016). Germinated brown rice ameliorates obesity in high-fat diet induced obese rats. *BMC complementary and alternative medicine*, 16, 1-11.
- Lo, L. M. P., Kang, M. Y., Yi, S. J., & Chung, S. I. (2016). Dietary supplementation of germinated pigmented rice (*Oryza sativa* L.) lowers dyslipidemia risk in ovariectomized Sprague–Dawley rats. *Food & Nutrition Research*, 60(1), 30092.
- Lovell, M. A., Ehmann, W. D., Butler, S. M., & Markesbery, W. R. (1995). Elevated thiobarbituric acid-reactive substances and antioxidant enzyme activity in the brain in Alzheimer's disease. *Neurology*, 45(8), 1594-1601.
- Ma, H., & Shieh, K. J. (2006). Cholesterol and human health. *The Journal of American Science*, 2(1), 46-50.



- Ma, Y., Li, Y., Chiriboga, D. E., Olendzki, B. C., Hebert, J. R., Li, W., ... & Ockene, I. S. (2006). Association between carbohydrate intake and serum lipids. *Journal of the American College of Nutrition*, 25(2), 155-163.
- Ma, Z., Chu, L., Liu, H., Wang, W., Li, J., Yao, W., ... & Gao, Y. (2017). Beneficial effects of paeoniflorin on non-alcoholic fatty liver disease induced by high-fat diet in rats. *Scientific reports*, 7(1), 44819.
- Margo, A. and Denke, M. D. (1995). Cholesterol-lowering diets: A review of the evidence. *Arch. Intern. Med.* 155:17–26.
- Meharg, A. A., Williams, P. N., Deacon, C. M., Norton, G. J., Hossain, M., Louhing, D., ... & Haris, P. (2014). Urinary excretion of arsenic following rice consumption. *Environmental pollution*, 194, 181-187.
- Minhajuddin, M., Beg, Z. H., & Iqbal, J. (2005). Hypolipidemic and antioxidant properties of tocotrienol rich fraction isolated from rice bran oil in experimentally induced hyperlipidemic rats. *Food and chemical toxicology*, 43(5), 747-753.
- Mir, S. A., Bosco, S. J. D., Shah, M. A., Mir, M. M., & Sunooj, K. V. (2016). Variety difference in quality characteristics, antioxidant properties and mineral composition of brown rice. *Journal of Food Measurement and Characterization*, 10, 177-184.
- Miura, D., Ito, Y., Mizukuchi, A., Kise, M., Aoto, H., & Yagasaki, K. (2006). Hypocholesterolemic action of pre-germinated brown rice in hepatoma-bearing rats. *Life sciences*, 79(3), 259-264.
- Mohd. Esa, N., Abdul Kadir, K. K., Amom, Z., & Azlan, A. (2011). Improving the lipid profile in hypercholesterolemia-induced rabbit by supplementation of germinated brown rice. *Journal of Agricultural and Food Chemistry*, 59(14), 7985-7991.
- Montgomery, R. Dryer, R.L., Conway, T.W., dan Spector , A.A.1983. Biokimia Suatu Pendekatan Berorientasi Kasus. Jilid : 2 Edisi ke-4 Alih Bahasa oleh Ismadi M. Yogyakarta : Gadjah Mada University Press.
- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., ... & Turner, M. B. (2016). Heart disease and stroke statistics—2016 update: a report from the American Heart Association. *circulation*, 133(4), e38-e360.
- Munarko, H., Sitanggang, A. B., Kusnandar, F., & Budijanto, S. (2021). Germination of five Indonesian brown rice: evaluation of antioxidant, bioactive compounds, fatty acids and pasting properties. *Food Science and Technology*, 42, e19721.
- Nakamura, T., Matsubayashi, T., Kamachi, K., Hasegawa, T., Ando, Y., & Omori, M. (2000).  $\gamma$ -Aminobutyric acid (GABA)-rich *Chlorella* depresses the elevation of blood pressure in spontaneously hypertensive rats (SHR). *Nippon Nogeikagaku Kaishi*, 74(8), 907-909.
- Nguyen, T. H., Nguyen, L. L., & Baranyai, L. (2023). Influence of sprouting on phenolic acids, carotenoids, and antioxidant activity of millet varieties. *Journal of Agriculture and Food Research*, 14, 100810.
- Nkhata, S. G., Ayua, E., Kamau, E. H., & Shingiro, J. B. (2018). Fermentation and germination improve nutritional value of cereals and legumes through activation of endogenous enzymes. *Food science & nutrition*, 6(8), 2446-2458.
- Nugent, A. P. (2005). Health properties of resistant starch. *British Nutrition Foundation, Nutrition Bulletin*, 30, 27–54.

- Nyström, L., Achrenius, T., Lampi, A. M., Moreau, R. A., & Piironen, V. (2007). A comparison of the antioxidant properties of steryl ferulates with tocopherol at high temperatures. *Food Chemistry*, 101(3), 947-954.
- Oh, C. H., & Oh, S. H. (2004). Effects of germinated brown rice extracts with enhanced levels of GABA on cancer cell proliferation and apoptosis. *Journal of medicinal food*, 7(1), 19-23.
- Oh, S. H., Moon, Y. J., Soh, J. R., & Cha, Y. S. (2005). Effect of water extract of germinated brown rice on adiposity and obesity indices in mice fed a high fat diet. *Journal of Food Science and Nutrition*, 10(3), 251-256.
- Ohtsubo, K. I., Suzuki, K., Yasui, Y., & Kasumi, T. (2005). Bio-functional components in the processed pre-germinated brown rice by a twin-screw extruder. *Journal of food composition and analysis*, 18(4), 303-316.
- Ozcan, U., Cao, Q., Yilmaz, E., Lee, A. H., Iwakoshi, N. N., Ozdelen, E., ... & Hotamisligil, G. S. (2004). Endoplasmic reticulum stress links obesity, insulin action, and type 2 diabetes. *Science*, 306(5695), 457-461.
- Palacios, J. A., & Perez, C. (1990). Poly (ferulic acid) by oxalyl chloride activated polycondensation. *New polymeric materials*, 2(2), 167-174.
- Parasuraman, S., Babuji, S. S. H., Thing, G. S., Kumari, K. S., Yoganishalini, A., Lian, C. W., ... & Dhanaraj, S. A. (2013). Antihyperlipidemic effect of Angiosifa, a polyherbal formulation, in Sprague–Dawley rats. *Pharmacognosy Journal*, 5(5), 221-227.
- Perata, P., Guglielminetti, L., and Alpi, A. (1997). Mobilization of endosperm reserves in cereal seeds under anoxia. *Ann. Bot.* 79A:49–56.
- Pietrini, P., Bianchera, A., & Reia, L. (2008). *Manual of laboratory and diagnostic tests*. Mc Graw Hill.
- Puskás, L. G., Nagy, Z. B., Giricz, Z., Ónody, A., Csonka, C., Kitajka, K., ... & Ferdinandy, P. (2004). Cholesterol diet-induced hyperlipidemia influences gene expression pattern of rat hearts: a DNA microarray study. *FEBS letters*, 562(1-3), 99-104.
- Raal, F. J., Kallend, D., Ray, K. K., Turner, T., Koenig, W., Wright, R. S., ... & Kastelein, J. J. (2020). Inclisiran for the treatment of heterozygous familial hypercholesterolemia. *New England Journal of Medicine*, 382(16), 1520-1530.
- Reeves, P.G. 1997. Component of the AIN-93 Diets as Improvements in the AIN-76A Diet. America Society for Nutritional Sciences.
- Rejman, J., & Kozubek, A. (2004). Inhibitory effect of natural phenolic lipids upon NAD-dependent dehydrogenases and on triglyceride accumulation in 3T3-L1 cells in culture. *Journal of Agricultural and Food Chemistry*, 52(2), 246-250.
- Ren, S. C., & Sun, J. T. (2014). Changes in phenolic content, phenylalanine ammonia-lyase (PAL) activity, and antioxidant capacity of two buckwheat sprouts in relation to germination. *Journal of Functional Foods*, 7, 298-304.
- Repa, J. J., & Mangelsdorf, D. J. (2000). The role of orphan nuclear receptors in the regulation of cholesterol homeostasis. *Annual review of cell and developmental*



biology, 16(1), 459-481.transcript level in male ZDF rats. Cardiovascular diabetology, 12(1), 16.

- Rice-Evans, C. A., & Diplock, A. T. (1993). Current status of antioxidant therapy. *Free Radical Biology and Medicine*, 15(1), 77-96.
- Rodriguez-Colon, S. M., Mo, J., Duan, Y., Liu, J., Caulfield, J. E., Jin, X., & Liao, D. (2009). Metabolic syndrome clusters and the risk of incident stroke: the atherosclerosis risk in communities (ARIC) study. *Stroke*, 40(1), 200-205.
- Rohman, A., Riyanto, S., & Utari, D. (2006). Aktivitas antioksidan, kandungan fenolik total dan kandungan flavonoid total ekstrak etil asetat buah mengkudu serta fraksi-fraksinya. *Majalah Farmasi Indonesia*, 17(3), 136-142.
- Rong, N., Ausman, L. M., & Nicolosi, R. J. (1997). Oryzanol decreases cholesterol absorption and aortic fatty streaks in hamsters. *Lipids*, 32(3), 303-309.
- Roohinejad, S., Omidizadeh, A., Mirhosseini, H., Rasti, B., Saari, N., Mustafa, S., ... & Manap, M. Y. A. (2009). Effect of hypocholesterolemic properties of brown rice varieties containing different gamma aminobutyric acid (GABA) levels on Sprague-Dawley male rats. *Journal of Food, Agriculture and Environment*, 7(3-4), 197-203.
- Roohinejad, S., Omidizadeh, A., Mirhosseini, H., Saari, N., Mustafa, S., Mohd Yusof, R., ... & Abd Manap, M. Y. (2010). Effect of pre-germination time of brown rice on serum cholesterol levels of hypercholesterolaemic rats. *Journal of the Science of Food and Agriculture*, 90(2), 245-251.
- Rosenson, R. S., Brewer Jr, H. B., Chapman, M. J., Fazio, S., Hussain, M. M., Kontush, A., ... & Schaefer, E. J. (2011). HDL measures, particle heterogeneity, proposed nomenclature, and relation to atherosclerotic cardiovascular events. *Clinical chemistry*, 57(3), 392-410.
- Saha, S., & Roy, A. (2020). Whole grain rice fortification as a solution to micronutrient deficiency: Technologies and need for more viable alternatives. *Food Chemistry*, 326, 127049.
- Sajilata, M. G., & Singhal, R. S. (2005). Specialty starches for snack foods. *Carbohydrate Polymers*, 59, 131-151.
- Sarici, D., Gunes, T., Yazici, C., Akin, M. A., Korkmaz, L., Memur, S., ... & Sarici, S. U. (2015). Investigation on malondialdehyde, S100B, and advanced oxidation protein product levels in significant hyperbilirubinemia and the effect of intensive phototherapy on these parameters. *Pediatrics & Neonatology*, 56(2), 95-100.
- SARKAR, M., Hossain, S., Hussain, J., Hasan, M., Bhowmick, S., Basunia, M. A., & Hashimoto, M. (2019). Cholesterol lowering and antioxidative effect of pregerminated brown rice in hypercholesterolemic rats. *Journal of nutritional science and vitaminology*, 65(Supplement), S93-S99.
- Sárközy, M., Zvara, Á., Gyémánt, N., Fekete, V., Kocsis, G. F., Pipis, J., ... & Csont, T. (2013). Metabolic syndrome influences cardiac gene expression pattern at the
- Sasaki, J., Takada, Y., Handa, K., Kusuda, M., Tanabe, Y., Matsunaga, A., & Arakawa, K. (1990). Effects of gamma-oryzanol on serum lipids and apolipoproteins in

- dyslipidemic schizophrenics receiving major tranquilizers. *Clinical therapeutics*, 12(3), 263-268.
- Sato, R., & Takano, T. (1995). Regulation of intracellular cholesterol metabolism. *Cell structure and function*, 20(6), 421-427.
- Seetharamaiah, G. S., Krishnakantha, T. P., & Chandrasekhara, N. (1990). Influence of oryzanol on platelet aggregation in rats. *Journal of nutritional science and vitaminology*, 36(3), 291-297.
- Seong, H. Y., & Kim, M. (2021). Enhanced protein quality and antioxidant activity of fermented Brown rice with *Gryllus bimaculatus*. *LWT*, 150, 111948.
- Sharif, M. K., Butt, M. S., Anjum, F. M., & Khan, S. H. (2014). Rice bran: A novel functional ingredient. *Critical Reviews in Food Science and Nutrition*, 54, 807–816.
- Sharma, A., Yadav, B. S., & Ritika (2008). Resistant starch: Physiological roles and food applications. *Food Reviews International*, 24, 193–234.
- Shen, W. J., Azhar, S., & Kraemer, F. B. (2018). SR-B1: a unique multifunctional receptor for cholesterol influx and efflux. *Annual review of physiology*, 80, 95-116.
- Shi, H., Noguchi, N., & Niki, E. (1999). Comparative study on dynamics of antioxidative action of  $\alpha$ -tocopheryl hydroquinone, ubiquinol, and  $\alpha$ -tocopherol against lipid peroxidation. *Free Radical Biology and Medicine*, 27(3-4), 334-346.
- Singh, U. N., Kumar, S., & Dhakal, S. (2017). Study of oxidative stress in hypercholesterolemia. *International Journal of Contemporary Medical Research*, 4(5), 1204-1207.
- Sirwi, A., & Hussain, M. M. (2018). Lipid transfer proteins in the assembly of apoB-containing lipoproteins. *Journal of lipid research*, 59(7), 1094-1102.
- Škottová, N., Kazdová, L., Oliarnyk, O., Večeřa, R., Sobolová, L., & Ulrichová, J. (2004). Phenolics-rich extracts from *Silybum marianum* and *Prunella vulgaris* reduce a high-sucrose diet induced oxidative stress in hereditary hypertriglyceridemic rats. *Pharmacological research*, 50(2), 123-130.
- Song, Y., Li, Z., Lin, H., Du, S., Hao, Z., Lin, H., & Zhu, Z. (2015). Effect of malondialdehyde treatment on the IgE binding capacity and conformational structure of shrimp tropomyosin. *Food chemistry*, 175, 374-380.
- Sozen, E., & Ozer, N. K. (2017). Impact of high cholesterol and endoplasmic reticulum stress on metabolic diseases: An updated mini-review. *Redox biology*, 12, 456-461.
- Stapleton, P. A., Goodwill, A. G., James, M. E., Brock, R. W., & Frisbee, J. C. (2010). Hypercholesterolemia and microvascular dysfunction: interventional strategies. *Journal of inflammation*, 7(1), 54.
- Su, Y. C., Wang, J. J., Lin, T. T., & Pan, T. M. (2003). Production of the secondary metabolites  $\gamma$ -aminobutyric acid and monacolin K by *Monascus*. *Journal of Industrial Microbiology and Biotechnology*, 30(1), 41-46.
- Tabas I. 2002. Cholesterol in health and disease. *J Clin Invest.*;110:583-90.
- Tabas, I., & Bornfeldt, K. E. (2016). Macrophage phenotype and function in different stages of atherosclerosis. *Circulation research*, 118(4), 653-667.
- Tharanathan, R. N. (2002). Food-derived carbohydrates: Structural complexity and functional diversity. *Critical Reviews in Biotechnology*, 22(1), 65–84.

- Tian, S., Nakamura, K., & Kayahara, H. (2004). Analysis of phenolic compounds in white rice, brown rice, and germinated brown rice. *Journal of agricultural and food chemistry*, 52(15), 4808-4813.
- Trajkovska, K. T., & Topuzovska, S. (2017). High-density lipoprotein metabolism and reverse cholesterol transport: strategies for raising HDL cholesterol. *Anatolian journal of cardiology*, 18(2), 149.
- Ulla, A., Alam, M. A., Sikder, B., Sumi, F. A., Rahman, M. M., Habib, Z. F., ... & Reza, H. M. (2017). Supplementation of *Syzygium cumini* seed powder prevented obesity, glucose intolerance, hyperlipidemia and oxidative stress in high carbohydrate high fat diet induced obese rats. *BMC complementary and alternative medicine*, 17, 1-13.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T., Mazur, M., & Telser, J. (2007). Free radicals and antioxidants in normal physiological functions and human disease. *The international journal of biochemistry & cell biology*, 39(1), 44-84.
- Varga, Z. V., Kupai, K., Szűcs, G., Gáspár, R., Pálóczi, J., Faragó, N., ... & Csont, T. (2013). MicroRNA-25-dependent up-regulation of NADPH oxidase 4 (NOX4) mediates hypercholesterolemia-induced oxidative/nitrative stress and subsequent dysfunction in the heart. *Journal of molecular and cellular cardiology*, 62, 111-121.
- Verbeek, R., Hoogeveen, R. M., Langsted, A., Stiekema, L. C., Verweij, S. L., Hovingh, G. K., ... & Stroes, E. S. (2018). Cardiovascular disease risk associated with elevated lipoprotein (a) attenuates at low low-density lipoprotein cholesterol levels in a primary prevention setting. *European heart journal*, 39(27), 2589-2596.
- Verma, D. K., & Srivastav, P. P. (2020). Bioactive compounds of rice (*Oryza sativa* L.): Review on paradigm and its potential benefit in human health. *Trends in Food Science & Technology*, 97, 355-365.
- Wang, S., & Smith, J. D. (2014). ABCA1 and nascent HDL biogenesis. *Biofactors*, 40(6), 547-554.
- Watanabe, M., Maeda, T., Tsukahara, K., Kayahara, H., & Morita, N. (2004). Application of pregerminated brown rice for breadmaking. *Cereal Chemistry*, 81, 450-455.
- Widyaningsih, W. A. H. Y. U., Prabowo, A., & Sumiasih, S. (2010). Pengaruh Ekstrak Etanol Daging Bekicot (*Achantina fulica*) Terhadap Kadar Kolesterol Total, HDL, dan LDL Serum Darah Tikus Jantan Galur Wistar. *Jurnal Sains dan Teknologi Farmasi*, 15(1), 1-10.
- Wolska, A., Dunbar, R. L., Freeman, L. A., Ueda, M., Amar, M. J., Sviridov, D. O., & Remaley, A. T. (2017). Apolipoprotein C-II: New findings related to genetics, biochemistry, and role in triglyceride metabolism. *Atherosclerosis*, 267, 49-60.
- Wu, F., Yang, N., Touré, A., Jin, Z., & Xu, X. (2013). Germinated brown rice and its role in human health. *Critical reviews in food science and nutrition*, 53(5), 451-463.
- Wu, N. N., Li, R., Li, Z. J., & Tan, B. (2022). Effect of germination in the form of paddy rice and brown rice on their phytic acid, GABA,  $\gamma$ -oryzanol, phenolics, flavonoids and antioxidant capacity. *Food Research International*, 159, 111603.
- Xu, B. J., & Chang, S. K. (2007). A comparative study on phenolic profiles and antioxidant activities of legumes as affected by extraction solvents. *Journal of food science*, 72(2), S159-S166.



- Yasukawa, K., Akihisa, T., Kimura, Y., TAMURA, T., & TAKIDO, M. (1998). Inhibitory effect of cycloartenol ferulate, a component of rice bran, on tumor promotion in two-stage carcinogenesis in mouse skin. *Biological and Pharmaceutical Bulletin*, 21(10), 1072-1076.
- Yodpitak, S., Mahatheeranont, S., Boonyawan, D., Sookwong, P., Roytrakul, S., & Norkaew, O. (2019). Cold plasma treatment to improve germination and enhance the bioactive phytochemical content of germinated brown rice. *Food chemistry*, 289, 328-339.
- Young, S. G., Fong, L. G., Beigneux, A. P., Allan, C. M., He, C., Jiang, H., ... & Ploug, M. (2019). GPIHBP1 and lipoprotein lipase, partners in plasma triglyceride metabolism. *Cell metabolism*, 30(1), 51-65.
- Yüksel, S., & Yiğit, A. A. (2015). Malondialdehyde and nitric oxide levels and catalase, superoxide dismutase, and glutathione peroxidase levels in maternal blood during different trimesters of pregnancy and in the cord blood of newborns. *Turkish Journal of medical sciences*, 45(2), 454-459.
- Zeng, Z., Hu, X., McClements, D. J., Luo, S., Liu, C., Gong, E., & Huang, K. (2019). Hydrothermal stability of phenolic extracts of brown rice. *Food chemistry*, 271, 114-121.
- Zhang, G., Xu, Z., Gao, Y., Huang, X., Zou, Y., & Yang, T. (2015). Effects of germination on the nutritional properties, phenolic profiles, and antioxidant activities of buckwheat. *Journal of food science*, 80(5), H1111-H1119.
- Zhang, H. (2018). Lysosomal acid lipase and lipid metabolism: new mechanisms, new questions, and new therapies. *Current opinion in lipidology*, 29(3), 218-223.
- Zhao, B., Song, J., & Ghosh, S. (2008). Hepatic overexpression of cholesteryl ester hydrolase enhances cholesterol elimination and in vivo reverse cholesterol transport. *Journal of lipid research*, 49(10), 2212-2217.
- Zhao, Z., & Moghadasian, M. H. (2008). Chemistry, natural sources, dietary intake and pharmacokinetic properties of ferulic acid: A review. *Food Chemistry*, 109(4), 691-702.
- Zheng, Y. M., He, R. G., Huang, X., Zheng, L., Hu, Q. L., and Hua, P. (2006). Effects of germination on composition of carbohydrate and activity of relevant enzymes in different varieties of brown rice. *Cereal & Feed Industry* 5:1-3.
- Zhou, H. M. and Zhang, M. P. (2002). Study the functional component of brown rice. *Chin. Food Tech.* 5:17-19.
- Zhou, Z. K., Robards, K., Helliwell, S., and Blanchard, C. (2002). Composition and functional properties of rice. *Int. J. Food Sci. Tech.* 37:849-868.