

DAFTAR PUSTAKA

- Ahemd, H. A., Al-Faraj, A. A., & Abdel-Ghany, A. M. (2016). Shading greenhouses to improve the microclimate, energy and water saving in hot regions: A review. *Scientia Horticulturae*, 201, 36–45. <https://doi.org/10.1016/j.scienta.2016.01.030>
- Alemu, S. (2018). The Effect of Nitrogen on the Growth and Dry Matter Accumulation of Wheat (*T. aestivum* L.) at Hawassa University College of Agriculture Farm. *Int. J. Adv. Multidiscip. Res*, 5(3). <https://doi.org/10.22192/ijamr>
- Ariffin, & Fajriani, S. (2020). *Strategi Manipulasi Agroekosistem* (A. Novitasari, Ed.). UB Press.
- Arthurs, S. P., Stamps, R. H., & Giglia, F. F. (2013). Environmental Modification Inside Photosensitive Shadehouses. *HortScience*, 48(8), 975–979. <http://www.polysack.com>
- Asogiyani, P. K. (2018). *Analisis Produksi dan Konsumsi Bawang Putih Nasional dalam Mencapai Swasembada Bawang Putih*. [Bogor Agricultural University]. <http://repository.ipb.ac.id/handle/123456789/96339>
- Atif, M. J., Amin, B., Ghani, M. I., Ali, M., & Cheng, Z. (2020). Variation in Morphological and Quality Parameters in Garlic (*Allium sativum* L.) Bulb Influenced by Different Photoperiod, Temperature, Sowing and Harvesting Time. *Plants* 2020, Vol. 9, Page 155, 9(2), 155. <https://doi.org/10.3390/PLANTS9020155>
- Atif, M. J., Amin, B., Ghani, M. I., Ali, M., Zhang, S., & Cheng, Z. (2020). Effect of photoperiod and temperature on garlic (*Allium sativum* L.) bulbing and selected endogenous chemical factors. *Environmental and Experimental Botany*, 180, 104250. <https://doi.org/10.1016/J.ENVEXPBOT.2020.104250>
- Atif, M. J., Amin, B., Ghani, M. I., Hayat, S., Ali, M., Zhang, Y., & Cheng, Z. (2019). Influence of Different Photoperiod and Temperature Regimes on Growth and Bulb Quality of Garlic (*Allium sativum* L.) Cultivars. *Agronomy* 2019, Vol. 9, Page 879, 9(12), 879. <https://doi.org/10.3390/AGRONOMY9120879>
- Backer, C. A., & Bakhuizen Van Den, R. C. (1963). *Flora of Java* (Vol. 1). N.V.P Noordhoff.
- Badan Pusat Statistik. (2020). *Luas Panen Tanaman Sayuran Menurut Provinsi dan Jenis Tanaman*. Badan Pusat Statistik. https://www.bps.go.id/indikator/indikator/view_data_pub/0000/api_pub/bXNVb1pmZndqUDhKWEIUSjhZRitdz09/da_05/4
- Badan Pusat Statistik. (2022). *Produksi Tanaman Sayuran*. Badan Pusat Statistik. <https://www.bps.go.id/indikator/55/61/2/produksi-tanaman-sayuran.html>
- Badan Pusat Statistik Kabupaten Gunung Kidul. (2021). *Kecamatan Playen Dalam Angka 2021* (Badan Pusat Statistik Kabupaten Gunung Kidul, Ed.). BPS Badan Pusat Statistik Kabupaten Gunung Kidul. <https://gunungkidulkab.bps.go.id/publication/download.html?nrbvfeve=ODZhNzUzNzg3ZTAyNjI5ZGQzNTE1YzZl&xzmn=aHR0cHM6Ly9ndW51bmdraWR1bGthYi5icHMuZ28uaWQvcHVibGljYXRpb24vMjAyMS8wOS8yNC84NmE3NTM3ODdlMDI2MjlkZDM1MTVjNmUva2VjYW1hdGFuLXBsYXIlbi1kYWxhbS1hbmdrYS0yMDIxLmh0bWw%3D&twoadfnarfeauf=MjAyMy0wMi0xNCANDownNTTo0Mw%3D%3D>
- Berrocal-Ibarra, S., Ortiz-Cereceres, J., & Peña-Valdivia, C. B. (2002). Yield components, harvest index and leaf area efficiency of a sample of a wild population and a domesticated variant of the common bean *Phaseolus vulgaris*. *South African Journal of Botany*, 68, 205–211.

- Boardman, N. K. (1977). COMPARATIVE PHOTOSYNTHESIS OF SUN AND SHADE PLANTS. *Ann. Rev. Plant Physiol*, 28, 355–377. www.annualreviews.org
- Certified Crop Advisor study resources (Northeast region)*. (n.d.). Retrieved November 23, 2023, from <https://nrcca.cals.cornell.edu/soil/CA2/CA0212.1-3.php>
- Dalvand, M. (2011). Physical properties of potato tubers CV. analytic cultivated in Iran. *Vegetable Crops Research Bulletin*, 74(1), 117–128. <https://doi.org/10.2478/v10032-011-0010-x>
- Desai, C. D., Desai, G. B., Desai, C. S., Patel, S. D., & Metha, V. S. (2017). Effect Of Different Colour Shade Nets On Biomass Yield And Quality Of Fenugreek, Coriander And Garlic. *Multilogic In Science*, 7(23). www.ycjournal.net
- Desta, B., Tena, N., & Amare, G. (2021). Growth and bulb yield of garlic as influenced by clove size. *Scientific World Journal*, 2021, 1–7. <https://doi.org/10.1155/2021/7351873>
- Díaz-Pérez, J. C. (2013). Bell pepper (*Capsicum annum* L.) crop as affected by Shade level: Microenvironment, plant growth, leaf gas exchange, and leaf mineral nutrient concentration. *HortScience*, 48(2), 175–182. <https://doi.org/10.21273/HORTSCI.48.2.175>
- Dodd, I. C., Hirons, A. D., & Puértolas, J. (2023). Plant-water relations. *Encyclopedia of Soils in the Environment*, 516–526. <https://doi.org/10.1016/B978-0-12-822974-3.00253-6>
- Evans, L. T. (1993). Crop Evolution, Adaptation and Yield. By L. T. Evans. In *Experimental Agriculture* (Vol. 30, Issue 3). Cambridge University Press. <https://doi.org/10.1017/S0014479700024509>
- Fannin Central Appraisal District. (2016). *Agricultural Productivity Valuation*.
- Fitter, A. H., & Hay, R. K. M. (1991). *Fisiologi Lingkungan Tanaman*. Gadjah Mada University Press.
- Flaishman, M. A., Peles, Y., Dahan, Y., Milo-Cochavi, S., Frieman, A., & Naor, A. (2015). Differential response of cell-cycle and cell-expansion regulators to heat stress in apple (*Malus domestica*) fruitlets. *Plant Science*, 233, 82–94. <https://doi.org/10.1016/j.plantsci.2015.01.005>
- Fu, W., Li, P., & Wu, Y. (2012). Effects of different light intensities on chlorophyll fluorescence characteristics and yield in lettuce. *Scientia Horticulturae*, 135, 45–51. <https://doi.org/10.1016/j.scienta.2011.12.004>
- Gardner, F. P., author. (2008). *Fisiologi tanaman budidaya = Physiology of crop plants*. Penerbit Universitas Indonesia (UI-Press). <https://lib.ui.ac.id>
- Gomez, K. A., & Gomez, A. A. (2015). Prosedur Statistik Untuk Penelitian Pertanian Edisi Kedua. In *Prosedur Statistik Untuk Penelitian Pertanian Edisi Kedua* (2nd ed.). Penerbit Universitas Indonesia.
- Goren, A., Alkalia-Tuvia, S., Perzelan, Y., Aharon, Z., Fallik, E., Di, D., Delle, S., Vegetali, P., & Suolo, D. (2011). Photosensitive shade nets reduce postharvest decay development in pepper fruits. In *Adv. Hort. Sci* (Vol. 25, Issue 1).
- Guillén, F., Castillo, S., Zapata, P. J., Martínez-Romero, D., Serrano, M., & Valero, D. (2007). Efficacy of 1-MCP treatment in tomato fruit. 1. Duration and concentration of 1-MCP treatment to gain an effective delay of postharvest ripening. *Postharvest Biology and Technology*, 43(1), 23–27. <https://doi.org/10.1016/J.POSTHARVBIO.2006.07.004>
- Hanum, W. (2009). *Ekologi*. Erlangga.

- Hardjodinomo, S. (1980). *Ilmu Iklim Dan Pengairan*. Bina Cipta. [//perpustakaan.ung.ac.id%2Fopac%2Findex.php%3Fp%3Dshow_detail%26id%3D2502](http://perpustakaan.ung.ac.id%2Fopac%2Findex.php%3Fp%3Dshow_detail%26id%3D2502)
- Hasrianda, E. F., & Setiarto, R. H. B. (2022). Genetic Engineering Potential of the Allicin Bioactive Compound Content in Garlic and the Study of Its Functional Properties. *Journal Pangan*, 31(2), 167–190.
- Hay, R. K. M. (1995). Harvest index: a review of its use in plant breeding and crop physiology. In *Ann. appl. Biol* (Vol. 126).
- Heuvelink, E., & Van Der Ploeg, A. (2005). Influence of sub-optimal temperature on tomato growth and yield: A review. *Journal of Horticultural Science & Biotechnology*, 80(6), 652–659. <https://doi.org/10.1080/14620316.2005.11511994>
- Holton, J. R. (2004). *An Introduction to Dynamic Meteorology Fourth Edition* (F. Cynar, Ed.; 4th ed., Vol. 4). Elsevier Academic Press.
- levinsh, G. (2023). Water Content of Plant Tissues: So Simple That Almost Forgotten? *Plants* 2023, Vol. 12, Page 1238, 12(6), 1238. <https://doi.org/10.3390/PLANTS12061238>
- Ilić, S. Z., Milenković, L., Dimitrijević, A., Stanojević, L., Cvetković, D., Kevrešan, Fallik, E., & Mastilović, J. (2017a). Light modification by color nets improve quality of lettuce from summer production. *Scientia Horticulturae*, 226(June), 389–397. <https://doi.org/10.1016/j.scienta.2017.09.009>
- Ilić, S. Z., Milenković, L., Dimitrijević, A., Stanojević, L., Cvetković, D., Kevrešan, Fallik, E., & Mastilović, J. (2017b). Light modification by color nets improve quality of lettuce from summer production. *Scientia Horticulturae*, 226, 389–397. <https://doi.org/10.1016/j.scienta.2017.09.009>
- Ilić, Z. S., & Fallik, E. (2017). Light quality manipulation improves vegetable quality at harvest and postharvest: A review. In *Environmental and Experimental Botany* (Vol. 139, pp. 79–90). Elsevier B.V. <https://doi.org/10.1016/j.envexpbot.2017.04.006>
- Ilić, Z. S., Milenković, L., Šunić, L., & Fallik, E. (2015). Effect of coloured shade-nets on plant leaf parameters and tomato fruit quality. *Journal of the Science of Food and Agriculture*, 95(13), 2660–2667. <https://doi.org/10.1002/jsfa.7000>
- Ilić, Z. S., Milenković, L., & Sunić, L. J. (2016). Photo-selective netting for improved performance of tomato fruit. *Acta Horticulturae*, 1142, 261–268. <https://doi.org/10.17660/ActaHortic.2016.1142.40>
- Islam, T. M., & Toyota, K. (2004). Effect of Moisture Conditions and Pre-Incubation at Low Temperature on Bacterial Wilt of Tomato Caused by *Ralstonia solanacearum*. *Microbes and Environments*, 19(3), 244–247. <https://doi.org/10.1264/JSME2.19.244>
- Jenni, S., & Yan, W. (2009). Genotype by environment interactions of heat stress disorder resistance in crisphead lettuce. *Plant Breeding*, 128(4), 374–380. <https://doi.org/10.1111/j.1439-0523.2009.01657.x>
- Kapotis, G., Zervoudakis, G., Veltsistas, T., & Salahas, G. (2003). Comparison of Chlorophyll Meter Readings with Leaf Chlorophyll Concentration in *Amaranthus vlitus*: Correlation with Physiological Processes. *Russian Journal of Plant Physiology*, 50(3), 395–397. <https://doi.org/10.1023/A:1023886623645>
- Kementerian Perdagangan RI. (2021). *ANALISIS PERKEMBANGAN HARGA BAHAN PANGAN POKOK DI PASAR DOMESTIK DAN INTERNASIONAL*. Pusat Pengkajian Perdagangan Dalam Negeri Badan Pengkajian dan

- Pengembangan Perdagangan.
https://bkperdag.kemendag.go.id/media_content/2021/12/file_kajian_analisis_harga_pangan_pokok_20211220091237o0bx3kapy6.pdf
- Kementerian Pertanian. (2020). *Pendaftaran Varietas Lokal*.
- Kisman, Khumaida, N., Trikoesoemaningtyas, Sobir, & Sopandie, D. (2007). Karakter Morfo-Fisiologi Daun, Penciri Adaptasi Kedelai terhadap Intensitas Cahaya Rendah. *Bul. Agron*, 35(2), 96–102.
- Kumar, A., Verma, N., Nilofer, Kaur, P., Kumar, D., Ghosh, D., Singh, A., Siddiqui, A., Kumar, N., Singh, A. K., Khare, P., & Singh, S. (2022). Physiological and chemical changes induced by transparent polythene + green net shed on *Pelargonium graveolens* L. mother plants during monsoon season. *Industrial Crops and Products*, 188. <https://doi.org/10.1016/j.indcrop.2022.115686>
- Lamina. (1989). *Petunjuk Teknik Budidaya Bawang Putih* (1st ed.). Simplex.
- Leyva, R., Constán-Aguilar, C., Sánchez-Rodríguez, E., Romero-Gámez, M., & Soriano, T. (2015). Cooling systems in screenhouses: Effect on microclimate, productivity and plant response in a tomato crop. *Biosystems Engineering*, 129, 100–111. <https://doi.org/10.1016/j.biosystemseng.2014.09.018>
- Liebig, T., Ribeyre, F., Läderach, P., Poehling, H. M., van Asten, P., & Avelino, J. (2019). Interactive effects of altitude, microclimate and shading system on coffee leaf rust. *Journal of Plant Interactions*, 14(1), 407–415. <https://doi.org/10.1080/17429145.2019.1643934>
- Linsley, R. K. , author. (1986). *Hidrologi untuk insinyur* (3rd ed.). Erlangga. <https://lib.ui.ac.id>
- Liu, W. (2012). Light Environmental Management for Artificial Protected Horticulture. *Agrotechnology*, 01(01). <https://doi.org/10.4172/2168-9881.1000101>
- López-Marín, J., González, A., & Gálvez, A. (2011). Effect of Shade on Quality of Greenhouse Peppers. *Acta Horticulturae*, 895–900. <https://doi.org/10.17660/ActaHortic.2011.893.99>
- Magarey, R. D., Sutton, T. B., & Thayer, C. L. (2005). A simple generic infection model for foliar fungal plant pathogens. *Phytopathology*, 95(1), 92–100. <https://doi.org/10.1094/PHYTO-95-0092>
- Marschner, P. (2011). Marschner's Mineral Nutrition of Higher Plants: Third Edition. In P. Marschner (Ed.), *Marschner's Mineral Nutrition of Higher Plants: Third Edition* (3rd ed., pp. 1–651). Elsevier Inc. <https://doi.org/10.1016/C2009-0-63043-9>
- Martínez, D. L. V., Ureña, L. J. B., Aiz, F. D. M., & Martínez, A. L. (2014). *Los invernaderos de Almería (Análisis de su tecnología y rentabilidad)* (Cajamar Caja Rural, Ed.). Cajamar Caja Rural.
- Maylani, E. D., Yuniati, R., & Wardhana, W. (2020). The Effect of leaf surface character on the ability of water hyacinth, *Eichhornia crassipes* (Mart.) Solms. to transpire water. *IOP Conference Series: Materials Science and Engineering*, 902(1), 012070. <https://doi.org/10.1088/1757-899X/902/1/012070>
- Morales, I., Martínez-Gutiérrez, G. A., Escamirosa-Tinoco, C., Nájera, C., da Cunha-Chiamolera, T. P. L., & Urrestarazu, M. (2018a). Production and quality of *physalis ixocarpa* brot. Fruit under colored shade netting. *HortScience*, 53(6), 823–828. <https://doi.org/10.21273/HORTSCI13100-18>
- Morales, I., Martínez-Gutiérrez, G. A., Escamirosa-Tinoco, C., Nájera, C., da Cunha-Chiamolera, T. P. L., & Urrestarazu, M. (2018b). Production and quality of

- physalis ixocarpa brot. Fruit under colored shade netting. *HortScience*, 53(6), 823–828. <https://doi.org/10.21273/HORTSCI13100-18>
- Mouliya, M. N., Syarief, R., Iriani, E. S., Kusumaningrum, H. D., Suyatma, N. E., Penelitian, B. B., Pengembangan, D., Pertanian, P., Penelitian, B., Pertanian, P., & Pertanian, K. (2018). Antimikroba Ekstrak Bawang Putih. *Jurnal Pangan*, 27(1), 55–66.
- Murphy, T. (2015). *The Root System*. <https://labs.plb.ucdavis.edu/courses/bis/1c/text/Chapter7nf.pdf>
- Novrianty, E. (2020). *Budidaya Bawang Putih*. Badan Penyuluhan Dan Pengembangan Sumber Daya Manusia Pertanian Kementerian Pertanian. <http://cybex.pertanian.go.id/artikel/94799/budidaya-bawang-putih/>
- Odum, E. P. (1959). *Fundamentals of ecology* (Second Edition). W. B. Saunders Company. https://spada.uns.ac.id/pluginfile.php/150010/mod_resource/content/1/Odum%20the%20basic%20of%20ecology.pdf
- Oke, T. R. (1987). *Boundary Layer Climates* (Routledge, Ed.; 2nd edition). Taylor and Francis e-Library.
- Park, Y. Il, Chow, W. S., & Andersen, J. M. (1996). Chloroplast Movement in the Shade Plant *Tradescantia albiflora* Helps Protect Photosystem II against Light Stress. *Plant Physiology*, 111(3), 867–875. <https://doi.org/10.1104/PP.111.3.867>
- Portes, T. de A., & de Melo, H. C. (2014). Light interception, leaf area and biomass production as a function of the density of maize plants analyzed using mathematical models. *Acta Scientiarum. Agronomy*, 36(4), 457–463. <https://doi.org/10.4025/ACTASCIAGRON.V36I4.17892>
- Pusat Data dan Sistem Informasi Pertanian. (2020). *OUTLOOK BAWANG PUTIH (Komoditas Pertanian Subsektor Hortikultura)* (A. A. Susanti & M. A. Supriyatna, Eds.). Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian.
- Rabinowitch, H. D., & Brewster, J. L. (1989). *Onions and Allied Crops Volume I Botany, Physiology and Genetics* (Vol. 1). CRC Press.
- Rahayu, M., Rosliani, R., Dianawati, M., Ruswandi, A., Ridwani, S., Evy Retnaning Prahardini, P., Sutrisna, N., Susanto, B., & Handoko, S. (2022). The adaptability of introduced garlic cultivar in Indonesia. *Original Research*, 10(1), 343–349. <https://www.researchgate.net/publication/357792431>
- Rahman, A. ur, Khan, S. M., Ahmad, Z., Alamri, S., Hashem, M., Ilyas, M., Aksoy, A., Dülgeroğlu, C., & Shahab Ali, G. K. (2021). Impact of multiple environmental factors on species abundance in various forest layers using an integrative modeling approach. *Global Ecology and Conservation*, 29. <https://doi.org/10.1016/j.gecco.2021.e01712>
- Rosmini, A., Rista, A., Dwi, I., Dan, A., & Yulianto, A. (2021). Characterization of Fungus Causing Basal Rot Disease on Wakegi Onions (*Allium x wakegi* Araki). *Agricultural Journal*, 4(3), 341–350. <https://doi.org/10.37637/ab.v4i3.835>
- Rudjiman, S. H. B. W. (1984). *Pengenalan Jenis-Jenis Tanaman Kehutanan*. Universitas Gadjah Mada.
- Santoso, H. B. (1995). *Bawang Putih*. Kanisius.
- Saure, M. C. (1998). Causes of the tipburn disorder in leaves of vegetables. *Scientia Horticulturae*, 76(3–4), 131–147. [https://doi.org/10.1016/S0304-4238\(98\)00153-8](https://doi.org/10.1016/S0304-4238(98)00153-8)

- Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ANE.0000000000002864>
- Setianto, G. (2022). *Pengaruh Aplikasi Asam Giberelin dan Jamur Mikoriza Arbuskula terhadap Pertumbuhan dan Hasil Bawang Putih (Allium sativum L.) "Lumbu Putih" di Dataran Rendah*. Gadjah Mada University.
- Setyanto, P., Hayati, M., Samijan, Pastuti, T. R., & Nurlaily, R. (2018). *Budidaya Sayuran Bawang Putih*. Direktorat Jenderal Hortikultura Kementerian Pertanian. <https://hortikultura.pertanian.go.id/wp-content/uploads/2021/03/BUKU-SAKU-BAWANG-PUTIH-2018.pdf>
- Shahak, Y. (2008). Photo-selective netting for improved performance of horticultural crops. A review of ornamental and vegetable studies carried out in Israel. *Acta Horticulturae*, 770, 161–168. <https://doi.org/10.17660/ActaHortic.2008.770.18>
- Shahak, Y., Gal, E., Offir, Y., & Ben-Yakir, D. (2008a). Photosensitive shade netting integrated with greenhouse technologies for improved performance of vegetable and ornamental crops. *Acta Horticulturae*, 797, 75–80. <https://doi.org/10.17660/ActaHortic.2008.797.8>
- Shahak, Y., Gal, E., Offir, Y., & Ben-Yakir, D. (2008b). Photosensitive shade netting integrated with greenhouse technologies for improved performance of vegetable and ornamental crops. *Acta Horticulturae*, 797, 75–80. <https://doi.org/10.17660/ActaHortic.2008.797.8>
- Shakya, S. K., Goss, E. M., Dufault, N. S., & Van Bruggen, A. H. C. (2015). Potential effects of diurnal temperature oscillations on potato late blight with special reference to climate change. *Phytopathology*, 105(2), 230–238. <https://doi.org/10.1094/PHYTO-05-14-0132-R>
- Simonne, A., Simonne, E., Eitenmiller, R., & Coker, C. H. (2002). Bitterness and Composition of Lettuce Varieties Grown in the Southeastern United States. *HortTechnology*, 12(4), 721–726. <https://doi.org/10.21273/HORTTECH.12.4.721>
- Sitompul, S. M. (2016). *Analisis Pertumbuhan Tanaman* (1st ed.). UB Press.
- Stamps, R. H. (2009). Use of Colored Shade Netting in Horticulture. *Hortscience*, 44(2), 239–241.
- Talley, S. M., Coley, P. D., & Kursar, T. A. (2002). The effects of weather on fungal abundance and richness among 25 communities in the Intermountain West. *BMC Ecology*, 2(7). <http://www.biomedcentral.com/1472-6785/2/7>
- Tanny, J. (2013). Microclimate and evapotranspiration of crops covered by agricultural screens: A review. In *Biosystems Engineering* (Vol. 114, Issue 1, pp. 26–43). <https://doi.org/10.1016/j.biosystemseng.2012.10.008>
- Titisari, A., Setyorini, E., Sutriswanto, S., & Suryantini, H. (2019). *Kiat Sukses Budi Daya Bawang Putih* (E. Setyorini & N. Rachmawati, Eds.). Pusat Perpustakaan dan Penyebaran Teknologi Pertanian.
- United States International Trade Commission. (2017). *Fresh Garlic from China*. https://www.usitc.gov/investigations/701731/2017/fresh_garlic_china/fourth_review_expedited.htm
- Velázquez, A. C., Danve Castroverde, C. M., & Yang He, S. (2018). Review Plant-Pathogen Warfare under Changing Climate Conditions. *Current Biology*, 28(10), 619–634. <https://doi.org/10.1016/j.cub.2018.03.054>

- Velásquez, A. C., Castroverde, C. D. M., & He, S. Y. (2018). Plant–Pathogen Warfare under Changing Climate Conditions. In *Current Biology* (Vol. 28, Issue 10, pp. R619–R634). Cell Press. <https://doi.org/10.1016/j.cub.2018.03.054>
- Wardojo. (1988, April 21). *Deskripsi Bawang Putih Varietas Lumbu Putih*. Kementerian Pertanian. <https://varitas.net/dbvarietas/deskripsi/2029.pdf>
- Wayan, N., Sulastiningsih, H., Aswani, N., & Hermanto, C. (2020). Agronomic Characters Evaluation of Garlic (*Allium sativum* L.) Bulbils. *Proceeding International Conference on Green Agro-Industry*, 4, 197–203.
- Weraduwege, S. M., Chen, J., Anozie, F. C., Morales, A., Weise, S. E., & Sharkey, T. D. (2015). The relationship between leaf area growth and biomass accumulation in *Arabidopsis thaliana*. *Frontiers in Plant Science*, 6(APR). <https://doi.org/10.3389/FPLS.2015.00167>
- Wibowo, S. (1994). *Budidaya Bawang Putih, Bawang Merah, Bawang Bombay*. Penebar Swadaya.
- Woltz, S. S. (1968). Influence of Light Intensity and Photosynthate Export from Leaves on Physiological Leaf Roll of Tomatoes. *Florida Agricultural Experiment Stations Journal Series*, 3157, 208–211.
- Yolandha, F. (2020). *Gunung Kidul Bangkitkan Kembali Produksi Bawang Putih Lokal*. Republika. <https://www.republika.co.id/berita/qc1xgn370/gunung-kidul-bangkitkan-kembali-produksi-bawang-putih-lokal>
- Zhang, Y., Zhu, X., Ma, H., Ren, X., Shi, H., Liu, Z., & Liang, J. (2023). Exogenous glucose reduces the incidence of black rot disease in apricot (*Prunus armeniaca* L.) by regulating energy metabolism and ROS. *Scientia Horticulturae*, 313. <https://doi.org/10.1016/j.scienta.2023.111903>