UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdurrasyid, Z., Astawan, M., Wresdiyati, T., Nurtama, B., & Sirait, Y.I.S. (2021). Mutu fisikokimia dan sensori minuman serbuk tempe. *PANGAN, 30*(2), 117–128.

Abdurrasyid, Z., Astawan, M., Lioe, H.N., & Wresdiyati, T. (2023). Physicochemical and antioxidant properties of germinated soybean tempe after two days additional fermentation time. *Biointerface Research in Applied Chemistry, 13*(3), 1-14. https://doi.org/10.33263/BRIAC133.238.

Adawiyah, D.R., Tjiptoputri, O.M., & Lince. (2020). Profil sensori sediaan pemanis dengan metode Rate-All-That-Apply (RATA). *Jurnal Mutu Pangan, 7*(1), 38–45. https://doi.org/10.29244/jmpi.2020.7.1.38.

Adnan, A.A. (2006). *Karakterisasi fisiko kimia dan mekanis kelobot jagung sebagai bahan kemasan*. [Institut Pertanian Bogor].

Agranoff, J. ed. (2001). *The complete handbook of tempe*. Second ed. Singapore. American Soybean Association.

Alaydrus, A.Z.A. (2022). Analisa kuantitas sistem proses pembuatan es krim berbahan tambahan tepung tempe kedelai. *Journal of Scientech Research and Development, 4*(2), 179–191. http://idm.or.id/JSCR.

Alfanesa, R., Rahayuni, T., & Hartani, L. (2021). Pengaruh jenis kemasan terhadap sifat organoleptik dan kimiawi tempe biji karet. *Jurnal Sains Pertanian Equator, 10*(2), 1–17.

Aliyah, N. (2024). Pembuatan tempe kacang tunggak (Vigna unguiculanta) dengan variasi lama fermentasi menggunakan inokulum tempe. *Journal of Comprehensive Science, 3*(1), 62–78.

Aminah, S., & Hersoelistyorini, W. (2012). Karakteristik kimia tepung kecambah serelia dan kacang-kacangan dengan variasi blanching. *Jurnal Universitas Muhammadiyah Semarang, 1*(1), 1–9.

Andriani, M., Katri, B., & Nurhartadi, E. (2014). Studies on physicochemical and sensory characteristics of overripe tempeh flour as food seasoning. *Academic Research International, 5*(5), 36–45.

Ang, H.G., Nga, B.H., & Lim, K.K. ed. (1989). *7th World Congress of Food Science and Technology*. Singapore. Singapore Institute of Food Science and Technology.

Anggraini, R., & Permatasari, N.D. (2018). Pengaruh lubang perforasi dan jenis plastik kemasan terhadap kualitas sawi hijau (Brassica juncea L.). *Jurnal Penelitian Pascapanen Pertanian, 14*(3), 154–162. https://doi.org/10.21082/jpasca.v14n3.2017.154-162.

AOAC. (1995). *Official methods of analysis (16th ed.)*. Washington, DC. Association of Official Analytical Chemists.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Ares, G., Bruzzone, F., Vidal, L., Cadena, R.S., Giménez, A., Pineau, B., Hunter, D.C., Paisley, A.G., & Jaeger, S.R. (2014). Evaluation of a rating-based variant of check-all-that-apply questions: Rate-all-that-apply (RATA). *Food Quality and Preference, 36*, 87–95. https://doi.org/10.1016/j.foodqual.2014.03.006.

Astawan, M., Cahyani, A., & Wresdiyati, T. (2023). Antioxidant activity and isoflavone content of overripe Indonesian tempe. *Food Research, 7*(1), 42–50.

Astawan, M., Mardhiyyah, Y.S., & Wijaya, C.H. (2018). Potential of bioactive components in tempe for the treatment of obesity. *Jurnal Gizi Dan Pangan, 13*(2), 79–86. https://doi.org/10.25182/jgp.2018.13.2.79-86.

Astawan, M., Wresdiyati, T., & Ichsan, M. (2016). Karakteristik fisikokimia tepung tempe kecambah kedelai. *Jurnal Pangan dan Gizi, 11*(1), 35–42. http://journal.ipb.ac.id/index.php/jgizipangan/article/download/13167/9919.

Astuti, N.P. (2009). *Sifat organoleptik tempe kedelai yang dibungkus plastik, daun pisang dan daun jati*. [Universitas Muhammadiyah Surakarta].

Aýun, Q., Suryani, S., & Kurnia, C. (2022). Identifikasi kapang pada tempe bungkus daun pisang dan plastik asal pengrajin tempe Jatiasih, Bekasi. *Bioed: Jurnal Pendidikan Biologi, 10*(2), 45–51.

Baião, L.F., Rocha, C., Lima, R.C., Valente, L.M.P., & Cunha, L.M. (2022). Development of a Rate-All-That-Apply (RATA) ballot for sensory profiling of sea urchin (Paracentrotus lividus) gonads. *Food Research International, 153*, 1–10. https://doi.org/10.1016/j.foodres.2022.110976.

Bavia, A.C.F., da Silva, C.E., Ferreira, M.P., Santos Leite, R., Mandarino, J.M.G., & Carrão-Panizzi, M.C. (2012). Chemical composition of tempeh from soybean cultivars specially developed for human consumption. *Ciencia e Tecnologia de Alimentos, 32*(3), 613–620. https://doi.org/10.1590/S0101-20612012005000085.

Belgis, M., Arifin, T.Z., Prameswari, D., & Taruna, I. (2023). Sensory profile on robusta coffee by Rate-All-That-Apply (RATA). *Pelita Perkebunan, 39*(1), 32–42. https://doi.org/10.22302/iccri.jur.pelitaperkebunan.v39i1.546.

Belitz, H.D., Grosch, W., & Schieberle, P. (2009). *5 Aroma compounds*. In Food Chemistry. 340–402.

Boekel, M.A.J.S.V. (2006). Formation of flavour compounds in the Maillard reaction. *Biotechnology Advances, 24*(2), 230–233. https://doi.org/10.1016/j.biotechadv.2005.11.004.

Brooker, D.B., Bakker-Arkema, F.W., & Hall, C.W. (1980). *Drying cereal grains*. Westport, Connecticut. The AVI Publishing Company, Inc.

BSN (Badan Standarisasi Nasional). (1995). SNI: 01-3709-1995. Rempah-rempah bubuk.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

BSN (Badan Standarisasi Nasional). (1998). SNI: 01-4476-1998. Tepung bumbu.

Chen, L., Zeng, W., Rong, Y., & Lou, B. (2021). Characterisation of taste-active compositions, umami attributes and aroma compounds in Chinese shrimp. *International Journal of Food Science and Technology, 56*(12), 6311–6321. https://doi.org/10.1111/ijfs.15304.

Danso-Boateng, E. (2013). Effect of drying methods on nutrient quality of Basil (Ocimum viride) leaves cultivated in Ghana. *International Food Research Journal, 20*(4), 1569–1573.

Dewi, N.M.I.K., Suparthana, I.P., & Pratiwi, I.D.P.K. (2021). Evaluasi profil sensori abon ikan jenis pelagis besar menggunakan metode Rate-All-That-Apply (RATA). *ITEPA: Jurnal Ilmu Dan Teknologi Pangan, 10*(1), 324–336. https://doi.org/10.24843/itepa.2021.v10.i03.p01.

Dwitama, F.S. (2018). *Profiling karakteristik sensoris kopi hijau dampit berdasarkan perbedaan metode pengolahan pasca panen dan teknik penyeduhan menggunakan metode Rate-All-That-Apply (RATA)*. [Universitas Brawijaya].

Efendi, Z., Surawan, F.E.D., & Winarto. (2015). Efek blanching dan metode pengeringan terhadap sifat fisikokimia tepung ubi jalar orange (Ipomoea batatas L.). *Jurnal Agroindustri, 5*(2), 109-117.

Efriwati & Nuraida, L. (2013). Effect of two production methods on macro nutrient and isoflavone-aglycone composition in tempeh produced by household industries. *Health Science Indonesian, 4*(2), 69–73.

Ellent, S.S.C., Dewi, L., & Tapilouw, M.C. (2022). Karakteristik mutu tempe kedelai (Glycine max L.) yang dikemas dengan klobot. *AGRITEKNO: Jurnal Teknologi Pertanian, 11*(1), 32–40. https://doi.org/10.30598/jagritekno.2022.11.1.32.

Fadel, H.H.M., Lotfy, S.N., Asker, M.M.S., Mahmoud, M.G., & Al-Okbi, S.Y. (2018). Nutty-like flavor production by Corynbacterium glutamicum 1220T from enzymatic soybean hydrolysate. Effect of encapsulation and storage on the nutty flavoring quality. *Journal of Advanced Research, 10*, 31–38. https://doi.org/10.1016/j.jare.2018.01.003.

Feng, X.M., Larsen, T.O., & Schnurer, J. (2007). Production of volatile compounds by Rhizopus oligosporus during soybean and barley tempeh fermentation. *International Journal of Food Microbiology, 113*, 133–141. https://doi.org/10.1016/j.ijfoodmicro.2006.06.025.

Fibrianto, K., & Dwihindarti, M. (2016). Profiling atribut jamu kunyit asam dan jamu sinom dengan metode RATA (Rate-All-That-Apply) pada beberapa kota di Jawa Timur. *J.Rekapangan, 10*(1), 15–22.

Fuke, S., & Ueda, Y. (1996). Interactions between umami and other flavor characteristics. *Trends in Food Science and Technology, 7*(12), 407–411. https://doi.org/10.1016/S0924-2244(96)10042-X.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Fung, D.Y.C., & Crozier-Dodson, A. (2008). *Tempeh, a mold-modified indigenous fermented food*. Boca Raton, London. CRC Press.

Gao, J., Fang, D., Muinde, B., Chen, X., Wu, X., Du, J., Yang, Q., Chen, H., Zheng, H., An, X., Zhao, L., & Hu, Q. (2021). Analysis of umami taste substances of morel mushroom (Morchella sextelata) hydrolysates derived from different enzymatic systems. *Food Chemistry, 362*, 1–11.

Gunawan-Puteri, M.D.P.T., Hassanein, T.R., Prabawati, E.K., Wijaya, C.H., & Mutukumira, A.N. (2015). Sensory characteristics of seasoning powders from overripe tempeh, a solid state fermented soybean. *Procedia Chemistry, 14*, 263–269. https://doi.org/10.1016/j.proche.2015.03.037.

Habibi, A. (2011). *Karakteristik sensori dan kimia tempe overripe (tempe "bosok") sebagai food seasoning (bumbu penyedap masakan).* [Universitas Sebelas Maret].

Hachmeister, K.A., & Fung, D.Y.C. (1993). Tempeh: A Mold-modified indigenous fermented food made from soybeans and/or cereal grains. *Critical Reviews in Microbiology, 19*(3), 137–188. https://doi.org/10.3109/10408419309113527.

Haliza, W., Purwani, E. Y., & Thahir, R. (2007). Pemanfaatan kacang-kacangan lokal sebagai substitusi bahan baku tempe dan tahu. *Buletin Teknologi Pascapanen Pertanian, 3*, 1–8.

Han, B.Z., Ma, Y., Rombouts, F.M., & Nout, M.J.R. (2003). Effects of temperature and relative humidity on growth and enzyme production by Actinomucor elegans and Rhizopus oligosporus during sufu pehtze preparation. *Food Chemistry, 81*, 27–34.

Handoyo, T., & Morita, N. (2006). Structural and functional properties of fermented soybean (Tempeh) by using rhizopus oligosporus. *International Journal of Food Properties, 9*(2), 347–355. https://doi.org/10.1080/10942910500224746.

Haron, H., & Raob, N. (2014). Changes in macronutrient, total phenolic and anti-nutrient contents during preparation of tempeh. *Journal of Nutrition & Food Sciences, 4*(2), 1–5. https://doi.org/10.4172/2155-9600.1000265.

Hasni, D., Irfan, & Saputri, R. (2021). Pengaruh formulasi bahan baku dan CMC (Carboxy Methyl Cellulose) terhadap mutu dan penerimaan konsumen susu nabati. *Jurnal Teknologi dan Industri Pertanian Indonesia, 13(*2), 78–85. https://doi.org/10.17969/jtipi.v13i2.21268.

Hastuti, S., Harijono, H., Murtini, E.S., & Fibrianto, K. (2018). Parametric and non-parametric approach for sensory RATA (Rate-All-That-Apply) method of ledre profile attributes. *IOP Conference Series: Earth and Environmental Science, 131*, 1–5. https://doi.org/10.1088/1755-1315/131/1/012015.

Ikasari, L., & Mitchell, D.A. (1998). Mimicking gas and temperature changes during enzyme production by Rhizopus oligosporus in solid

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

state fermentation. *Biotechnology Letters*, *20*(4), 349–353. https://doi.org/10.1023/A:1005319128217.

Irvan, Nabilah, Y., Prananta, L., Setiyaningsih, I., & Widi, P. (2021). Study of the effect of wrapping type and yeast concentration on the making of peanuts tempeh. *IOP Conference Series: Materials Science and Engineering*, *1122*, 1–10. https://doi.org/10.1088/1757-899x/1122/1/012091.

Jayanti, R.C.T. (2022). *Analisis profil sensori produk cokelat ready to drink dengan metode Rate-All-That-Apply (RATA) berdasarkan kesukaan konsumen*. [Universitas Sebelas Maret].

Kaczmarska, K.T., Chandra-Hioe, M.V., Frank, D., & Arcot, J. (2018). Aroma characteristics of lupin and soybean after germination and effect of fermentation on lupin aroma. *LWT - Food Science and Technology*, *87*, 225–233. https://doi.org/10.1016/j.lwt.2017.08.080.

Kadaryati, S., Arinanti, M., & Afriani, Y. (2021). Formulasi dan uji sensori produk bumbu penyedap berbasis jamur tiram (Pleurotus ostreatus). *AgriTECH*, *41*(3), 285–293.

Kainuma, K., Odat, T., & Cuzuki, S. (1967). Study of starch phosphates monoesters. *Journal of Technology Society Starch*, *14*, 24-28.

Kato, H., Rhue, M.R., & Nishimura, T. (1989). *Role of free amino acids and peptides in food taste*. In Flavor chemistry trends and developments (pp. 158–174). American Chemical Society. https://doi.org/10.1021/bk-1989-0388.ch013.

Kementerian Kesehatan. (2018). Data Komposisi Pangan Indonesia: Kacang kedelai, segar.

Kementerian Kesehatan. (2018). Data Komposisi Pangan Indonesia: Tempe kedelai murni, mentah.

Kibar, E., Gonenc, I., & Us, F. (2010). Gelatinization of waxy, normal and high amylose corn starches. *Research*, *35*(4), 237–244.

Kim, S.Y., Kim, B.M., Kim, J.B., Shanmugavelan, P., Kim, H.W., Kim, S.Y., Kim, S.N., Cho, Y.S., Choi, H.S., & Park, K.M. (2014). Effect of steaming, blanching, and high temperature/high pressure processing on the amino acid contents of commonly consumed Korean vegetables and pulses. *Preventive Nutrition and Food Science*, *19*(3), 220–226. https://doi.org/10.3746/pnf.2014.19.3.220.

Kovac, B., & Raspor, P. (1997). The use of the mould rhizopus oligosporus in food production. *Food technol. Biotechnol*, *35*(1), 69–73.

Kuligowski, M., Pawłowska, K., Jasińska-Kuligowska, I., & Nowak, J. (2016). Isoflavone composition, polyphenols content and antioxidative activity of soybean seeds during tempeh fermentation. *CYTA - Journal of Food*, *15*(1), 27–33. https://doi.org/10.1080/19476337.2016.1197316.

Kun, J., Meng, Q., Wei, C.C., Xie, G., Yan, J., Ho, C.T., & Tong, H. (2022). Characterization of the key compounds responsible for the fermented

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

soybean-like cup aroma of raw Pu-erh tea using instrumental and sensory methods. *Lwt. 162*, 1-8. https://doi.org/10.1016/j.lwt.2022.113458.

Leksrisompong, P., Gerard, P., Lopetcharat, K., & Drake, M. (2012). Bitter taste inhibiting agents for whey protein hydrolysate and whey protein hydrolysate beverages. *Journal of Food Science, 00*(0), 1–6. https://doi.org/10.1111/j.1750-3841.2012.02800.x.

Mahdi, S. A., Astawan, M., Wulandari, N., & Muhandri, T. (2023). Sensory profiling of tempe functional drink powder using rate-all-that-apply method. *Food Research, 7*(2), 19–26.

Mardiah. (1992). *Mempelajari sifat fungsional dan nilai gizi tepung tempe serta pengembangan produk olahannya sebagai makanan tambahan bagi anak*. [Institut Pertanian Bogor].

Martha, E. A., Jariyah, & Rosida. (2022). Pengaruh penambahan guar gum dan minyak sawit merah terhadap karakteristik fisikokimia mellorine sari tempe. *AGRITEPA: Jurnal Ilmu Dan Teknologi Pertanian, 9*(1), 53–68.

Mastika, A.C., Praptiningsih, Y., & Fauzi, M. (2011). Karakteristik sambal tumpang dari campuran tempe segar dan tempe terfermentasi lanjut selama penyimpanan suhu rendah. *Berkala Ilmiah Pertanian, 10*, 1–5.

Mastuti, T. S., & Handayani, R. (2014). Senyawa kimia penyusun ekstrak ethyl asetat dari daun pisang batu dan ambon hasil distilasi air. *Prosiding SNST Ke-5 Tahun 2014 Fakultas Teknik Universitas Wahid Hasyim Semarang*, 60–64.

Mathatheeranan, P., Wongprasert, T., Wang, Y., Fang, M., Lu, T.J., & Suppavorasatit, I. (2024). Characterization of potent odorants in northern Thai fermented black and yellow soybeans (thua nao) using solvent-assisted flavor evaporation, aroma extract dilution analysis techniques and omission studies of aroma reconstitution models. *Journal of Food Composition and Analysis, 128*, 1-12. https://doi.org/10.1016/j.jfca.2024.106031.

Mau, J.L. (2005). The umami taste of edible and medicinal mushrooms. International *Journal of Medicinal Mushrooms, 7*(1–2), 119–125. https://doi.org/10.1615/IntJMedMushr.v7.i12.120.

Metty, Inayah, Widiany, F.L., & Shayida, H. (2022). Analisis kesukaan tepung tempe semangit berbahan dasar kacang kedelai import dan lokal sebagai bumbu penyedap. *Prosiding Seminar Nasional Universitas Respati Yogyakarta, 4*(1), 49–53.

Mital, B.K., & Steinkraus, K.H. (1975). Utilization of oligosaccharides during fermentation by lactic acid bacteria. *Journal of Food Science, 40*, 114–118.

Mufidah, I., Azizah, N., & Darni, J. (2018). Analisis perbedaan jenis pembungkus terhadap kadar proksimat dan daya terima tempe biji

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

lamtoro (Leucaena leucocephala). *Darussalam Nutrition Journal*, *2*(2), 21–31.

Mujianto. (2013). Analisis faktor yang mempengaruhi proses produksi tempe produk UMKM di Kabupaten Sidoarjo. *REKA Agroindustri*, *1*(1), 1–8. http://ejournal.uwks.ac.id/detailjurnal.aspx?v=20131054041334917 3&x=1.

Mukherjee, S., & Chattopadhyay, P.K. (2007). Whirling bed blanching of potato cubes and its effects on product quality. *Journal of Food Engineering*, *78*, 52–60. https://doi.org/10.1016/j.jfoodeng.2005.09.001.

Mulyani, S. (2013). *Karakterisasi tepung tempe dari empat varietas kedelai impor dan aplikasinya menjadi minuman*. [Institut Pertanian Bogor].

Mulyowidarso, R., Fleet, G., & Buckle, K. (1991). Changes in the concentration of organic acids during the soaking of soybeans for tempe production. *International Journal of Food Scien*, *26*, 607–614.

Munarko, H., Jariyah, J., & Kurnianto, M.A. (2023). Profiling atribut sensori kukis nastar menggunakan metode Rate-All-That-Apply (RATA). *Gorontalo Agriculture Technology Journal*, *6*(2), 55–64. https://doi.org/10.32662/gatj.v0i0.2711.

Murdijati-Gardjito, Indrati, R., Yuniarti, Z., & Hendrasty, H.K. (2019). *Gastronomi Indonesia Jilid 2*. Yogyakarta. Global Pustaka Utama.

Nadilla. (2018). *Pengaruh penggunaan daun jati (Tectona grandis) terhadap lama fermentasi dan uji organoleptik tempe sebagai penunjang mata kuliah bioteknologi*. [Universitas Islam Negeri Ar-Raniry].

Nedele, A.K., Gross, S., Rigling, M., & Zhang, Y. (2021). Reduction of green off-flavor compounds: Comparison of key odorants during fermentation of soy drink with Lycoperdon pyriforme. *Food Chemistry*, *334*, 1-10. https://doi.org/10.1016/j.foodchem.2020.127591.

Nout, M.J.R. & Rombouts, F.M. (1990). A review: Recent developments in tempeh research. *Journal of Applied Bacteriology*, *69*, 609–633.

Nuraini, V., Puyanda, I.R., Kunciati, W.A.S., & Margareta, L.A. (2022). Perubahan kimia dan mikrobiologi tempe busuk selama fermentasi. *Jurnal Agroteknologi*, *15*(02), 127-137. https://doi.org/10.19184/j-agt.v15i02.25729.

Nurmadhani, B.S. (2017). *Pengaruh jenis bahan pengemas terhadap karakteristik sensoris dan kenampakan tempe kedelai lokal*. [Universitas Gadjah Mada].

Nurrahman, Astuti, M., Suparmo, & Soesatyo, M.H.N.E. (2012). Pertumbuhan jamur, sifat organoleptik dan aktivitas antioksidan tempe kedelai hitam yang diproduksi dengan berbagai jenis inokulum. *AgriTECH*, *32*(1), 60–65. https://doi.org/10.22146/agritech.9657.

Nowak, J., & Szebiotko, K. (1992). Some biochemical changes during soybean and pea tempeh fermentation. *Food Microbiology*, *9*, 37–43. https://doi.org/10.1016/0740-0020(92)80060-H.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Oda, Y., Yajima, Y., Kinoshita, M., & Ohnishi, M. (2003). Differences of Rhizopus oryzae strains in organic acid synthesis and fatty acid composition. *Food Microbiology*, *20*, 371–375. https://doi.org/10.1016/S0740-0020(02)00131-4.

Olanipekun, B.F., Otunola, E.T., Adelakun, O.E., & Oyelade, O.J. (2009). Effect of fermentation with Rhizopus oligosporus on some physico-chemical properties of starch extracts from soybean flour. *Food and Chemical Toxicology*, *47*(7), 1401–1405. https://doi.org/10.1016/j.fct.2009.02.023.

Owens, J. D. (2014). *Indigenous fermented foods of southeast Asia*. In Indigenous Fermented Foods of Southeast Asia. https://doi.org/10.1201/b17835.

Pamungkas, E.M.P., Dewi, L., & Tapilouw, M.C. (2022). Penambahan angkak (monascus purpureus) pada tempe dalam peningkatan antioksidan. *Teknologi Pangan: Media Informasi dan Komunikasi Ilmiah Teknologi Pertanian*, *13*(2), 144–155. https://doi.org/10.35891/tp.v13i2.2923.

Pangastuti, A., Alfisah, R.K., Istiana, N.I., Sari, S.L.A., Setyaningsih, R., Susilowati, A., & Purwoko, T. (2019). Metagenomic analysis of microbial community in over-fermented tempeh. *Biodiversitas*, *20*(4), 1106–1114. https://doi.org/10.13057/biodiv/d200423.

Peng, X., Li, X., Shi, X., & Guo, S. (2014). Evaluation of the aroma quality of Chinese traditional soy paste during storage based on principal component analysis. *Food Chemistry*, *151*, 532–538. https://doi.org/10.1016/j.foodchem.2013.11.095.

Peng, X., Wang, Y., Xing, J., Wang, R., Shi, X., & Guo, S. (2017). Food Hydrocolloids Characterization of particles in soymilks prepared by blanching soybeans and traditional method: A comparative study focusing on lipid-protein interaction. *Food Hydrocolloids*, *63*, 1–7.

Pradana. (2019). *Korelasi kadar protein dan lemak terhadap cita rasa tempe kedelai (Glycine max L.) goreng yang beredar di kota Malang.* [Universitas Brawijaya].

Pramita, A.R.I. (2012). *Peningkatan kestabilan larutan dan penambahan cocoa bubuk pada pembuatan formula tepung tempe*. [Universitas Hasanuddin].

Prativi, M.B.N., Astuti, D.I., Putri, S.P., Laviña, W.A., Fukusaki, E., & Aditiawati, P., (2023). Metabolite changes in indonesian tempe production from raw soybeans to over-fermented tempe. *Metabolites*, *13*(2), 1–16. https://doi.org/10.3390/metabo13020300.

Prinyawiwatkul, W., Beuchat, L.R., McWatters, K.H., & Phillips, R.D. (1996). Changes in fatty acid, simple sugar, and oligosaccharide content of cowpea (Vigna unguiculata) flour as a result of soaking, boiling, and fermentation with Rhizopus microsporus var. oligosporus. *Food*

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemistry, *57*(3), 405–413. https://doi.org/10.1016/0308-8146(95)00242-1.

Pudjiastuti, W., Listyarini, A., & Rizki, M.I. (2013). Pengaruh laju transmisi uap air polymer blend polibutilen suksinat (PBS) dan linear low density polyethylene (LLDPE) terhadap umur simpan sup krim instan rasi. *Jurnal Kimia Kemasan, 35*(1), 1–5.

Purwaningsih & Wanita, Y.P. (2013). *Kacang tanah sebagai alternatif pengganti bahan baku pada usaha mikro kecil menengah tempe di Gunungkidul*. Balai Pengkajian Teknologi Pertanian Yogyakarta.

Putri, F.L. & Kartikawati, D. (2022). Optimasi konsentrasi ragi dan jenis pembungkus dalam pembuatan tempe kacang tunggak (Vigna unguiculata (L.) Walp.). *Jurnal Agrifoodtech, 1*(2), 103–118.

Putri, B.D., Widyastuti, S., & Werdiningsih, W. (2018). Tempe kacang komak dengan beberapa pembungkus yang berbeda selama fermentasi. *Pro Food (Jurnal Ilmu Dan Teknologi Pangan), 4*(2), 343–350. https://doi.org/10.29303/profood.v4i2.86.

Rachmawati, M., Soetjipto, H., & Kristijanto, A. (2019). Profil asam lemak minyak tempe busuk. *Jurnal Kimia, 13*(1), 82–87.

Radiati, A., & Sumarto. (2016). Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan, 5*(1), 16–22. https://doi.org/10.17728/jatp.v5i1.32.

Rahayu, E.S., Indrati, R., Utami, T., Harmayani, E., & Cahyanto, M.N. (1993). *Bahan pangan hasil fermentasi*. Yogyakarta. PAU Pangan & Gizi.

Rahayu, W.P., Pambayun, R., Santoso, U., Nuraida, L., & Ardiansyah. (2015). *Tinjauan ilmiah teknologi pengolahan tempe kedelai*. Perhimpunan Ahli Teknologi Pangan Indonesia.

Rahmadian, Y., Supriyadi, Santoso, U., Mahmudah, N.A., & Ichsan, O.A.N. (2019). Non-volatile taste components and amino acid profile of jengkol (Pithecellobium jiringa) seed flour after steam blanching. *International Journal of Food Properties, 22*(1), 1536–1547. https://doi.org/10.1080/10942912.2019.1657445.

Ramadhani, A.R. (2015). *Karakteristik organoleptik bubuk flavor kepala ikan tenggiri dengan bahan pengisi tepung terigu*. [Universitas Padjajaran].

Ribeiro, L., Miguel, M., Evangelista, S., Martins, P., Mullem, J., Belizario, M., & Schwan, R. (2017). Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical and sensorial properties of the final beverage. *Food Research International, 92*, 26–32. https://doi.org/10.1016/j.foodres.2016.12.011.

Rifqi, M., Rohmayanti, T., Sania, F.R., & Hapsari, U.D. (2023). Profil sensori pada roti tawar dengan penambahan tepung kulit buah naga merah

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

dengan menggunakan metode Rate-All-That-Apply (RATA). *Jurnal Agroindustri Halal, 9*(3), 332–342.

Rinawan, B.E. (2015). *Pengaruh macam pembungkus (daun dan plastik) terhadap profil pertumbuhan bakteri asam laktat dan bakteri proteolitik indigenous pada fermentasi tempe*. [Universitas Gadjah Mada].

Rokhmah, L.N., Anam, C., Handajani, S., & Rachmawati, D. (2009). Kajian kadar asam fitat dan kadar protein selama pembuatan tempe kara benguk (Mucuna pruriens) dengan variasi pengecilan ukuran dan lama fermentasi. *Biofarmasi*, *7*(1), 1–9. https://doi.org/10.13057/biofar/f070101.

Roland, W.S.U., Vincken, J.P., Gouka, R.J., Van Buren, L., Gruppen, H., & Smit, G., (2011). Soy isoflavones and other isoflavonoids activate the human bitter taste receptors hTAS2R14 and hTAS2R39. *Journal of Agricultural and Food Chemistry*, *59*(21), 11764–11771. https://doi.org/10.1021/jf202816u.

Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science, 26*, 1–9. https://doi.org/10.1016/j.ijgfs.2021.100413.

Rosida, Prianto, A.D., Munarko, H., & Kurnianto, M.A. (2023). Variation of fermentation time of crystal guava leaf tea (Psidium guajava L.) on antioxidant activity and sensory profile with Rate-All-That-Apply method. *FOODSCITECH*, *6*(1), 42–50.

Rosyidi, M., & Fahruddin, A. (2022). Rancang bangun cabinet dryer dengan variasi kecepatan blower menggunakan pembakaran arang pada tanaman cabai. *Procedia of Engineering and Life Science, 3*, 1–10.

Ruiz-Terán, F., & Owens, J.D. (1999). Fate of oligosaccharides during production of soya bean tempe. *Journal of the Science of Food and Agriculture*, *79*(2), 249–252.https://doi.org/10.1002/(SICI)1097-0010(199902)79:2<249:AID-JSFA180>3.0.CO;2-1.

Saldivar, X., Wang, Y.J., Chen, P., & Mauromoustakos, A. (2010). Effects of blanching and storage conditions on soluble sugar contents in vegetable soybean. *LWT - Food Science and Technology, 43*, 1368–1372. https://doi.org/10.1016/j.lwt.2010.04.017.

Salim, R. (2017). Analisis jenis kemasan terhadap kadar protein dan kadar air pada tempe. *Jurnal Katalisator*, *2*(2), 106. https://doi.org/10.22216/jk.v2i2.2531.

Santhirasegaram, V., George, D.S., Anthony, K.K., Singh, H.K.B., Saruan, N.M., Razali, Z., & Somasundram, C. (2016). Effects of soybean processing and packaging on the quality of commonly consumed local delicacy tempe. *Journal of Food Quality, 39*, 675–684. https://doi.org/10.1111/jfq.12252.

Sarrette, M., Nout, M.J.R., Gervais, P., & Rombouts, F.M. (1992). Effect of water activity on production and activity of Rhizopus oligosporus

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

polysaccharidases. *Applied Microbiology and Biotechnology, 37*, 420-425. https://doi.org/10.1007/BF00180961.

Sayuti. (2015). Pengaruh bahan kemasan dan lama inkubasi terhadap kualitas tempe kacang gude sebagai sumber belajar IPA. *BIOEDUKASI (Jurnal Pendidikan Biologi), 6*(2), 148–158. https://doi.org/10.24127/bioedukasi.v6i2.345.

Setyaningsih, D., Anton, A., & Maya, P.S. (2010). *Analisis sensori untuk Industri Pangan dan Agro*. Bogor. Institut Pertanian Bogor Press.

Seulalae, A.V., Prangdimurti, E., Adawiyah, D.R., & Nurjanah. (2023). Evaluasi tingkat keasinan relatif dan profil sensori garam rumput laut menggunakan metode magnitude estimation dan Rate-All-That-Apply (RATA). *JPHPI, 26*(1), 54–66.

Sielberberg, M. (2012). *Chemistry: The Molecular Nature of Matter and Change 6th edn*. New York, N.Y., McGraw Hill.

Silva, J.D., Prudencio, S., Carrão-Panizzi, M., Gregorut, C., Fonseca, F., & Mattoso, L. (2012). Study on the flavour of soybean cultivars by sensory analysis and electronic tongue. *International Journal of Food Science and Technology, 47*, 1630–1638. https://doi.org/10.1111/j.1365-2621.2012.03013.x.

Sitanggang, A.B., Firdausi, N.Z., & Budijanto, S. (2021). Antioxidant activity of a mixture between water-soluble tempeh extract and whey powder that has undergone a Maillard reaction. *Future of Food: Journal on Food, Agriculture and Society, 9*(5), 1–12. https://doi.org/10.17170/kobra-202110144897.

Soegiharto, I.S. (1995). *Mempelajari pembuatan cookies dengan substitusi tepung tempe*. [Institut Pertanian Bogor].

Song, J.Y., An, G.H., & Kim, C.J. (2003). Color, texture, nutrient contents, and sensory values of vegetable soybeans [Glycine max (L.) Merrill] as affected by blanching. *Food Chemistry, 83*(1), 69–74. https://doi.org/10.1016/S0308-8146(03)00049-9.

Steinkraus, K.H. (1983). *Handbook of indigenous fermented foods*. New York, USA. Marcel Dekker, Inc.

Suhartanti, P.D., Handajani, S., & Nandariyah. (2019). Physical characteristics of the seeds of soybean (Glycine max) varieties and the effect of fermentation time on the chemical characteristics of tempeh. *Cell Biology & Development, 3*(1), 13-18.

Sumasto, C.Y., & Budiasih, S. (1997). Penelitian pengaruh pembungkus plastik terhadap kualitas tempe kedele dengan variasi jenis plastik dan lobang plastik. *Majalah Barang Kulit, Karet dan Plastik, 12*(25), 48–53.

Sun, L., Zhang, Z., Xin, G., Sun, B., Bao, X., Wei, Y., Zhao, X., & Xu, H. (2020). Advances in umami taste and aroma of edible mushrooms. *Trends in Food Science and Technology, 96*, 176–187. https://doi.org/10.1016/j.tifs.2019.12.018.

UNIVERSITAS
GADJAH MADA
**Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk
Tempe Bosok**
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Suprapto. (2004). Pengaruh lama blanching terhadap kualitas stik ubi jalar (Ipomoea batatas L.) dari tiga varietas. *Prosiding Temu Teknis Nasional Tenaga Fungsional Pertanian Tahun 2004*, 220-228.

Suprihatin. (2010). *Teknologi Fermentasi*. UNESA Press. Surabaya.

Suprijono, M., & Sutedja, A. (2008). Efek metode blanching uap dalam pembuatan biskuit tepung tempe terhadap penerimaan konsumen. *Prosiding Seminar Nasional: Peningkatan Keamanan Pangan Menuju Pasar Global*, 152–159. http://repository.wima.ac.id/8393/1/%286%29.

Supriyono. (2003). *Memproduksi tempe*. Jakarta. Direktorat Pendidikan Menengah Kejurusan. Departemen Pendidikan Nasional.

Sweers, L.J.H., Keppler, J.K., Feng, S., Zea, J.A., Veen, H.V.B. De, Timmermans, R. A.H., Boom, R.M., Fogliano, V., Lakemond, C.M.M., & Mishyna, M. (2024). High hydrostatic pressure for decontamination of soluble insect proteins prevents protein denaturation better than blanching. *Innovative Food Science and Emerging Technologies*, *96*(103743).

Syukri, D., Silvy, D., & Ramadani, S.F. (2022). Effect of various cooking methods on quality and sensory characteristics of tempeh made from soybeans and corn. *And. Int. J. Agric. Nat. Sci. 3*(2), 87–113.

Tanuwidjaja, L., Hariyadi, H.R., & Mulyati, Y. (1991). Faktor-faktor yang mempengaruhi kualitas tempe di Indonesia. *Jurnal Ekonomi Pertanian dan Agribisnis (JEPA), 1*(1), 31–34.

Taylor, M., Hershey, H., Levine, R., Coy, K., & Olivelle, S. (1981). Improved method of resolving nucleotides by reversed-phase high-performance liquid chromatography. *Journal of Chromatography, 219*(1), 133–139.

Tikk, M., Tikk, K., Tørngren, M.A., Meinert, L., Aaslyng, M.D., Karlsson, A.H., & Andersen, H.J. (2006). Development of inosine monophosphate and its degradation products during aging of pork of different qualities in relation to basic taste and retronasal flavor perception of the meat. *Journal of Agricultural and Food Chemistry, 54*, 7769–7777. https://doi.org/10.1021/jf060145a.

Trifunovic, N. (2002). *Small community water supplies/IRC technical paper series 40*. Ed. Smet, J & van Wijk, C. Chapter 20: Water transmission. The Netherlands. Delft.

Tseng, Y.H., Lee, Y.L., Li, R.C., & Mau, J.L. (2005). Non-volatile flavour components of Ganoderma tsugae. *Food Chemistry, 90*, 409–415. https://doi.org/10.1016/j.foodchem.2004.03.054.

Umami, S., Jaya, I.K.S., Darawati, M., & Widiada, I.G.N. (2018). Kajian sifat organoleptik dan masa simpan tempe kedelai dengan beberapa jenis kemasan. *Jurnal Gizi Prima, 3*(2), 142–148.

Utami, R., Wijaya, C.H., & Lioe, H.N. (2016). Taste of water-soluble extracts obtained from over-fermented tempe. *International Journal of Food Properties*, *19*(9), 2063–2073. https://doi.org/10.1080/10942912.2015.1104509.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Varzakas, T., Mahn, A., Perez, C., Miranda, M., & Barrientos, H. (2015). *Blanching*. In T. Varzakas & C. Tzia (Eds.), Handbook of Food Processing: Food Preservation (pp. 1–26). CRC Press. https://doi.org/10.1201/b19397-2.

Vidal, L., Jaeger, S.R., Antúnez, L., Giménez, A., & Ares, G. (2016). Product spaces derived from projective mapping and CATA questions: Influence of replicated assessments and increased number of study participants. *Journal of Sensory Studies, 31*(5), 373–381. https://doi.org/10.1111/joss.12220.

Wang, T.Y., Li, Q., & Bi, K.S. (2018). Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian Journal of Pharmaceutical Sciences, 13*, 12–23. https://doi.org/10.1016/j.ajps.2017.08.004.

Watanabe, N., Endo, Y., Fujimoto, K., & Aoki, H. (2006). Tempeh-like fermented soybean (GABA-tempeh) has an effective influence on lipid metabolism in rats. *Journal of Oleo Science, 55*(8), 391–396. https://doi.org/10.5650/jos.55.391.

Webb, J., Bolhuis, D.P., Cicerale, S., Hayes, J.E., & Keast, R. (2015). The relationships between common measurements of taste function. *Chemosensory Perception, 8*(1), 11–18. https://doi.org/10.1007/s12078-015-9183-x.

Wihandini, D.A., Arsanti, L., & Wijanarka, A. (2012). Sifat fisik, kadar protein dan uji organoleptik tempe kedelai hitam dan tempe kedelai kuning dengan berbagai metode pemasakan. *Nutrisia, 14*(1), 34–43.

Winarno, F.G. (2004). *Kimia pangan dan gizi*. Gramedia Pustaka Utama. Jakarta.

Winarno, F.G., Winarno, W., & Winarno, A.D.A. (2017). *Tempe: kumpulan fakta menarik berdasarkan penelitian*. Gramedia. Jakarta.

Wulandari, D., Komar, N., & Sumarlan, S.H. (2013). Perekayasaan pangan berbasis produk lokal Indonesia (studi kasus sosis berbahan baku tempe kedelai). *Jurnal Bioproses Komoditas Tropis, 1*(2), 73–82.

Xie, C., Zeng, H., Li, J., & Qin, L. (2019). Comprehensive explorations of nutritional, functional and potential tasty components of various types of sufu, a Chinese fermented soybean appetizer. *Food Sci. Technol. Campinas, 39*(1), 105–114. https://doi.org/10.1590/fst.37917.

Xiao, H., Pan, Z., Deng, L., El-Mashad, H., Yang, X., Mujumdar, A., Gao, Z., & Zhang, Q. (2017). Recent developments and trends in thermal blanching-a comprehensive review. *Information Processing in Agriculture, 4*, 101–127. http://dx.doi.org/10.1016/j.inpa.2017.02.001.

Yamaguchi, S., Tomoko, Y., Shingo, I., & Tsunehiko, N. (1971). Measurement of the relative taste intensity of some L-a-amino acids and 5'-nucleotides. *Journal of Food Science, 36*, 846–849.

Yang, J., Lin, H., & Mau, J. (2001). Non-volatile taste components of several commercial mushrooms. *Food Chemistry, 72*, 465–471.

UNIVERSITAS
GADJAH MADA
Perbedaan Lama Fermentasi, Kemasan dan Proses Blanching terhadap Karakteristik Rasa dan Flavor Bubuk Tempe Bosok
Ayodya, Prof. Dr. Ir. Supriyadi, M.Sc
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Yao, J., Zhao, W., Bai, X., Wan, P., Liu, J., & Chen, D.W. (2023). Non-volatile taste active compounds in the meat of river snail (Sinotaia quadrata) determined by 1H NMR, e-tongue and sensory analysis. *International Journal of Gastronomy and Food Science, 34*, 1–9. https://doi.org/10.1016/j.ijgfs.2023.100803.

Yue, J., Zhang, Y., Jin, Y., Deng, Y., & Zhao, Y. (2016). Impact of high hydrostatic pressure on non-volatile and volatile compounds of squid muscles. *Food Chemistry, 194*, 12–19. https://doi.org/10.1016/j.foodchem.2015.07.134.

Zhang, L., Zhang, L., & Xu, Y. (2020). Effects of Tetragenococcus halophilus and Candida versatilis on the production of aroma-active and umami-taste compounds during soy sauce fermentation. *Journal of the Science of Food and Agriculture, 100*, 2782–2790. https://doi.org/10.1002/jsfa.10310.

Zhao, C.J., Schieber, A., & Gänzle, M.G. (2016). Formation of taste-active amino acids, amino acid derivatives and peptides in food fermentations – A review. *Food Research International, 89*, 39–47. https://doi.org/10.1016/j.foodres.2016.08.042.

Zioga, E., Tøstesen, M., Madsen, S.K., Shetty, R., & Bang-Berthelsen, C.H. (2022). Bringing plant-based Cli-meat closer to original meat experience: insights in flavor. *Future Foods, 5*, 1–13. https://doi.org/10.1016/j.fufo.2022.100138.