

REFERENCES

- Aberdeen, T. (2013). Yin, R. K. (2009). Case study research: Design and methods (4th Ed.). Thousand Oaks, CA: Sage. *The Canadian Journal of Action Research*, 14(1), 69–71.
<https://doi.org/10.33524/cjar.v14i1.73>
- Aung, S. T., Nyunt, W. W., Moe, M. M., Aung, H. L., & Lwin, T. (2022). The fourth national tuberculosis prevalence survey in Myanmar. *PLOS Global Public Health*, 2(6), e0000588.
<https://doi.org/10.1371/journal.pgph.0000588>
- Ayakaka, I., Ackerman, S., Ggita, J. M., Kajubi, P., Dowdy, D., Haberer, J. E., Fair, E., Hopewell, P., Handley, M. A., Cattamanchi, A., Katamba, A., & Davis, J. L. (2017). Identifying barriers to and facilitators of tuberculosis contact investigation in Kampala, Uganda: a behavioral approach. *Implementation Science*, 12(1), 33.
<https://doi.org/10.1186/s13012-017-0561-4>
- Ayieko, J., Abuogi, L., Simchowitz, B., Bukusi, E. A., Smith, A. H., & Reingold, A. (2014). Efficacy of isoniazid prophylactic therapy in prevention of tuberculosis in children: a meta-analysis. *BMC Infectious Diseases*, 14(1), 91. <https://doi.org/10.1186/1471-2334-14-91>
- Benoit Vásquez, G. I., Morrobel, A. L., Benjumea-Bedoya, D., & del Corral-Londoño, H. (2022). Barriers and facilitators for isoniazid preventive therapy (IPT) administration in children under 5 years of age in the Dominican Republic. *BMC Infectious Diseases*, 22(1), 359. <https://doi.org/10.1186/s12879-022-07333-2>
- Carroll, C., Patterson, M., Wood, S., Booth, A., Rick, J., & Balain, S. (2007). A conceptual framework for implementation fidelity. *Implementation Science*, 2(1), 1–9.
<https://doi.org/10.1186/1748-5908-2-40/FIGURES/1>
- Census, 2014. (2014). *Census Population Dashboard | MIMU*.
https://themimu.info/Census_2014_SR_dashboard
- Frydenberg, A. R., & Graham, S. M. (2009). Toxicity of first-line drugs for the treatment of tuberculosis in children: review. *Tropical Medicine & International Health*, 14(11), 1329–1337. <https://doi.org/10.1111/j.1365-3156.2009.02375.x>
- Ghimire, A., Mahendradhata, Y., Paudel, S., Lama Yonzon, C., K. C., B., Sharma, S., & Utarini, A. (2022). Implementation fidelity of tuberculosis preventive therapy for under five children exposed to sputum smear-positive pulmonary tuberculosis in Kaski district,

<https://doi.org/10.1371/journal.pone.0263967>

Goroh, M. M. D., van den Boogaard, C. H. A., Lukman, K. A., Lowbridge, C., Juin, W. K., William, T., Jeffree, M. S., & Ralph, A. P. (2023). Factors affecting the implementation of tuberculosis contact investigation and tuberculosis preventive therapy among children in Sabah, East Malaysia: A qualitative study. *PLOS ONE*, 18(5), e0285534.

<https://doi.org/10.1371/journal.pone.0285534>

International Union Against Tuberculosis Committee on Prophylaxis. (1982). Efficacy of various durations of isoniazid preventive therapy for tuberculosis: five years of follow-up in the IUAT trial. International Union Against Tuberculosis Committee on Prophylaxis. *Bulletin of the World Health Organization*, 60(4), 555–564.

<http://www.ncbi.nlm.nih.gov/pubmed/6754120>

James Bell Associates, 2009. (2009). *EVALUATION BRIEF Measuring Implementation Fidelity*.

Khine, M. M. (2022). Feasibility Study of Sustainable Urban Development in Yangon city (Case study- Hlaing Thar Yar Township). *INTERNATIONAL JOURNAL OF RESEARCH CULTURE SOCIETY* ISSN: 2456-6683 Monthly Peer-Reviewed, Refereed, Indexed Journal. <https://doi.org/10.2017/IJRCS/202201025>

Kironde, S., & Bajunirwe, F. (2002). Lay workers in directly observed treatment (DOT) programmes for tuberculosis in high burden settings: Should they be paid? A review of behavioural perspectives. *African Health Sciences*, 2(2), 73–78.

<http://www.ncbi.nlm.nih.gov/pubmed/12789106>

Lestari, T., Graham, S., van den Boogaard, C., Triasih, R., Poespoprodjo, J. R., Ubra, R. R., Kenangalem, E., Mahendradhata, Y., Anstey, N. M., Bailie, R. S., & Ralph, A. P. (2019). Bridging the knowledge-practice gap in tuberculosis contact management in a high-burden setting: a mixed-methods protocol for a multicenter health system strengthening study. *Implementation Science*, 14(1), 31. <https://doi.org/10.1186/s13012-019-0870-x>

Myanmar, N. (n.d.). *National Tuberculosis Programme – Myanmar*. Retrieved July 4, 2023, from https://ntpmyanmar.org/?option=com_content&view=article&id=98&Itemid=132

Myanmar NSP, 2020. (2021). *Ministry of Health and Sports*.

Pai, M., Behr, M. A., Dowdy, D., Dheda, K., Divangahi, M., Boehme, C. C., Ginsberg, A., Swaminathan, S., Spigelman, M., Getahun, H., Menzies, D., & Ravigliione, M. (2016).

<https://doi.org/10.1038/nrdp.2016.76>

- Pérez, D., Van der Stuyft, P., Zabala, M. del C., Castro, M., & Lefèvre, P. (2015). A modified theoretical framework to assess implementation fidelity of adaptive public health interventions. *Implementation Science*, 11(1), 91. <https://doi.org/10.1186/s13012-016-0457-8>
- Rutherford, M. E., Ruslami, R., Maharani, W., Yulita, I., Lovell, S., Van Crevel, R., Alisjahbana, B., & Hill, P. C. (2012). Adherence to isoniazid preventive therapy in Indonesian children: A quantitative and qualitative investigation. *BMC Research Notes*, 5(1), 7. <https://doi.org/10.1186/1756-0500-5-7>
- Satyanarayana, S., Pretorius, C., Kanchar, A., Garcia Baena, I., Den Boon, S., Miller, C., Zignol, M., Kasaeva, T., & Falzon, D. (2023). Scaling Up TB Screening and TB Preventive Treatment Globally: Key Actions and Healthcare Service Costs. *Tropical Medicine and Infectious Disease*, 8(4), 214. <https://doi.org/10.3390/tropicalmed8040214>
- Seid, G., Tsedalu, T., Ayele, M., & Khamesipour, F. (2020). Adherence to Isoniazid Preventive Therapy among Under-Five Children in Contact with Adult Bacteriologically Confirmed Pulmonary Tuberculosis Patients: A Mixed-Method Study. *International Journal of Microbiology*, 2020, 1–8. <https://doi.org/10.1155/2020/8834806>
- Spyridis, P., Sinaniotis, C., Papadea, I., Oreopoulos, L., Hadjiyiannis, S., & Papadatos, C. (1979). Isoniazid liver injury during chemoprophylaxis in children. *Archives of Disease in Childhood*, 54(1), 65–67. <https://doi.org/10.1136/adc.54.1.65>
- Tornee, S., Kaewkungwal, J., Fungladda, W., Silachamroon, U., Akarasewi, P., & Sunakorn, P. (2005). Factors associated with the household contact screening adherence of tuberculosis patients. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 36(2), 331–340. <http://www.ncbi.nlm.nih.gov/pubmed/15916038>
- Wambiya, E. O. A., Atela, M., Eboreime, E., & Ibisomi, L. (2018). Factors affecting the acceptability of isoniazid preventive therapy among healthcare providers in selected HIV clinics in Nairobi County, Kenya: a qualitative study. *BMJ Open*, 8(12), e024286. <https://doi.org/10.1136/bmjopen-2018-024286>
- WHO. (2008). Implementing the WHO Stop TB Strategy. *Implementing the WHO Stop TB Strategy: A Handbook for National Tuberculosis Control Programmes*.

WHO. (2020a). *WHO consolidated guidelines on tuberculosis. Module 1, Prevention : tuberculosis preventive treatment.* 41.

WHO. (2020b). *Global Tuberculosis Report 2020.*

<https://www.who.int/publications/i/item/9789240013131>

WHO, 2019. (2019). Latent TB Infection: Updated and consolidated guidelines for programmatic management Available from: <http://www.who.int/tb/publications/2018/latent-tuberculosis-infection/en/>. *Patient Care*, 38(8), 13–14.

WHO, 2021a. (2021). *Global Tuberculosis Report 2021.*

<https://www.who.int/publications/digital/global-tuberculosis-report-2021>

WHO, 2021b. (2021). *A situational analysis of programmatic management of TB preventive treatment in the WHO South-East Asia Region.*

<https://apps.who.int/iris/handle/10665/337381>

WHO, 2022a. (2022). *Global Tuberculosis Report 2022.* <https://www.who.int/teams/global-tuberculosis-programme/tb-reports/global-tuberculosis-report-2022>

WHO, 2022b. (2022). *Journey of tb preventive treatment(tpt) provision in Myanmar.* WHO International. [https://www.who.int/myanmar/our-work/journey-of-tb-preventive-treatment-\(tpt\)-provision-in-Myanmar](https://www.who.int/myanmar/our-work/journey-of-tb-preventive-treatment-(tpt)-provision-in-Myanmar)

WHO, 2023a. (2023). *Tuberculosis.* <https://www.who.int/news-room/fact-sheets/detail/tuberculosis>

WHO, 2023b. (2023). *How Myanmar achieved the 2020 milestone of reducing TB disease burden.* <https://www.who.int/southeastasia/news/feature-stories/detail/how-myanmar-achieved-the-2020-milestone-of-reducing-TB-disease-burden>