

## DAFTAR PUSTAKA

- Aakanksha, Yadava, S. K., Yadav, B. G., Gupta, V., Mukhopadhyay, A., Pental, D., & Pradhan, A. K. (2021). Genetic Analysis of Heterosis for Yield Influencing Traits in Brassica juncea Using a Doubled Haploid Population and Its Backcross Progenies. *Frontiers in Plant Science*, 12(September), 1–18. <https://doi.org/10.3389/fpls.2021.721631>
- Abdi, A., & Molin, P. (2007). Lilliefors/Van Soest's test of normality. *Dictionary of Statistics & Methodology*. <https://doi.org/10.4135/9781412983907.n1060>
- Abenezer, A., Legesse, W., & Wosene, G. (2020). Standard heterosis and trait association of maize inbred lines using line x tester mating design in Ethiopia. *African Journal of Plant Science*, 14(5), 192–204. <https://doi.org/10.5897/ajps2019.1839>
- Aguirre-Becerra, H., García-Trejo, J. F., Vazquez-Hernandez, C., Alvarado, A. M., Feregrino-Perez, A. A., Contreras-Medina, L. M., & Guevara-Gonzalez, R. G. (2020). Effect of extended photoperiod with a fixed mixture of light wavelengths on tomato seedlings. *HortScience*, 55(11), 1832–1839. <https://doi.org/10.21273/HORTSCI15342-20>
- Ahmad, M., Ullah Khan, Z., Iqbal, M., Khan, B., Saleem, M., & Ullah, I. (2015). Study of heterosis in different cross combinations of tomato for yield and yield components International Journal of Biosciences | IJB |. *Int. J. Biosci*, 7(2), 12–18.
- Akinyode, E. T., Ariyo, O. J., & Popoola, A. R. (2020). Genotype x Environment Interaction of Some Selected Tomato ( *Lycopersicon esculentum* L .) Genotypes Using AMMI and GGE Biplot Analyses. *International Journal of Plant Research*, 10(4), 72–78. <https://doi.org/10.5923/j.plant.20201004.02>
- Alam, M. S., Hossain, S., Ali, M. A., Hossain, M. G., & Islam, M. F. (2020). Assessment of genetic divergence in tomato (*Solanum lycopersicum* L.) through clustering and principal component analysis. *Journal of Agricultural Science & Engineering Innovation*, 1(1), 10–14.
- Alam, T., Suryanto, P., Supriyanta, Basunanda, P., Wulandari, R. A., Kastono, D., Widyawan, M. H., Nurmansyah, & Taryono. (2021). Rice cultivar selection in an agroforestry system through gge-biplot and eblup. *Biodiversitas*, 22(11), 4750–4757. <https://doi.org/10.13057/biodiv/d221106>
- Ali, Q., Ekan, M., & Jan, I. (2017). Morphological and agronomic characterization of tomato under field conditions. *Pure and Applied Biology*, 6(3), 1021–1029. <https://doi.org/10.19045/bspab.2017.600108>
- Amin, A., Wani, K. P., Dar, Z., Jabeen, N., & Mushtaq, F. (2017). Hybridization Studies in Tomato (*Solanum lycopersicum* L.). *International Journal of Pure & Applied Bioscience*, 5(6), 64–70. <https://doi.org/10.18782/2320-7051.5240>
- Anisa, W. N., Afifah, E. N., & Murti, R. H. (2022). Selection of tomato breeding lines based on morphological traits associated with high yield potential in double-cross population. *Biodiversitas*, 23(6), 2973–2980. <https://doi.org/10.13057/biodiv/d230624>
- Arshadi, A., Karami, E., Sartip, A., Zare, M., & Rezaabakhsh, P. (2018). Genotypes performance in relation to drought tolerance in barley using multi-environment trials. *Agronomy Research*, 16(1), 5–21. <https://doi.org/10.15159/AR.18.004>
- Arunkumar, B., Gangapp, E., Ramesh, S., L. Savithramma, D., Nagaraju, N., & Lokesh, R. (2020). Stability Analysis of Maize (*Zea mays* L.) Hybrids for Grain Yield and Its Attributing Traits Using Eberhart and Russel Model. *Current*

- Journal of Applied Science and Technology*, 39(1), 52–63.  
<https://doi.org/10.9734/cjast/2020/v39i130480>
- Avdikos, I. D., Nteve, G. M., Apostolopoulou, A., Tagiakas, R., Mylonas, I., Xynias, I. N., Papathanasiou, F., Kalaitzis, P., & Mavromatis, A. G. (2021). Analysis of re-heterosis for yield and fruit quality in restructured hybrids, generated from crossings among tomato recombinant lines. *Agronomy*, 11(5).  
<https://doi.org/10.3390/agronomy11050822>
- Avdikos, I. D., Tagiakas, R., Tsouvaltzis, P., Mylonas, I., Xynias, I. N., & Mavromatis, A. G. (2021). Comparative evaluation of tomato hybrids and inbred lines for fruit quality traits. *Agronomy*, 11(3), 1–14.  
<https://doi.org/10.3390/agronomy11030609>
- Ayarna, A. W., Tsukagoshi, S., Nkansah, G. O., Lu, N., & Maeda, K. (2020). Evaluation of tropical tomato for growth, yield, nutrient, and water use efficiency in recirculating hydroponic system. *Agriculture (Switzerland)*, 10(7), 1–11. <https://doi.org/10.3390/agriculture10070252>
- Basuki, T. M. (2015). Leaf Area Index Derived From Hemispherical Photograph and Its Correlation With Above-Ground Forest Biomass. *Indonesian Journal of Forestry Research*, 2(1), 31–41. <https://doi.org/10.20886/ijfr.2015.2.1.647.31-41>
- Begna, T. (2021). Combining ability and heterosis in plant improvement. *Open Journal of Plant Science*, 6, 108–117. <https://doi.org/10.17352/ojps.000043>
- Bosi, S., Negri, L., Fakaros, A., Oliveti, G., Whittaker, A., & Dinelli, G. (2022). GGE Biplot Analysis to Explore the Adaption Potential of Italian Common Wheat Genotypes. *Sustainability (Switzerland)*, 14(2).  
<https://doi.org/10.3390/su14020897>
- Carsono, N., Desiana, N., Nurrisqi, F. M., Elfakhriano, I. F., Anas, Sari, S., Kusumiyati, Ohsawa, R., Shimono, A., & Ezura, H. (2022). Evaluation of agronomic and fruit quality traits of miraculin transgenic tomato. *Biodiversitas*, 23(4), 2004–2009. <https://doi.org/10.13057/biodiv/d230435>
- Chitwood, D. H., Kumar, R., Headland, L. R., Ranjan, A., Covington, M. F., Ichihashi, Y., Fulop, D., Jiménez-Gómez, J. M., Peng, J., Maloof, J. N., & Sinhaa, N. R. (2013). A quantitative genetic basis for leaf morphology in a set of precisely defined tomato introgression lines. *Plant Cell*, 25(7), 2465–2481.  
<https://doi.org/10.1105/tpc.113.112391>
- Cohen, Y., Farkash, S., Reshit, Z., & Baider, A. (1997). Oospore production of *Phytophthora infestans* in potato and tomato leaves. *Phytopathology*, 87(2), 191–196. <https://doi.org/10.1094/PHYTO.1997.87.2.191>
- Constantinescu, D., Memmah, M. M., Vercambre, G., Génard, M., Baldazzi, V., Causse, M., Albert, E., Brunel, B., Valsesia, P., & Bertin, N. (2016). Model-assisted estimation of the genetic variability in physiological parameters related to tomato fruit growth under contrasted water conditions. *Frontiers in Plant Science*, 7(DECEMBER2016), 1–17.  
<https://doi.org/10.3389/fpls.2016.01841>
- Cubero, C. & Baquiran, P. (2017). Tomato Production Guide. *Department of Agriculture, Regional Field Office No. 02, High Value Crops Development Program*, 53(9), 1–16.
- Demelash, H. (2024). Genotype by environment interaction, AMMI, GGE biplot, and mega environment analysis of elite *Sorghum bicolor* (L.) Moench genotypes in humid lowland areas of Ethiopia. *Heliyon*, 10(5), e26528.  
<https://doi.org/10.1016/j.heliyon.2024.e26528>
- Djidonou, D., Leskovar, D. I., Joshi, M., Jifon, J., Avila, C. A., Masabni, J., Wallace, R. W., & Crosby, K. (2020). Stability of yield and its components in grafted tomato tested across multiple environments in Texas. *Scientific Reports*,

- 10(1), 1–14. <https://doi.org/10.1038/s41598-020-70548-3>
- Drost, D. (2000). Vegetable crops production guide for the atlantic provinces. *Atlantic Provinces Agriculture*.
- Duarah, D. P. (2022). Determination of growth and yield stability in Tomato (*Solanum lycopersicum* L.) genotypes by using AMMI and GGE Biplot Analysis in different districts of Assam. *Research Square*, 1–15. <https://doi.org/https://doi.org/10.21203/rs.3.rs-2036640/v1> License:
- Eberhart, S. A., & Russell, W. A. (1966). Stability Parameters for Comparing Varieties 1. *Crop Science*, 6(1), 36–40. <https://doi.org/10.2135/cropsci1966.0011183x000600010011x>
- Enang, E. M., Kadams, A. M., Simon, S. J., & Lous, S. Y. (2015). Heterosis and General Combining Ability Study on Heat Tolerant Tomato (*Lycopersicum esculentum* Mill). *International Journal of Horticulture*, 5(17). <https://doi.org/oi:10.5376/ijh.2015.05.0017>
- Ene, C. O., Abtew, W. G., Oselebe, H. O., Chukwudi, U. P., Okechukwu, E. C., Ozi, F. U., Menamo, T. M., Ene, C. K., & Atugwu, A. I. (2024). Selfing revealed potential for higher yield performance than backcrossing among tomato segregating populations of *Solanum lycopersicum* × *S. pimpinellifolium* crosses under tropical humid climate. *Journal of Agriculture and Food Research*, 15(December 2023), 100993. <https://doi.org/10.1016/j.jafr.2024.100993>
- Ene, C. O., Abtew, W. G., Oselebe, H. O., Ozi, F. U., & Ikeogu, U. N. (2022). Genetic characterization and quantitative trait relationship using multivariate techniques reveal diversity among tomato germplasms. *Food Science and Nutrition*, 10(7), 2426–2442. <https://doi.org/10.1002/fsn3.2850>
- Ene, C. O., Abtew, W. G., Oselebe, H. O., Ozi, F. U., Ogah, O., Okechukwu, E. C., & Chukwudi, U. P. (2023). Hybrid Vigor and Heritability Estimates in Tomato Crosses Involving *Solanum lycopersicum* × *S. pimpinellifolium* under Cool Tropical Monsoon Climate. *International Journal of Agronomy*, 2023. <https://doi.org/10.1155/2023/3003355>
- Fadloli, R. (2018). *Seleksi Generasi F3 Three Way Cross Tomat (Solanum lycopersicum L.) Berdasarkan Komponen Hasil dan Kekerasan Buah*. Fakultas Pertanian Universitas Gadjah Mada.
- Falconer, D. S. (1962). Introduction to Quantitative Genetics. In *Population (French Edition)* (Vol. 17, Issue 1). <https://doi.org/10.2307/1525780>
- Fardhani, A., Ambarwati, E., Trisnowati, S., & Murti, R. H. (2013). Potensi Hasil, Mutu dan Daya Simpan Buah Enam Galur Mutan Harapan Tomat (*Solanum lycopersicum* L.). *Vegetalika*, 2(4), 88–100.
- Febrianto, R. D. (2017). *Pola Pewarisan Sifat Komponen Kualitas Buah Tomat (Solanum lycopersicum) Three Way Cross*. Fakultas Pertanian Universitas Gadjah Mada.
- Fikre, G., Mensa, A., & Wodaje, A. (2022). Adaptability evaluation of improved Tomato (*Lycopersicon esculentum* Mill.) varieties for yield and other quantitative traits in Arba Minch, Southern Ethiopia. *International Journal of Agricultural Research, Innovation and Technology*, 12(1), 79–83. <https://doi.org/10.3329/ijarit.v12i1.61035>
- Finlay, K. W., & Wilkinson, G. N. (1963). The analysis of adaptation in a plant-breeding programme. *Australian Journal of Agricultural Research*, 16(6), 742–754. <https://doi.org/https://doi.org/10.1071/AR9630742>
- Fortuny, A. P., Bueno, R. A., Pereira Da Costa, J. H., Zanor, M. I., & Rodríguez, G. R. (2021). Tomato fruit quality traits and metabolite content are affected by reciprocal crosses and heterosis. *Journal of Experimental Botany*, 72(15), 5407–5425. <https://doi.org/10.1093/jxb/erab222>

- Franziska, S., & Christine, B. (2020). Flowering patterns change along elevational gradients and relate to life - history strategies in 29 herbaceous species. *Alpine Botany*, 130(1), 41–58. <https://doi.org/10.1007/s00035-020-00231-w>
- Freeman, J. H., McAvoy, E. J., Boyd, N. S., Kanissery, R., Smith, H. A., Desaegeer, J., Noling, J. W., & Vallad, G. E. (2019). Tomato production. *Vegetable Production Handbook of Florida*, 349–392. <https://edis.ifas.ufl.edu/publication/CV292>
- Fry, W. E., Birch, P. R. J., Judelson, H. S., Grünwald, N. J., Danies, G., Everts, K. L., Gevens, A. J., Gugino, B. K., Johnson, D. A., Johnson, S. B., McGrath, M. T., Myers, K. L., Ristaino, J. B., Roberts, P. D., Secor, G., & Smart, C. D. (2015). Five reasons to consider phytophthora infestans a reemerging pathogen. *Phytopathology*, 105(7), 966–981. <https://doi.org/10.1094/PHYTO-01-15-0005-FI>
- Gomez, K. A., & Gomez, A. A. (1995). Statistical Procedures for Agricultural Research (Prosedur Statistika untuk Penelitian Pertanian, alih bahasa : E. Sjamsuddin, Justika dan Baharsjah). (2nd ed.). UI Press.
- Goulet, B. E., Roda, F., & Hopkins, R. (2017). Hybridization in plants: Old ideas, new techniques[OPEN]. *Plant Physiology*, 173(1), 65–78. <https://doi.org/10.1104/pp.16.01340>
- Gupta, A., Kumari, M., Sharan, H., Kumar, A., Kumar, A., Singh, S., & Singh, S. (2023). Multi-environment investigations using GGE biplot and regression model for higher spike yield and essential oil content in lavender (*Lavandula angustifolia*). <https://doi.org/10.1080/0972060X.2023.2273264>
- Hamisu, H. S., Ado, S. G., Yeye, M. Y., Usman, I. S., M. Mohammed, S., Usman, A., O. Afolayan, S., Yaduma, J. J., Mohammad, S. M., Idris, B. A., Gwammaja, M. Y., Hudu, A. H., & Sanda, N. B. (2018). Heterosis for Fruit Yield and Heat Tolerance Traits in Tomato (*Lycopersicon lycopersicum* Mill.) Under Field Conditions. *Journal of Agricultural Studies*, 5(4), 48. <https://doi.org/10.5296/jas.v6i2.13047>
- Hatchavanich, D. (2014). A Comparison of Type I Error And Power Of Bartlett's Test, Levene's Test And O'brien's Test For Homogeneity Of Variance Tests. *Southeast-Asian J. of Sciences*, 3(2), 181–194.
- Hossain, S., Alam, S., Alam, S. S., Sarker, B., & Islam, A. (2022). Genotype-by-Environment interactions in Maize hybrids using GGE-biplot and AMMI model. *Journal of Agricultural Science & Engineering Innovation*, 2(2), 3–11.
- Hu, X. (2014). Combined yield comparison and stability evaluation of rape genotypes using the mixed model. *Field Crops Research*, 167, 11–18. <https://doi.org/10.1016/j.fcr.2014.07.001>
- Ivanov, A. A., Ukladov, E. O., & Golubeva, T. S. (2021). Phytophthora infestans: An overview of methods and attempts to combat late blight. *Journal of Fungi*, 7(12). <https://doi.org/10.3390/jof7121071>
- Jiang, K., Liberatore, K. L., Park, S. J., Alvarez, J. P., & Lippman, Z. B. (2013). Tomato Yield Heterosis Is Triggered by a Dosage Sensitivity of the Florigen Pathway That Fine-Tunes Shoot Architecture. *PLoS Genetics*, 9(12). <https://doi.org/10.1371/journal.pgen.1004043>
- Jiang, X., Zhao, Y., Tong, L., Wang, R., & Zhao, S. (2019). Quantitative analysis of tomato yield and comprehensive fruit quality in response to deficit irrigation at different growth stages. *HortScience*, 54(8), 1409–1417. <https://doi.org/10.21273/HORTSCI14180-19>
- Jocković, M., Cvejić, S., Jocić, S., Marjanović-Jeromela, A., Miladinović, D., Jocković, B., Miklić, V., & Radić, V. (2019). Evaluation of sunflower hybrids in multi-environment trial (MET). *Turkish Journal of Field Crops*, 24(2), 202–210. <https://doi.org/10.17557/tjfc.645276>



- Jones, J. J. B. (2007). *Tomato Plant Culture In The Field, Green House and Home Garden* (Secound). CRC Press.
- Kanneh, S. M., Osei, M. K., Akromah, R., Frimpong, M., Leone, S., & Hill, P. M. P. T. (2016). *Estimate of Heterosis in Early Generations of Tomato (*Solanum lycopersicum* L.)*. 704–716.
- Karem, M. H., Al-Abedy, A. N., & Kadhim, J. H. (2023). Effect of Tomato yellow leaf curl virus (TYLCV) Infection of some Tomato (*Solanum lycopersicom* L.) Genotypes on Fruits Content of Lycopene and some Vitamins. *IOP Conference Series: Earth and Environmental Science*, 1259(1). <https://doi.org/10.1088/1755-1315/1259/1/012092>
- Karnataka State Department of Horticulture. (2023). *Good Agricultural Practices in Tomato Cultivation*. Karnataka State Department of Horticulture.
- Kathimba, F. K., Kimani, P. M. K., Narla, R. D., & Kiriika, L. M. (2022). Heterosis and combining ability for related traits in tomato. *African Crop Science Journal*, 30(s1), 109–125. <https://doi.org/10.4314/acsj.v30is1.9s>
- Katsenios, N., Andreou, V., Sparangis, P., Djordjevic, N., Giannoglou, M., Chanioti, S., Stergiou, P., Xanthou, M. Z., Kakabouki, I., Vlachakis, D., Djordjevic, S., Katsaros, G., & Efthimiadou, A. (2021). Evaluation of plant growth promoting bacteria strains on growth, yield and quality of industrial tomato. *Microorganisms*, 9(10), 1–17. <https://doi.org/10.3390/microorganisms9102099>
- Kepmentan no 12. (2019). *Teknis Penyusunan Deskripsi Dan Pengujian Kebenaran Varietas Tanaman Hortikultura*. 2, 5–10.
- Kil, E. J., Kim, S., Lee, Y. J., Byun, H. S., Park, J., Seo, H., Kim, C. S., Shim, J. K., Lee, J. H., Kim, J. K., Lee, K. Y., Choi, H. S., & Lee, S. (2016). Tomato yellow leaf curl virus (TYLCV-IL): A seed-transmissible geminivirus in tomatoes. *Scientific Reports*, 6(January), 1–10. <https://doi.org/10.1038/srep19013>
- Kishor, N., Kherawat, B. S., Pant, R., & Kendra, K. V. (2022). *Scientific Cultivation of Tomato*. 2(9).
- Kumar, P., Paliwal, A., Tiwari, D., Upadhyay, S., & Bahuguna, P. (2016). Heterosis Studies for Yield Andits Attributing Traits in Tomato Under Mid-Hill Conditions of Garhwal. *International Journal of Advanced Research*, 4(11), 750–757. <https://doi.org/10.21474/ijar01/2141>
- Kumar, R., Srivastava, K., Kumar, V., Saroj, S. K., Sharma, S. K., & Singh, R. K. (2019). Heterosis analysis in tomato (*Solanum lycopersicum* L.) for Lycopene, TSS, titrable acidity and Ascorbic acid. *Electronic Journal of Plant Breeding*, 10(4), 1547–1553. <https://doi.org/10.5958/0975-928X.2019.00198.4>
- Kumar, R., Srivastava, K., Somappa, J., Kumar, S., & Singh, R. K. (2012). Heterosis for yield and yield components in Tomato (*Lycopersicon esculentum* Mill). *Electronic Journal of Plant Breeding*, 3(2), 800–805.
- Kumar, S., & Ramanjini Gowda, P. H. (2016). Estimation of heterosis and combining ability in tomato for fruit shelf life and yield component traits using line x tester method. *International Journal of Agronomy and Agricultural Research*, 9(3), 2223–7054. <http://www.innspub.net/wp-content/uploads/2016/09/IJAAR-V9No3-p10-19.pdf>
- Kumar, S., Ramanjini Gowda, P. H., & Mallikarjuna, N. M. (2015). Evaluation of selected F6 tomato lines for extended shelf life. *Sabrao Journal of Breeding and Genetics*, 47(4), 326–334.
- Kuzmitskaya, G. A., & Kuliakina, N. V. (2020). A comprehensive assessment of tomato collection varieties by yield and parameters of adaptability in monsoon climate conditions. *IOP Conference Series: Earth and Environmental Science*, 547(1), 0–6. <https://doi.org/10.1088/1755-1315/547/1/012018>
- Lemi, Y., & Diro, D. (2022). Heterotic Groupings, Perse Performance and Standard

- Heterosis of Quality Protein Maize (*Zea Mays* L.) for Yield and Yield Contributor Traits Adapted at Mid Altitude of Ethiopia. *EAS Journal of Biotechnology and Genetics*, 4(4), 55–67. <https://doi.org/10.36349/easjbg.2022.v04i04.003>
- Liu, Z., Jiang, J., Ren, A., Xu, X., Zhang, H., Zhao, T., Jiang, X., Sun, Y., Li, J., & Yang, H. (2021). Heterosis and combining ability analysis of fruit yield, early maturity, and quality in tomato. *Agronomy*, 11(4). <https://doi.org/10.3390/AGRONOMY11040807>
- Mahfud. (2015). *Evaluasi daya hasil dan kualitas buah tiga belas hibrida tomat (*Solanum lycopersicum* L.)*. fakultas pertanian universitas gadjah mada.
- Metwally, E., El - Kassas, A., El - Tantawy, A., Mahmoud, M., & El-Mansy, A. (2015). Heterosis and Combining Ability in Tomato By Line X Tester. *Journal of Plant Production*, 6(2), 159–173. <https://doi.org/10.21608/jpp.2015.49296>
- Mishra, A., Nandi, A., Thriveni, V., Das, S., Mohanty, I. C., & Pattanayak, S. K. (2021). Heterosis in tomato (*Solanum lycopersicum*) hybrids for growth, yield and quality traits. ~ 220 ~ *The Pharma Innovation Journal*, 10(6), 220–229. <http://www.thepharmajournal.com>
- Mitchell, B. A., Uchanski, M. E., & Elliott, A. (2019). Fruit Cluster Pruning of Tomato in an Organic High-Tunnel System. *Hort Science*, 54(2), 311–316. <https://doi.org/10.21273/HORTSCI13487-18>
- Mortazavian, S. M. M., & Azizi-Nia, S. (2014). Nonparametric stability analysis in multi-environment trial of canola. *Turkish Journal of Field Crops*, 19(1), 108–117. <https://doi.org/10.17557/tjfc.41390>
- Mugao, L. (2023). Morphological and Molecular Variability of *Alternaria solani* and *Phytophthora infestans* Causing Tomato Blights. 2023. <https://doi.org/10.1155/2023/8951351>
- Muthoni, J., & Shimelis, H. (2020). Mating designs commonly used in plant breeding: A review. *Australian Journal of Crop Science*, 14(12), 1855–1969. <https://doi.org/10.21475/ajcs.20.14.12.p2588>
- Nasrullah. (1981). A Modified Procedure for Identifying Varietal Stability. In *Agricultural Science* (Vol. 3, Issue 4, pp. 153–159).
- Nnungu, S., & Uguru, M. (2015). Expression of heterosis in floral traits and fruit size in tomato (*Solanum lycopersicum*) hybrids. *Agro-Science*, 13(3), 24. <https://doi.org/10.4314/as.v13i3.4>
- Nowicki, M., Nowakowska, M., Niezgoda, A., & Kozik, E. (2012). *Alternaria* black spot of crucifers: Symptoms, importance of disease, and perspectives of resistance breeding. *Vegetable Crops Research Bulletin*, 76(1), 5–19. <https://doi.org/10.2478/v10032-012-0001-6>
- OECD. (2017). Safety Assessment of Transgenic Organisms. In *Safety Assessment of Transgenic Organisms* (Vol. 7). <https://doi.org/10.1787/9789264053465-en>
- Panthee, D. R., Kressin, J. P., & Piotrowski, A. (2018). Heritability of Flower Number and Fruit Set under Heat Stress in Tomato. *HortScience*, 53(9), 1294–1299. <https://doi.org/10.21273/HORTSCI13317-18>
- Pattnaik, P., Singh, A. K., Kumar, B., Mishra, D., Singh, B. K., Barman, K., & Pal, A. K. (2020). Analysis of heterotic pattern of F1's in tomato (*Solanum lycopersicum* L.) for the improvement of yield and quality traits. *International Journal of Chemical Studies*, 8(4), 3160–3165. <https://doi.org/10.22271/chemi.2020.v8.i4am.10136>
- Penelitian, B., Sayuran, T., Tangkuban, J., No, P., Barat, B., & Barat, J. (2015). *Evaluasi Nilai Heterosis dan Heterobeltiosis Beberapa Persilangan Mentimun (*Cucumis sativus* L.) pada Berbagai Altitud [ Evaluation of Heterosis and Heterobeltiosis Value of Some Cucumber Crosses (*Cucumis sativus* L.) at Different Altitude ]*. 1–8.

- PPVT. (2021). Panduan Umum Penyusunan Deskripsi Varietas Tanaman Sayuran.
- Pratama, R. A. (2019). *Mutu Buah 12 Galur Tomat (*Solanum lycopersicum* L.) Generasi F5*. fakultas pertanian universitas gadjah mada.
- Quamruzzaman, A. K. M., Akter, L., & Islam, F. (2022). The Exploitation of Heterosis for Yield and its Components of Tomato Hybrids for Use as Commercial Variety Development. *European Journal of Applied Sciences*, 10(4). <https://doi.org/10.14738/aivp.104.12887>
- Radzevičius, A., Viškelis, J., Karklelienė, R., Juškevičienė, D., & Viškelis, P. (2016). Kokybinių rodiklių nustatymas nepažeidžiant pomidorų vaisiaus, taikant artimąją infraraudonąją spektroskopiją. *Zemdirbyste*, 103(1), 91–98. <https://doi.org/10.13080/z-a.2016.103.012>
- Rahman, A., Kandpal, L. M., Lohumi, S., Kim, M. S., Lee, H., Mo, C., & Cho, B. K. (2017). Nondestructive estimation of moisture content, pH and soluble solid contents in intact tomatoes using hyperspectral imaging. *Applied Sciences (Switzerland)*, 7(1). <https://doi.org/10.3390/app7010109>
- Rajendran, S., Bae, J. H., Park, M. W., Oh, J. H., Jeong, H. W., Lee, Y. K., & Park, S. J. (2022). Tomato Yield Effects of Reciprocal Hybridization of *Solanum lycopersicum* Cultivars M82 and Micro-Tom. *Plant Breeding and Biotechnology*, 10(1), 37–48. <https://doi.org/10.9787/PBB.2022.10.1.37>
- RIESEBERG, L. H., & CARNEY, S. E. (1998). Plant hybridization. *New Phytologist*, 140(4), 599–624. <https://doi.org/10.1046/j.1469-8137.1998.00315.x>
- Sakran, R. M., Ghazy, M. I., Alsohim, A. S., & Mansour, E. (2022). Molecular Genetic Diversity and Combining Ability for Some Physiological and Agronomic Traits in Rice under Well-Watered and Water-Deficit Conditions. *Plants*, 11(5), 702. <https://doi.org/https://doi.org/10.3390/plants11050702>
- Saleem, M. Y., Khalid, I., Shakeel, A., & Ayub, B. (2023). Evaluation and Estimation of Genetic Divergence of Tomato Hybrids By Using Principle Component Analysis and Cluster Analysis Under High Temperature. *Trends in Biotechnology and Plant Sciences*, 1(1), 84–94. <https://doi.org/10.62460/tbps/2023.001>
- Salim, M. M. R., Rashid, M. H., Hossain, M. M., & Zakaria, M. (2020). Morphological characterization of tomato (*Solanum lycopersicum* L.) genotypes. *Journal of the Saudi Society of Agricultural Sciences*, 19(3), 233–240. <https://doi.org/10.1016/j.jssas.2018.11.001>
- Samonte, S. O. P., Wilson, L. T., McClung, A. M., & Medley, J. C. (2005). Targeting Cultivars onto Rice Growing Environments Using AMMI and SREG GGE Biplot Analyses. *Crop Science*, 45(6), 2414–2424. <https://doi.org/https://doi.org/10.2135/cropsci2004.0627>
- Sandro, A., Figueiredo, T., Tadeu, J., Resende, V. De, Faria, M. V., & Paula, J. T. De. (2015). Combining ability and heterosis of relevant fruit traits of tomato genotypes for industrial processing. *Crop Breeding and Applied Biotechnology*, 15, 154–161.
- Schnable, P. S., & Springer, N. M. (2013). Progress toward understanding heterosis in crop plants. *Annual Review of Plant Biology*, 64(January), 71–88. <https://doi.org/10.1146/annurev-arplant-042110-103827>
- Semida, W. M., Abdelkhalik, A., Mohamed, G. F., Abd El-Mageed, T. A., Abd El-Mageed, S. A., Rady, M. M., & Ali, E. F. (2021). Foliar application of zinc oxide nanoparticles promotes drought stress tolerance in eggplant (*Solanum melongena* L.). *Plants*, 10(2), 1–18. <https://doi.org/10.3390/plants10020421>
- Shamshiri, R. R., Jones, J. W., Thorp, K. R., Ahmad, D., & Man, H. C. (2018). *Review of optimum temperature , humidity , and vapour pressure deficit for microclimate evaluation and control in greenhouse cultivation of tomato : a review*. 287–302. <https://doi.org/10.1515/intag-2017-0005>

- Sharma, A., Rana, C., Thakur, H., Sharma, K. C., Mittal, P., Sharma, P., Sharma, V. K., & Sinha, B. N. (2022). Sharma, A., Rana, C., Thakur, H., Sharma, K. C., Mittal, P., Sharma, P., Sharma, V. K., & Sinha, B. N. (2022). Stability of Garden Pea Genotypes based on GGE Biplot and Regression Model. *Legume Research - an International Journal*, Of. <https://doi.org/10.18805/lr-4903>
- Sharma, S. (2014). Late Blight Disease Of Potato And Its Management. *41*, 16–40.
- Sherzod, R., Yang, E. Y., Cho, M. C., Chae, S. Y., Kim, J. H., Nam, C. W., & Chae, W. B. (2019). Traits affecting low temperature tolerance in tomato and its application to breeding program. *Plant Breeding and Biotechnology*, *7*(4), 350–359. <https://doi.org/10.9787/PBB.2019.7.4.350>
- Singh, C., Gupta, A., Kumar, P., Ramdas, S., Krishnappa, G., Gupta, V., Singh, S. K., Sharma, A. K., Tyagi, B. S., Singh, G., Chatrath, R., & Singh, G. P. (2020). Multi-environment analysis of grain yield in a diverse set of bread wheat genotypes. *Journal of Cereal Research*, *12*(1), 29–39. <https://doi.org/10.25174/2582-2675/2020/92977>
- Singh, N. B., Dey, J., Athokpam, H. S., & Laishram, J. M. (2021). Stability Analysis for Fruit Yield and its Components in Tomato (*Solanum lycopersicum* L.) under Acidic Soils of Manipur Valley. *International Journal of Current Microbiology and Applied Sciences*, *10*(01), 2243–2250. <https://doi.org/10.20546/ijcmas.2021.1001.258>
- Sinha, A., Singh, P., Bhardwaj, A., & Kumar, R. (2020). Evaluation of Tomato (*Solanum lycopersicum* L.) Genotypes for Morphological, Qualitative and Biochemical Traits for Protected Cultivation. *Current Journal of Applied Science and Technology*, *39*(2), 105–111. <https://doi.org/10.9734/cjast/2020/v39i230503>
- Smith, A. B., & Cullis, B. R. (2018). Plant breeding selection tools built on factor analytic mixed models for multi-environment trial data. *Euphytica*, *214*(8), 1–19. <https://doi.org/10.1007/s10681-018-2220-5>
- Somraj, B., Reddy, R., Reddy, K. R., & Saidaiiah, P. (2017). Stability for quality and physiological traits of tomato under high temperature conditions over dates of sowing. *Journal of Pharmacognosy and Phytochemistry*, *6*(4), 273–278.
- Soresa, D. N., Nayagam, G., Bacha, N., & Jaleta, Z. (2020). Heterosis in Tomato (*Solanum lycopersicum* L.) for Yield and Yield Component Traits. *Advances in Research*, *21*(9), 141–152. <https://doi.org/10.9734/air/2020/v21i930242>
- Sowmya, H. H., Kamatar, M. Y., Shanthakumar, G., Brunda, S. M., Shadakshari, T. V., Showkath Babu, B. M., & Singh Rajput, S. (2018). Stability Analysis of Maize Hybrids using Eberhart and Russel Model. *International Journal of Current Microbiology and Applied Sciences*, *7*(2), 3336–3343. <https://doi.org/10.20546/ijcmas.2018.702.399>
- Stebbins, G. L. (1959). *The Role of Hybridization in Evolution* Author ( s ): G . Ledyard Stebbins Source : *Proceedings of the American Philosophical Society* , Apr . 23 , 1959 , Vol . 103 , No . 2 , Commemoration of the Centennial of the Publication of " *The Origin of Species* " b. 103(2), 231–251.
- Syukur, M., Sujiprihati, S., & Yunianti, R. (2012). *Teknik Pemuliaan Tanaman* (2nd ed.). Penebar Swadaya.
- Taleghani, D., Rajabi, A., Saremirad, A., & Fasahat, P. (2023). Stability analysis and selection of sugar beet (*Beta vulgaris* L.) genotypes using AMMI, BLUP, GGE biplot and MTSI. *Scientific Reports*, *13*(1), 1–14. <https://doi.org/10.1038/s41598-023-37217-7>
- Tan, X. L., Chen, J. L., Benelli, G., Desneux, N., Yang, X. Q., Liu, T. X., & Ge, F. (2017). Pre-infestation of tomato plants by aphids modulates transmission-acquisition relationship among whiteflies, tomato yellow leaf curl virus



- (TYLCV) and plants. *Frontiers in Plant Science*, 8(September), 1–11. <https://doi.org/10.3389/fpls.2017.01597>
- Tanksley, S. D. (2004). The genetic, developmental, and molecular bases of fruit size and shape variation in tomato. *Plant Cell*, 16(SUPPL.), 181–189. <https://doi.org/10.1105/tpc.018119>
- Taryono, Suryanto, P., Supriyanta, Basunanda, P., Wulandari, R. A., Handayani, S., Nurmansyah, & Alam, T. (2022). Soybean Crop Rotation Stability in Rainfed Agroforestry System through GGE Biplot and EBLUP. *Agronomy*, 12(9), 1–16. <https://doi.org/10.3390/agronomy12092012>
- Tembe, K. O., Chemining'wa, G., Ambuko, J., & Owino, W. (2018). Evaluation of African tomato landraces (*Solanum lycopersicum*) based on morphological and horticultural traits. *Agriculture and Natural Resources*, 52(6), 536–542. <https://doi.org/10.1016/j.anres.2018.11.014>
- Torgemen, S., & Zamir, D. (2023). Epistatic QTLs for yield heterosis in tomato. *Proceedings of the National Academy of Sciences*, 120(14), 1–7. <https://doi.org/10.1073/pnas>
- Tripodi, P., Soler, S., Campanelli, G., Figàs, M. R., Soler, E., Sestili, S., Bertone, A., Cardi, T., & Prohens, J. (2023). GGE analysis and stability of traits in tomato cultivars grown under organic farming conditions: a two-year study. *Horticultural Plant Journal*. <https://doi.org/10.1016/j.hpj.2023.09.009>
- Ullah, M. Z., Hassan, L., Shahid, S. B., & Patwari, A. K. (2015). Variability and inter relationship studies in tomato (*Solanum lycopersicum* L.) M. *Journal Bangladesh Agril*, 13(1), 65–69.
- UPOV. (2002). International union for the protection of new varieties of plants. *Variety*, 21, 1–26.
- Vitara, F. N. (2021). Uji Daya Hasil Dan Kualitas Buah Empat Belas Galur Tomat. fakultas pertanian universitas gadjah mada.
- Vivek, P., & Duraisamy, V. M. (2017). Study of Growth Parameters and Germination on Tomato Seedlings with Different Growth Media. *International Journal of Agricultural Science and Research*, 7(3), 461–470. <https://doi.org/10.24247/ijasrjun201759>
- Wang, H., Prentice, I. C., Davis, T. W., Keenan, T. F., & Wright, I. J. (2017a). *Letters Photosynthetic responses to altitude: an explanation based on optimality principles*. 213(3), 976–982.
- Wang, H., Prentice, I. C., Davis, T. W., Keenan, T. F., & Wright, I. J. (2017b). Photosynthetic responses to altitude: an explanation based on optimality principles. *New Phytologist*, 213(3), 976–982. <https://www.jstor.org/stable/10.2307/newphytologist.213.3.976>
- Wani S.H., Hussain W., Sanghera G.S., Haribhushan A., & Singh N.B. (2011). The Magic of Heterosis: New Tools and Complexities. *Nature and Science*, 9(11), 42–53. [http://www.sciencepub.net/nature/ns0911/006\\_6901ns0911\\_42\\_53.pdf](http://www.sciencepub.net/nature/ns0911/006_6901ns0911_42_53.pdf)
- Went, F. W. (1944). Morphological Observations on the Tomato Plant. *Torrey Botanical Society*, 71(1), 77–92. <https://www.jstor.org/stable/2481487>
- Wijayati, N. A. (2019). *Seleksi Pedigree Tomat (Solanum lycopersicum L.) Generasi F4 Berdasarkan Kekerasan dan Bentuk Buah*. fakultas pertanian universitas gadjah mada.
- Wu, X., Liu, Y., Zhang, Y., & Gu, R. (2021). Advances in Research on the Mechanism of Heterosis in Plants. *Frontiers in Plant Science*, 12(September), 1–14. <https://doi.org/10.3389/fpls.2021.745726>
- Xiang, Y., Chen, Q., Su, Z., Zhang, L., Chen, Z., Zhou, G., Yao, Z., Xuan, Q., & Cheng, Y. (2022). Deep Learning and Hyperspectral Images Based Tomato Soluble Solids Content and Firmness Estimation. *Frontiers in Plant Science*, 13(May),

- 1–11. <https://doi.org/10.3389/fpls.2022.860656>
- Xiukang, W., & Yingying, X. (2016). Evaluation of the Effect of Irrigation and Fertilization by Drip Fertigation on Tomato Yield and Water Use Efficiency in Greenhouse. *International Journal of Agronomy*, 2016, 1–10. <https://doi.org/10.1155/2016/3961903>
- Yahia, E. M., & Brecht, J. K. (2012). Tomatoes. In *Crop Post-Harvest: Science and Technology: Perishables* (Issue January 2018). <https://doi.org/10.1002/9781444354652.ch2>
- Yan, W. (2001). GGEbiplot—A Windows Application for Graphical Analysis of Multienvironment Trial Data and Other Types of Two-Way Data. *Agronomy Journal*, 93(5), 1111–1118. <https://doi.org/https://doi.org/10.2134/agronj2001.9351111x>
- Yan, W., Hunt, L. A., Sheng, Q., & Szlavnic, Z. (2000a). Cultivar evaluation and mega-environment investigation based on the GGE biplot. *Crop Science*, 40(3), 597–605. <https://doi.org/10.2135/cropsci2000.403597x>
- Yan, W., Hunt, L. A., Sheng, Q., & Szlavnic, Z. (2000b). Cultivar Evaluation and Mega-Environment Investigation Based on the GGE Biplot. *Crop Science*, 40(3), 597–605. <https://doi.org/https://doi.org/10.2135/cropsci2000.403597x>
- Yan, W., Kang, M. S., Ma, B., Woods, S., & Cornelius, P. L. (2007). GGE Biplot vs. AMMI Analysis of Genotype-by-Environment Data. *Crop Science*, 47(2), 643–653. <https://doi.org/https://doi.org/10.2135/cropsci2006.06.0374>
- Yan, Z., Pérez-de-castro, A., Díez, M. J., Hutton, S. F., Visser, R. G. F., Wolters, A. A., Bai, Y., Li, J., & Accotto, G. P. (2018). Resistance to Tomato Yellow Leaf Curl Virus in Tomato Germplasm. 9(August), 1–14. <https://doi.org/10.3389/fpls.2018.01198>
- Yan, Z., Wolters, A. M. A., Navas-castillo, J., & Bai, Y. (2021). The global dimension of tomato yellow leaf curl disease: Current status and breeding perspectives. *Microorganisms*, 9(4), 1–19. <https://doi.org/10.3390/microorganisms9040740>
- Zaid, I. U., Zahra, N., Habib, M., Naeem, M. K., Asghar, U., Uzair, M., Latif, A., Rehman, A., Ali, G. M., & Khan, M. R. (2022). Estimation of Genetic Variances and Stability Components of Yield-Related Traits of Green Super Rice at Multi-Environmental Conditions in Pakistan. *Agronomy*, 12(5). <https://doi.org/10.3390/agronomy12051157>
- Zhao, F., Li, Y., Cui, T., & Bai, J. (2023). GGE Biplot-Based Transcriptional Analysis of 7 Genes Involved in Steroidal Glycoalkaloid Biosynthesis in Potato (*Solanum tuberosum* L.). *Agronomy*, 13(8). <https://doi.org/10.3390/agronomy13082127>
- Zuo, Z., Tan, J., Li, L., Mao, H., Zhang, X., Qin, L., Lv, T., & Zhuo, M. (2017). Modelling of tomato stem diameter growth rate based on physiological responses. *Pakistan Journal of Botany*, 49(4), 1429–1434.