

DAFTAR PUSTAKA

- Abbas, F., Ke, Y., Yu, R., Yue, Y., Amanullah, S., Jahangir, M. M. dan Fan, Y. (2017). Volatile terpenoids: multiple functions, biosynthesis, modulation and manipulation by genetic engineering. *In Planta* **246**(5): 803–816.
- Adetuyi, F. O. dan Ibrahim, T. A. (2014). Effect of Fermentation Time on the Phenolic, Flavonoid and Vitamin C Contents and Antioxidant Activities of Okra (*Abelmoschus esculentus*) Seeds. *Nigerian Food Journal* **32**(2): 128–137.
- Ahmadi, A., Salehi, A., Dadmehr, A., Ghodarzi, S., Sadighara, P., Samarghandian, S. dan Farkhondeh, T. (2019). The effect of banana leaf package on the shelf life of rainbow trout fillet in comparison with plastic bags. *Bioscience Journal* 503–508.
- Ainiyah, K., Andriyani, F., Soemargono, S., Erliyanti, N. K. (2021). Isolation of clove essential oil by fermentation process. *Konversi* **10**(1): 58-64.
- Akomea-Frempong, S., Skonberg, D. I., Camire, M. E. dan Perry, J. J. (2021). Impact of blanching, freezing, and fermentation on physicochemical, microbial, and sensory quality of sugar kelp (*Saccharina latissima*). *Foods* **10**(10).
- Andriani, M. dan Nurhartadi, E. (2014). Studies on Physicochemical and Sensory Characteristics of Overripe Tempeh Flour as Food Seasoning. *Academic Research International* **5**(5).
- Astawan, M., Cahyani, A. P. dan Wresdiyati, T. (2023). Antioxidant activity and isoflavone content of overripe Indonesian tempe. *Food Research* **7**(1): 42–50.
- Athallah, Z. A., Muzdalifah, D., Lestari, A., Devi, A. F., Udin, L. Z., Artanti, N. dan Lioe, H. N. (2019a). Phenolic compound profile and functionality of aqueous overripe tempe extracts. *Current Research in Nutrition and Food Science* **7**(2): 382–392.
- Athallah, Z. A., Muzdalifah, D., Lestari, A., Devi, A. F., Udin, L. Z., Artanti, N. dan Lioe, H. N. (2019b). Phenolic compound profile and functionality of aqueous overripe tempe extracts. *Current Research in Nutrition and Food Science* **7**(2): 382–392.
- Ayu, E., Suwanto, A. dan Barus, T. (2014). *Klebsiella pneumoniae* from Indonesian Tempeh were Genetically Different from that of Pathogenic Isolates. *Microbiology Indonesia* **8**(1): 9–15.
- Bai, F., Chen, G., Hu, Y., Liu, Y., Yang, R., Liu, J., Hou, R., Li, H., Wan, X. dan Cai, H. (2024). Understanding the effect of plastic food packaging materials on food flavor: A critical review. *In Trends in Food Science and Technology* **148**.

- Bai, X., Zhang, M. L., Zhang, Y., Zhang, J., Zhang, Y., Wang, C. dan Liu, R. (2021). Effects of Steaming, Microwaving, and Hot-Air Drying on the Physicochemical Properties and Storage Stability of Oat Bran. *Journal of Food Quality*.
- Baschieri, A., Ajvazi, M. D., Tonfack, J. L. F., Valgimigli, L. dan Amorati, R. (2017). Explaining the antioxidant activity of some common non-phenolic components of essential oils. *Food Chemistry* **232**: 656–663.
- Becker, E. M., Ntouma, G. dan Skibsted, L. H. (2007). Synergism and antagonism between quercetin and other chain-breaking antioxidants in lipid systems of increasing structural organisation. *Food Chemistry* **103**(4): 1288–1296.
- Borremans, A., Lenaerts, S., Crauwels, S., Lievens, B. dan Van Campenhout, L. (2018). Marination and fermentation of yellow mealworm larvae (*Tenebrio molitor*). *Food Control* **92**: 47–52.
- Can Çubukçu, H. I., Seda Durak Kılıçaslan, N. I., & Durak III, İ. (2019). Different effects of heating and freezing treatments on the antioxidant properties of broccoli, cauliflower, garlic and onion. An experimental in vitro study. *Sao Paulo Medical Journal* **137**(5): 407.
- Chaliha, M., Cusack, A., Currie, M., Sultanbawa, Y. dan Smyth, H. (2013). Effect of packaging materials and storage on major volatile compounds in three Australian native herbs. *Journal of Agricultural and Food Chemistry* **61**(24): 5738–5745.
- Champagne, J. R. dan Nawar, W. W. (1969). The volatile components of irradiated beef and pork fats. *In Proc. Am. Sm. Hart. Sci* **90**.
- Chen, X., Liang, K. dan Zhu, H. (2022). Effects of cooking on the nutritional quality and volatile compounds in omega-3 fatty acids enriched eggs. *Journal of the Science of Food and Agriculture* **102**(9): 3703–3711.
- Cho, H., Park, M. K., & Kim, Y. S. (2023). Study on volatile compounds formed from the thermal interaction of hydrolyzed vegetable proteins with reducing sugars. *Food Science and Biotechnology* **32**(3): 283–298.
- Chu, Y., Mei, J., & Xie, J. (2023). Exploring the effects of lipid oxidation and free fatty acids on the development of volatile compounds in grouper during cold storage based on multivariate analysis. *Food Chemistry: X* **20**.
- Cui, H., Jia, C., Hayat, K., Yu, J., Deng, S., Karangwa, E., Duhoranimana, E., Xia, S., Zhang, X. (2017). *The Royal Society of Chemistry* **7**: 45442–45451.
- del Aguila, J. S., Sasaki, F. F., Heiffig, L. S., Ortega, E. M. M., Jacomino, A. P. dan Kluge, R. A. (2006). Fresh-cut radish using different cut types and storage temperatures. *Postharvest Biology and Technology* **40**(2): 149–154.

- Diez-Simon, C., Eichelsheim, C., Mumm, R. dan Hall, R. D. (2020). Chemical and Sensory Characteristics of Soy Sauce: A Review. *Journal of Agricultural and Food Chemistry* **68**(42): 11612–11630.
- Djunaidi, S., Tirtaningtyas Gunawan-Puteri, M. D. P., Wijaya, C. H. dan Prabawati, E. K. (2017). Physicochemical & Microbial Characterization of Overripe Tempeh. *Insist* **2**(1): 47.
- Elhalis, H., Chin, X. H., & Chow, Y. (2023). Soybean fermentation: Microbial ecology and starter culture technology. *Food Science and Nutrition*.
- Erten, E. S. (2016). Characterization of Aroma Components of Raw and Roasted Almonds and The Effect of The Oxidative State of The Nut on Roasted Flavor Formation. *Philosophy in Food Science and Human Nutrition*. University of Illinois, Illinois.
- Estiasih, T., & Ahmadi, K. (2011). *Teknologi Pengolahan Pangan (Cet. 2)*. Bumi Aksara.
- Kanghae, A., Eungwanichayapant, P. dan Chukeatirote, E. (2017). Fatty acid profiles of fermented soybean prepared by *Bacillus subtilis* and *Rhizopus oligosporus*. *Environmental and Experimental Biology* **15**: 173-176.
- Fibri, D. L. N. (2018). Consumer Perception of Traditional Indonesian Foods: Case Studies Using Tempe in Different Contexts. Faculty of Science. University of Copenhagen, Denmark.
- Fiorino, G. M., Tlais, A. Z. A., Losito, I., Filannino, P., Gobbetti, M. dan Di Cagno, R. (2023). Triacylglycerols hydrolysis and hydroxy- and epoxy-fatty acids release during lactic fermentation of plant matrices: An extensive study showing inter- and intra-species capabilities of lactic acid bacteria. *Food Chemistry* **412**.
- Foti, M. C. dan Ingold, K. U. (2003). Mechanism of inhibition of lipid peroxidation by γ -terpinene, an unusual and potentially useful hydrocarbon antioxidant. *Journal of Agricultural and Food Chemistry* **51**(9): 2758–2765.
- Gao, X. L., Cui, C., Zhao, H. F., Zhao, M. M., Yang, L. dan Ren, J. Y. (2010). Changes in volatile aroma compounds of traditional chinese-type soy sauce during moromi fermentation and heat treatment. *Food Science and Biotechnology* **19**(4): 889–898.
- van Gemert, L. J. (2011). *Odour thresholds : compilations of odour threshold values in air, water and other media*. 2nd edn. Oliemans Punter & Partners BV, Netherlands.
- Geng, Q., Qin, F., Zeng, M., Wang, Z., Chen, Q., Zhang, W., Zhu, B., He, Z. dan Chen, J. (2024). Effects of heat treatment on the profile of volatile flavor components in bamboo shoots. *Food Bioscience* **58**.

- Greve, L. C., Shackel, K. A., Ahmadi, H., Mcardle, R. N., Gohlke, J. R. dan Labavitch', J. M. (1994). Impact of Heating on Carrot Firmness: Contribution of Cellular Turgor. *Journal Agricultural and Food Chemistry* **42**.
- Groot, M. N. N., de Bont, J. A. M. (1998). Conversion of phenylalanine to benzaldehyde initiated by an aminotransferase in *Lactobacillus plantarum*. *Applied and Environmental Microbiology* **64**: 3009-3013.
- Gunawan-Puteri, M. D. P. T., Hassanein, T. R., Prabawati, E. K., Wijaya, C. H. dan Mutukumira, A. N. (2015). Sensory Characteristics of Seasoning Powders from Overripe Tempeh, a Solid State Fermented Soybean. *Procedia Chemistry* **14**: 263–269.
- Handoyo, T. dan Morita, N. (2006). Structural and functional properties of fermented soybean (Tempeh) by using *rhizopus oligosporus*. *International Journal of Food Properties* **9**(2): 347–355.
- Harahap, R. H., Lubis, Z. dan Kaban, J. (2018). Komponen Flavor Volatil Tempe yang Dibungkus dengan Daun Pisang dan Plastik Volatile Flavor Compounds of Tempeh Wrapped With Banana Leaf and Plastic. *Agritech* **38**(2): 194–199.
- Hariyadi, P., Syamsir, E., Khusnayaini, A. A., Hariyadi, P. dan Syamsir, E. (2018). Kinetic changes of antioxidant capacity and physical quality of tempe during heating. *International Food Research Journal* **25**(3).
- Hassanein, T. R., Prabawati, E. K., Puspitasari, M. D. dan Gunawan-Puteri, T. (2015). Analysis of Chemical and Microbial Changes During Storage of Overripe Tempeh Powder as Seasoning Material. *International Journal of Science and Engineering* **8**(2): 131–134.
- Hong, Y., Jung, H. J. dan Kim, H. Y. (2012). Aroma Characteristics of Fermented Korean Soybean Paste (Doenjang) Produced by *Bacillus amyloliquefaciens*. *Food Sci. Biotechnol* **21**(4): 1163–1172.
- Huang, H., Liang, H. dan Kwok, K. C. (2006). Effect of thermal processing on genistein, daidzein and glycitein content in soymilk. *Journal of the Science of Food and Agriculture* **86**(7): 1110–1114.
- Iswari, K., Atman, Marlina, L., Riska, Antarlina, S. S., Arief, R. W., Waryat, Suwarda, R., Sjafrina, N., Yani, A., Sunarmani, Joseph, G. H., Lintang, M., Layuk, P. dan Arif, A. Bin. (2024). Steaming Maintains Fatty Acids, Antioxidants, and Proximate Content in Snack Bar Products from Cocoa Beans. *Scientific World Journal* **2**: 1-9.
- Jardine, K. J., Zorzanelli, R. F., Gimenez, B. O., Oliveira Piva, L. R. de, Teixeira, A., Fontes, C. G., Robles, E., Higuchi, N., Chambers, J. Q. dan Martin, S. T. (2020). Leaf isoprene and monoterpene emission distribution across hyperdominant tree genera in the Amazon basin. *Phytochemistry* **175**.

- Jaulmes, A., Vidal-Madjar, C., Gaspar, M. dan Guiochon, G. (1988). Quantitative Analysis by Gas Chromatography Measurement of Peak Area and Derivation of Sample Composition. *Journal of Chromatography Library* **42**: 629-659.
- Kang, K. S., Kim, H. Y., Pyo, J. S. dan Yokozawa, T. (2006). Increase in the Free Radical Scavenging Activity of Ginseng by Heat-Processing. *Biol Pharm Bull* **29**(4): 750-754.
- Karolkowski, A., Guichard, E., Briand, L. dan Salles, C. (2021). Volatile Compounds in Pulses: A Review. *Foods* **10**(12): 3140.
- Ken, I., Dimzon, D., Tantengco, G. B., Oquendo, N. A. dan Dayrit, F. M. (2021). Profile of Volatile Organic Compounds (VOCs) from Cold-Processed and Heat-Treated Virgin Coconut Oil (VCO) Samples. *Proceedings* **70**(1): 85.
- Khrisanapant, P., Kebede, B., Leong, S. Y. dan Oey, I. (2022). Effects of Hydrothermal Processing on Volatile and Fatty Acids Profile of Cowpeas (*Vigna unguiculata*), Chickpeas (*Cicer arietinum*) and Kidney Beans (*Phaseolus vulgaris*). *Molecules* **27**(23).
- Klosowski, G., Mikulski, D., Pielech-Przybylska, K. (2021). Pyrazines biosynthesis by *Bacillus* strains isolated from natto fermented soybean. *Biomolecules* **11**(11): 1736.
- Kondyli, E., Pappa, E. C. dan Vlachou, A. M. (2012). Effect of package type on the composition and volatile compounds of Feta cheese. *Small Ruminant Research* **108**(1-3): 95-101.
- Krokida, M. K., Oreopoulou, V., Maroulis, Z. B. dan Marinos-Kouris, D. (2001). Deep fat frying of potato strips-quality issues. *Drying Technology* **19**(5): 879-935.
- Kuligowski, M., Pawłowska, K., Jasińska-Kuligowska, I. dan Nowak, J. (2017). Composición de isoflavonas, contenido de polifenoles y actividad antioxidante de las semillas de soja durante fermentación de tempeh. *Journal of Food* **15**(1): 27-33.
- Lampi, A. M., Yang, Z., Mustonen, O. dan Piironen, V. (2020). Potential of faba bean lipase and lipoxygenase to promote formation of volatile lipid oxidation products in food models. *Food Chemistry* **311**: 125982.
- Lee, S. M., Seo, B.C. dan Kim, Y. S. (2006). Volatile Compounds in Fermented and Acid-hydrolyzed Soy Sauces. *Journal of Food Science* **71**(3).
- Lee, S. M., Kim, S. Bin, & Kim, Y. S. (2019). Determination of Key Volatile Compounds Related to Long-Term Fermentation of Soy Sauce. *Journal of Food Science* **84**(10): 2758-2776.
- Leejeerajumnean, A., Duckham, C., Owens, D. dan Ames, J. M. (2000). Volatile compounds in *Bacillus*-fermented soybeans. *International Journal of Gastronomy and Food Science* **33**: 100763.

- Liu, Y., Su, H. dan Song, H. L. (2018). Comparison of Four Extraction Methods, SPME, DHS, SAFE, Versus SDE, for the Analysis of Flavor Compounds in Natto. *Food Analytical Methods* **11**(2): 343–354.
- Lo, D., Romulo, A., Lin, J. Y., Wang, Y. H., Wijaya, C. H., Wu, M. C. (2022). Effect of different fermentation conditions on antioxidant capacity and isoflavones content of soy tempeh. *AIMS Agriculture and Food* **7**(3): 567-579.
- Lorn, D. (2021). Screening of lactic acid bacteria for their use as aromatic starters during fermentation of vegetables. *International Journal of Food Microbiology* **350**: 109242.
- Lu, K., Liu, L., Zi, J., Song, L. dan Xie, W. (2022). New insights from flavoromics on different heating methods of traditional fermented shrimp paste: The volatile components and metabolic pathways. *LWT* **168**.
- Ludwig, V., Berghetti, M. R. P., Ribeiro, F. P. R., Wendt, L. M., Thewes, F. R., Brackmann, A., Both, V., Wagner, R. (2021). The effects of soybean storage under controlled atmosphere at different temperatures on lipid oxidation and volatile compounds profile. *Food Research International* **147**.
- Magdalena, S., Surya, N. A., Yogiara, Y. (2024). Effect of tempeh wrapping on sensory evaluation and lactic acid bacteria profile. *Food Research* **8**(4): 351.
- Maghsoudlou, Y., Ghajari, M. A. dan Tavasoli, S. (2019). Effects of heat treatment on the phenolic compounds and antioxidant capacity of quince fruit and its tisane's sensory properties. *Journal of Food Science and Technology* **56**.
- Mani, V. dan Ming, L. C. (2017). Tempeh and other fermented soybean products rich in isoflavones. *Fermented Foods in Health and Disease Prevention* 453-474.
- Mathatheeranan, P., Wongprasert, T., Na Nan, T., Suwannakul, E., Wang, Y., Lu, T. J., Fang, M. dan Suppavorasatit, I. (2023). Volatile profiles and aroma-active components of Northern Thai fermented soybean (thua nao) produced from controlled and uncontrolled fermentations. *International Journal of Gastronomy and Food Science* **33**.
- Meilgaard, M. C., Civille, G. V. dan Carr, T. B. (2016). *Food & Culinary Science Sensory Evaluation Techniques*. 5th edn. CRC Press, Boca Raton.
- Moneeb, A. H. M., Hammam, A. R. A., Ahmed, A. K. A., Ahmed, M. E. dan Alsaleem, K. A. (2021). Effect of fat extraction methods on the fatty acids composition of bovine milk using gas chromatography. *Food Science and Nutrition* **9**(6): 2936–2942.
- Mottram, D. S. dan Elmore, J. S. (2002). Novel sulfur compounds from lipid-maillard interactions in cooked meat. *ACS Symposium Series* **826**: 93–101.

- Mustafavi, S. H., Abbasi, A. Morshedloo, M. R., Pateiro, M., Lorenzo, J. M. (2022). Essential oil variability in Iranian populations of *Heracleum persicum* Desf. Ex Fischer: A rich source of hexyl butyrate and octyl acetate. *Molecules* **27**.
- Muzdalifah, D., Athaillah, Z. A., Nugrahani, W., Devi, A. F. (2017). Colour and pH changes of tempe during extended fermentation. AIP Conference Proceedings.
- Nacchio, B. L., Avila Hael, N., Medina, R. B. dan Garro, M. S. (2022). Aroma compounds and consumer acceptability of soybean paste fermented by lactobacilli. *Journal of Food Science and Technology* **59**(5): 1948–1957.
- Nath, A. K., Gupta, A. dan Thakur, N. (2016). Indigenous Fermented Foods of South Asia. CRC Press, Boca Raton.
- Nicoli, M. C., Anese, M., & Parpinel, M. (1999). Influence of processing on the antioxidant properties of fruit and vegetables. *Trends in Food Science and Technology* **10**(3): 94–100.
- Nout, M. J. R. dan Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: Update into the third millenium. *Journal of Applied Microbiology* **98**(4): 789–805.
- Ntoruru, J. M., Ohnishi, T., Katsumata, F., Koeduka, T., Matsui, K. (2022). 1-octen-3-ol is formed from its primeveroside after mechanicala wounding of soybean leaves. *Plant Molecular Biology* **109**: 551-561.
- Nur, N., Meryandini, A., Suhartono, M. T. dan Suwanto, A. (2020). Lipolytic bacteria and the dynamics of flavor production in indonesian tempeh. *Biodiversitas* **21**(8): 3818–3825.
- Nuraini, V., Puyanda, I. R., Kunciati, W. A. S. dan Margareta, L. A. (2022a). Perubahan Kimia dan Mikrobiologi Tempe Busuk selama Fermentasi. *Jurnal Agroteknologi* **15**(2): 127.
- Nurmadhani, B.S. (2017). Pengaruh Jenis Bahan Pengemas terhadap Karakteristik Sensoris dan Kenampakan Tempe Kedelai Lokal. Teknologi Pertanian. Universitas Gadjah Mada, Yogyakarta.
- Nursiwi, A., Dwikiputra, B. I., Ishartani, D. dan Sari, A. M. (2019). Changes on microbial growth during Mlanding tempeh (*Leucaena leucocephala*) over fermentation. *Earth and Environmental Science* **379**(1).
- Pangastuti, A., Alfisah, R. K., Istiana, N. I., Sari, S. L. A., Setyaningsih, R., Susilowati, A. dan Purwoko, T. (2019). Metagenomic analysis of microbial community in over-fermented tempeh. *Biodiversitas* **20**(4): 1106–1114.
- Perez-Locas, C. dan Yaylayan, V. A. (2010). The Maillard reaction and food quality deterioration. *Chemical Deterioration and Physical Instability of Food and Beverages* 70–94.

- Prakash, O., Baskaran, R., Chauhan, A. S. dan Kudachikar, V. B. (2022). Effect of heat processing on phenolics and their possible transformation in low-sugar high-moisture (LSHM) fruit products from Kainth (*Pyrus pashia* Buch.-ham ex D. Don) fruit. *Food Chemistry* **370**: 130988.
- Puspa, D. A. P., Ningrum, A., & Anggrahini, S. (2022). Effect of Temperature and Drying Time on Angiotensin Converting Enzyme (ACE) Inhibitor and Antioxidant Activity of Soybean (*Glycine max* L.)- Jackbean (*Canavalia ensiformis* L.) Mix Grains Tempeh Flour. *Indonesian Food and Nutrition Progress* **18**(1): 1.
- Puspasari, D. A., Utama, Z. dan Ningrum, A. (2023). Effect of Packaging Material Types on Antioxidant Activity, Fat Content, and Ash Content in the Imported and Local Yellow Soybean Tempeh. *Journal of Agricultural Engineering* **12**(2): 302.
- Puteri, M. D. P. T. G., Fortunata, S. A., Prabawati, E. K., Kristanti, F., Wijaya, C. H. (2018). Overripe tempe as source of protein in development of ready to eat porridge. *International Food Research Journal* **25**(2): 201-209.
- Radiati, A., dan Sumarto. (2016). Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan* **5**(1).
- Reineccius, Gary. dan Heath, H. B. (2006). Flavor chemistry and technology. 2nd edn. Taylor and Francis Group, Boca Raton.
- Rizal, S., Kustyawati, M. E., Suharyono, A. S. dan Suyarto, V. A. (2022). Changes of nutritional composition of tempeh during fermentation with the addition of *Saccharomyces cerevisiae*. *Biodiversitas* **23**(3): 1553–1559.
- Romulo, A. dan Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science* **26**.
- Saerens, S. M. G., Delvaux, F., Verstrepen, K. J., van Dijck, P., Thevelein, J. M., Delvaux, F. R. (2008). Parameters affecting ethyl ester production by *Saccharomyces cerevisiae* during fermentation. *Applied and Environmental Microbiology* **74**(2): 454-461.
- Safitri, Y. A., Aminin, A. L. N., Mulyani, N. S. (2022). The effect of cooking treatment on antioxidant activity in soybean tempeh. *Jurnal Kimia Sains dan Aplikasi* **25**(11): 411.
- Sardarodiyani, M. dan Mohamadi Sani, A. (2016). Natural antioxidants: sources, extraction and application in food systems. *Nutrition and Food Science*. **46**(3): 363–373.
- Shahidi, F. dan Hossain, A. (2022). Role of Lipids in Food Flavor Generation. *Molecules* **27**(15).
- Shahidi, F. dan Oh, W. Y. (2020). Lipid-derived flavor and off-flavor of traditional and functional foods: an overview. *Journal of Food Bioactives* **10**.

- Shibamoto, T. (1983). Heterocyclic Compounds in Browning and Browning/Nitrite Model Systems: Occurrence, Formation Mechanisms, Flavor Characteristics and Mutagenic Activity. *Instrumental Analysis of Food* 229–278.
- Siah, W. M., Faridah, H., Rahimah, M. Z., Mohd Tahir, S. dan Zain, D. M. (2011). Effects of packaging materials and storage on total phenolic content and antioxidant activity of Centel la asiatica drinks. *Journal of Tropical Agriculture and Food Science* **39**(1).
- Slowik-Borowiec, M., Zdeb, G., Kuras, W., Ksiazektrela, P. (2022). Influence of *Bacillus subtilis* fermentation on content of selected macronutrients in seeds and beans. *Acta Universitatis Cibiniensis Series E: Food Technology* **26**(1): 123-138.
- Smuda, M. dan Glomb, M. A. (2013). Fragmentation pathways during maillard-induced carbohydrate degradation. *Journal of Agricultural and Food Chemistry* **61**(43): 10198–10208.
- Spinnler, H. E. (2011). Flavor from amino acids. *Food Flavors*.
- Suhartanti, P. D., Handajani, S., Nandariyah. (2019). Physical characteristics of the seeds of soybean (*Glycine max*) varieties and the effect of fermentation time on the chemical characteristics of tempeh. *Cell Biology & Development* **3**(2): 53-68.
- Surya Laksono, A., Rosalina Jurusan Teknologi Pertanian, Y. dan Pertanian, F. (2019). Karakteristik Mutu Tempe Kedelai Lokal Varietas Anjasmoro dengan Variasi Lama Perebusan dan Penggunaan Jenis Pengemas Characteristics of Anjasmoro Soybean Tempe with Different Boiling Duration and Packaging Types. *Jurnal Agroindustri* **9**(1): 8–18.
- Tang, J., Liu, Y., Lin, B., Zhu, H., Jiang, W., Yang, Q. dan Chen, S. (2022). Effects of ultra-long fermentation time on the microbial community and flavor components of light-flavor Xiaoqu Baijiu based on fermentation tanks. *World Journal of Microbiology and Biotechnology* **38**(1).
- Teng, H., Chen, L., Huang, Q., Wang, J., Lin, Q., Liu, M., Lee, W. Y. dan Song, H. (2016). Ultrasonic-assisted extraction of raspberry seed oil and evaluation of its physicochemical properties, fatty acid compositions and antioxidant activities. *PLoS ONE* **11**(4).
- Tian, Z., Dong, T., Wang, S., Sun, J., Chen, H., Zhang, N. dan Wang, S. (2024). A comprehensive review on botany, chemical composition and the impacts of heat processing and dehydration on the aroma formation of fresh carrot. *Food Chemistry: X* **22**.
- Tucillo, F., Wang, Y., Edelmann, M., Lampi., A., Coda, R., Katina, K. (2022). Fermentation conditions affect the synthesis of volatile compounds, dextran, and organic acids by *Weissella confusa* A16 in faba bean protein concentrate. *Foods* **11**.

- Tzin, V., Galili, G. dan Aharoni, A. (2012). Shikimate Pathway and Aromatic Amino Acid Biosynthesis. *Encyclopedia of Life Sciences*.
- Umami, S., Jaya, I. K. S., Darawati, M., Widiada, I. G. N. (2018). Kajian sifat organoleptik dan masa simpan tempe kedelai dengan beberapa jenis kemasan. *Jurnal Gizi Prima* **3**(2): 142-148.
- Utami, R., Wijaya, C. H. dan Lioe, H. N. (2016). Taste of Water-Soluble Extracts Obtained from Over-Fermented Tempe. *International Journal of Food Properties* **19**(9): 2063–2073.
- Verni, M., Verardo, V., Rizello, C. G. (2019). How fermentation affects the antioxidant properties of cereals and legumes. *Foods* **8**(9): 362.
- Wagner, R. K. dan Grosch, W. (1998). Key volatile in French fries. *Journal of the American Oil Chemists' Society* **75**: 1385–1382.
- Wang, Y., Wang, H., Wu, Y., Xiang, H., Zhao, Y., Chen, S., Qi, B. dan Li, L. (2022). Insights into lipid oxidation and free fatty acid profiles to the development of volatile organic compounds in traditional fermented golden pomfret based on multivariate analysis. *LWT* **171**.
- Wikandari, R., Utami, T. A. N., Hasniah, N. dan Sardjono. (2020). Chemical, Nutritional, Physical and Sensory Characterization of Tempe Made from Various Underutilized Legumes. *Pakistan Journal of Nutrition* **19**(4): 179–190.
- Xu, B. dan Chang, S. K. C. (2008). Total phenolics, phenolic acids, isoflavones, and anthocyanins and antioxidant properties of yellow and black soybeans as affected by thermal processing. *Journal of Agricultural and Food Chemistry* **56**(16).
- Yang, J., Wu, S., Mai, R., Lin, L., Zhao, W. dan Bai, W. (2021). Formation of amino acid-derived volatile compounds in dry-cured mackerel (*Scomberomorus niphonius*): Metabolic pathways involving microorganisms, precursors, and intermediates. *Food Chemistry* **364**: 130163.
- Yang, N., Liu, C., Liu, X., Degn, T. K., Munchow, M. dan Fisk, I. (2016). Determination of volatile marker compounds of common coffee roast defects. *Food Chemistry* **211**: 206–214.
- Yuliani, S., Juniawati, Ratnaningsih, & Suryana, E. A. (2022). Characteristics of Tempeh Prepared from Several Varieties of Indonesian Soybeans: Correlations between Soybean Size and Tempeh Quality Properties. *Earth and Environmental Science* **1024**(1).
- Zhang, B., Li, K., Cheng, H., Hu, J., Qi, X. dan Guo, X. B. (2023). Effect of thermal treatments on volatile profiles and fatty acid composition in sweet corn (*Zea mays* L.). *Food Chemistry: X* **18**.

Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R., Lu, B. (2022). Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition* **9**.

