

## DAFTAR PUSTAKA

- Abbadie, C., Bhangoo, S., De-Koninck, Y *et al.* – Chemokines and pain mechanisms. *Brain Res Rev*, ;60:125-134. 2009.
- Alemanno, Francesca and Alemanno, Fernando. ‘Neurotransmitters’, *Biochemistry for Anesthesiologists and Intensivists*, pp. 49–70. doi:10.1007/978-3-030-26721-6\_6. 2019.
- Alves-Filho, J.C., Freitas, A., Souto, F.O., Spiller, F., Paula-Neto, H., Silva, J.S., Gazzinelli, R.T., Teixeira, M.M., Ferreira, S.H., Cunha, F.Q. Regulation of chemokine receptor by Toll-like receptor 2 is critical to neutrophil migration and resistance to polymicrobial sepsis, *Proc. Natl. Acad. Sci.* 106. 4018–4023, <https://doi.org/10.1073/pnas.0900196106>. 2009.
- American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Part 10.8: Cardiac Arrest Associated With Pregnancy. *Circulation* ;112: IV 150-153.an experimental visceral pain model. *Pain*. 2002.
- Asadullah K, Sabat R, Friedrich M *et al.* – Interleukin-10: an important immunoregulatory cytokine with major impact on psoriasis. *Curr Drug Targets Inflamm Allergy*. 2004
- Attri JP, Makhni R, Sethi S. Levobupivacaine for labor analgesia. *Anesth Essay Res*. 2016.
- Backman LJ, Fong G, Andersson G, Scott A, Danielson P.- Substance P is a mechanoresponsive, autocrine regulator of human tenocyte proliferation. *PLoS One*. 2011.
- Bajaj P, Drewes AM, Gregersen H, *et al.*-Controlled dilatation of the uterine cervix—an experimental visceral pain model. *Pain*. 2002.
- Barthlen W, Stadler J, Lehn NL, Miethke T, Bartels H, Siewert JR. -Serum levels of end products of nitric oxide synthesis correlate positively with tumor necrosis factor alpha and negatively with body temperature in patients with abdominal sepsis. *Shock*. 1994.
- Bhangoo S, Ren D, Miller RJ *et al.* – Delayed functional expression of neuronal chemokine receptors following focal nerve demyelination in the rat: a mechanism for the development of chronic sensitization of peripheral nociceptors. *Mol Pain*, 2007.
- Boztug N, Bigat Z, Karsli B, Saykal N, Ertok E. Comparison of ropivacaine and bupivacaine for intrathecal anaesthesia during outpatient arthroscopic surgery. *J Clin Anaesth*, 2006.

- Bogdan, C. Nitric oxide synthase in innate and adaptive immunity: an update, *Trends Immunol*, 2015.
- Braman RS, Hendrix SA.-Nanogram nitrite and nitrate determination in environmental and biological materials by vanadium (III) reduction with chemiluminescence detection. *Anal Chem*, 1989.
- Benjamim, C.F., Ferreira, S.H., Cunha, F.Q. -Role of nitric oxide in the failure of neutrophil migration in sepsis, *J. Infect. Dis*, 2000.
- Cambic, C.R. C.A. Wong, C.A -Labour analgesia and obstetric outcomes, *Br. J. Anaesth*, 2010.
- Camorcia M, Capogna G, Columb MO. -Estimation of the minimum motor blocking potency ratio for intrathecal bupivacaine and lidocaine. *Int J Obstet Anaesth*, 2008.
- Campbell TA. -Cardiac arrest and pregnancy. *J Emerg Trauma Shock*, 2009.
- Carbillon L, Uzan M, Uzan S. -Pregnancy, vascular tone, and maternal hemodynamics: a crucial adaptation. *Obstet Gynecol Surv*, 2000.
- Carlton SM, Du J, Zhou S, Coggeshall RE. -Tonic control of peripheral cutaneous nociceptors by somatostatin receptors. *J Neurosci*, 2001.
- Caruso C, Durand D, Watanobe H, Lasaga M. -NMDA and group I metabotropic glutamate receptors activation modulates substance P release from the arcuate nucleus and median eminence. *Neurosci Lett*, 2006.
- Catling-Paull C, McDonnell N, Moores A, Homer CS. -Maternal mortality in Australia: learning from maternal cardiac arrest. *Nurs Health Sci*, 2011.
- Cauwels A, Bultinck J, Brouckaert P. -Dual role of endogenous nitric oxide in tumor necrosis factor shock: induced NO tempers oxidative stress. *Cell Mol Life Sci*, 2005.
- Chen W, McRoberts JA, Ennes HS, Marvizon JC. cAMP signaling through protein kinase A and Epac2 induces substance P release in the rat spinal cord. *Neuropharmacology*, 2021.
- Chen, X. *et al.* 'Serum levels of nitric oxide metabolites during labour with or without combined spinal-epidural analgesia', *European Journal of Anaesthesiology*, doi:10.1017/s0265021508004298, 2008.
- Chesnut, D.H., *Obstetric Anaesthesia, Principal and Practice*. 5th ed. 2020.
- Choi JG, Choi SR, Kang DW, Kim J, Park JB, Kim HW. Inhibition of angiotensin converting enzyme induces mechanical allodynia through increasing substance P expression in mice. *Neurochemistry International*, 2021.

- Choi, S. W., Lam, D. M., Wong, S. S., Fung, B. K., & Cheung, C. W. 'Effect of Epidural Analgesia on Pro-Inflammatory and Anti-Inflammatory Cytokines in Parturients', *Journal of Anesthesia*, 30(2), 2016.
- Cohen SE, AndesLC, Carvalho B.- Assessment of knowledge regarding cardiopulmonary resuscitation of pregnant women. *Int J Obstet Anesth*, 2008.
- Conell-Price J, Evans JB, Hong D, *et al.* -The development and validation of a dynamic model to account for the progress of labor in the assessment of pain. *Anesth Analg*, 2008.
- Contreras G, Gutierrez M, Beroza T, Fantan A, Odd. H, Villarroel L, Cruz E, Lisboa C. -Ventilatory drive and respiratory muscle function in pregnancy. *Am Rev Respir Dis*, 1991.
- Cunha TM, Verri WA Jr, Fukada SY *et al.* – TNF-alpha and IL-1beta mediate inflammatory hypernociception in mice triggered by B1 but not B2 kinin receptor. *Eur J Pharmacol*, 2007.
- Dellinger RP. Cardiopulmonary complication of pregnancy. *Crit Care Med*, 2005.
- Docke WD, Asadullah K, Belbe G, *et al.* – Comprehensive biomarker monitoring in cytokine therapy: heterogeneous, time-dependent, and persisting immune effects of interleukin-10 application in psoriasis. *J Leukoc Biol*, 2009.
- Evans T, Carpenter A, Kinderman H, Cohen J. -Evidence of increased nitric oxide production in patients with sepsis syndrome. *Circ Shock*, 1993.
- Ezri T, Lurie S, Weiniger CF, Golan A, Evron S. -Cardiopulmonary resuscitation in the pregnant patient- an update. *Israel Med Assoc J*, 2011.
- Elinav S, Matot I, Berkenstadt H, Bromiker R, Weigner CF. A survey of labour ward clinician's knowledge of maternal cardiac arrest and resuscitation. *Int J Obstet Anesth*. 2008.
- Ferreira, S.H. Prostaglandins, aspirin-like drugs and analgesia, *Nat. New Biol*, 1972.
- Filliom DN. -Being prepared for a pregnant code blue. *Am J Matern Child Nurs*, 1998.
- Fonseca, M.D., Cunha, F.Q., Kashfi, K., Cunha, T.M., -NOSH-aspirin (NBS-1120), a dual nitric oxide and hydrogen sulfide-releasing hybrid, reduces inflammatory pain, *Pharmacol. Res. Perspect*, 2015.
- Fyneface-Ogan, S., Mato, C.N., Anya, S.E.-Epidural anesthesia: views and outcomes of women in labor in a Nigerian hospital, *Ann. Afr. Med*, 2009.

- G.G. Vivancos, C.A. Parada, S.H. Ferreira, -Opposite nociceptive effects of the arginine/ NO/cGMP pathway stimulation in dermal and subcutaneous tissues, *Br.J.Pharmacol*, 2003.
- Gana Öry, Tas N, Küc A, Hanc V. -Comparison of different densities of levobupivacaine solutions for unilateral spinal anaesthesia. *Rev Bras Anaesthesiol*, 2014.
- Garcia, P. *et al.* "Socioeconomic Status and Access to Epidural Analgesia in Labor: A Population-Based Study." *Public Health in Obstetrics*, 9(2), 87-96. 2017.
- Gebhard F, Pfetsch H, Steinbach G *et al.* – Is interleukin 6 an early marker of injury severity following major trauma in humans? *Arch Surg*, 2000.
- Giannubilo, S.R. *et al.* 'Maternal hemodynamics and computerized cardiotocography during labor with epidural analgesia', *Archives of Gynecology and Obstetrics*, doi:10.1007/s00404-022-06658-2. 2022.
- Gonca, S., Kilickan, L., Dalcik, C., Dalcik, H., & Bayindir, O. The cardioprotective effects of thoracal epidural anesthesia are induced by the expression of vascular endothelial growth factor and inducible nitric oxide synthase in cardiopulmonary bypass surgery. *Journal of Cardiovascular Surgery (Torino)*, 48(1), 93–102. 2007.
- Grady K, Howell C, Cox C, editors. *The MOET Course Manual: Managing Obstetric Emergencies and Trauma*. 2<sup>nd</sup> ed. (Chapter 4, Cardiopulmonary resuscitation in the non pregnant and pregnant patient.) London, England: RCOG Press. 2011.
- Guerrero, A.T.G, Verri, W.A., Cunha, T.M., Silva, T.A. Schivo, I.R.S, Dal-Secco, D., Canetti, C. Rocha, F.A.C., Parada, C.A., Cunha, F.Q., Ferreira, S.H. Involvement of LTB 4 in zymosan-induced joint nociception in mice: participation of neutrophils and PGE 2, *J. Leukoc. Biol.* 2008.
- Hess, P.E., Vasudevan, A., Snowman, C. and Pratt, S.D. 'Small dose bupivacaine-fentanyl spinal analgesia combined with morphine for labor', *Anesthesia & Analgesia*, 97, pp. 247-252. doi: 10.1213/01.ane.0000066520.30763.b8. 2003.
- Hong JY, Lim KT – Effect of preemptive epidural analgesia on cytokine response and postoperative pain in laparoscopic radical hysterectomy for cervical cancer. *Reg Anesth Pain Med*, 2008.
- Johnson, K. *et al.* "Epidural Analgesia in Childbirth: A Comprehensive Review of Demographic Factors." *Maternal Health Journal*, 28(3), 245-258. 2019.
- Kato M, Suzuki H, Murakami M *et al.* – Elevated plasma levels of interleukin-6, interleukin-8, and granulocyte colony-stimulating factor during and after major abdominal surgery. *J Clin Anesth*, 1997.

- Kawasaki Y, Zhang L, Cheng JK *et al.* – Cytokine mechanisms of central sensitization: distinct and overlapping role of interleukin-1beta, interleukin-6, and tumor necrosis factor-alpha in regulating synaptic and neuronal activity in the superficial spinal cord. *J Neurosci*, 2008.
- Kehl, F., Ertkamp, S., Roewer, N., Respiratory arrest during Casersarean section after intrathecal administration of sufentanii in combination with 0.1% bupivacaine 10 ml, *Anaesth. Intensive Care*, 2002.
- Kuczkowski, K.M. Labor analgesia for the parturient with pregnancy-induced hypertension: what does an obstetrician need to know?, *Arch Gynecol. Obstet*, 2005.
- Kumari, P. *et al.* ‘Fentanyl versus tramadol with levobupivacaine for Combined Spinal-epidural analgesia in Labor’, *Saudi Journal of Anaesthesia*, 9(3), p. 263. doi:10.4103/1658-354x.154700, 2015.
- Kyathanahalli, C., Snedden, M., & Hirsch, E. Is human labour at term an inflammatory condition? *Biology of Reproduction*, 108(1), 23–40, 2022.
- Lee M, Park H, Youn J *et al.* – Interleukin-10 plasmid construction and delivery for the prevention of type 1 diabetes. *Ann N Y Acad Sci*, 2006.
- Leighton, B.L., Halpern, S.H. -The effects of epidural analgesia on labor, maternal, and neonatal outcomes: asystematic review, *Am. J. Obstet. Gynecol*, 2002.
- Linderroth B, Gazelius B, Franck J, Brodin E. -Dorsal column stimulation induces release of serotonin and substance P in the cat dorsal horn. *Neurosurgery*, 1992.
- Lundberg JO, Weitzberg E, Gladwin MT. -The nitrate-nitrite-nitric oxide pathway in physiology and therapeutics. *Nat Rev Drug Discov*, 2008.
- Luo ZD, Cizkova D. -The role of nitric oxide in nociception. *Curr Rev Pain*, 2000.
- Luo, Y. *et al.* Roles of nitric oxide in the regulation of reproduction: A Review’, *Frontiers in Endocrinology*, doi:10.3389/fendo.2021.752410, 2021.
- M. Lee, K. Rey, K. Besler, C. Wang, J. Choy, - Immunobiology of Nitric Oxide and Regulation of Inducible Nitric Oxide Synthase, 2017.
- Marucci, M., Fiore, T., Meco, B. C., & Antonucci, E. 'Effects of Epidural Analgesia on Labor and Delivery', *Current Opinion in Anesthesiology*, 30(3), pp. 278-283, 2017.
- McLennan C, Minn M. -Antecubital and femoral venous pressure in normal and toxemic pregnancy. *Am J Obstet Gynecol*, 1943.

- Miller RJ, Banisadr G, Bhattacharyya BJ – CXCR4 signaling in the regulation of stem cell migration and development. *J Neuroimmunol*, 2008.
- Morgan and Miikhail. Clinical Anesthesiology 6<sup>th</sup> Edition. The McGraw-Hill Companies Inc. United States, 2018.
- N.K. Low, The nature of labor pain, *Am. J. Obstet. Gynecol*, 2002.
- Neal JM, Bernards CM, Butterworth JF IV. ASRA practice advisory on local anesthetic systemic toxicity. *Reg Anesth Pain Med*, 2010.
- Nelissen EC, de Zwaan C, Marcus MA, *et al.* Maternal cardiac arrest in early pregnancy. *Int J Obstet Anesth*, 2009.
- Niederberger E, Schmidtko A, Coste O *et al.* – The glutamate transporter GLAST is involved in spinal nociceptive processing. *Biochem Biophys Res Commun*, 2006.
- Nielsen MB, Klarskov B, Bech K, Andersen J, Kehlet H. Levobupivacaine vs bupivacaine as infiltration anaesthesia inguinal herniorrhaphy. *Br J Anaesth*. 1999.
- O’Byrne PM – Cytokines or their antagonists for the treatment of asthma. *Chest*, 2006.
- Palmer SK, Zamudio S, Coffin C, Parker S, Stamm E, Moore LG. Quantitative estimation of human uterine artery blood flow and pelvic blood flow redistribution in pregnancy. *Obstet Gynecol*, 1992.
- Papka R, Shew R. Neural input to the uterus and influence on uterine contractility. In: Garfield R, Tabb T, eds. *Control of Uterine Contractility*. London: CRC Press, 1993.
- Papka RE, Storey-Workley M, Shughrue PJ, *et al.* Estrogen receptor-alpha and beta- immunoreactivity and mRNA in neurons of sensory and autonomic ganglia and spinal cord. *Cell Tissue Res*, 2001.
- Pernoll ML, Metcalfe J, Schlenker TL, Welch JE, Matsumoto JA. Oxygen consumption at rest and during exercise in pregnancy. *Respir Physiol*, 1975.
- Pokabla MJ, Dickerson IM, Papka RE. Calcitonin gene-related peptide-receptor component protein expression in the uterine cervix, lumbosacral spinal cord, and dorsal root ganglia. *Peptides*, 2002.
- Preston, R. The role of combined spinal epidural analgesia for labor: is there still a question?, *Can J. Anaesth*. 54 (1), 2007.



- Puehler W, Zollner C, Brack A *et al.* – Rapid upregulation of mu opioid receptor mRNA in dorsal root ganglia in response to peripheral inflammation depends on neuronal conduction. *Neuroscience*, 2004.
- Raeburn CD, Sheppard F, Barsness KA *et al.* – Cytokines for surgeons. *Am J Surg*, 2002.
- Reynolds, F., Seed, P.T. Anaesthesia for caesarean section and neonatal acidbase status: a meta-analysis, *Anaesthesia* 60, 2005.
- Rittner HL, Brack A, Stein C – The other side of the medal: how chemokines promote analgesia. *Neurosci Lett*, 2008.
- Rossi A, Cornette J, Johnson MR, *et al.* Quantitative cardiovascular magnetic resonance in pregnant women: cross-sectional analysis of physiologic parameters throughout pregnancy and the impact of the supine position. *J Cardiovasc Magn Reson*, 2011.
- Sachs, D., Cunha, F.Q, Ferreira, S.H. Peripheral analgesic blockade of hypernociception: activation of arginine/NO/cGMP/protein kinase G/ATP-sensitive K<sup>+</sup> channel pathway, *Proc. Natl. Acad. Sci.* 101, 2004.
- Sandner-Kiesling A, Pan HL, Chen SR, *et al.* Effect of kappa opioid agonists on visceral nociception induced by uterine cervical distension in rats. *Pain*. 2002.
- Santos A, Epstein JN, Chauduri K. Clinical anesthesiology guide obstetric anesthesia, 2015.
- Sanjay D, Bhavani S, Scott S. Obstetri anesthesia handbook. 5th edition, springer New York, 2014.
- Say L, Chou D, Gemmill A, Tun.alp ., Moller AB, Daniels J, Gülmezoglu AM, Temmerman M, Alkema L. Global causes of maternal death: a WHO systematic analysis. *Lancet Glob Health*. 2014.
- Shapiro JM. Critical care of the obstetric patient. *J Intensive Care Med*. 2006.
- Sharma, S.K., McIntire, D.D., Wiley, J. *et al.*, Labor analgesia and cesarean delivery: an individual patient meta-analysis of nulliparous women, *Anesthesiology* 100, 2004.
- Sjostrom, S. *et al.* ‘Cerebrospinal fluid concentrations of substance P and (Met)Enkephalin-Arg6-Phe7 during surgery and patient-controlled analgesia’, *Anesthesia & Analgesia*, 67(10). doi:10.1213/00000539-198810000-00014, 1988.

- Sommer C, White F - Cytokines, Chemokines, and Pain, em: Beaulieu P, Lussier D, Porreca F *et al.* – Pharmacology of Pain. 1st Ed, Seattle, IASP Press, 2010.
- Stringer M, Brooks PM, King K, Biesecker B. New guidelines for maternal and neonatal resuscitation. *J Obstet Gynecol Neonatal Nurs.* 2007.
- Stoelting RK, Hillier SC. Local Anesthetic. In: Handbook of Pharmacology & Physiology in Anesthetic Practice. 2<sup>nd</sup> ed. Philadelphia, USA: Lippincott Williams & Wilkins; 2006.
- Summers RL, Harrison JM, Thompson JR, Porter J, Coleman TG. Theoretical analysis of the effect of positioning on hemodynamic stability during pregnancy. *Acad Emerg Med.* 2011.
- Suprptomo. Pengaruh intra labor analgesia neuraksial terhadap kadar eNos, TNF alfa dan IL 6 pada ibu hamil inpartu. Disertasi. 2018.
- Suresh MS, La Toya, Mason C, Munnur U. Cardiopulmonary resuscitation and the parturient. *Best Pract Res Clin Obstet Gynaecol.* 2010.
- T.M. Cunha, G.R. Souza, A.C. Domingues, E.U. Carreira, C.M. Lotufo, M.I. Funez, W.A. Verri, F.Q. Cunha, S.H. Ferreira, Stimulation of peripheral kappa opioid receptors inhibits inflammatory hyperalgesia via activation of the PI3K $\gamma$ /AKT/ nNOS/NO signaling pathway, *Mol. Pain* 8, 2012.
- Ueland K, Novy MJ, Peterson EN, Metcalfe J. Maternal cardiovascular dynamics, IV: the influence of gestational age on the maternal cardiovascular response to posture and exercise. *Am J Obstet Gynecol.* 1969.
- Ullah R, ali G, Subhan F, Naveed M, Khan A, Khan J, Halim SA, Ahmad N, Zaikullah, Harrasi AA. Attenuation of nociceptive and paclitaxel-induced neuropathic pain by targeting inflammatory, CGRP and Substance P signaling using 3-Hydroxyflavone. *Neurochemistry International*, 2021.
- Uyun. Anestesi epidural lumbal bupivakain 0,5% isobarik pada seksio sesarea: kajian farmakokinetik dan farmakodinamik bupivakain dan kadar nitrit oksid pada pasien preeklampsia dibanding pasien kehamilan normotensi. Disertasi. 2015.
- Velde MV. There is no place in modern obstetrics for racemic bupivacaine. *Int J Obstet Anaesth.* 2006.
- Volpato, L. K., Nadkarni, S., Horevich, V. V., Donatello, N., Cremona Parma, G. O., Martins, D. F., *et al.* Contribution of plasma, placental, inflammatory, and pro-resolving mediators in labor induction. *Placenta*, 122, 9–17. 2022.
- W.F. Mousa, R. Al-Metwalli, M. Mostafa, Epidural analgesia during labor vs no analgesia: a comparative study, *Saudi J. Anaesth.* 6 (1), 2012.



- Wang, J., Hu, Z., Dai, C., Xu, Y., Wang, Y., Zhang, X., & Sun, L. 'Epidural Analgesia Reduces Inflammatory Response in Labor: A Randomized Controlled Trial', *Journal of Pain Research*, 2017.
- Watson B, Howell V. Spinal anaesthesia: the saviour of day surgery? *Curr Anaesth Crit Care*. 2007.
- Weller, R., & Rosenblatt, M. Levobupivacaine: a review of its pharmacology and use as a local anaesthetic. *Local and Regional Anesthesia*, 2010.
- Whitburn LY, Jones LE, Davey MA, Small R. Supporting the updated definition of pain. But what about labour pain? *Pain*. 2017.
- Whitty JE. Maternal cardiac arrest in pregnancy. *Clin Obstet Gynecol*, 2002.
- Williams AC, Craig KD. Updating the definition of pain. *Pain*. 2016.
- World Health Organization, UNICEF, UNFPA, The World Bank, United Nations Population Division. Trends in Maternal Mortality: 1990 to 2013. Estimates by WHO, UNICEF, UNFPA, The World Bank, and the United Nations Population Division. Geneva, Switzerland: World Health Organization; 2014.
- Wu LJ, Xu H, Ko SW, Yoshimura M, Zhuo M. Feed-forward inhibition: a novel cellular mechanism for the analgesic effect of substance P. *Mol Pain* 2005.
- Wu, S. *et al*. The effects of labor epidural analgesia on maternal and fetal hemodynamics: A prospective observation study', *Journal of Ultrasound in Medicine*, 42(10), doi:10.1002/jum.16264, 2023.
- Yanık, F.F. *et al*. Serum nitric oxide and glutathione levels in preeclamptic and normotensive women during Labor', *Gynecologic and Obstetric Investigation*, doi:10.1159/000052904, 2001.
- Y. Cury, G. Picolo, V.P. Gutierrez, S.H. Ferreira, Pain and analgesia: the dual effect of nitric oxide in the nociceptive system, *Nitric Oxide Biol. Chem*, 2011.
- Z.D. Luo, D. Cizkova, The role of nitric oxide in nociception, *Curr. Rev. Pain* 4 <http://www.ncbi.nlm.nih.gov/pubmed/11060592>, 2004.
- Zhang, J., Troendle, J.F., Yancey, M.K. Reassessing the labor curve in nulliparous women, *Am. J. Obstet. Gynecol*, 2002.
- Zhang JM, An J – Cytokines, inflammation, and pain. *Int Anesthesiol Clin*, 2007.
- Zhou ZQ, Shao Q, Zeng Q, Song J, Yang JJ. Lumbar wedge versus pelvic wedge in preventing hypotension following combined spinal epidural anesthesia for caesarean delivery. *Anesth Intensive Care*. 2008.

- Zhou, X. *et al.* (2018) 'Ropivacaine at different concentrations on intrapartum fever, IL 6 and tnf  $\alpha$  in parturient with epidural labor analgesia', *Experimental and Therapeutic Medicine* [Preprint]. doi:10.3892/etm, 2018
- Zhu, R., Pan, Q. and Cao, X. Comparisons of nonpharmaceutical analgesia and pharmaceutical analgesia on the labor analgesia effect of parturient women', *Immunity, Inflammation and Disease*, doi:10.1002/iid3.869, 2023
- Zuarez-Easton, S. *et al.* (2023) 'Pharmacologic and nonpharmacologic options for pain relief during labor: An expert review', *American Journal of Obstetrics and Gynecology*, 228(5). doi:10.1016/j.ajog, 2023.
- ACOG Practice Bulletin No. 209: Obstetric Analgesia and anesthesia' *Obstetrics & Gynecology*, 133(3). doi:10.1097/aog.0000000000003132, 2019.