

DAFTAR PUSTAKA

- Agustina, N. (2023). *Sourdough* Air Fermentasi Salak (*Salacca Zalacca*) Dan Pengaruhnya Pada Karakteristik Tekstur Roti Tepung Beras. Universitas Gadjah Mada, Yogyakarta
- Ajmal, M., Butt, M. S., Sharif, K., Nasir, M. and Nadeem, T. (2006). Preparation of fiber and mineral enriched pan bread by using defatted rice bran. *Int. J. Food Pro.* 9(4):623–636. <https://doi.org/10.1080/10942910600580625>
- Alencar, N. M. M., Steel, C. J., Alvim, I. D., de Moraes, E. C., & Bolini, H. M. A. (2015). Addition of quinoa and amaranth flour in gluten-free breads: Temporal profile and instrumental analysis. *LWT-Food Science and Technology*, 62(2), 1011-1018. <https://doi.org/10.1016/j.lwt.2015.02.029>.
- Aplevicz, K. S., da Silva, T., Fritzen-Freire, C. B., Amboni, R. D., Barreto, P. L., & Sant'Anna, E. S. (2014). Effect of the Incorporation of different freeze-dried cultures on the properties of sourdough bread. *Journal of culinary science & technology*, 12(4), 354-367. <https://doi.org/10.1080/15428052.2014.904837>
- Arendt, E. K., Ryan, L. A., & Dal Bello, F. (2007). Impact of sourdough on the texture of bread. *Food Microbiology*, 24(2), 165–174. DOI: 10.1016/j.fm.2006.07.011
- Arendt, E. K., Moroni, A., & Zannini, E. (2011). Medical nutrition therapy: Use of sourdough lactic acid bacteria as a cell factory for delivering functional biomolecules and food ingredients in gluten free bread. *Microbial Cell Factories*, 10(Suppl. 1) S15–S15. <https://doi.org/10.1186/1475-2859-10-S1-S15>.
- Argyropoulos, D., Heindl, A., & Müller, J. (2011). Assessment of convection, hot-air combined with microwave-vacuum and freeze-drying methods for mushrooms with regard to product quality. *International Journal of Food Science and Technology*, 46(2), 333–342. <https://doi.org/10.1111/j.1365->



2621.2010.02500.x

- Arora, K., Ameer, H., Polo, A., Di Cagno, R., Rizzello, C. G., dan Gobbetti, M. (2021). Thirty Years Of Knowledge On Sourdough Fermentation: A Systematic Review. *Trends in Food Science and Technology*, 108, 71–83. <https://doi.org/10.1016/j.tifs.2020.12.008>.
- Bender, D., Fraberger, V., Szepasvári, P., D'Amico, S., Tömösközi, S., Cavazzi, G., Jager, H., Domig, K. J., Schoenlechner, R. (2018). Effects of selected lactobacilli on the functional properties and stability of gluten-free sourdough bread. *European Food Research and Technology*, 244, 1037-1046. <https://doi.org/10.1007/s00217-017-3020-1>.
- Boreczek, J., Litwinek, D., Żylińska-Urban, J., Izak, D., Buksa, K., Gawor, J., Gromadka, R., Kowalczyk, M. (2020). Bacterial community dynamics in spontaneous sourdoughs made from wheat, spelt, and rye wholemeal flour. *MicrobiologyOpen*, 9(4), e1009. <https://doi.org/10.1002/mbo3.1009>.
- Brandt, M.J., (2014). Starter cultures for cereal based foods. *Food Microbiol.* 37, 41-43. <https://doi.org/10.1016/j.fm.2013.06.007>
- Brandt, M. J. (2007). Sourdough products for convenient use in baking. *Food Microbiology*, 24(2), 161–164. <https://doi.org/10.1016/j.fm.2006.07.010>.
- Caglar, N., Ermis, E., & Durak, M. Z. (2021). Spray-dried and freeze-dried sourdough powders: Properties and evaluation of their use in breadmaking. *Journal of Food Engineering*, 292, 110355. <https://doi.org/10.1016/j.jfoodeng.2020.110355>
- Carvalho, A. S., Silvae, J., Hob, P., Teixeiraa, P., Malcataa, F. X., Gibbssa, P. (2004). Relevant factors for the preparation of freeze-dried lactic acid bacteria. Review. *International Dairy Journal* 14 (2004) 835–847. DOI: 10.1016/j.idairyj.2004.02.001
- Catteddu, P. (2019). Sourdough breads. In *Flour and breads and their fortification in health and disease prevention* (pp. 177-188). Academic press. <https://doi.org/10.1016/B978-0-12-814639-2.00014-9>
- Catteddu, P. (2011). Sourdough breads. In V. R. Preedy, R. R. Watson, & V. B. Patel (Eds.), *Flour and breads and their fortification in health and disease*



- prevention (pp. 37–46). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-380886-8.10004-2>.
- Chavan, R. S., & Chavan, S. R. 2011. Sourdough Technology-A Traditional Way for Wholesome Foods: A Review. *Comprehensive Reviews in Food Science and Food Safety*, 10(3), 169–182. DOI:10.1111/j.1541-4337.2011.00148.x
- Chinma, C. E., Anuonye, J. C., Ocheme, O. B., Abdullahi, S., Oni, S., Yakubu, C. M., & Azeez, S. O. (2016). Effect of acha and bambara nut sourdough flour addition on the quality of bread. *LWT*, 70, 223-228. <https://doi.org/10.1016/j.lwt.2016.02.050>.
- Clarke, C. I., & Arendt, E. K. (2005). A review of the application of sourdough technology to wheat breads. *Advances in food and nutrition research*, 49(1), 137-161. DOI:10.1016/S1043-4526(05)49004-X
- Comasio, A., Verce, M., Van Kerrebroeck, S., & De Vuyst, L. (2020). Diverse microbial composition of sourdoughs from different origins. *Frontiers in Microbiology*, 11, 1212. <https://doi.org/10.3389/fmicb.2020.01212>
- Comasio, A., Harth, H., Weckx, S., & De Vuyst, L. (2019). The addition of citrate stimulates the production of acetoin and diacetyl by a citrate-positive *Lactobacillus crustorum* strain during wheat sourdough fermentation. *International journal of food microbiology*, 289, 88-105. <https://doi.org/10.1016/j.ijfoodmicro.2018.08.030>
- Corsetti, A. (2012). Technology of sourdough fermentation and sourdough applications. In *Handbook on sourdough biotechnology* (pp. 85-103). New York, NY: Springer US. https://doi.org/10.1007/978-1-4614-5425-0_4
- Danila, I. R. 2023. Pengaruh Starter Air Fermentasi Buah Nanas Terhadap Bakteri Asam Laktat Dan Yeast Dalam *Sourdough* Serta Tekstur Roti Tawar Tepung Beras. Universitas Gadjah Mada. Yogyakarta
- Davey, M. W., Keulemans, J., & Swennen, R. (2006). Methods for the efficient quantification of fruit provitamin A contents. *Journal of Chromatography A*, 1136(2), 176-184. <https://doi.org/10.1016/j.chroma.2006.09.077>.
- Decock, P., Cappelle, S., 2015. Bread technology and sourdough technology. *Trends Food Sci. Technol.* 16, 113–120.



<https://doi.org/10.1016/j.tifs.2004.04.012>

- De Vuyst, L., Van Kerrebroeck, S., Leroy, F., (2017). Microbial ecology and process technology of sourdough fermentation. *Adv. Appl. Microbiol.* 100, 49–160. <https://doi.org/10.1016/bs.aambs.2017.02.003>.
- De Vuyst, L., Van Kerrebroeck, S., Harth, H., Huys, G., Daniel, H. M., & Weckx, S. (2014). Microbial ecology of sourdough fermentations: diverse or uniform?. *Food microbiology*, 37, 11-29. <https://doi.org/10.1016/j.fm.2013.06.002>
- De Vuyst, L., Vrancken, G., Ravyts, F., Rimaux, T., & Weckx, S. (2009). Biodiversity, ecological determinants, and metabolic exploitation of sourdough microbiota. *Food microbiology*, 26(7), 666-675. <https://doi.org/10.1016/j.fm.2009.07.012>
- De Vuyst, L., & Neysens, P. (2005). The sourdough microflora: biodiversity and metabolic interactions. *Trends in Food Science & Technology*, 16(1-3), 43-56. <https://doi.org/10.1016/j.tifs.2004.02.012>.
- Di Cagno, R., Filannino, P., & Gobbetti, M. (2015). Vegetable and fruit fermentation by lactic acid bacteria. *Biotechnology of lactic acid bacteria: Novel applications*, 216-230. <https://doi.org/10.1002/9781118868386.ch14>
- Dona, J. C. S. M. (2022). Effect of Milling Parameters and Starter Cultures on Nutritional Attributes and In Vitro Fecal Fermentation of Sourdough Bread (Doctoral dissertation, North Dakota State University).
- Dzialo, M.C., Park, R., Steensels, J., Lievens, B., Verstrepen, K.J. (2017). Physiology, ecology and industrial applications of aroma formation in yeast. *FEMS Microbiol. Rev*;41:S95-S128. DOI: 10.1093/femsre/fux031.
- Emanuele, Z., Kieran, M.L., Laura, N., Aylin, W. S., Patrick, R., Daenen, L., Elke, K. A., (2023). Influence of substrate on the fermentation characteristics and culture Depend Microbial Composition of Water Kefir. *Fermentation*, 9(1), 28. DOI: <https://doi.org/10.3390/fermentation9010028>
- Ertop, M. H., İltter, Ş.M., Yılmaz, F., Baltacı, C., Gündoğdu, A. (2018). Quality Properties of Wheat Breads Incorporated with Dried Sourdoughs Produced with Different Fermentation and Drying Methods. *Food Science and*



- Technology Research, 24 (6), 971_980, 2018. DOI: 10.3136/fstr.24.971
- Falasconi, I., Fontana, A., Patrone, V., Rebecchi, A., Duserm Garrido, G., Principato, L., Morelli, L. (2020). Genome-Assisted Characterization of *Lactobacillus Fermentum*; *Weisella cibaria* and *Weisella confuse* Strains Isolated From Sorghum as Starters For Sourdough Fermentation. *Microorganisms*, 8(9). DOI: 10.3390/microorganisms8091388.
- Farahmand, E., Razavi, S. H., Yarmand, M. S., & Morovatpour, M. (2015). Development of Iranian rice-bran sourdough breads: Physicochemical, microbiological and sensorial characterisation during the storage period. *Quality Assurance and Safety of Crops & Foods*, 7(3), 295–303. <https://doi.org/10.3920/qas2013.0334>
- Fekri, A., Abedinzadeh, S., Torbati, M., Azadmard-Damirchi, S., Savage, G. P. (2020). Considering Sourdough from a Biochemical, Organoleptic and Nutritional Perspective. *Journal of Composition and Analysis*, 125:105853. DOI: <https://doi.org/10.1016/j.jfca.2023.105853>
- Ferraz, R., Flores, S. H., Frazzon, J., & Thys, R. C. S. 2(021). The effect of co-fermentation on sourdough breadmaking using different viable cell concentrations of *Lactobacillus plantarum* and *Saccharomyces cerevisiae* as starter cultures. *Journal of Culinary Science & Technology*, 19(1), 1-17. <https://doi.org/10.1080/15428052.2019.1680472>.
- Fu, N., & Chen, X. D. (2011). Towards a maximal cell survival in convective thermal drying processes. *Food Research International*, 44(5), 1127-1149. <https://doi.org/10.1016/j.foodres.2011.03.053>
- Ganzle, M. G., Ripari, V., (2016). Composition and Function of Sourdough Microbiota: From Ecological Theory to Bread Quality. *Int. J. Food Microbiol.* 239, 19-25. <https://doi.org/10.1016/j.ijfoodmicro.2016.05.004>
- Galle, S., Schwab, C., Dal Bello, F., Coffey, A., Gänzle, M. G., Arendt, E. K. (2012). Influence of in-situ synthesized exopolysaccharides on the quality of gluten-free sorghum sourdough bread. *International journal of food microbiology*, 155(3), 105-112.
- Galli, V., Venturi, M., Guerrini, S., Blandino, M., Luti, S., Pazzagli, L., et al.

- (2020). Antioxidant properties of sourdoughs made with whole grain flours of hull-less barley or conventional and pigmented wheat and by selected lactobacilli strains. *Foods*. <https://doi.org/10.3390/foods9050640>
- Gidari-Gounaridou, C., Nouska, C., Hatzikamari, M., Kotsiou, K., Biliaderis, C.G., Lazaridou, A. (2023). Impact of dry sourdough based on a fermented chickpea starter on quality characteristics and shelf life of gluten-free bread. *Food Bioscience*, 53, 102780. DOI: <https://doi.org/10.1016/j.fbio.2023.102780>
- Gobbetti, M., Minervini, F., Pontonio, E., Di Cagno, R., & De Angelis, M. (2016). Drivers for the establishment and composition of the sourdough lactic acid bacteria biota. *International Journal of Food Microbiology*, 239, 3-18. <https://doi.org/10.1016/j.ijfoodmicro.2016.05.022>.
- Gordun Quiles, E., Puig Pujol, A., Piñol, L., & Carbó Moliner, R. (2018). Identification of yeast isolated from laboratory sourdoughs prepared with grape, apple, and yogurt. *Journal of microbiology, biotechnology and food sciences*, 7(4), 399-399. DOI: 10.15414/jmbfs.2018.7.4.399-403.
- Gordun, E., Del Valle, L.J., Ginovart, M., Carbo, R. (2015). Comparison of the microbial dynamics and biochemistry of laboratory sourdoughs prepared with grape, apple and yogurt. *Food Sci. Technol. Int.* 21, 428–439. <https://doi.org/10.1177/1082013214543033>.
- Hammes, W. P., Brandt, M. J., Francis, K. L., Rosenheim, J., Seitter, M. F., & Vogelmann, S. A. (2005). Microbial ecology of cereal fermentations. *Trends in Food Science & Technology*, 16(1-3), 4-11. <https://doi.org/10.1016/j.tifs.2004.02.010>
- Katsube, T., Tsurunaga, Y., Sugiyama, M., Furuno, T., & Yamasaki, Y. (2009). Effect of air-drying temperature on antioxidant capacity and stability of polyphenolic compounds in mulberry (*Morus alba* L.) leaves. *Food Chemistry*, 113, 964–969. <https://doi.org/10.1016/j.foodchem.2008.08.041>
- Kim, H. Y., Ye, S. J., & Baik, M. Y. (2023). Pressure moisture treatment (PMT) of starch, a new physical modification method. *Food Hydrocolloids*, 134, 108051. <https://doi.org/10.1016/j.foodhyd.2022.108051>



- Ktenioudaki, A., Alvarez-Jubete, L., Smyth, T. J., Kilcawley, K., Rai, D. K., & Gallagher, E. (2015). Application of bioprocessing techniques (sourdough fermentation and technological aids) for brewer's spent grain breads. *Food Research International*, 73, 107-116. <https://doi.org/10.1016/j.foodres.2015.03.008>.
- Lattanzi, A., Minervini, F., Di Cagno, R., Diviccaro, A., Antonielli, L., Cardinali, G., Cappelle, S., De Angelis, M., Gobbetti, M. (2013). The lactic acid bacteria and yeast microbiota of eighteen sourdoughs used for the manufacture of traditional Italian sweet leavened baked goods. *International Journal of Food Microbiology*, 163(2-3), 71-79.
- Lima, I., Guaraya, H. and Champagne, E. (2002). The functional effective-ness of reprocessed ricebran as an ingredient in bakery products. *Nahrung*.46:112–117. DOI: 10.1002/1521-3803(20020301)46:2<112::AID-FOOD112>3.0.CO;2-N
- Liu, D., Guo, Y., Zhu, J., Wang, Y., & Ma, H. (2024). Peptide production through enhanced solid-state fermentation of soybean meal with *Bacillus subtilis* SBM_1: Fermentation process and product characteristics. *Industrial Crops and Products*, 219, 119184. <https://doi.org/10.1016/j.indcrop.2024.119184>
- Luo, S., Yan, X., Fu, Y., Pang, M., Chen, R., Liu, Y. Chen, J., Liu, C. (2021). The quality of gluten-free bread made of brown rice flour prepared by low temperature impact mill. *Food Chemistry*, 348: 129032. DOI: <https://doi.org/10.1016/j.foodchem.2021.129032>
- Liu, W., Zhang, M., Adhikari, B., & Chen, J. (2020). A novel strategy for improving drying efficiency and quality of cream mushroom soup based on microwave pre-gelatinization and infrared freeze-drying. *Innovative Food Science & Emerging Technologies*, 66, 102516. <https://doi.org/10.1016/j.ifset.2020.102516>
- Luti, S., Mazzoli, L., Ramazzotti, M., Galli, V., Venturi, M., Marino, G., et al. (2020). Antioxidant and anti-inflammatory properties of sourdoughs containing selected *Lactobacilli* strains are retained in breads. *Food Chemistry*, 322(August 2019), 126710.



<https://doi.org/10.1016/j.foodchem.2020.126710>

- Maidana, S. D., Finch, S., Garro, M., Savoy, G., Gänzle, M., & Vignolo, G. (2020). Development of gluten-free breads started with chia and flaxseed sourdoughs fermented by selected lactic acid bacteria. *LWT*, *125*, 109189.
- Mariotti, M., Cappa, C., Picozzi, C., Tedesco, B., Fongaro, L. O. R. E. N. Z. O., & Lucisano, M. (2017). Compressed yeast and type I gluten-free sourdough in gluten-free breadmaking. *Food and Bioprocess Technology*, *10*, 962-972.
- Moore, M. M., Bello, F. D., Arendt, E. K. (2008). Sourdough fermented by *Lactobacillus plantarum* FST 1.7 improves the quality and shelf life of gluten-free bread. *Eur. Food Res. Technol.* *226* (6) 1309–1316 Apr, DOI: 10.1007/s00217-007-0659-z.
- Moroni, A. V., Dal Bello, F., & Arendt, E. K. (2009). Sourdough in gluten-free bread-making: an ancient technology to solve a novel issue?. *Food microbiology*, *26*(7), 676-684.
- Minervini, F., Celano, G., Lattanzi, A., De Angelis, M., Gobbetti, M., (2016). Added ingredients affect the microbiota and biochemical characteristics of durum wheat type-I sourdough. *Food Microbiol.* *60*, 112–123. <https://doi.org/10.1016/j.fm.2016.05.016>.
- Minervini, F., De Angelis, M., Di Cagno, R., Gobbetti, M., (2014). Ecological parameters influencing microbial diversity and stability of traditional sourdough. *Int. J. Food Microbiol.* *171*, 136–146. <https://doi.org/10.1016/j.ijfoodmicro.2013.11.021>.
- Minervini, F., Di Cagno, R., Lattanzi, A., De Angelis, M., Antonielli, L., Cardinali, G., Cappelle, S., Gobbetti, M., (2012). Lactic acid bacterium and yeast microbiotas of 19 sourdoughs used for traditional/typical Italian breads: interactions between ingredients and microbial species diversity. *Appl. Environ. Microbiol.* *78*, 1251–1264. <https://doi.org/10.1128/AEM.07721-11>.
- Mygdalia, A. S., Nouska, C., Hatzikamari, M., Biliaderis, C. G., & Lazaridou, A. (2022). A sourdough process based on fermented chickpea extract as



- leavening and antistaling agent for improving the quality of gluten-free breads. *Food Research International*, 159, Article 111593. <https://doi.org/10.1016/j.foodres.2022.111593>
- Nadeeshani, H., Madhujith, T., Samarasinghe, G., Silva, R., Hunter, D., Madhujith, T., (2021). Proximate composition, fatty acid profile, vitamin and mineral content of selected bananavarieties grown in Sri Lanka. *J. Food Compos. Anal.* 100 (12), 1–7. <https://doi.org/10.1016/j.jfca.2021.103887>.
- Oliveira-Alves, S. C., Pereira, R. S., Pereira, A. B., Ferreira, A., Mecha, E., Silva, A. B., Serra, A.T., Bronze, M. R. (2020). Identification of functional compounds in baru (*Dipteryx alata* Vog.) nuts: Nutritional value, volatile and phenolic composition, antioxidant activity and antiproliferative effect. *Food Research International*, 131, 109026. <https://doi.org/10.1016/j.foodres.2020.109026>.
- Ortiz de Erive, Wang, M., He, T., F. L., Chen, G. B. (2020). Development of high-fiber wheat bread using microfluidized corn barn. *Food Chemistry*, 310, 125921-125921. DOI: 10.1016/j.foodchem.2019.125921.
- Reale, A., Di Renzo, T., Preziuso, M., Panfili, G., Cipriano, L., Messia, M.C., (2019). Stabilization of sourdough starter by spray drying technique: new breadmaking perspective. *LWT* 99, 468– 475. <https://doi.org/10.1016/j.lwt.2018.10.016>.
- Renzetti, S., & Rosell, C. M. (2016). Role of enzymes in improving the functionality of proteins in non-wheat dough systems. *Journal of Cereal Science*, 67, 35-45. <https://doi.org/10.1016/j.jcs.2015.09.008>
- Restuningtiyas, A. D. (2023). *Sourdough Air Fermentasi Papaya (*Carica papaya* L.) dan Pengaruhnya pada Karakteristik Tekstur Roti Tepung Beras*. Universitas Gadjah Mada, Yogyakarta
- Ripari, V., Gänzle, M. G., & Berardi, E. (2016). Evolution of sourdough microbiota in spontaneous sourdoughs started with different plant materials. *International journal of food microbiology*, 232, 35-42. <https://doi.org/10.1016/j.ijfoodmicro.2016.05.025>
- Rizzello, C. G., Lorusso, A., Montemurro, M., & Gobbetti, M. (2016). Use of



- sourdough made with quinoa (*Chenopodium quinoa*) flour and autochthonous selected lactic acid bacteria for enhancing the nutritional, textural and sensory features of white bread. *Food microbiology*, 56, 1-13.
- Rozylo, R., Rudy, S., Krzykowski, A., Dziki, D., Gawlik-Dziki, U., Rozylo, K., & Skonecki, S. (2015). Effect of adding fresh and freeze-dried buckwheat sourdough on gluten-free bread quality. *International Journal of Food Science and Technology*, 50(2), 313–322. <https://doi.org/10.1111/ijfs.12622>.
- Pereira, A., Maraschin, M., (2015). Banana (*Musa spp*) from peel to pulp: ethnopharmacology, source of bioactive compounds and its relevance for human health. *J. Ethnopharmacol.* 160, 149– 163. <https://doi.org/10.1016/j.jep.2014.11.008>
- Postmaster, A., Sivasithamparam, K., & Turner, D. W. (1997). Enumeration and identity of microorganisms isolated from the surface of banana fruits at three developmental stages. *Scientia Horticulturae*, 69(3-4), 189-197. [https://doi.org/10.1016/S0304-4238\(96\)00994-6](https://doi.org/10.1016/S0304-4238(96)00994-6)
- Puerta, P., Garzón, R., Rosell, C. M., Fiszman, S., Laguna, L., & Tárrega, A. (2021). Modifying gluten-free bread's structure using different baking conditions: Impact on oral processing and texture perception. *LWT*, 140, 110718. <https://doi.org/10.1016/j.lwt.2020.110718>
- Sharif, M. K., Butt, M. S., Anjum, F. M., & Khan, S. H. (2014). Rice bran: A novel functional ingredient. *Critical Reviews in Food Science and Nutrition*, 54, 807–816. <https://doi.org/10.1080/10408398.2011.608586>
- Sharma, H. R. and Chauhan, G. S. (2002). Effect of stabilized rice bran-fenugreek blends on the quality of breads and cookies. *J. Food Sci. Nutr.* 39:225–233.
- Siepmann, F. B., de Almeida, B. S., Ripari, V., da Silva, B. J., Peralta-Zamora, P. G., Waszczyński, N., & Spier, M. R. (2019). Brazilian sourdough: microbiological, structural, and technological evolution. *European Food Research and Technology*, 245, 1583-1594. <https://doi.org/10.1007/s00217-019-03254-8>.



- Siepmann FB, Ripari V, Waszczynskyj N, Spier MR. (2018). Overview of sourdough technology: from production to marketing. *Food Bioprocess Technol* 11(2):242–270. <https://doi.org/10.1007/s11947-017-1968-2>
- Singh, B., Singh, J. P., Kaur, A., & Singh, N. (2016). Bioactive compounds in banana and their associated health benefits—A review. *Food chemistry*, 206, 1-11.
- Tsamo, C. V. P., Herent, M. F., Tomekpe, K., Emaga, T. H., Quetin-Leclercq, J., Rogez, H., Larondelle, Y., Andre, C. M. (2015). Effect of boiling on phenolic profiles determined using HPLC/ESI-LTQ-Orbitrap-MS, physico-chemical parameters of six plantain banana cultivars (*Musa* sp). *Journal of Food Composition and Analysis*, 44, 158-169. <https://doi.org/10.1016/j.jfca.2015.08.012>
- Wang, Y. H., Yang, Y. Y., Li, H. Q., Zhang, Q. D., Xu, F., & Li, Z. J. (2021). Characterization of aroma-active compounds in steamed breads fermented with Chinese traditional sourdough. *LWT*, 152, 112347. <https://doi.org/10.1016/j.lwt.2021.112347>
- Yu, Y., Wang, L., Qian, H., Zhang, H., Qi, X., (2018a). Contribution of spontaneously fermented sourdoughs with pear and navel orange for the bread-making. *Food Sci. Technol.* 89, 336– 343. <https://doi.org/10.1016/j.lwt.2017.11.001>
- Yu, Y. F., Wang, L., Qian, H. F., Zhang, H., Li, Y., Wu, G. C., Qi, X. G., Xu, M. J., & Rao, Z. M. (2018b). Effect of selected strains on physical and organoleptic properties of breads. *Food Chemistry*, 276, 547–553. <https://doi.org/10.1016/j.foodchem.2018.10.048>
- Zevallos, V. F., Raker, V., Tenzer, S., Jimenez-Calvente, C., Ashfaq-Khan, M., Rüssel, N., et al. (2017). Nutritional wheat amylase-trypsin inhibitors promote intestinal inflammation via activation of myeloid cells. *Gastroenterology*, 152(5), 1100–1113. DOI: 10.1053/j.gastro.2016.12.006
- Zhu, H., Zhang, M., Li, Y., Zou, Y., Chen, A., Wang, F., ... & Zhou, S. (2022). Swelled mechanism of crumb rubber and technical properties of crumb rubber modified bitumen. *Materials*, 15(22), 7987.



UNIVERSITAS
GADJAH MADA

Pengembangan Dried Sourdough Instan dari Air Fermentasi Pisang Uli (*Musa acuminata*)
Annisa Septianing Putri Hidayat, Dr. Rini Yanti, S.T.P., M.P; Dian Angraeni Suroto, S.T.P., M.P., M.Eng., Ph.D.
Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.3390/ma15227987>