

REFERENCES

- Ancelin, P., Courbaud, B., and Fourcaud, T. 2004. Development of an individual tree-based mechanical model to predict wind damage within forest stands. *Forest Ecology and Management* 203(1-3):101-121. <https://doi:10.1016/j.foreco.2004.07.067>.
- Achim, A., Ruel, J-C., and Gardiner, B. 2005. Evaluating the effect of precommercial thinning on the resistance of balsam fir to windthrow through experimentation, modelling, and development of simple indices. *Canadian journal of forest research* 35(8):1844-1853. <https://doi:10.1139/x05-130>.
- Bennett, N.D., Croke, B.F.W., Guariso, G., Guillaume, J.H.A., Hamilton, S.H., Jakeman, A.J., Marsili-Libelli, S., Newham, L.T.H., Norton, J.P., Perrin, C., Pierce, S.A., Robson, B., Seppelt, R., Voinov, A.A., Fath, B.D., and Andreassian, V. 2013. Characterising performance of environmental models. *Environmental Modelling and Software* 40:1-20. <https://doi.org/10.1016/j.envsoft.2012.09.011>.
- Bonnesoeur, V., Fournier, M., Bock, J., Badeau, V., Fortin, M., and Colin, F. 2013. Improving statistical windthrow modeling of 2 *Fagus sylvatica* stand structures through mechanical analysis. *Forest Ecology and Management* 289:535-543. <https://dx.doi.org/10.1016/j.foreco.2012.10.001>.
- Bonnesoeur, V., Constant, T., Moulia, B., and Fournier, M. 2016. Forest trees filter chronic wind-signals to acclimate to high winds. *New Phytol.* 1–11. <https://doi.org/10.1111/nph.13836>.
- BSI. 1957. Methods of Testing Small Clear Specimens of Timber. BS373:1957. British Standards Institute, pp. 24.
- Chen, Y., Gardiner, B., Pasztor, F., Blennow, K., Ryder, J., Valade, A., Naudts, K., Otto, J., McGrath, M.J., Planque, C., and Luyssaert, S. 2018. Simulating damage for wind storms in the land surface model ORCHIDEE-CAN (revision 4262). *Geoscientific Model Development* 11(2):771-791. <https://doi.org/10.5194/gmd-11-771-2018>.
- Cremer, K.W., Borough, C.J., McKinnell, F.H., Carter, P.R., 1982. Effects of stocking and thinning on wind damage in plantations. *N. Z. Journal of Forestry Science.* 12(2):224-268.
- Cucchi, V., Meredieu, C., Stokes, A., Berthier, S., Bert, D., Najjar, M., Denis, A., and Lastennet, R. 2004. Root anchorage of inner and edge trees in stands of Maritime pine (*Pinus pinaster* Ait.) growing in different podzolic soil conditions. *Trees* 18:460-466. <https://dx.doi.org/10.1007/s00468-004-0330-2>.
- Cucchi, V., Meredieu, C., Stokes, A., Coligny, F., Suarez, J., and Gardiner, B. 2005. Modeling the windthrow risk for simulated forest stands of Maritime pine (*Pinus pinaster* Ait.). *Forest Ecology and Management* 213(1-3):184-196. <https://doi:10.1016/j.foreco.2005.03.019>.

- Eksteen, A. 2012. Growth characteristics of three *Eucalyptus* clonal hybrids in response to drought stress: the underlying physiology. University of KwaZulu-Natal, Westville, Durban.
- Elie, J-G., and Ruel, J-C. 2005. Windthrow hazard modeling in boreal forests of black spruce and jack pine. *Canadian journal of forest research* 35(11):2655-2663. <https://doi:10.1139/x05-189>.
- Fraser, A.I., and Gardiner, J.B.H. 1967. Rooting and tree stability in Sitka spruce. Forestry Commission.
- Fujimoto, T., Yamamoto, H., and Tsuchikawa, S. 2007. Estimation of wood stiffness and strength properties of *Hybrid Larch* by Near-Infrared Spectroscopy. *Applied Spectroscopy* 61(8):882-888. <https://dx.doi.org/10.1366/000370207781540150>.
- Fujimoto, T., Kurata, Y., Matsumoto, K., and Tsuchikawa, S. 2008. Application of near infrared spectroscopy for estimating wood mechanical properties of small clear and full-length lumber specimens. *Journal of Near Infrared Spectroscopy* 16(6):529-537. <https://doi:10.1255/jnirs.818>.
- Gardiner, B., 2021. Wind damage to forests and trees: a review with an emphasis on planted and managed forests. *Journal of Forest Research* 26(4), 248–266. <https://doi.org/10.1080/13416979.2021.1940665>.
- Gardiner, B.A., Stacey, G.R., Belcher, R.E., and Wood, C.J. 1997. Field and wind tunnel assessments of the implications of respacing and thinning for tree stability. *Forestry* 70(3):233–252. <https://doi.org/10.1093/forestry/70.3.233>.
- Gardiner, B.A. and Quine, C.P. 2000. Management of forests to reduce the risk of abiotic damage – a review with particular reference to the effects of strong winds. *Forest Ecology and Management* 135:261-277. [https://doi.org/10.1016/S0378-1127\(00\)00285-1](https://doi.org/10.1016/S0378-1127(00)00285-1).
- Gardiner, B., Peltola, H., and Kellomäki, S. 2000. Comparison of two models for predicting the critical wind speeds required to damage coniferous trees. *Ecological Modelling* 129:1-23. [https://doi:10.1016/S0304-3800\(00\)00220-9](https://doi:10.1016/S0304-3800(00)00220-9).
- Gardiner, B., Byrne, K., Hale, S., Kamimura, K., Mitchell, S.J., Peltola, H., and Ruel, J-C. 2008. A review of mechanistic modelling of wind damage risk to forests. *Forestry* 81(3):447-463. <https://doi:10.1093/forestry/cpn022>.
- Gardiner, B., Schuck, A., Schelhaas, M-J., Orazio, C., Blennow, K., and Nicoll, B. (eds). 2013. Living with Storm Damage to Forests: What Science Can Tell Us 3. European Forest Institute, Joensuu.
- Gardiner, B., Lorenz, R., Hanewinkel, M., Schmitz, B., Bott, F., Szymczak, S., Frick, A., and Ulbrich, U. 2023. Predicting the risk of tree fall onto railway lines. *Forest Ecology Management* 4:8-17.
- Giambastiani, Y., Preti, F., Errico, A., and Sani, L. 2017. On the tree stability: Pulling tests and modelling to assess the root anchorage. *Procedia Environmental Science, Engineering and Management* 4(4):207-218.
- Hale, S.E., and Gardiner, B. 2015. Comparison and validation of three versions of a forest wind risk model Supplementary material A1: Derivation of critical

- wind speed equations in ForestGALES Resistance to breakage and overturning. *Environmental Modelling and Software* 68:27:41.
- Hale, S.A., Gardiner, B., Peace, A., Nicoll, B., Taylor, P., and Pizzirani, S. 2015. Comparison and validation of three versions of a forest wind risk model. *Environmental Modelling and Software* 68:27-41. <https://doi.org/10.1016/j.envsoft.2015.01.016>.
- Hosmer, D.W., Lemeshow, S., and Sturdivant, R.X. 2013. Applied Logistic Regression, in: Applied Logistic Regression. John Wiley & Sons, Ltd, p. 510. <https://doi.org/https://doi.org/10.1002/9781118548387.fmatter>.
- Hubert, J., and Lee, S. 2005. A review of the relative roles of silviculture and tree breeding in tree improvement: The example of Sitka spruce in Britain and possible lessons for hardwood breeding. *Forestry* 78(2):109-120. <https://doi.org/10.1093/forestry/cpi011>.
- Kamimura, K., and Shiraishi, N. 2007. A review of strategies for wind damage assessment in Japanese forests. *Journal of Forest Research* 12(3):162-176. <https://doi:10.1007/s10310-007-0005-0>.
- Kamimura, K., Gardiner, B., and Koga, S. 2017. Observations and predictions of wind damage to *Larix kaempferi* trees following thinning at an early growth stage. *International Journal of Forest Research* 90(4):530-540. <https://doi:10.1093/forestry/cpx006>.
- Kelley, S.S., Rials, T.G., Groom, L.R., and So, C-L. 2004. Use of near infrared spectroscopy to predict the mechanical properties of six softwoods. *Holzforschung*. 58pp 252-260. <https://doi:10.1515/HF.2004.039>.
- Locatelli, T., Gardiner, B., Tarantola, S., Nicoll, B., Bonnefond, J.M., Garrigou, D., Kamimura, K., and Patenaude, G. 2016. Modelling wind risk to *Eucalyptus globulus* (Labill.) stands. *Forest Ecology and Management* 365:159-173. <https://doi.org/10.1016/j.foreco.2015.12.035>.
- Locatelli, T., Tarantola, S., Gardiner, B., and Patenaude, G. 2017. Variance based sensitivity analysis of a wind risk model - Model behaviour and lessons for forest modelling. *Environment Modelling and Software* 87:84-109. <https://doi:10.1016/j.envsoft.2016.10.010>.
- Locatelli, T., Hale, S., Nicoll, B., and Gardiner, B. 2022. The ForestGALES wind risk model and the fgr R package. Fgr User manual. Edinburgh, UK. Available at: <https://www.forestresearch.gov.uk/tools-and-resources/fthr/forestgales/fgr-the-forestgales-r-package>.
- Lundstrom, T., Jonas, T., Stockli, V., and Ammann, W. 2007. Anchorage of mature conifers: resistive turning moment, root-soil plate geometry, and root growth orientation. *Tree Physiology* 27(9):1217-1227. <https://dx.doi.org/10.1093/treephys/27.9.1217>.
- Marchi, L., Costa, M., Grigolato, S., and Lingua, E. 2022. Overturning resistance of large diameter Norway spruce (*Picea abies* (L.) Karst) on sloped conditions. *Forest Ecology and Management* 524(9):120531. <https://doi.org/10.1016/j.foreco.2022.120531>.
- Moore, J.R. 2000. Differences in maximum resistive bending moments of *Pinus radiata* trees grown on a range of soil types. *Forest Ecology and*

- Management* 135(1-3):63-71. [https://doi.org/10.1016/S0378-1127\(00\)00298-X](https://doi.org/10.1016/S0378-1127(00)00298-X).
- Moore, J., Gardiner, B., and Sellier, D. 2018. Tree mechanics and wind loading. *Plant Biomechanics*. A. Geitmann and J. Gril (eds.). pp79-106. https://doi.org/10.1007/978-3-319-79099-2_4.
- Moore, J.R., Tomblason, J.D., Turner, J.A., Van Der Colff, M. 2008. Wind effects on juvenile trees: A review with special reference to toppling of radiata pine growing in New Zealand. *Forestry* 81(3):377-387. <https://doi.org/10.1093/forestry/cpn023>.
- Nanko, K., Suzuki, S., Noguchi, H., Ishida, Y., Levia, D.F., Ogura, A., Hagino, H., Matsumoto, H., Takimoto, H., and Sakamoto, T. 2019. Mechanical properties of Japanese black pine (*Pinus thunbergii* Parl.) planted on coastal sand dunes: resistance to uprooting and stem breakage by tsunamis. *Wood Science and Technology* 53(69):469-489. <https://doi.org/10.1007/s00226-019-01078-z>.
- Ni, R., Wang, T., Qin, X., Zhao, X., Hao, M., and Lu, F. 2021. Study on wind damage grade model for *Eucalyptus* plantation in Guangxi, China. *IOP Conf. Series: Earth and Environmental Science* 791(1):012194. <https://doi:10.1088/1755-1315/791/1/012194>.
- Nicoll, B.C., Achim, A., Mochan, S., and Gardiner, B.A. 2005. Does steep terrain influence tree stability? A field investigation. *Canadian journal of forest research* 35:2360-2367. <https://doi.org/10.1139/x05-157>.
- Nicoll, B., Gardiner, B., Rayner, B., and Peace, A.J. 2006. Anchorage of coniferous trees in relation to species, soil type, and rooting depth. *Canadian journal of forest research* 36(7):1871-1883. <https://doi:10.1139/x06-072>.
- Nirbito, W., Ardianto, A., Ramadhan, M., and Dhelika, R. Validation of strength and flexibility of Sengon (*Paraserianthes falcataria*) by experimental tree-pulling test and numerical simulation. 2019. *Journal of Applied Engineering Science* 17(4):443-448. <https://doi:10.5937/jaes17-22021>.
- Ow, L.F., Harnas, F.R., Indrawan, I.G.B., Sahadewa, A., Sim, E.K., Rahardjo, H., Leong, E. C., Fong, Y.K., and Tan, P.Y. 2010. Tree-pulling experiment: an analysis into the mechanical stability of rain trees. *Trees* 24:1007-1015. <https://doi10.1007/s00468-010-0470-5>.
- Peltola, H., Kellomäki, S., Vaisanen, H., and Ikonen, V-P. 1999. A mechanistic model for assessing the risk of wind and snow damage to single trees and stands of Scots pine, Norway spruce, and birch. *Canadian Journal of Forest Research* 29(6):647-661. <https://doi:10.1139/x99-029>.
- Peltola, H., Kellomäki, S., Hassinen, A., and Granander, M. 2000. Mechanical stability of Scots pine, Norway spruce, and birch: An analysis of tree-pulling experiments in Finland. *Forest Ecology and Management* 135(1):143-153. [https://doi:10.1016/S0378-1127\(00\)00306-6](https://doi:10.1016/S0378-1127(00)00306-6).
- Peltola, H.M. 2006. Mechanical stability of trees under static load1. *American Journal of Botany* 93(10):1501-1511. <https://doi:10.3732/ajb.93.10.1501>.
- Peterson, J.C., and Claassen, V. 2012. An evaluation of the stability of *Quercus lobata* and *Populus fremontii* on river levees assessed using static

- winching tests. *An International Journal of Forest Research* 86(2):201-209. <https://doi:10.1093/forestry/cps080>.
- Peterson, J.C., Ribeiro, G.H.P.M., Negrón-Juárez, R., Marra, D.M., Chambers, J.Q., Higuchi, N., Lima, A., and Cannon, J.B. 2019. Critical wind speeds suggest wind could be an important disturbance agent in Amazonian forests. *An International Journal of Forest Research* 92(4):444-459. <https://doi:10.1093/forestry/cpz025>.
- Prasetyo, A., Aiso, H., Ishiguri, F., Wahyudi, I., Wijaya, I.P.G., Ohshima, J., and Yokota, S. 2017. Variations on growth characteristics and wood properties of three *Eucalyptus* species planted for pulpwood in Indonesia. *Tropics* 26(2):59-69. <https://doi.org/10.3759/tropics.MS16-15>.
- Prasetyo, A., Aiso, H., Ishiguri, F., Wahyudi, I., Wijaya, I.P.G., Ohshima, J., and Yokota, S. 2018. Growth characteristics and wood properties of two interspecific *Eucalyptus hybrids* developed in Indonesia. *Forest Products Journal* 68(4):436-444. <https://doi.org/10.13073/FPJ-D-17-00049>.
- Pukkala, T., Laiho, O., and Lahde, E. 2016. Continuous cover management reduces wind damage. *Forest Ecology and Management* 372:120-127. <https://dx.doi.org/10.1016/j.foreco.2016.04.014>.
- Quine, C.P., and Gardiner, B.A. 2007. Understanding how the interaction of wind and trees results in windthrow, stem breakage, and canopy gap formation. *In Plant Disturbance Ecology: The Process and the Response*. E. Johnson(ed). Academic Press, Burlington, USA. pp 103-155.
- Quine C. P., Gardiner B. A., and Moore, J. 2020. Wind disturbance in forests: the process of wind created gaps, tree overturning, and stem breakage. In: Johnson, E. A., Miyanishi, K, editors. *Plant Disturbance Ecology*. New York. Elsevier. p 117-184.
- Raupach, M.R. 1994. Simplified expressions for vegetation roughness length and zero plane displacement as functions of canopy height and area index. *Boundary-Layer Meteorology* 71(1-2):211-216. <https://doi.org/10.1007/BF00709229>.
- Ray, D., Nicoll, B.C., 1998. The effect of soil water table depth on root-plate development and stability of Sitka spruce. *Forestry* 71(2):169-182. <https://doi:10.1093/forestry/71.2.169>.
- Rezende, G.D.S.P., Resende, M.D., and Assis, T.F. 2014. *Eucalyptus* breeding for clonal forestry. Challenges and opportunities for the world's forests in the 21st century. *Forestry Sciences* 81:393-424. https://doi:10.1007/978-94-007-7076-8_16.
- Ruel, J-C., Achim, A., Herrera, R. E., Cloutier, A. 2010. Relating mechanical strength at the stem level to values obtained from defect-free wood samples. *Trees* 24(6):1127-1135. <https://doi:10.1007/s00468-010-0485-y>.
- Schelhaas, M-J., Hengeveld, G., Moriondo, M., Reinds, G.J., Kundzewicz, Z.W., Maat, H., and Bindi, M. 2010. Assessing risk and adaptation options to fires and windstorms in European forestry. *Mitigation and Adaptation Strategies for Global Change* 15(7):681-701. <https://doi:10.1007/s11027-010-9243-0>.

- Schmidt, M., Hanewinkel, M., Kändler, G., Kublin, E., and Kohnle, U. 2010. An inventory-based approach for modeling single tree storm damage – experiences with the winter storm 1999 in southwestern Germany. *Canadian Journal of Forest Research* 40(8):1636-1652. <https://doi:10.1139/X10-099>.
- Shang, X., Zhang, P., Liu, G., Zhan, N., and Wu, Z. 2022. Comparative transcriptomics analysis of contrasting varieties of *Eucalyptus camaldulensis* reveals wind resistance genes. *PeerJ*. 10. <https://doi.org/10.7717/peerj.12954>.
- Singh, A., Dhillon, G.P.S., and Dhillon, P.S. 2020. Survival and growth performance of *Eucalyptus* clones irrigated with effluents from liquor factory. *International Journal of Chemical Studies* 8(1):2314-2320. <https://dx.doi.org/10.22271/chem.2020.v8.1ai.8614>.
- Telewski, F.W. 1995. Wind-induced physiological and developmental responses in trees, in: Grace, J., Coutts, M.P. (Eds.), *Wind and Trees*. Cambridge University Press, Cambridge. pp 237–263. <https://doi.org/doi:10.1017/CBO9780511600425.015>.
- Telewski, F.W., and Moore, J.R. 2016. Trait selection to improve wind firmness in trees. *CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources* 11. <https://doi.org/10.1079/PAVSNNR201611050>.
- Tsuchikawa, S., and Kobori, H. 2015. A review of recent application of near infrared spectroscopy to wood science and technology. *Journal of Wood Science* 61(3):213-220. <https://doi:10.1007/s10086-015-1467-x>.
- Unterwieser, H., and Schickhofer, G. 2011. Influence of moisture content of wood on sound velocity and dynamic MOE of natural frequency- and ultrasonic runtime measurement. *European Journal of Wood and Wood Products* 69(2):171-181. <https://dx.doi.org/10.1007/s00107-010-0417-y>.
- Valinger, E., and Fridman, J. 2011. Factors affecting the probability of windthrow at stand level as a result of Gudrun winter storm in southern Sweden. *Forest Ecology and Management* 262(3):398-403. <https://doi:10.1016/j.foreco.2011.04.004>.
- Wessels, C.B., Malan, F.S., and Rypstra, T. 2011. A review of measurement methods used on standing trees for the prediction of some mechanical properties of timber. *European Journal of Forest Research* 130(6):881-893. <https://doi:10.1007/s10342-011-0484-6>.
- Yu, L., Liang, Y., Zhang, Y., and Cao, J. 2019. Mechanical properties of wood materials using near-infrared spectroscopy based on correlation local embedding and partial least squares. *Journal of Forestry Research* 31(3):1053-1060. <https://doi.org/10.1007/s11676-019-01031-7>.
- Zanuncio, A.J.V., Motta, J.P., da Silveira, T.A., Farias, E.D.S., and Trugilho, P.F. 2014. Physical and colorimetric changes in *Eucalyptus grandis* wood after heat treatment. *Bioresources* 9(1):293-302. <https://doi:10.15376/biores.9.1.293-302>.
- Zanuncio, A.J.V., Carvalho, A.G., Carneiro, A.C.O., Damasio, R.A.P., Valenzuela, P., Gacitua, W., and Colodette, J.L. 2016. Pulp produced with wood from

Eucalyptus trees damaged by wind. *CERNE* 22(4):485-492.
<https://doi.org/10.1590/01047760201622042222>.