

## DAFTAR PUSTAKA

- Alaa, S., Fouda A.M., Grawish M.E., & Abdelnaby, Y.L., 2022, The effect of submucosal injection of platelet-rich fibrin vs. platelet-rich plasma on orthodontic tooth movement in rabbits; 28 days follow-up, *Int Orthod*, 21(1):715-71
- Al-Fakhry, H. H., & Al and Al-Sayagh, N. M., 2022, Effects of Injectable platelet rich fibrin (i-PRF) on reduction of relapse after orthodontic tooth movement: Rabbits model study, *J Orthod Sci*, 11(3):123-37
- Alhammadi, M. S., Halboub, E., Fayed, M. S., Labib, A., & El-Saaidi, C., 2018, Global distribution of malocclusion traits: A systematic review, *Dent J Orthod*, 23: 40-51.
- Alhasyimi, A.A., Suparwitri, S., & Christnawati, 2021, Effect of Carbonate Apatite Hydrogel-Advanced Platelet-Rich Fibrin Injection on Osteoblastogenesis during Orthodontic Relapse in Rabbits, *Eur J Dent*, 15(3): 412–419
- Ameer, S. A. A., & Alhuwaizi, A. F., 2015, The Effect of Orthodontic Force on Salivary Levels of Alkaline Phosphatase Enzyme, *J Bagh Coll Dentistry*. 27(4):175-179
- Amanda, J., Widayati R., Soedarsono N, Purwanegara, M. K., 2018, RANKL Concentrations in Early Orthodontic Treatment Using Passive Self-ligating and Preadjusted Edgewise Appliance Bracket Systems. *J Phys: Conf Ser*. 1073
- Amin, M. N. & Permatasari, N., 2016, The Biologic Aspect of Orthodontic Tooth Movement, *J K G Unej*. Vol. 13 (1): 22-27
- Arqub, S.A., Gandhi, V. Iverson, M., G, Ahmed, M., Kuo, C. L., Mu, J., Dutra, E., Uribe, F., 2021, The effect of the local administration of biological substances on the rate of orthodontic tooth movement: a systematic review of human studies', *Progress in Orthod*. (2021) 22:5
- Atkins, G. J., Kostakis, P., Pan, B., Farrugia, A., Gronthos S., Evdokiou., Harisson, K., Findlay, D. M., Zennetinno A. C., 2003, RANKL Expression Is Related to the Differentiation State of Human Osteoblasts, *J Bone Miner Res* 18(6) : 1088-1098
- Barbieri, G. Solano, P., Alarcon, J. A., Vernal R., Lugo J. R., Sanz, M., Marthin C., 2013, Biochemical markers of bone metabolism in gingival crevicular fluid during early orthodontic tooth movement, *Angle Orthod*, 83(1):63–69

Borie, E., Olivi, D. G., Orsi, I. A., Garlet, K., Weber, B., Beltran, V., Fuentes, R., 2015, Platelet-Rich Fibrin Application in Dentistry: A Literature Review, *Int J Clin Exp Med*, 8(5): 7922–7929.

Caruana, A., Savina, D., Macedo, J. P., & Soares, S. C., 2019, From platelet-rich plasma to advanced platelet-rich fibrin: biological achievements and clinical advances in modern surgery, *Eur J Dent*, 13(02): 280-286.

Chen, B., Wu, W., Sun, W., Zhang, Q., Yan, F., Xiao, Y., 2014, RANKL expression in periodontal disease: Where does RANKL Come from?, *BioMed Res Internat*, vol 2014:1-7.

Erdur, E. A., Karakaslı, K., Oncu, E., Ozturk, B., & Hakkı, S., 2021, Effect of injectable platelet-rich fibrin (i-PRF) on the rate of tooth movement: A randomized clinical trial, *Angle Orthod*, 91(3): 285-292

Collins, M.K. and Sinclair, P.M., 1998, The local use-of vitamin D to increase the rate of orthodontic tooth movement, *Am J Orthod Dentofac Orthop* (94)4 : 278-284

DiVincenti L., Rehrig A. N., 2016, The social nature of european rabbits, *J Am Assoc Lab Anim Sci*, 55(6):729-736

Dutta, S. and Sengupta, P. (2018) ‘Rabbits and men: Relating their ages’, *Journal of Basic and Clinical Physiology and Pharmacology*. De Gruyter, pp. 427–435.

Gao, J., Feng, Z., Wang, X., Zeng, M., Liu, Jing., Han, S., Xu, J., Chen, L., Cao, K., Long, J., Li, Z., Shen, W., Liu, J., 2018, SIRT3/SOD2 maintains osteoblast differentiation and bone formation by regulating mitochondrial stress’, *Cell Death Differ*, 25(2):229–40.

Graber, 2016, *Orthodontics: Current Principles and Techniques*, 1<sup>st</sup> Ed, South Asia Edition. Elsevier.

Hamid T., Triwardhani, A., Wardhana, L.K., 2022, Benefit and risks of orthodontic treatment : A systematic Review, *Ind J Dent Med*, 5(1):18-26

Huang, H., Williams, R.C. and Kyrkanides, S., 2014, Accelerated orthodontic tooth movement: Molecular mechanisms, *Am J Orthod Dentofac Orthops*, 146(5), pp. 620–632.

Jamilian, A. Kiaee, B., Sanayei, S., Khosravi, S., Perillo, L., 2016, Orthodontic Treatment of Malocclusion and its Impact on Oral Health-Related Quality of Life, *The Open Dent J*, 10(1), pp. 236–241.

Kanzaki, H., Chiba, M., Arai, K., Takahashi, I., Haruyama, N., Nishimura, M., Mitani, H., 2006, Local RANKL gene transfer to the periodontal tissue accelerates orthodontic tooth movement', *Gene Ther*, 13(8):678–685

Kobayashi, E., Flückiger, L., Fujioka-Kobayashi, M., Sawada, K., Sculean, A., Schaller, B., & Miron, R. J., 2016, Comparative release of growth factors from PRP, PRF, and advanced-PRF, *Clin Oral Invest*, 20: 2353-2360.

Kumar, D., Raghunath, D., 2022, RANK-RANKL-OPG: A current trends in orthodontic tooth movement and its role in accelerated orthodontics', *Int J Applied Dent Sci*, 8(2), pp. 630–635

Li, Y., Jacox, L. A., Little, S. H., & Ko, C. C., 2018, Orthodontic tooth movement: The biology and clinical implications, *The Kaohsiung J Med Sci*, 34(4): 207-214.

Liu, Y., To, M., Okudera, T., 2022, Advanced platelet-rich fibrin (A-PRF) has an impact on the initial healing of gingival regeneration after tooth extraction, *J Oral Biosciences*, 64(1): 141–47

Liu, Z.J. King, G., Gu, G., Shin, J. Y., & Steward, D. R., 2005, Does human relaxin accelerate orthodontic tooth movement in rats?, *Annals New York Acad Sci*.388–94

Madan, M., Liu, Z., Gu, G. King, G., 2007, Effects of human relaxin on orthodontic tooth movement and periodontal ligaments in rats, *Am J Orthod Dentofac Orthop*, 131(1), 8-10

Nakornnoi, T., Leethanakul, C. and Samruajbenjakun, B., 2019, The influence of leukocyte-platelet-rich plasma on accelerated orthodontic tooth movement in rabbits', *Korean J Orthod*, 49(6):372–380.

Närhi, L. Tolvanen, M., Pirtiniemi, P., Silvola, A., 2022, Malocclusion severity and its associations with oral health-related quality of life in an adult population', *Euro J Orthod*, 44(4):377–384.

Rashid, A. Elsharaby, F., Nassef, E., Mehanni, S., Mostafa Y. A., 2017, Effect of platelet-rich plasma on orthodontic tooth movement in dogs, *Orthod & Craniofac Research*, 20(2):102–110.

Ratya, T. U., Putri, K. M., 2019, Orthodontic Treatment Needs in Adolescents Aged 13-15 Years Using Orthodontic Treatment Needs Indicators', *J Indonesian Dent Assoc* 2(2):49

Santana, L. G., Duarte-Rodrigues, L., Alves-Duarte, A. C., Galvão, E. L., Douglas-de-Oliveira, D. W., Marques, L. S., & Falci, S. G. M., 2020, Systematic

review of biological therapy to accelerate orthodontic tooth movement in animals: Translational approach, *Archives Oral Biol*, 110(5): 71-79

Sastri, M., Ramchandra, T. V., Palagi, F., Shinde, S., Ladhe, K., Pellepalle, T., 2015, Knowledge and attitude about principles and practices of orthodontic treatment... Sastri MR et al Original Research Conflicts of Interest: None Source of Support: Nil Study of the Knowledge and Attitude about Principles and Practices of Orthodontic Treatment among General Dental Practitioners and Non-orthodontic Specialties, *J Internat Oral Health*:44-8

Singh, T. Bhagia, P., Gupta, U., Passi, D, Goyal, J., Yadav, G., Gautam, B., Jain, S., 2019, Effect of orthodontic treatment needs on oral health related quality of life among the young population in Delhi NCR-region of North India', *J Fam Med & Prim Care*, 8(2):550

Suwondo, C.I., Herawati, D. and Sudiby, S., 2019, Effect of advanced platelet-rich fibrin applications on periodontal regeneration in infrabony pocket treatment', *MKGI*, 4(3):154

Yamaguchi, M., 2009, RANK/RANKL/OPG during orthodontic tooth movement. *Orthod Craniofac Res* 12:113-119

Yamasaki, K., Miura, F. and Suda, T., 1980, Prostaglandin as a Mediator of Bone Resorption Induced by Experimental Tooth Movement in Rats, *J Dent Res*. 1635-1642

Yamasaki, K., Shibata, Y. and Fukuhara, T. 1982, 'The effect of prostaglandins on experimental tooth movement in monkeys (*Macaca fuscata*)', *J Dent Res*, 61(12):1444–1446.

Zeitounlouian, T., Zeno, K., Brad, B., Haddad, R., 2021, Three-dimensional evaluation of the effects of injectable platelet rich fibrin (i-PRF) on `alveolar bone and root length during orthodontic treatment: a randomized split mouth trial', *BMC Oral Health*, 21(1).