

DAFTAR PUSTAKA

- Allan, S. A., George, J., Stelinski, L. L., & Lapointe, S. L. (2020). Insects Attributes of Yellow Traps Affecting Attraction of. *Insects*, 11, 1–17.
- Alves, G. R., Diniz, A. J. F., & Parra, J. R. P. (2014). Biology of the Huanglongbing vector *Diaphorina citri* (Hemiptera: Liviidae) on different host plants. *Journal of Economic Entomology*, 107(2), 691–696. <https://doi.org/10.1603/EC13339>
- Antolínez, C. A., Martini, X., Stelinski, L. L., & Rivera, M. J. (2022). Wind Speed and Direction Drive Assisted Dispersal of Asian Citrus Psyllid. *Environmental Entomology*, 51(2), 305–312. <https://doi.org/10.1093/ee/nvab140>
- Antolínez, C. A., Moyneur, T., Martini, X., & Rivera, M. J. (2021). High temperatures decrease the flight capacity of *Diaphorina citri* Kuwayama (Hemiptera: Liviidae). *Insects*, 12(5). <https://doi.org/10.3390/insects12050394>
- Damsteegt, V. D., Postnikova, E. N., Stone, A. L., Kuhlmann, M., Wilson, C., Sechler, A., Schaad, N. W., Brlansky, R. H., & Schneider, W. L. (2010). *Murraya paniculata* and related species as potential hosts and inoculum reservoirs of “*Candidatus Liberibacter asiaticus*”, causal agent of Huanglongbing. *Plant Disease*, 94(5), 528–533. <https://doi.org/10.1094/PDIS-94-5-0528>
- De Capua, C., Meduri, A., & Morello, R. (2009). A hand-arm vibration meter monitoring the percussion exposure for health risk prevention applications. *2009 IEEE International Workshop on Medical Measurements and Applications, MeMeA 2009*, 45–50. <https://doi.org/10.1109/MEMEA.2009.5167952>
- Dejan, K. A., Fresquez, J. M., Meyer, A. M., & Edgerly, J. S. (2013). Maternal territoriality achieved through shaking and lunging: An investigation of patterns in associated behaviors and substrate vibrations in a Colonial Embiopteran, *Antipaluria urichi*. *Journal of Insect Science*, 13, 1–28. <https://doi.org/10.1673/031.013.8201>
- Diny, A. Q., & Santoso, E. B. (2021). Pengembangan Produk Olahan Komoditas Jeruk Siam di Kecamatan Bangorejo Kabupaten Banyuwangi Berdasarkan Konsep PEL. *Jurnal Teknik ITS*, 9(2). <https://doi.org/10.12962/j23373539.v9i2.56475>
- Doehler, M., Chauvin, D., Le Ralec, A., Vanespen, É., & Outreman, Y. (2023). Effect of the Landscape on Insect Pests and Associated Natural Enemies in Greenhouses Crops: The Strawberry Study Case. *Insects*, 14(3). <https://doi.org/10.3390/insects14030302>
- Dosoky, N., Satyal, P., Gautam, T., & Setzer, W. (2016). Composition and Biological Activities of *Murraya paniculata* (L.) Jack Essential Oil from Nepal. *Medicines*, 3(1), 7. <https://doi.org/10.3390/medicines3010007>
- Dudareva, N., & Pichersky, E. (2006). Biology of Biology of. *Group*, 8(1935), 0–4.
- Garzo, E., Moreno, A., Plaza, M., & Fereres, A. (2020). Feeding behavior and virus-transmission ability of insect vectors exposed to systemic insecticides. *Plants*, 9(7), 1–17. <https://doi.org/10.3390/plants9070895>
- George, J., Kanissery, R., Ammar, E. D., Cabral, I., Markle, L. T., Patt, J. M., & Stelinski, L. L. (2020). Feeding behavior of Asian citrus psyllid [*Diaphorina citri* (Hemiptera: Liviidae)] nymphs and adults on common weeds occurring in cultivated citrus described using electrical penetration graph recordings. *Insects*, 11(1). <https://doi.org/10.3390/insects11010048>
- Ghanim, M., Fattah-Hosseini, S., Levy, A., & Cilia, M. (2016). Morphological abnormalities and cell death in the Asian citrus psyllid (*Diaphorina citri*) midgut associated with *Candidatus Liberibacter asiaticus*. *Scientific Reports*, 6(September), 1–11. <https://doi.org/10.1038/srep33418>
- Hagstrum, D. W., & Subramanyam, B. (2010). Immature insects: Ecological roles of

- mobility. *American Entomologist*, 56(4), 230–241.
<https://doi.org/10.1093/ae/56.4.230>
- Hall, D. G. (2008). Biology, history and world status of *Diaphorina citri*. *Proceedings of the I Taller International Sobre Huanglongbing de Los Cítricos (Candidatus Liberibacter Spp) y El Psílido Asiático de Los Cítricos (Diaphorina Citri)*, 1–11.
- Hall, D. G. (2009). An assessment of yellow sticky card traps as indicators of the abundance of adult *Diaphorina citri* (Hemiptera: Psyllidae) in citrus. *Journal of Economic Entomology*, 102(1), 446–452. <https://doi.org/10.1603/029.102.0158>
- Hall, D. G., Sétamou, M., & Mizell, R. F. (2010). A comparison of sticky traps for monitoring Asian citrus psyllid (*Diaphorina citri* Kuwayama). *Crop Protection*, 29(11), 1341–1346. <https://doi.org/10.1016/j.cropro.2010.06.003>
- Hall, D. G., Wenninger, E. J., & Hentz, M. G. (2011). Temperature studies with the Asian citrus psyllid, *Diaphorina citri*: Cold hardiness and temperature thresholds for oviposition. *Journal of Insect Science*, 11, 1–15.
<https://doi.org/10.1673/031.011.8301>
- Hall, J. R., Cuthill, I. C., Baddeley, R., Shohet, A. J., & Scott-Samuel, N. E. (2013). Camouflage, detection and identification of moving targets. *Proceedings of the Royal Society B: Biological Sciences*, 280(1758).
<https://doi.org/10.1098/rspb.2013.0064>
- Hamed, A., Zarshenas, M. M., Jamshidzadeh, A., & Heidari, R. (2019). *Citrus aurantium* (bitter orange) seed oil: pharmacognostic, anti-inflammatory, and anti-nociceptive properties. *August*.
<https://doi.org/10.30476/tips.2019.82996.1020>
- Hanafi, P. (2020). Karakterisasi Morfologi Organ Generatif Tanaman Jeruk Siam (*Citrus nobilis* L.) di Dua Sentra Lokasi yang Berbeda. *UIN Suska Riau*, 1–49.
- Hoddle, M. S. (2012). Foreign exploration for natural enemies of Asian citrus psyllid, *Diaphorina citri* (Hemiptera: Psyllidae), in the Punjab of Pakistan for use in a classical biological control program in California USA. *Pakistan Entomologist*, 34(1), 1–5.
- Holyoak, M., Casagrandi, R., Nathan, R., Revilla, E., & Spiegel, O. (2008). Trends and missing parts in the study of movement ecology. *Proceedings of the National Academy of Sciences of the United States of America*, 105(49), 19060–19065.
<https://doi.org/10.1073/pnas.0800483105>
- Horn, C. J., Liang, C., & Luong, L. T. (2023). Parasite preferences for large host body size can drive overdispersion in a fly-mite association. *International Journal for Parasitology*, 53(7), 327–332. <https://doi.org/10.1016/j.ijpara.2023.03.003>
- Hosseinzadeh, S., Ramsey, J., Mann, M., Bennett, L., Hunter, W. B., Shams-Bakhsh, M., Hall, D. G., & Heck, M. (2019). Color morphology of *Diaphorina citri* influences interactions with its bacterial endosymbionts and 'Candidatus Liberibacter asiaticus.' *PLoS ONE*, 14(5), 1–19.
<https://doi.org/10.1371/journal.pone.0216599>
- Johnston, N., Stelinski, L. L., & Stansly, P. (2019). Dispersal Patterns of *Diaphorina citri* (Kuwayama) (Hemiptera: Liviidae) as Influenced by Citrus Grove Management and Abiotic Factors. *Florida Entomologist*, 102(1), 168–173.
<https://doi.org/10.1653/024.102.0127>
- Kobori, Y., Nakata, T., Ohto, Y., & Takasu, F. (2011). Dispersal of adult Asian citrus psyllid, *Diaphorina citri* Kuwayama (Homoptera: Psyllidae), the vector of citrus greening disease, in artificial release experiments. *Applied Entomology and Zoology*, 46(1), 27–30. <https://doi.org/10.1007/s13355-010-0004-z>
- Lewis-rosenblum, H., Martini, X., & Tiwari, S. (2015). *Seasonal Movement Patterns and Long-Range Dispersal of Asian Citrus Psyllid in Florida Citrus*. 2007.
<https://doi.org/10.1093/jee/tou008>
- Malik, A., Najda, A., Bains, A., Nurzyńska-Wierdak, R., & Chawla, P. (2021).

- Characterization of citrus nobilis peel methanolic extract for antioxidant, antimicrobial, and anti-inflammatory activity. *Molecules*, 26(14). <https://doi.org/10.3390/molecules26144310>
- Martini, X., Rivera, M., Hoyte, A., Sétamou, M., & Stelinski, L. (2018). Effects of Wind, Temperature, and Barometric Pressure on Asian Citrus Psyllid (Hemiptera: Liviidae) flight behavior. *Journal of Economic Entomology*, 111(6), 2570–2577. <https://doi.org/10.1093/jee/toy241>
- Ministry of Agriculture & Forests, B., & CITRUS. (2017). Citrus Pests and Diseases. *Citrus Pests and Diseases Management Manual*, 1–30.
- Mo, X., Chen, C., Riaz, M., Moussa, M. G., Chen, X., Wu, S., Tan, Q., Sun, X., Zhao, X., Shi, L., & Hu, C. (2022). Fruit Characteristics of Citrus Trees Grown under Different Soil Cu Levels. *Plants*, 11(21), 1–14. <https://doi.org/10.3390/plants11212943>
- Moser, D., Drapela, T., Zaller, J. G., & Frank, T. (2009). Interacting effects of wind direction and resource distribution on insect pest densities. *Basic and Applied Ecology*, 10(3), 208–215. <https://doi.org/10.1016/j.baae.2008.03.008>
- Nath, R. K., & Deka, S. (2019). Insect pests of citrus and their management. *International Journal of Plant Protection*, 12(2), 188–196. <https://doi.org/10.15740/has/ijpp/12.2/188-196>
- Neupane, D., & Moss, C. B. (2016). Estimating Citrus Production Loss due to Citrus Huanglongbing in Florida Estimating Citrus Production Loss Due to Citrus Huanglongbing in Florida. *Annual Meeting. Southern Agricultural Economics Association (SAEA)*, 6–9. <https://ageconsearch.umn.edu/record/230093>
- Nikolaou, P., Marciniak, P., Adamski, Z., & Ntalli, N. (2021). Controlling stored products' pests with plant secondary metabolites: A review. *Agriculture (Switzerland)*, 11(9), 1–36. <https://doi.org/10.3390/agriculture11090879>
- Polajnar, J., Eriksson, A., Lucchi, A., Anfora, G., Virant-Doberlet, M., & Mazzoni, V. (2015). Manipulating behaviour with substrate-borne vibrations - Potential for insect pest control. *Pest Management Science*, 71(1), 15–23. <https://doi.org/10.1002/ps.3848>
- Prasad, Y. G., & Prabhakar, M. (2012). Pest monitoring and forecasting. *Integrated Pest Management: Principles and Practice, December 2012*, 41–57. <https://doi.org/10.1079/9781845938086.0041>
- Putu, N., Sulistiawati, A., Kartini, L., Made, :, & Yulianti, S. (2017). Identification of Development Phases and Changes Shoots Flowering Orange Siam Plants. *International Journal of Life Sciences*, 1(2), 28–38. <https://doi.org/10.21744/ijls.v1i2.37>
- Qureshi, J. A., Kostyk, B. C., & Stansly, P. A. (2014). Insecticidal suppression of asian citrus psyllid *Diaphorina citri* (Hemiptera: Liviidae) vector of huanglongbing pathogens. *PLoS ONE*, 9(12), 1–22. <https://doi.org/10.1371/journal.pone.0112331>
- Ratule, R. M., Supriyanto, A., Zainuri, H., & Hardiyanto. (2021). Citrus in Indonesia : Production Perspective for Market Development Citrus in Indonesia : Production Perspective for Market Development. *Filodiritto, September*.
- Reddy, G. V. P., & Guerrero, A. (2001). Optimum timing of insecticide applications against diamondback moth *Plutella xylostella* in cole crops using threshold catches in sex pheromone traps. *Pest Management Science*, 57(1), 90–94. [https://doi.org/10.1002/1526-4998\(200101\)57:1<90::AID-PS258>3.0.CO;2-N](https://doi.org/10.1002/1526-4998(200101)57:1<90::AID-PS258>3.0.CO;2-N)
- RIANTARI, N., WIDYANTARA, I., & SARJANA, I. (2016). Prospek Pengembangan Usahatani Jeruk Siam Di Desa Pupuan Kecamatan Tegallalang Kabupaten Gianyar. *E-Journal Agribisnis Dan Agrowisata (Journal of Agribusiness and Agritourism)*, 4(4), 250–258.
- Rule, C. S., Patrick, M., & Sandkvist, M. (2016). Measuring in vitro ATPase activity for



- enzymatic characterization. *Journal of Visualized Experiments*, 2016(114), 3–7. <https://doi.org/10.3791/54305>
- Salonia, F., Ciacciulli, A., Poles, L., Pappalardo, H. D., La Malfa, S., & Licciardello, C. (2020). New Plant Breeding Techniques in Citrus for the Improvement of Important Agronomic Traits. A Review. *Frontiers in Plant Science*, 11(August), 1–15. <https://doi.org/10.3389/fpls.2020.01234>
- Samietz, J., & Köhler, G. (2012). A fecundity cost of (walking) mobility in an insect. *Ecology and Evolution*, 2(11), 2788–2793. <https://doi.org/10.1002/ece3.396>
- Singh, J., Sharma, V., Pandey, K., Ahmed, S., Kaur, M., & Singh Sidhu, G. (2021). Horticultural Classification of Citrus Cultivars. *Citrus - Research, Development and Biotechnology*, March. <https://doi.org/10.5772/intechopen.96243>
- Sofiyanti, N., Iriani, D., Wahyuni, P. I., Idani, N., & Lestari, P. (2022). Identification, morphology of Citrus L. (Aurantioideae-Rutaceae Juss.) and its traditional uses in Riau Province, Indonesia. *Biodiversitas*, 23(2), 1038–1047. <https://doi.org/10.13057/biodiv/d230247>
- Sohail Ahmed, Nisar Ahmad, & Khan, R. R. (2004). Studies on Population Dynamics and Chemical Control of Citrus Psylla , *Diaphorina Citri*. *International Journal of Agriculture and Biology*, 6, 970–973.
- Stelinski, L. L. (2019). Ecological aspects of the vector-borne bacterial disease, citrus greening (Huanglongbing): Dispersal and host use by Asian citrus psyllid, *Diaphorina Citri* Kuwayama. *Insects*, 10(7). <https://doi.org/10.3390/insects10070208>
- Yanagisawa, R., Tatsuta, H., Sekine, T., Oe, T., Mukai, H., Uechi, N., Koike, T., Onodera, R., Suwa, R., & Takanashi, T. (2024). Vibrations as a new tool for pest management – a review. *Entomologia Experimentalis et Applicata*, October 2023, 1–12. <https://doi.org/10.1111/eea.13458>
- Yang, Y., Huang, M., Andrew, G., Beattie, C., Xia, Y., Ouyang, G., & Xiong, J. (2006). Distribution, biology, ecology and control of the psyllid *Diaphorina citri* Kuwayama, a major pest of citrus: A status report for China. *International Journal of Pest Management*, 52(4), 343–352. <https://doi.org/10.1080/09670870600872994>
- Yulianti, F., Adiredjo, A. L., Soetopo, L., & Ashari, S. (2020). Short communication: Morphology and genetic characteristics of potential citrus rootstock in Indonesia. *Biodiversitas*, 21(11), 5514–5520. <https://doi.org/10.13057/biodiv/d211160>