

DAFTAR PUSTAKA

- Abboud, M.R., Ghanem, K., & Muwakkit, S. (2014) 'Acute lymphoblastic leukemia in low and middle-income countries', *Current Opinion in Oncology*, 26(6), pp. 650–655. Available at: <https://doi.org/10.1097/CCO.000000000000125>.
- Aisyi, M., Lestari, P., Nadliroh, S., Meisita, A., Solachudin, D., Kristanti, D., Perdana, A., & Karsono, B. (2020) 'The Profile of BCR-ABL1 Fusion Gene in Childhood Leukemia at "Dharmais" Cancer Hospital', *Indonesian Journal of Cancer*, 14(3), p. 86. Available at: <https://doi.org/10.33371/ijoc.v14i3.729>.
- Arrieta, O., Michel Ortega, R. M., Villanueva-Rodríguez, G., Serna-Thomé, M. G., Flores-Estrada, D., Diaz-Romero, C., Rodríguez, C. M., Martínez, L., & Sánchez-Lara, K. (2010) 'Association of nutritional status and serum albumin levels with development of toxicity in patients with advanced non-small cell lung cancer treated with paclitaxel-cisplatin chemotherapy: a prospective study', *BMC Cancer*, 10(1), p. 50. Available at: <https://doi.org/10.1186/1471-2407-10-50>.
- Balliot, J., Morgan, M., & Cherven, B. (2019) 'Caring for the Pediatric, Adolescent, or Young Adult Patient with Acute Lymphoblastic Leukemia', *Seminars in Oncology Nursing*. Elsevier Inc. Available at: <https://doi.org/10.1016/j.soncn.2019.150956>.
- Begleiter, A., & Israels, L. (2002) 'Chemotherapeutic Antineoplastic dalam Mechanism of Hematology', *Core Health Service* [Preprint].
- Cabanillas-Lazo, M., Quispe-Vicuña, C., Cruzalegui-Bazán, C., Pascual-Guevara, M., Mori-Quispe, N., & Alva-Diaz, C. (2023) 'The neutrophil-to-lymphocyte ratio as a prognostic biomarker in Guillain-Barre syndrome: a systematic review with meta-analysis', *Frontiers in Neurology*, 14. Available at: <https://doi.org/10.3389/fneur.2023.1153690>.
- Cavaletti, G., & Marmiroli, P. (2010) 'Chemotherapy-induced peripheral neurotoxicity', *Nature Reviews Neurology*, 6(12), pp. 657–666. Available at: <https://doi.org/10.1038/nrneurol.2010.160>.
- Cooper, S., & Brown, P.A. (2015) 'Treatment of Pediatric Acute Lymphoblastic Leukemia', *Pediatric Clinics of North America*, 62(1), pp. 61–73. Available at: <https://doi.org/10.1016/j.pcl.2014.09.006>.
- Cox-Martin, E., Trahan, L. H., Cox, M. G., Dougherty, P. M., Lai, E. A., & Novy, D. M. (2017) 'Disease burden and pain in obese cancer patients with chemotherapy-induced peripheral neuropathy', *Supportive Care in Cancer*, 25(6), pp. 1873–1879.
- Crist, W. M., Pullen, D. J., & Rivera, G. K. (1997). Acute Lymphoid Leukemia. In *Clinical Pediatric Oncology*. 4th ed. (pp. 217–250). CRC Press/Taylor & Francis.
- Dander, E., Palmi, C., D'Amico, G., & Cazzaniga, G. (2021) 'The bone marrow niche in b-cell acute lymphoblastic leukemia: The role of microenvironment from pre-leukemia to overt leukemia', *International Journal of Molecular Sciences*. MDPI. Available at: <https://doi.org/10.3390/ijms22094426>.

- Danuaji, R., Mulatsih, S., & Sutarni, S. (2010) 'Nyeri Sebelum Kemoterapi sebagai Prediktor Rendahnya Kualitas Hidup Penderita Leukemia Limfoblastik Akut (LLA) Anak-Anak', *Indonesian Journal of Cancer*, 4(2)
- Degirmenci, Y., & Kececi, H. (2011). Electrophysiological changes in iron deficiency anemia. *Neurologia Croatica*, 60(1), 1–10.
- Desforges, A. D., Hebert, C. M., Spence, A. L., Reid, B., Dhaibar, H. A., Cruz-Topete, D., Cornett, E. M., Kaye, A. D., Urits, I., & Viswanath, O. (2022) 'Treatment and diagnosis of chemotherapy-induced peripheral neuropathy: An update', *Biomedicine & Pharmacotherapy*, 147, p. 112671.
- Egnell, C., Närhinen, H., Merker, A., Jonsson, Ó. G., Lepik, K., Niinimäki, R., Schmiegelow, K., Stabell, N., Klug Albertsen, B., Vaitkeviciene, G., Ranta, S., & Harila-Saari, A. (2022). Changes in body mass index during treatment of childhood acute lymphoblastic leukemia with the Nordic ALL2008 protocol. *European Journal of Haematology*, 109(6), 656–663.
- Frankfurt, O., & Tallman, M. (2007) 'Acute Leukemia', in *Handbook of Cancer Chemotherapy*. 7th edn. Philadelphia: Lippincott Williams & Wilkins, pp. 446–496.
- González Porto, S. A., Domenech, N., González Rodríguez, A., Avellaneda Oviedo, E. M., Blanco, F. J., Arufe Gonda, M. C., Álvarez Jorge, Á., Sánchez Ibañez, J., & Rendal Vázquez, E. (2018). The addition of albumin improves Schwann cells viability in nerve cryopreservation. *Cell and Tissue Banking*, 19(4), 507–517.
- Gupta, S., Teachey, D. T., Chen, Z., Rabin, K. R., Dunsmore, K. P., Larsen, E. C., Maloney, K. W., Mattano, L. A. J., Winter, S. S., Carroll, A. J., Heerema, N. A., Borowitz, M. J., Wood, B. L., Carroll, W. L., Raetz, E. A., Winick, N. J., Loh, M. L., Hunger, S. P., & Devidas, M. (2022). Sex-based disparities in outcome in pediatric acute lymphoblastic leukemia: a Children's Oncology Group report. *Cancer*, 128(9), 1863–1870.
- Herintya, F., Mulatsih, S., & Prawirohartono, E.P. (2008) 'Association between nutritional status and outcome of childhood acute lymphoblastic leukemia treated with Wijaya Kusuma Protocol', *Paediatrica Indonesiana*, 48(1), p. 28. Available at: <https://doi.org/10.14238/pi48.1.2008.28-32>.
- Huang, Z. Z., Li, D., Liu, C. C., Cui, Y., Zhu, H. Q., Zhang, W. W., Li, Y. Y., & Xin, W. J. (2014) 'CX3CL1-mediated macrophage activation contributed to paclitaxel-induced DRG neuronal apoptosis and painful peripheral neuropathy', *Brain, Behavior, and Immunity*, 40, pp. 155–165. Available at: <https://doi.org/10.1016/j.bbi.2014.03.014>.
- Ibrahim, E. Y., & Ehrlich, B. E. (2020) 'Prevention of chemotherapy-induced peripheral neuropathy: A review of recent findings', *Critical Reviews in Oncology/Hematology*, 145, p. 102831. Available at: <https://doi.org/10.1016/j.critrevonc.2019.102831>.
- Jaime-Pérez, J. C., García-Arellano, G., Herrera-Garza, J. L., Marfil-Rivera, L. J., & Gómez-Almaguer, D. (2019). Revisiting the complete blood count and clinical findings at diagnosis of childhood acute lymphoblastic leukemia: 10-year experience at a single center. *Hematology, Transfusion and Cell Therapy*, 41(1), 57–61.
- Kandula, T., Park, S. B., Cohn, R. J., Krishnan, A. V., & Farrar, M. A. (2016) 'Pediatric chemotherapy induced peripheral neuropathy: A systematic review

- of current knowledge', *Cancer Treatment Reviews*. W.B. Saunders Ltd, pp. 118–128. Available at: <https://doi.org/10.1016/j.ctrv.2016.09.005>.
- Kandula, T., Farrar, M. A., Cohn, R. J., Mizrahi, D., Carey, K., Johnston, K., Kiernan, M. C., Krishnan, A. V., & Park, S. B. (2018) 'Chemotherapy-induced peripheral neuropathy in long-term survivors of childhood cancer clinical, neurophysiological, functional, and patient-reported outcomes', *JAMA Neurology*, 75(8), pp. 980–988. Available at: <https://doi.org/10.1001/jamaneurol.2018.0963>.
- Kline, K. A. F., Kallen, M. E., Duong, V. H., & Law, J. Y. (2021) 'Acute Lymphoblastic Leukemia and Acute Lymphoblastic Lymphoma: Same Disease Spectrum but Two Distinct Diagnoses', *Current Hematologic Malignancy Reports*. Springer, pp. 384–393. Available at: <https://doi.org/10.1007/s11899-021-00648-y>.
- Koike, H., Iguchi, Y., Sahashi, K., & Katsuno, M. (2023). Neutrophil extracellular traps: from antimicrobial innate immunity to the development of chemotherapy-induced peripheral neuropathy. *EBioMedicine*, 90(1), 1–20.
- Kranjčec, I., Pranjić, I., Roganović, J., Pavlović, M., Rajačić, N., & Sila, S. (2024). Alterations of Nutritional Status in Children and Adolescents with Acute Lymphoblastic Leukemia. *Children*, 11(3), 1–10.
- Lakshman, A., Modi, M., Prakash, G., Malhotra, P., Khadwal, A., Jain, S., Kumari, S., Varma, N., & Varma, S. (2017) 'Evaluation of Bortezomib-Induced Neuropathy Using Total Neuropathy Score (Reduced and Clinical Versions) and NCI CTCAE v4.0 in Newly Diagnosed Patients With Multiple Myeloma Receiving Bortezomib-Based Induction', *Clinical Lymphoma Myeloma and Leukemia*, 17(8), pp. 513-519.e1. Available at: <https://doi.org/10.1016/j.clml.2017.06.035>.
- Lavoie, S., Ellen, M., Li, L., Hutchinson, R. J., Ho, R., Burnette, W. B., Wells, E., Bridges, C., & Renbarger, J. (2013). Measuring vincristine-induced peripheral neuropathy in children with acute lymphoblastic leukemia. *Cancer Nursing*, 36(5), E49-60.
- Lemanska, A., Harkin, A., Iveson, T., Kelly, C., Saunders, M., & Faithfull, S. (2023). The association of clinical and patient factors with chemotherapy-induced peripheral neuropathy (CIPN) in colorectal cancer: secondary analysis of the SCOT trial. *ESMO Open*, 8(6), 102063.
- Lentsch, A. B., Kato, A., Yoshidome, H., McMasters, K. M., & Edwards, M. J. (2000) 'Inflammatory mechanisms and therapeutic strategies for warm hepatic ischemia/reperfusion injury', *Hepatology*, 32(2), pp. 169–173. Available at: <https://doi.org/10.1053/jhep.2000.9323>.
- Liu, S., Zheng, H., Zhu, X., Mao, F., Zhang, S., Shi, H., Li, Y., & Lu, B. (2017) 'Neutrophil-to-lymphocyte ratio is associated with diabetic peripheral neuropathy in type 2 diabetes patients', *Diabetes Research and Clinical Practice*, 130, pp. 90–97. Available at: <https://doi.org/10.1016/j.diabres.2017.05.008>.
- Majhail, N.S., & Lichtin, A.E. (2004) 'Acute leukemia with a very high leukocyte count: confronting a medical emergency.', *Cleveland Clinic Journal of Medicine*, 71(8), pp. 633–637. Available at: <https://doi.org/10.3949/ccjm.71.8.633>.

- McKeage, M. J., Hsu, T., Screnci, D., Haddad, G., & Baguley, B. C. (2001) 'Nucleolar damage correlates with neurotoxicity induced by different platinum drugs', *British Journal of Cancer*, 85(8), pp. 1219–1225. Available at: <https://doi.org/10.1054/bjoc.2001.2024>.
- Mekonnen, A. T., & Wondmeneh, T. G. (2022). Evaluation of liver function tests to identify hepatotoxicity among acute lymphoblastic leukemia patients who are receiving chemotherapy induction. *Scientific Reports*, 12(1), 13215.
- Mizrahi, D., Park, S. B., Li, T., Timmins, H. C., Trinh, T., Au, K., Battaglini, E., Wyld, D., Henderson, R. D., Grimison, P., Ke, H., Geelan-Small, P., Marker, J., Wall, B., & Goldstein, D. (2021). Hemoglobin, Body Mass Index, and Age as Risk Factors for Paclitaxel- and Oxaliplatin-Induced Peripheral Neuropathy. *JAMA Network Open*, 4(2), e2036695.
- Miltenburg, N.C., & Boogerd, W. (2014) 'Chemotherapy-induced neuropathy: A comprehensive survey', *Cancer Treatment Reviews*, 40(7), pp. 872–882. Available at: <https://doi.org/10.1016/j.ctrv.2014.04.004>.
- Mineoka, Y., Ishii, M., Hashimoto, Y., Nakamura, N., Katsumi, Y., Isono, M., & Fukui, M. (2018) 'Neutrophil-lymphocyte ratio correlates with limited joint mobility of hand in patients with type 2 diabetes', *Endocrine Journal*, 65(10), pp. 1011–1017. Available at: <https://doi.org/10.1507/endocrj.EJ18-0143>.
- Moghimian, B., Jafari-joshaghan, A., Ayatollahi, H., Shams, F., Soltani, N., Ahmadpour, F., Shakeri, S., & Javan, M. (2023). NLR, PLR, and HPR as novel diagnostic biomarkers for Acute Lymphoblastic Leukemia TT -. *IJBC*, 15(2), 80–87.
- Moore, R.J., & Groninger, H. (2013) 'Chemotherapy-induced Peripheral Neuropathy in Pediatric Cancer Patients', *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.124>.
- Mulatsih, S., Hariningrum, A., Purwanto, I., & Oktasari, R. (2019) 'Implementing Yogyakarta Pediatric Cancer Registry for 16 years', *Paediatrica Indonesiana*, 59(4), pp. 188–94. Available at: <https://doi.org/10.14238/pi59.4.2019.188-94>.
- Muslihatin, A., Andarsini, M. R., Cahyadi, A., Prasetyo, R. V., Ugrasena, I. D. G., & Larasanti, M. C. S. (2022). Renal function features in pediatric acute lymphoblastic leukemia during high-dose methotrexate chemotherapy. *Bali Medical Journal*, 11(3), 1587–1590.
- Nadhilla, N., Setyaningrum, C., & Yudianta, Y. (2022) *Kadar Albumin Pre-Kemoterapi sebagai Prediktor Derajat Keparahan Chemotherapy Induced Peripheral Neuropathy (CIPN) pada Pasien Leukemia Limfoblastik Akut (LLA) Anak*. RSUP Dr. Sardjito.
- Nakata, K., Okawa, S., Fuji, S., Sato, A., Morishima, T., Tada, Y., Inoue, M., Hara, J., Kawa, K., & Miyashiro, I. (2021) 'Trends in survival of leukemia among children, adolescents, and young adults: A population-based study in Osaka, Japan', *Cancer Science*, 112(3), pp. 1150–1160. Available at: <https://doi.org/10.1111/cas.14808>.
- National Health Service. (2023). *Tests and next steps for acute lymphoblastic leukaemia*. NHS UK.
- Nicolini, G., Monfrini, M., & Scuteri, A. (2015) 'Axonal Transport Impairment in Chemotherapy-Induced Peripheral Neuropathy', *Toxics*, 3(3), pp. 322–341. Available at: <https://doi.org/10.3390/toxics3030322>.

- Owaidhah, N. A., Khawaji, Z. Y., Alahmadi, M. A., Badawi, A. S., Mogharbel, G. H., & Makhdoom, O. N. (2022) 'Epidemiological Trends and Clinical Characteristics of Childhood Leukemia in Saudi Arabia: A Review', *Cureus* [Preprint]. Available at: <https://doi.org/10.7759/cureus.28178>.
- Perdana, A.B., Saputra, F., & Aisyi, M. (2020) 'Update on Diagnosis of Childhood Acute Lymphoblastic Leukemia (ALL) in Indonesia', *Indonesian Journal of Cancer*, 14(4), p. 115. Available at: <https://doi.org/10.33371/ijoc.v14i4.818>.
- Permono, B., & Ugrasena, I. (2006) *Leukemia Akut dalam Buku Ajar Hematologi-Onkologi Anak*. 2nd edn. Balai Penerbit IDAI.
- Perveen, R., Yasmeen, N., & Hassan, K. (2010) 'Prognostic factors of acute lymphoblastic leukemia in children', *Ann Pak Inst Med Sci*, 6, pp. 24–27.
- Pieters, R., & Carroll, W.L. (2010) 'Biology and Treatment of Acute Lymphoblastic Leukemia', *Hematology/Oncology Clinics of North America*, 24(1), pp. 1–18. Available at: <https://doi.org/10.1016/j.hoc.2009.11.014>.
- Pratama, H.A., Wibowo, S., Satiti, S., & Widayati, K. (2021). Hubungan rasio neutrofil limfosit dengan keparahan taxane induced peripheral neuropathy pada pasien kanker payudara. (2017) *Hubungan rasio Neutrofil Limfosit dengan Keparahan Chemotherapy Induced Peripheral Neuropathy pada Pasien Kanker Payudara yang Mendapat Kemoterapi Taxane*. RSUP Dr. Sardjito.
- Pui, C.-H., Relling, M. V., & Downing, J.R. (2004) 'Acute Lymphoblastic Leukemia', *New England Journal of Medicine*, 350(15), pp. 1535–1548. Available at: <https://doi.org/10.1056/NEJMra023001>.
- Pui, C.-H., & Evans, W.E. (2006) 'Treatment of Acute Lymphoblastic Leukemia', *New England Journal of Medicine*, 354(2), pp. 166–178. Available at: <https://doi.org/10.1056/NEJMra052603>.
- Pui, C. H., Yang, J. J., Bhakta, N., & Rodriguez-Galindo, C. (2018) 'Global efforts toward the cure of childhood acute lymphoblastic leukaemia', *The Lancet Child & Adolescent Health*, 2(6), pp. 440–454. Available at: [https://doi.org/10.1016/S2352-4642\(18\)30066-X](https://doi.org/10.1016/S2352-4642(18)30066-X).
- Rakhian, L., Setyaningrum, C., & Malueka, R. (2022) *Hubungan Kelompok Risiko Pasien Leukemia Limfoblastik Akut (LLA) Anak dengan Kejadian Chemotherapy Induced Peripheral Neuropathy (CIPN)*. RSUP Dr. Sardjito.
- Rodwin, R. L., Kairalla, J. A., Hibbitts, E., Devidas, M., Whitley, M. K., Mohrmann, C. E., Schore, R. J., Raetz, E., Winick, N. J., Hunger, S. P., Loh, M. L., Hockenberry, M. J., Angiolillo, A. L., Ness, K. K., & Kadan-Lottick, N. S. (2022) 'Persistence of Chemotherapy-Induced Peripheral Neuropathy Despite Vincristine Reduction in Childhood B-Acute Lymphoblastic Leukemia', *Journal of the National Cancer Institute*, 114(8), pp. 1167–1175. Available at: <https://doi.org/10.1093/jnci/djac095>.
- Rossor, A.M., & Reilly, M.M. (2022) 'Blood biomarkers of peripheral neuropathy', *Acta Neurologica Scandinavica*, 146(4), pp. 325–331. Available at: <https://doi.org/10.1111/ane.13650>.
- Ruscher, V., Lieber, S., Köhl, J. S., Schulte, J., Blankenburg, M., Reindl, T., & Hernáiz Driever, P. (2020) 'Long-term small-fiber neuropathy and pain sensitization in survivors of pediatric acute lymphoblastic leukemia after stem cell transplantation', *Journal of Cancer Research and Clinical Oncology*,

146(8), pp. 2143–2152. Available at: <https://doi.org/10.1007/s00432-020-03216-8>.

- Saito, T., Okamura, A., Inoue, J., Makiura, D., Doi, H., Yakushijin, K., Matsuoka, H., Sakai, Y., & Ono, R. (2019). Anemia Is a Novel Predictive Factor for the Onset of Severe Chemotherapy-Induced Peripheral Neuropathy in Lymphoma Patients Receiving Rituximab Plus Cyclophosphamide, Doxorubicin, Vincristine, and Prednisolone Therapy. *Oncology Research*, 27(4), 469–474.
- Sajdyk, T. J., Boyle, F. A., Foran, K. S., Tong, Y., Pandya, P., Smith, E. M. L., Ho, R. H., Wells, E., & Renbarger, J. L. (2020). Obesity as a Potential Risk Factor for Vincristine-induced Peripheral Neuropathy. *Journal of Pediatric Hematology/Oncology*, 42(7), e637–e640.
- Seretny, M., Currie, G. L., Sena, E. S., Ramnarine, S., Grant, R., MacLeod, M. R., Colvin, L. A., & Fallon, M. (2014) ‘Incidence, prevalence, and predictors of chemotherapy-induced peripheral neuropathy: A systematic review and meta-analysis’, *Pain*, 155(12), pp. 2461–2470. Available at: <https://doi.org/10.1016/j.pain.2014.09.020>.
- Shahriari-Ahmadi, A., Fahimi, A., Payandeh, M., & Sadeghi, M. (2015). Prevalence of Oxaliplatin-induced Chronic Neuropathy and Influencing Factors in Patients with Colorectal Cancer in Iran. *Asian Pacific Journal of Cancer Prevention : APJCP*, 16(17), 7603–7606.
- Setiawati, N. Yudiyanita, Y., Wibowo, S. (2019) ‘Pengaruh kadar albumin terhadap derajat keparahan taxanes induced peripheral neuropathy pada kanker payudara’, RSUP Dr. Sardjito.
- Settin, A., Al Haggag, M., Al Dosok, T., Al Baz, R., Abdelrazik, N., Fouda, M., ... Al-Tonbary, Y. (2006) ‘Prognostic cytogenetic markers in childhood acute lymphoblastic leukemia: Cases from Mansoura, Egypt’, *Hematology*, 11(5–6), pp. 341–349. Available at: <https://doi.org/10.1080/10245330600938174>.
- Simanjourang, C., Kodim, N., & Tehuteru, E. (2013) ‘Perbedaan Kesintasan 5 Tahun Pasien Leukemia Limfoblastik Akut dan Leukemia Mieloblastik Akut pada Anak di Rumah Sakit Kanker Dharmais, Jakarta, 1997-2008’, *Indonesian Journal of Cancer*, 7(1).
- Smith, E. M. L., Kuisell, C., Kanzawa-Lee, G., Bridges, C. M., Cho, Y., Swets, J., Renbarger, J. L., & Gilchrist, L. S. (2021) ‘Assessment of Pediatric Chemotherapy-Induced Peripheral Neuropathy Using a New Patient-Reported Outcome Measure: The P-CIN’, *Journal of Pediatric Oncology Nursing*, 38(2), pp. 131–141. Available at: <https://doi.org/10.1177/1043454220980253>.
- Stefaniuk, P., Szymczyk, A., & Podhorecka, M. (2020) ‘<p>The Neutrophil to Lymphocyte and Lymphocyte to Monocyte Ratios as New Prognostic Factors in Hematological Malignancies – A Narrative Review</p>’, *Cancer Management and Research*, Volume 12, pp. 2961–2977. Available at: <https://doi.org/10.2147/CMAR.S245928>.
- Suzanna, E., Sirait, T., Rahayu, P., Shalmont, G., Anwar, E., Andalusia, R., & Panigoro, S. (2007) ‘Registrasi Kanker Berbasis Rumah Sakit di Rumah Sakit Kanker Dharmais’, *Pusat Kanker Nasional 1993-2007*, 6(4), pp. 181–205.

- Tay, N., Laakso, E. L., Schweitzer, D., Endersby, R., Vetter, I., & Starobova, H. (2022). Chemotherapy-induced peripheral neuropathy in children and adolescent cancer patients. *Frontiers in Molecular Biosciences*, 9(10), 1–27.
- Terwilliger, T., & Abdul-Hay, M. (2017) ‘Acute lymphoblastic leukemia: a comprehensive review and 2017 update’, *Blood Cancer Journal*, 7(6), pp. e577–e577. Available at: <https://doi.org/10.1038/bcj.2017.53>.
- van de Velde, M. E., Kaspers, G. L., Abbink, F. C. H., Wilhelm, A. J., Ket, J. C. F., & van den Berg, M. H. (2017) ‘Vincristine-induced peripheral neuropathy in children with cancer: A systematic review’, *Critical Reviews in Oncology/Hematology*, 114, pp. 114–130.
- Wang, C.-Y., Lin, T.-T., Hu, L., Xu, C.-J., Hu, F., Wan, L., Yang, X., Wu, X.-F., Zhang, X.-T., Li, Y., Yin, H.-Y., Jiang, C.-Y., Xin, H.-L., & Liu, W.-T. (2023). Neutrophil extracellular traps as a unique target in the treatment of chemotherapy-induced peripheral neuropathy. *EBioMedicine*, 90(1), 104499.
- Widiaskara, I., Pemono, B., & Ratwita, M. (2010) ‘Luaran Pengobatan Fase Induksi Pasien Leukemia Limfoblastik Akut pada Anak di Rumah Sakit Umum Dr. Soetomo Surabaya’, *Sari Pediatri*, 12(2), pp. 128–134.
- Wijayanti, L. P., & Supriyadi, E. (2018). Faktor Prognostik dan Kesintasan Pasien Leukemia Limfoblastik Akut Anak di RSUP Dr. Sardjito, Yogyakarta, 2010–2015. *Indonesian Journal of Cancer*, 11(4), 1–10.
- Windebank, A.J., & Grisold, W. (2008) ‘Chemotherapy-induced neuropathy’, *Journal of the Peripheral Nervous System*, 13(1), pp. 27–46. Available at: <https://doi.org/10.1111/j.1529-8027.2008.00156.x>.
- Wolley, NG, Gunawan, S., & Warouw, S. (2016) ‘Perubahan status gizi pada anak dengan leukemia limfoblastik akut selama pengobatan’, *Jurnal Ilmiah Kedokteran Klinik*, 4(1).
- Wolley, NGA, Gunawan, S., & Warouw, S. (2016) ‘Perubahan status gizi pada anak dengan leukemia limfoblastik akut selama pengobatan’, *e-CliniC*, 4(1).
- Yamanouchi, K., Kuba, S., Sakimura, C., Morita, M., Kanetaka, K., Kobayashi, K., Takatsuki, M., Hayashida, N., & Eguchi, S. (2017). The Relationship Between Peripheral Neuropathy Induced by Docetaxel and Systemic Inflammation-based Parameters in Patients with Breast Cancer. *Anticancer Research*, 37(12), 6947–6951.
- Yildirim, N., & Cengiz, M. (2020). Predictive clinical factors of chronic peripheral neuropathy induced by oxaliplatin. *Supportive Care in Cancer: Official Journal of the Multinational Association of Supportive Care in Cancer*, 28(10), 4781–4788.
- Youssef, M. K., Radwan, R. A., Makkeyah, S. M., & Taha, S. I. (2022). Predictive value of neutrophil-to-lymphocyte, lymphocyte-to-monocyte, and platelet-to-lymphocyte ratios in adult and pediatric acute lymphoblastic leukemia patients. *The Egyptian Journal of Haematology*, 47(4), 1–10.
- Crist, W. M., Pullen, D. J., & Rivera, G. K. (1997). Acute Lymphoid Leukemia. In *Clinical Pediatric Oncology*. 4th ed. (pp. 217–250). CRC Press/Taylor & Francis.
- Degirmenci, Y., & Kececi, H. (2011). Electrophysiological changes in iron deficiency anemia. *Neurologia Croatica*, 60(1), 1–10.
- Egnell, C., Närhinen, H., Merker, A., Jonsson, Ó. G., Lepik, K., Niinimäki, R., Schmiegelow, K., Stabell, N., Klug Albertsen, B., Vaitkeviciene, G., Ranta,

- S., & Harila-Saari, A. (2022). Changes in body mass index during treatment of childhood acute lymphoblastic leukemia with the Nordic ALL2008 protocol. *European Journal of Haematology*, 109(6), 656–663.
- González Porto, S. A., Domenech, N., González Rodríguez, A., Avellaneda Oviedo, E. M., Blanco, F. J., Arufe Gonda, M. C., Álvarez Jorge, Á., Sánchez Ibañez, J., & Rendal Vázquez, E. (2018). The addition of albumin improves Schwann cells viability in nerve cryopreservation. *Cell and Tissue Banking*, 19(4), 507–517.
- Gupta, S., Teachey, D. T., Chen, Z., Rabin, K. R., Dunsmore, K. P., Larsen, E. C., Maloney, K. W., Mattano, L. A. J., Winter, S. S., Carroll, A. J., Heerema, N. A., Borowitz, M. J., Wood, B. L., Carroll, W. L., Raetz, E. A., Winick, N. J., Loh, M. L., Hunger, S. P., & Devidas, M. (2022). Sex-based disparities in outcome in pediatric acute lymphoblastic leukemia: a Children's Oncology Group report. *Cancer*, 128(9), 1863–1870.
- Jaime-Pérez, J. C., García-Arellano, G., Herrera-Garza, J. L., Marfil-Rivera, L. J., & Gómez-Almaguer, D. (2019). Revisiting the complete blood count and clinical findings at diagnosis of childhood acute lymphoblastic leukemia: 10-year experience at a single center. *Hematology, Transfusion and Cell Therapy*, 41(1), 57–61.
- Koike, H., Iguchi, Y., Sahashi, K., & Katsuno, M. (2023). Neutrophil extracellular traps: from antimicrobial innate immunity to the development of chemotherapy-induced peripheral neuropathy. *EBioMedicine*, 90(1), 1–20.
- Kranjčec, I., Pranjić, I., Roganović, J., Pavlović, M., Rajačić, N., & Sila, S. (2024). Alterations of Nutritional Status in Children and Adolescents with Acute Lymphoblastic Leukemia. *Children*, 11(3), 1–10.
- Lavoie, S., Ellen, M., Li, L., Hutchinson, R. J., Ho, R., Burnette, W. B., Wells, E., Bridges, C., & Renbarger, J. (2013). Measuring vincristine-induced peripheral neuropathy in children with acute lymphoblastic leukemia. *Cancer Nursing*, 36(5), E49-60.
- Lemanska, A., Harkin, A., Iveson, T., Kelly, C., Saunders, M., & Faithfull, S. (2023). The association of clinical and patient factors with chemotherapy-induced peripheral neuropathy (CIPN) in colorectal cancer: secondary analysis of the SCOT trial. *ESMO Open*, 8(6), 102063.
- Mekonnen, A. T., & Wondmeneh, T. G. (2022). Evaluation of liver function tests to identify hepatotoxicity among acute lymphoblastic leukemia patients who are receiving chemotherapy induction. *Scientific Reports*, 12(1), 13215.
- Mizrahi, D., Park, S. B., Li, T., Timmins, H. C., Trinh, T., Au, K., Battaglini, E., Wyld, D., Henderson, R. D., Grimison, P., Ke, H., Geelan-Small, P., Marker, J., Wall, B., & Goldstein, D. (2021). Hemoglobin, Body Mass Index, and Age as Risk Factors for Paclitaxel- and Oxaliplatin-Induced Peripheral Neuropathy. *JAMA Network Open*, 4(2), e2036695.
- Moghimian, B., Jafari-joshaghan, A., Ayatollahi, H., Shams, F., Soltani, N., Ahmadpour, F., Shakeri, S., & Javan, M. (2023). NLR, PLR, and HPR as novel diagnostic biomarkers for Acute Lymphoblastic Leukemia TT -. *IJBC*, 15(2), 80–87.
- Montague, K., Simeoli, R., Valente, J., & Malcangio, M. (2018). A novel interaction between CX(3)CR(1) and CCR(2) signalling in monocytes constitutes an underlying mechanism for persistent vincristine-induced pain.

- Journal of Neuroinflammation*, 15(1), 101.
- Muslihatin, A., Andarsini, M. R., Cahyadi, A., Prasetyo, R. V., Ugrasena, I. D. G., & Larasanti, M. C. S. (2022). Renal function features in pediatric acute lymphoblastic leukemia during high-dose methotrexate chemotherapy. *Bali Medical Journal*, 11(3), 1587–1590.
- National Health Service. (2023). *Tests and next steps for acute lymphoblastic leukaemia*. NHS UK.
- Plante, E., & Vance, R. (1994). Selection of preschool language tests. A data-based approach. *Language, Speech, and Hearing Services in Schools*, 25(1), 15–24.
- Pratama, H. A., Wibowo, S., Satiti, S., & Widayati, K. (2020). Hubungan rasio neutrofil limfosit dengan keparahan taxane induced peripheral neuropathy pada pasien kanker payudara. *Berkala Neurosains*, 19(2), 63–68.
- Rodwin, R. L., Kairalla, J. A., Hibbitts, E., Devidas, M., Whitley, M. K., Mohrmann, C. E., Schore, R. J., Raetz, E., Winick, N. J., Hunger, S. P., Loh, M. L., Hockenberry, M. J., Angiolillo, A. L., Ness, K. K., & Kadan-Lottick, N. S. (2022). Persistence of Chemotherapy-Induced Peripheral Neuropathy Despite Vincristine Reduction in Childhood B-Acute Lymphoblastic Leukemia. *Journal of the National Cancer Institute*, 114(8), 1167–1175.
- Saito, T., Okamura, A., Inoue, J., Makiura, D., Doi, H., Yakushijin, K., Matsuoka, H., Sakai, Y., & Ono, R. (2019). Anemia Is a Novel Predictive Factor for the Onset of Severe Chemotherapy-Induced Peripheral Neuropathy in Lymphoma Patients Receiving Rituximab Plus Cyclophosphamide, Doxorubicin, Vincristine, and Prednisolone Therapy. *Oncology Research*, 27(4), 469–474.
- Sajdyk, T. J., Boyle, F. A., Foran, K. S., Tong, Y., Pandya, P., Smith, E. M. L., Ho, R. H., Wells, E., & Renbarger, J. L. (2020). Obesity as a Potential Risk Factor for Vincristine-induced Peripheral Neuropathy. *Journal of Pediatric Hematology/Oncology*, 42(7), e637–e640.
- Shahriari-Ahmadi, A., Fahimi, A., Payandeh, M., & Sadeghi, M. (2015). Prevalence of Oxaliplatin-induced Chronic Neuropathy and Influencing Factors in Patients with Colorectal Cancer in Iran. *Asian Pacific Journal of Cancer Prevention : APJCP*, 16(17), 7603–7606.
- Tay, N., Laakso, E. L., Schweitzer, D., Endersby, R., Vetter, I., & Starobova, H. (2022). Chemotherapy-induced peripheral neuropathy in children and adolescent cancer patients. *Frontiers in Molecular Biosciences*, 9(10), 1–27.
- Wang, C.-Y., Lin, T.-T., Hu, L., Xu, C.-J., Hu, F., Wan, L., Yang, X., Wu, X.-F., Zhang, X.-T., Li, Y., Yin, H.-Y., Jiang, C.-Y., Xin, H.-L., & Liu, W.-T. (2023). Neutrophil extracellular traps as a unique target in the treatment of chemotherapy-induced peripheral neuropathy. *EBioMedicine*, 90(1), 104499.
- Was, H., Borkowska, A., Bagues, A., Tu, L., Liu, J. Y. H., Lu, Z., Rudd, J. A., Nurgali, K., & Abalo, R. (2022). Mechanisms of Chemotherapy-Induced Neurotoxicity. *Frontiers in Pharmacology*, 13(1), 750507.
- Wijayanti, L. P., & Supriyadi, E. (2018). Faktor Prognostik dan Kesintasan Pasien Leukemia Limfoblastik Akut Anak di RSUP Dr. Sardjito, Yogyakarta, 2010–2015. *Indonesian Journal of Cancer*, 11(4), 1–10.
- Yamanouchi, K., Kuba, S., Sakimura, C., Morita, M., Kanetaka, K., Kobayashi, K., Takatsuki, M., Hayashida, N., & Eguchi, S. (2017). The Relationship

Between Peripheral Neuropathy Induced by Docetaxel and Systemic Inflammation-based Parameters in Patients with Breast Cancer. *Anticancer Research*, 37(12), 6947–6951.

Yildirim, N., & Cengiz, M. (2020). Predictive clinical factors of chronic peripheral neuropathy induced by oxaliplatin. *Supportive Care in Cancer : Official Journal of the Multinational Association of Supportive Care in Cancer*, 28(10), 4781–4788.

Youssef, M. K., Radwan, R. A., Makkeyah, S. M., & Taha, S. I. (2022). Predictive value of neutrophil-to-lymphocyte, lymphocyte-to-monocyte, and platelet-to-lymphocyte ratios in adult and pediatric acute lymphoblastic leukemia patients. *The Egyptian Journal of Haematology*, 47(4), 1–10.

Zhao, F., Wang, Y., Liu, L., & Bian, M. (2017). Erythropoietin for cancer-associated malignant anemia: A meta-analysis. *Molecular and Clinical Oncology*, 6(6), 925–930.