

DAFTAR PUSTAKA

- Adams, B.W., (2016), Automation and Apps for Clinical Dental Biomechanics, *CRANIO®*, 34(5):343-7
- Ahmed, N., Abbasi, M.S., Zuberi, Z., Qamar, W., Halim, M.S., Maqsood, H., Alam, MK., (2021), Artificial Intelligence Techniques: Analysis, Application, and Outcome in Dentistry—A Systematic Review, *Biomed Res. Int*, 22(2021):9751564
- Albarakati, S.F., Kula, K.S., Ghoneima, A.A., (2012), The Reliability and Reproducibility of Cephalometric Measurements: A Comparison of Conventional and Digital Methods, *DMFR*, 41(1):11-7
- Alqahtani, H., (2020), Evaluation of an online *Website*-based platform for cephalometric analysis, *J Stomatol Oral Maxillofac Surg.*, 121(1):53-7
- Baheti, M.J., Toshniwal, N., (2014), Orthodontic apps at fingertips, *Prog. Orthod*, 15(1):36
- Barbhuiya, M.H., Kumar P., Thakral R., Krishnapriya R., Bawa M., (2021) Reliability of mobile application based cephalometric analysis for chair side evaluation of orthodontic patient in clinical practice. *J Orthodont Sci.*, 4(10):16
- Beltrão, G.C., de Abreu, A.T., Beltrão, R.G., Finco, N.F., (2007), Lateral Cephalometric Radiograph for The Planning of Maxillary Implant Reconstruction. *Dentomaxillofac Radiol*, 36(1):45-50
- Bulatova G, Kusnoto B, Grace V, Tsay TP, Avenetti DM, Sanchez FJC., (2021), Assessment of Automatic Cephalometric Landmark Identification Using Artificial Intelligence. *Orthod Craniofac Res.* 24(2):37-42
- Camacho, E., Hoffman, L., Lagan, S., Rodriguez-Villa, E., Rauseo-Ricupero, N., Wisniewski, H., Henson, P., Torous, J., (2020), Technology Evaluation and Assessment Criteria for Health Apps (TEACH-Apps): Pilot Study, *J. Med. Internet Res.* 22(8): e18346
- Cephio. (2023). Aplikasi Cephio. *Website Resmi Cephio*. Diakses pada 30 September 2023, dari <https://www.cephio.com/en/>
- Cephninja. (2023). Aplikasi Cephninja. *Website Resmi Cephninja*. Diakses pada 3 Oktober 2023, dari <https://www.cephninja.com/>
- Ceppro. (2023). Aplikasi Ceppro. *Website Resmi Ceppro*. Diakses pada 5 Oktober 2023, dari <https://home.ceppro.ddhinc.net/>

- Choi, H.-I., Jung, S.-K., Baek, S.-H., Lim, W.H., Ahn, S.-J., Yang, I.-H., Kim, T.-W., (2019), Artificial Intelligent Model with Neural Network Machine Learning for the Diagnosis of Orthognathic Surgery, *J. Craniofac. Surg*, 30(7):1986-9
- Clement EA, Nambi N, Sreedharan A, Ramesh A., (2021), Cephalometric norms-based on steiner's analysis on young adults of Tamil Nadu population. *J Forensic Med Toxicol*, 15(3):13–5
- Çoban G, Öztürk T, Hashimli N, Yağci A., (2022), Comparison Between Cephalometric Measurements Using Digital Manual and Web-Based Artificial Intelligence Cephalometric Tracing Software. *Dental Press J Orthod*. 27(4): e222112
- Cohen A., Ip H.H., Linney A., (1984)., A preliminary study of computer recognition and identification of skeletal landmarks as a new method of cephalometric analysis. *Br. J. Orthod.*, 11(3):143–154
- Duran, G.S., Gökmen, Ş., Topsakal, K.G., Görgülü, S., (2023), Evaluation of The Accuracy of Fully Automatic Cephalometric Analysis Software with Artificial Intelligence Algorithm, *Orthod. Craniofac. Res*. 26(3):481-90
- El-Dawlatly M, Attia KH, Abdelghaffar AY, Mostafa YA, Abd El-Ghafour M., (2024), Preciseness of Artificial Intelligence for Lateral Cephalometric Measurements. *J Orofac Orthop*, 85(1):27-33
- Hendrickx J., Gracea R.S., Vanheers M., Winderickx N., Preda F., Shujaat S., Jacobs R., (2024)., Can artificial intelligence-driven cephalometric analysis replace manual tracing? A systematic review and meta-analysis, *Eur. J. Orthod.*, 46(4)
- Hwang HW, Park JH, Moon JH, Yu Y, Kim H, Her SB, Srinivasan G, Aljanabi MNA, Donatelli RE, Lee SJ, (2020), Automated Identification of Cephalometric Landmarks: Part 2-Might It Be Better than Human? *Angle Orthod*, 90(1):69-76
- Iyyer BS, (2014), *Orthodontics the Art and Science*, New Delhi: Arya (Medi) Publishing House
- Jacobson, A., (2006), *Radiographic Cephalometry: From Basics to Video Imaging*. 3rd ed, London: Quintessence Publishing Co, Inc. pp 63-78.
- Kamath, M.K., Arun, A.V., (2016), Comparison of Cephalometric Readings Between Manual *Tracing* and Digital Software *Tracing*: A Pilot Study, *Int J Orthod Rehabil*, 7(4):135-8

- Katyal D, Balakrishnan N, (2022), Evaluation of The Accuracy and Reliability of Webceph-an Artificial Intelligence-Based Online Software. *APOS Trends Orthod*, 12(4):271-6
- Kielczykowski, M.; Kamiński, K.; Perkowski, K.; Zadurska, M.; Czochrowska, E., (2023), Application of Artificial Intelligence (AI) in a Cephalometric Analysis: A Narrative Review. *Diagnostics*, 13(16):2640
- Kılınç, D.D., Kırçelli, B.H., Sadry, S., Karaman, A., (2022), Evaluation and Comparison of Smartphone Application Tracing, Web Based Artificial Intelligence Tracing and Conventional Hand Tracing Methods, *J. Stomatol. Oral Maxillofac. Surg*, 123(6):906-15
- Kök, H., Acilar, A.M., İzgi, M.S, (2019), Usage and Comparison of Artificial Intelligence Algorithms for Determination of Growth and Development by Cervical Vertebrae Stages in Orthodontics. *Prog Orthod*. 20(1):41
- LeCun, Y., Bengio, Y., Hinton, G., (2015), Deep learning, *Nature*, 521(7553):436-44
- Lecun, Y., Bottou, L., Bengio, Y., Haffner, P., (1998), Gradient-Based Learning Applied to Document Recognition, *Proc. IEEE*, 86:2278–324.
- Littlewood, S.J., Mitchell, L, (2019), *An Introduction to Orthodontics*, Fifth Ed, Oxford University Press, Glasglow., pp 172-180
- Livas C, Delli K, Spijkervet FKL, Vissink A, Dijkstra PU., (2019), Concurrent Validity and Reliability of Cephalometric Analysis Using Smartphone Apps and Computer Software, *Angle Orthod*, 89(6):889-96
- Machin D, Campbell MJ, Tan SB, Tan SH, (2009), *Sample Size Tables for Clinical Studies*. 3rd ed, Chichester: Wiley-Blackwell
- Mahto, R.K., Kharbanda, O.P., Duggal, R., Sardana, H.K., (2016), A Comparison of Cephalometric Measurements Obtained from Two Computerized Cephalometric Softwares with Manual Tracings, *J Indian Orthod Soc*, 50(3): 162-70
- Mamillapalli, P.K., Sesham, V.M., Neela, P.K., Kondapaka, V., Mandalaju, S.P., (2015), A Smartphone App for Identifying Cervical Vertebral Maturation Stages, *J. Clin. Orthod*. 49(9):582-5
- Meric, P., Naoumova, J., (2020), Web-based Fully Automated Cephalometric Analysis: Comparisons between App-aided, Computerized, and Manual Tracings, *Turk. J. Orthod*. 33(3):142-9

- Mobileaction, (2023), Analytics Dashboard for Webceph and Ninjaceph, Mobileaction, diunduh pada 9 Juni 2023, <mobileaction.co>
- Mortaheb, P., Rezaeian, M., (2016), Metal Artifact Reduction and Segmentation of Dental Computerized Tomography Images Using Least Square Support Vector Machine and Mean Shift Algorithm, *J. Med. Signals Sens.* 6(1):1-11
- Murali, R.V., Sukumar, M.R., Tajir, T.F., Rajalingam, S., (2011), Comparative Study of Manual Cephalometric Tracing and Computerized Cephalometric Tracing in Digital Lateral Cephalogram for Accuracy and Reliability of Landmarks. *Indian J Multidiscip Dent*, 1(3):126-34
- Nielsen, Ib Leth, (2022), Cephalometric Analysis: History and Clinical Application, *TJO*, 34(4):173-84
- Niño-Sandoval, T.C., Guevara Pérez, S.V., González, F.A., Jaque, R.A., Infante-Contreras, C., (2017), Use of automated learning techniques for predicting mandibular morphology in skeletal class I, II and III, *Forensic Sci. Int.* 281(187):1-7
- Nishimoto S, Sotsuka Y, Kawai K, Ishise H, Kakibuchi M, (2019), Personal computer-based cephalometric landmark detection with deep learning, using cephalograms on the internet. *J Craniofac Surg.*, 30(1):91-5
- Paixao, M.B., Sobral, M.C., Vogel, C.J., Arajuo, T.M., (2010), Comparative Study Between Manual and Digital Cephalometric Tracing Using Dolphin Imaging Software with Lateral Radiographs, *Dental Press J Orthod*, 15(6):123-30
- Park, J.H., Kim, Y.-J., Kim, J., Kim, J., Kim, I.-H., Kim, N., Vaid, N.R., Kook, Y.-A., (2021), Use of artificial intelligence to predict outcomes of nonextraction treatment of Class II malocclusions, *Semin. Orthod.* 27(2):87-95
- Pavan, K.M., Praveen, K.N., Vasu Murthy, S., (2012), Model analysis on a smartphone, *J. Clin. Orthod.* 46(6):356-8
- Phulari, B. (2013), *An Atlas on Cephalometric Landmarks*, New Delhi: Jaypee Brothers Medical Publishers Pvt. Limited., pp 159-204
- Proffit, W.R., Fields, H.W., Larson, B.E., Sarver, D.M, (2019), *Contemporary Orthodontics*, London: Elsevier. pp 2, 120-134, 137, 174, 180
- Putera AGD, Pawinru AS, Hidayati N, (2023), The use of Steiner analysis to make a diagnosis in orthodontic treatment, *Makassar Dent J*, 12(1):85-7
- Rahardjo, P., (2009), *Ortodonti dasar / Pambudi Rahardjo*, Surabaya: Airlangga University Press

- Retrouvey, J.M., (2021), The role of AI and machine learning in contemporary orthodontics, *APOS Trends in Orthodontics*. 11:74-80.
- Riyadi, N.A., (2017), Perbedaan Analisis Sefalometri Skeletal Sebelum dan Sesudah Perawatan Alat Myofunctional pada Pasien Maloklusi Dentoskeletal Kelas II Divisi I dalam Masa Pertumbuhan dengan Metode Steiner, *Majalah Sainstekes*, 4(2):7-13
- Saifeldin, H., (2022), Comparison between Manual Lateral Cephalometric Analysis and Artificial Intelligence Driven Platforms, *Dental Press J Orthod*, 27(4):222112
- Sayar, G., Kilinc, D.D., (2017), Manual Tracing Versus Smartphone Application (App) *Tracing: A Comparative Study*, *Acta Odontol Scand*, 75(8):588-94
- Schwendicke, F., Chaurasia, A., Wiegand, T., Uribe, S.E., Fontana, M., Akota, I., Tryfonos, O., Krois, J., (2023), Artificial Intelligence for Oral and Dental Healthcare: Core Education Curriculum, *J. Dent*, 128(2023): 104363
- Shimizu Y, Tanikawa C, Kajiwaru T, Nagahara H, Yamashiro T, (2022), The Validation of Orthodontic Artificial Intelligence Systems That Perform Orthodontic Diagnosis and Treatment Planning. *Eur. J. Orthod*, 44(4):436–44
- Siddiqui NR, Hodges S, Sharif MO, (2019), Availability of Orthodontic Smartphone Apps. *J Orthod*, 46(3):235-41
- Kastury S., Kancherla P., Reddy S.K, Chalasani S., (2024)., A Comparison of Smartphone-assisted and Computer Software Assisted Tracing with the Conventional Manual Method. *JIOS.*, 58(2):165-171
- Subramanian A.K., Chen Y., Almalki A., Sivamurthy G., Kafle D., (2022)., Cephalometric Analysis in Orthodontics Using Artificial Intelligence-A Comprehensive Review. *Biomed Res Int.* (2022): 1880113
- Suhail Y., Upadhyay M., Chhibber A, (2020), Machine Learning for The Diagnosis of Orthodontic Extractions: A Computational Analysis Using Ensemble Learning. *Bioengineering*, 7(2):55
- Tanikawa C., Oka A., Lim J., Lee C., (2021)., Clinical applicability of automated cephalometric landmark identification: Part I-Patient-related identification errors. *Orthod Craniofac Res*, 24(Suppl. 2):43–52
- Webceph. (2023). Aplikasi Webceph. *Website Resmi Webceph*. Diakses pada 7 Oktober 2023, dari <https://webceph.com/en/>

- Wedoceph. (2023). Aplikasi Wedoceph. *Website Resmi Wedoceph*. Diakses pada 9 Oktober 2023, dari <https://www.wedoceph.com/>
- Whaites, E., Drage, N., (2013), *Essentials of Dental Radiography and Radiology*. 5th Ed, London: Elsevier Ltd
- Yassir Y.A., Salman A.R., Nabbat S.A., (2022) The Accuracy and Reliability of Webceph for Cephalometric Analysis, *J Taibah Univ Med Sci*, 17(1):57–66
- Ye, H., Cheng, Z., Ungvijanpunya, N., Chen, W., Cao, L., Gou, Y., (2023), Is Automatic Cephalometric Software Using Artificial Intelligence Better than Orthodontist Experts in Landmark Identification? *BMC Oral Health* 23(1):467
- Yu X., Liu B., Pei Y., Xu T, (2014), Evaluation of Facial Attractiveness for Patients with Malocclusion: A Machine-Learning Technique Employing Procrustes. *Angle Orthod*, 84(3):410–6