

## DAFTAR PUSTAKA

- Adhikari, H. S., & Yadav, P. N. (2018). Anticancer Activity of Chitosan, Chitosan Derivatives, and Their Mechanism of Action. *International journal of biomaterials*, 2018, 2952085. <https://doi.org/10.1155/2018/2952085>
- Almeida, M. I., Reis, R. M., & Calin, G. A. (2011). MicroRNA history: discovery, recent applications, and next frontiers. *Mutation research*, 717(1-2), 1–8. <https://doi.org/10.1016/j.mrfmmm.2011.03.009>
- Alswailem, R., Alqahtani, F. Y., Aleanizy, F. S., Alrfaei, B. M., Badran, M., Alqahtani, Q. H., Abdelhady, H. G., & Alsarra, I. (2022). MicroRNA-219 loaded chitosan nanoparticles for treatment of glioblastoma. *Artificial cells, nanomedicine, and biotechnology*, 50(1), 198–207. <https://doi.org/10.1080/21691401.2022.2092123>
- Andrade de Oliveira, K., Sengupta, S., Yadav, A. K., & Clarke, R. (2023). The complex nature of heterogeneity and its roles in breast cancer biology and therapeutic responsiveness. *Frontiers in endocrinology*, 14, 1083048. <https://doi.org/10.3389/fendo.2023.1083048>
- André, F., & Zielinski, C. C. (2012). Optimal strategies for the treatment of metastatic triple-negative breast cancer with currently approved agents. *Annals of oncology : official journal of the European Society for Medical Oncology*, 23 Suppl 6, vi46–vi51. <https://doi.org/10.1093/annonc/mds195>
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Heras Caballero, A., & Acosta, N. (2021). Chitosan: An Overview of Its Properties and Applications. *Polymers*, 13(19), 3256. <https://doi.org/10.3390/polym13193256>
- Arnold, M., Morgan, E., Rungay, H., Mafra, A., Singh, D., Laversanne, M., Vignat, J., Gralow, J. R., Cardoso, F., Siesling, S., & Soerjomataram, I. (2022).

- Current and future burden of breast cancer: Global statistics for 2020 and 2040. *Breast (Edinburgh, Scotland)*, 66, 15–23. <https://doi.org/10.1016/j.breast.2022.08.010>
- Au Yeung, C. L., Co, N. N., Tsuruga, T., Yeung, T. L., Kwan, S. Y., Leung, C. S., ... & Mok, S. C. (2016). Exosomal transfer of stroma-derived miR21 confers paclitaxel resistance in ovarian cancer cells through targeting APAF1. *Nature communications*, 7(1), 11150.
- Bihari, P., Vippola, M., Schultes, S., Praetner, M., Khandoga, A. G., Reichel, C. A., Coester, C., Tuomi, T., Rehberg, M., & Krombach, F. (2008). Optimized dispersion of nanoparticles for biological in vitro and in vivo studies. *Particle and fibre toxicology*, 5, 14. <https://doi.org/10.1186/1743-8977-5-14>
- Bonetti, L., Caprioglio, A., Bono, N., Candiani, G., & Altomare, L. (2023). Mucoadhesive chitosan-methylcellulose oral patches for the treatment of local mouth bacterial infections. *Biomaterials science*, 11(8), 2699–2710. <https://doi.org/10.1039/d2bm01540d>
- Borchert, G. M., Lanier, W., & Davidson, B. L. (2006). RNA polymerase III transcribes human microRNAs. *Nature structural & molecular biology*, 13(12), 1097–1101. <https://doi.org/10.1038/nsmb1167>
- Cancer Genome Atlas Network (2012). Comprehensive molecular portraits of human breast tumours. *Nature*, 490(7418), 61–70. <https://doi.org/10.1038/nature11412>
- Cao, S., Deng, Y., Zhang, L., & Aleahmad, M. (2022). Chitosan nanoparticles, as biological macromolecule-based drug delivery systems to improve the healing potential of artificial neural guidance channels: A review. *International journal of biological macromolecules*, 201, 569–579. <https://doi.org/10.1016/j.ijbiomac.2022.01.017>
- Calvo, P., Remuñan-López, C., Vila-Jato, J. L., & Alonso, M. J. (1997). Chitosan and chitosan/ethylene oxide-propylene oxide block copolymer nanoparticles

- as novel carriers for proteins and vaccines. *Pharmaceutical research*, 14(10), 1431–1436. <https://doi.org/10.1023/a:1012128907225>
- Carrera, C., Bengoechea, C., Carrillo, F., & Calero, N. (2023). Effect of deacetylation degree and molecular weight on surface properties of chitosan obtained from biowastes. *Food Hydrocolloids*, 137, 108383.
- Cimmino, A., Calin, G. A., Fabbri, M., Iorio, M. V., Ferracin, M., Shimizu, M., Wojcik, S. E., Aqeilan, R. I., Zupo, S., Dono, M., Rassenti, L., Alder, H., Volinia, S., Liu, C. G., Kipps, T. J., Negrini, M., & Croce, C. M. (2005). miR-15 and miR-16 induce apoptosis by targeting BCL2. *Proceedings of the National Academy of Sciences of the United States of America*, 102(39), 13944–13949. <https://doi.org/10.1073/pnas.0506654102>
- Chalfie, M., Horvitz, H. R., & Sulston, J. E. (1981). Mutations that lead to reiterations in the cell lineages of *C. elegans*. *Cell*, 24(1), 59-69
- Chen, N., He, S., Geng, J., Song, Z. J., Han, P. H., Qin, J., Zhao, Z., Song, Y. C., Wang, H. X., & Dang, C. X. (2018). Overexpression of Contactin 1 promotes growth, migration and invasion in Hs578T breast cancer cells. *BMC cell biology*, 19(1), 5. <https://doi.org/10.1186/s12860-018-0154-3>
- Chen, X., Ba, Y., Ma, L., Cai, X., Yin, Y., Wang, K., Guo, J., Zhang, Y., Chen, J., Guo, X., Li, Q., Li, X., Wang, W., Zhang, Y., Wang, J., Jiang, X., Xiang, Y., Xu, C., Zheng, P., Zhang, J., ... Zhang, C. Y. (2008). Characterization of microRNAs in serum: a novel class of biomarkers for diagnosis of cancer and other diseases. *Cell research*, 18(10), 997–1006. <https://doi.org/10.1038/cr.2008.282>
- Chen, Y., Gao, D. Y., & Huang, L. (2015). In vivo delivery of miRNAs for cancer therapy: challenges and strategies. *Advanced drug delivery reviews*, 81, 128–141. <https://doi.org/10.1016/j.addr.2014.05.009>
- Cosco, D., Cilurzo, F., Maiuolo, J., Federico, C., Di Martino, M. T., Cristiano, M. C., ... & Paolino, D. (2015). Delivery of miR-34a by chitosan/PLGA

nanoplexes for the anticancer treatment of multiple myeloma. *Scientific reports*, 5(1), 17579.

Conti, I., Varano, G., Simioni, C., Laface, I., Milani, D., Rimondi, E., & Neri, L. M. (2020). miRNAs as Influencers of Cell-Cell Communication in Tumor Microenvironment. *Cells*, 9(1), 220. <https://doi.org/10.3390/cells9010220>

Dadwal, A., Baldi, A., & Kumar Narang, R. (2018). Nanoparticles as carriers for drug delivery in cancer. *Artificial cells, nanomedicine, and biotechnology*, 46(sup2), 295–305. <https://doi.org/10.1080/21691401.2018.1457039>

Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems. *Pharmaceutics*, 10(2), 57. <https://doi.org/10.3390/pharmaceutics10020057>

Donnarumma, E., Fiore, D., Nappa, M., Roscigno, G., Adamo, A., Iaboni, M., Russo, V., Affinito, A., Puoti, I., Quintavalle, C., Rienzo, A., Piscuoglio, S., Thomas, R., & Condorelli, G. (2017). Cancer-associated fibroblasts release exosomal microRNAs that dictate an aggressive phenotype in breast cancer. *Oncotarget*, 8(12), 19592–19608. <https://doi.org/10.18632/oncotarget.14752>

Fan, W., Yan, W., Xu, Z., & Ni, H. (2012). Formation mechanism of monodisperse, low molecular weight chitosan nanoparticles by ionic gelation technique. *Colloids and surfaces. B, Biointerfaces*, 90, 21–27. <https://doi.org/10.1016/j.colsurfb.2011.09.042>

Fernández Fernández, E., Santos-Carballal, B., Weber, W. M., & Goycoolea, F. M. (2016). Chitosan as a non-viral co-transfection system in a cystic fibrosis cell line. *International journal of pharmaceutics*, 502(1-2), 1–9. <https://doi.org/10.1016/j.ijpharm.2016.01.083>

- Gelperina, S., Kisich, K., Iseman, M. D., & Heifets, L. (2005). The potential advantages of nanoparticle drug delivery systems in chemotherapy of tuberculosis. *American journal of respiratory and critical care medicine*, *172*(12), 1487–1490. <https://doi.org/10.1164/rccm.200504-613PP>
- Glinge, C., Clauss, S., Boddum, K., Jabbari, R., Jabbari, J., Risgaard, B., Tomsits, P., Hildebrand, B., Kääb, S., Wakili, R., Jespersen, T., & Tfelt-Hansen, J. (2017). Stability of Circulating Blood-Based MicroRNAs - Pre-Analytic Methodological Considerations. *PloS one*, *12*(2), e0167969. <https://doi.org/10.1371/journal.pone.0167969>
- Gonçalves, C., Ferreira, N., & Lourenço, L. (2021). Production of Low Molecular Weight Chitosan and Chitoooligosaccharides (COS): A Review. *Polymers*, *13*(15), 2466. <https://doi.org/10.3390/polym13152466>
- Guarnieri, A., Triunfo, M., Scieuzo, C., Ianniciello, D., Tafi, E., Hahn, T., Zibek, S., Salvia, R., De Bonis, A., & Falabella, P. (2022). Antimicrobial properties of chitosan from different developmental stages of the bioconverter insect *Hermetia illucens*. *Scientific reports*, *12*(1), 8084. <https://doi.org/10.1038/s41598-022-12150-3>
- Greco S. J. (2019). Breast cancer risk in a rapidly aging population: advances and approaches to study the aging tissue microenvironment. *Breast cancer (Dove Medical Press)*, *11*, 111–113. <https://doi.org/10.2147/BCTT.S200949>
- Ha, M., & Kim, V. N. (2014). Regulation of microRNA biogenesis. *Nature reviews. Molecular cell biology*, *15*(8), 509–524. <https://doi.org/10.1038/nrm3838>
- Hackett, A. J., Smith, H. S., Springer, E. L., Owens, R. B., Nelson-Rees, W. A., Riggs, J. L., & Gardner, M. B. (1977). Two syngeneic cell lines from human breast tissue: the aneuploid mammary epithelial (Hs578T) and the diploid myoepithelial (Hs578Bst) cell lines. *Journal of the National Cancer Institute*, *58*(6), 1795–1806. <https://doi.org/10.1093/jnci/58.6.1795>

- Han, J., Lee, Y., Yeom, K. H., Kim, Y. K., Jin, H., & Kim, V. N. (2004). The Drosha-DGCR8 complex in primary microRNA processing. *Genes & development*, *18*(24), 3016–3027. <https://doi.org/10.1101/gad.1262504>
- Hamam, R., Ali, A. M., Alsaleh, K. A., Kassem, M., Alfayez, M., Aldahmash, A., & Alajez, N. M. (2016). microRNA expression profiling on individual breast cancer patients identifies novel panel of circulating microRNA for early detection. *Scientific reports*, *6*, 25997. <https://doi.org/10.1038/srep25997>
- Hertel, J., Bartschat, S., Wintsche, A., Otto, C., Students of the Bioinformatics Computer Lab, & Stadler, P. F. (2012). Evolution of the let-7 microRNA family. *RNA biology*, *9*(3), 231–241. <https://doi.org/10.4161/rna.18974>
- Hoang, N. H., Le Thanh, T., Sangpueak, R., Treekoon, J., Saengchan, C., Thepbandit, W., Papatthoti, N. K., Kamkaew, A., & Buensanteai, N. (2022). Chitosan Nanoparticles-Based Ionic Gelation Method: A Promising Candidate for Plant Disease Management. *Polymers*, *14*(4), 662. <https://doi.org/10.3390/polym14040662>
- Howard, K. A., Rahbek, U. L., Liu, X., Damgaard, C. K., Glud, S. Z., Andersen, M. Ø., Hovgaard, M. B., Schmitz, A., Nyengaard, J. R., Besenbacher, F., & Kjems, J. (2006). RNA interference in vitro and in vivo using a novel chitosan/siRNA nanoparticle system. *Molecular therapy : the journal of the American Society of Gene Therapy*, *14*(4), 476–484. <https://doi.org/10.1016/j.ymthe.2006.04.010>
- Hsu, J. Y., Chang, C. J., & Cheng, J. S. (2022). Survival, treatment regimens and medical costs of women newly diagnosed with metastatic triple-negative breast cancer. *Scientific reports*, *12*(1), 729. <https://doi.org/10.1038/s41598-021-04316-2>
- Huang, J., Chan, P. S., Lok, V., Chen, X., Ding, H., Jin, Y., Yuan, J., Lao, X. Q., Zheng, Z. J., & Wong, M. C. (2021). Global incidence and mortality of breast cancer: a trend analysis. *Aging*, *13*(4), 5748–5803. <https://doi.org/10.18632/aging.202502>

- Hüser, D., Bergmann, D., & Klein, T. (2023). Traceable determination of the size of nanoparticles up to 500 nm by scanning electron microscopy in transmission mode based on simulation. *Measurement Science and Technology*, 34(8), 085016.
- Islam, N., Dmour, I., & Taha, M. O. (2019). Degradability of chitosan micro/nanoparticles for pulmonary drug delivery. *Heliyon*, 5(5), e01684. <https://doi.org/10.1016/j.heliyon.2019.e01684>
- Jin, Y. P., Hu, Y. P., Wu, X. S., Wu, Y. S., Ye, Y. Y., Li, H. F., ... & Liu, Y. B. (2018). miR-143-3p targeting of ITGA6 suppresses tumour growth and angiogenesis by downregulating PLGF expression via the PI3K/AKT pathway in gallbladder carcinoma. *Cell death & disease*, 9(2), 182.
- Jiang, L. Q., Wang, T. Y., Webster, T. J., Duan, H. J., Qiu, J. Y., Zhao, Z. M., Yin, X. X., & Zheng, C. L. (2017). Intracellular disposition of chitosan nanoparticles in macrophages: intracellular uptake, exocytosis, and intercellular transport. *International journal of nanomedicine*, 12, 6383–6398. <https://doi.org/10.2147/IJN.S142060>
- Kaban, K., Salva, E., & Akbuga, J. (2017). In vitro dose studies on chitosan nanoplexes for microRNA delivery in breast cancer cells. *nucleic acid therapeutics*, 27(1), 45-55.
- Kalyane, D., Raval, N., Maheshwari, R., Tambe, V., Kalia, K., & Tekade, R. K. (2019). Employment of enhanced permeability and retention effect (EPR): Nanoparticle-based precision tools for targeting of therapeutic and diagnostic agent in cancer. *Materials science & engineering. C, Materials for biological applications*, 98, 1252–1276. <https://doi.org/10.1016/j.msec.2019.01.066>
- Kohler, B. A., Sherman, R. L., Howlader, N., Jemal, A., Ryerson, A. B., Henry, K. A., Boscoe, F. P., Cronin, K. A., Lake, A., Noone, A. M., Henley, S. J., Ehemann, C. R., Anderson, R. N., & Penberthy, L. (2015). Annual Report to the Nation on the Status of Cancer, 1975-2011, Featuring Incidence of Breast Cancer Subtypes by Race/Ethnicity, Poverty, and State. *Journal of the*

*National Cancer Institute*, 107(6), djv048.  
<https://doi.org/10.1093/jnci/djv048>

Kumar, P., & Aggarwal, R. (2016). An overview of triple-negative breast cancer. *Archives of gynecology and obstetrics*, 293, 247-269.

Hu, Y., & Li, Y. (2018). Effect of low pH treatment on cell cycle and cell growth. *The FASEB Journal*, 32, 804-49.

Lee, R. C., Feinbaum, R. L., & Ambros, V. (1993). The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *cell*, 75(5), 843-854.

Lee, R., Feinbaum, R., & Ambros, V. (2004). A short history of a short RNA. *Cell*, 116(2 Suppl), S89-92.

Lee, Y., Kim, M., Han, J., Yeom, K. H., Lee, S., Baek, S. H., & Kim, V. N. (2004). MicroRNA genes are transcribed by RNA polymerase II. *The EMBO journal*, 23(20), 4051–4060. <https://doi.org/10.1038/sj.emboj.7600385>

Lepeltier, E., Bourgaux, C., & Couvreur, P. (2014). Nanoprecipitation and the "Ouzo effect": Application to drug delivery devices. *Advanced drug delivery reviews*, 71, 86–97. <https://doi.org/10.1016/j.addr.2013.12.009>

Li, J., Cai, C., Li, J., Li, J., Li, J., Sun, T., Wang, L., Wu, H., & Yu, G. (2018). Chitosan-Based Nanomaterials for Drug Delivery. *Molecules (Basel, Switzerland)*, 23(10), 2661. <https://doi.org/10.3390/molecules23102661>

Li, Y., Tong, Y., Liu, J., & Lou, J. (2022). The Role of MicroRNA in DNA Damage Response. *Frontiers in genetics*, 13, 850038. <https://doi.org/10.3389/fgene.2022.850038>

Lim, C., Lee, D. W., Israelachvili, J. N., Jho, Y., & Hwang, D. S. (2015). Contact time- and pH-dependent adhesion and cohesion of low molecular weight chitosan coated surfaces. *Carbohydrate polymers*, 117, 887–894. <https://doi.org/10.1016/j.carbpol.2014.10.033>

- Liu, Y., Sun, M., Wang, T., Chen, X., & Wang, H. (2021). Chitosan-based self-assembled nanomaterials: Their application in drug delivery. *View*, 2(1), 20200069.
- Lončarević, A., Ivanković, M., & Rogina, A. (2017). Lysozyme-induced degradation of chitosan: the characterisation of degraded chitosan scaffolds. *Journal of Tissue Repair and Regeneration*, 1(1), 12.
- Łukasiewicz, S., Czezelewski, M., Forma, A., Baj, J., Sitarz, R., & Stanisławek, A. (2021). Breast Cancer-Epidemiology, Risk Factors, Classification, Prognostic Markers, and Current Treatment Strategies-An Updated Review. *Cancers*, 13(17), 4287. <https://doi.org/10.3390/cancers13174287>
- Makarova, J., Turchinovich, A., Shkurnikov, M., & Tonevitsky, A. (2021). Extracellular miRNAs and Cell-Cell Communication: Problems and Prospects. *Trends in biochemical sciences*, 46(8), 640–651. <https://doi.org/10.1016/j.tibs.2021.01.007>
- Marra, A., Trapani, D., Viale, G., Criscitiello, C., & Curigliano, G. (2020). Practical classification of triple-negative breast cancer: intratumoral heterogeneity, mechanisms of drug resistance, and novel therapies. *NPJ breast cancer*, 6(1), 54.
- Mikušová, V., & Mikuš, P. (2021). Advances in Chitosan-Based Nanoparticles for Drug Delivery. *International journal of molecular sciences*, 22(17), 9652. <https://doi.org/10.3390/ijms22179652>
- Mohammed, M. A., Syeda, J. T. M., Wasan, K. M., & Wasan, E. K. (2017). An Overview of Chitosan Nanoparticles and Its Application in Non-Parenteral Drug Delivery. *Pharmaceutics*, 9(4), 53. <https://doi.org/10.3390/pharmaceutics9040053>
- Moore, C. B., Guthrie, E. H., Huang, M. T., & Taxman, D. J. (2010). Short hairpin RNA (shRNA): design, delivery, and assessment of gene

knockdown. *Methods in molecular biology (Clifton, N.J.)*, 629, 141–158.

[https://doi.org/10.1007/978-1-60761-657-3\\_10](https://doi.org/10.1007/978-1-60761-657-3_10)

Morris, G. J., Naidu, S., Topham, A. K., Guiles, F., Xu, Y., McCue, P., Schwartz, G. F., Park, P. K., Rosenberg, A. L., Brill, K., & Mitchell, E. P. (2007). Differences in breast carcinoma characteristics in newly diagnosed African-American and Caucasian patients: a single-institution compilation compared with the National Cancer Institute's Surveillance, Epidemiology, and End Results database. *Cancer*, 110(4), 876–884. <https://doi.org/10.1002/cncr.22836>

M Ways, T. M., Lau, W. M., & Khutoryanskiy, V. V. (2018). Chitosan and Its Derivatives for Application in Mucoadhesive Drug Delivery Systems. *Polymers*, 10(3), 267. <https://doi.org/10.3390/polym10030267>

Neve, R. M., Chin, K., Fridlyand, J., Yeh, J., Baehner, F. L., Fevr, T., Clark, L., Bayani, N., Coppe, J. P., Tong, F., Speed, T., Spellman, P. T., DeVries, S., Lapuk, A., Wang, N. J., Kuo, W. L., Stilwell, J. L., Pinkel, D., Albertson, D. G., Waldman, F. M., ... Gray, J. W. (2006). A collection of breast cancer cell lines for the study of functionally distinct cancer subtypes. *Cancer cell*, 10(6), 515–527. <https://doi.org/10.1016/j.ccr.2006.10.008>

Omar Zaki, S. S., Ibrahim, M. N., & Katas, H. (2015). Particle size affects concentration-dependent cytotoxicity of chitosan nanoparticles towards mouse hematopoietic stem cells. *Journal of Nanotechnology*, 2015.

Pardo-Castaño, C., & Bolaños, G. (2019). Solubility of chitosan in aqueous acetic acid and pressurized carbon dioxide-water: Experimental equilibrium and solubilization kinetics. *The Journal of Supercritical Fluids*, 151, 63-74.

Pasquinelli, A. E., Reinhart, B. J., Slack, F., Martindale, M. Q., Kuroda, M. I., Maller, B., Hayward, D. C., Ball, E. E., Degnan, B., Müller, P., Spring, J., Srinivasan, A., Fishman, M., Finnerty, J., Corbo, J., Levine, M., Leahy, P., Davidson, E., & Ruvkun, G. (2000). Conservation of the sequence and

temporal expression of let-7 heterochronic regulatory RNA. *Nature*, 408(6808), 86–89. <https://doi.org/10.1038/35040556>

Peng, Y., & Croce, C. M. (2016). The role of MicroRNAs in human cancer. *Signal transduction and targeted therapy*, 1, 15004. <https://doi.org/10.1038/sigtrans.2015.4>

Perou, C. M., Sørlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslén, L. A., Fluge, O., Pergamenschikov, A., Williams, C., Zhu, S. X., Lønning, P. E., Børresen-Dale, A. L., Brown, P. O., & Botstein, D. (2000). Molecular portraits of human breast tumours. *Nature*, 406(6797), 747–752. <https://doi.org/10.1038/35021093>

Pratiwi, I. (2022). Pengaruh Mimik-miR-143-3p Terenkapsulasi Nanopartikel Kitosan terhadap Proliferasi dan Migrasi Sel Triple Negative Breast Cancer (TNBC) serta Penurunan Ekspresi Relatif mRNA KRAS. (Tesis, Universitas Gadjah Mada). <https://etd.repository.ugm.ac.id/penelitian/detail/218918>

Qian, J., Wang, X., Chen, Y., Mo, C., Liang, C., & Guo, H. (2023). The correlation of molecule weight of chitosan oligomers with the corresponding viscosity and antibacterial activity. *Carbohydrate research*, 530, 108860. <https://doi.org/10.1016/j.carres.2023.108860>

Rahat, I., Imam, S. S., Rizwanullah, M., Alshehri, S., Asif, M., Kala, C., & Taleuzzaman, M. (2021). Thymoquinone-entrapped chitosan-modified nanoparticles: formulation optimization to preclinical bioavailability assessments. *Drug Delivery*, 28(1), 973-984.

Rizkita, L.D., Ysrafil., Martien, R., Astuti, I. (2021) Chitosan nanoparticles mediated delivery of miR-106b-5p to breast cancer cell lines MCF-7 and T47D. *Int J App Phar*. <http://dx.doi.org/10.22159/ijap.2021v13i1.39749>.

Sari, D. P., Utami, T. S., Arbianti, R., & Hermansyah, H. (2018, January). The effect of centrifugation speed and Chitosan-Sodium Tripolyphosphate ratio

toward the nanoencapsulation of Sambiloto (*Andrographis paniculata*) for the formulation of Hepatitis B drug. In *IOP Conference Series: Earth and Environmental Science* (Vol. 105, p. 012112). IOP Publishing.

Sahu, T., Ratre, Y. K., Chauhan, S., Bhaskar, L. V. K. S., Nair, M. P., & Verma, H. K. (2021). Nanotechnology based drug delivery system: Current strategies and emerging therapeutic potential for medical science. *Journal of Drug Delivery Science and Technology*, 63, 102487.

Santos-Carballal, B., Aldering, L. J., Ritzefeld, M., Pereira, S., Sewald, N., Moerschbacher, B. M., Götte, M., & Goycoolea, F. M. (2015). Physicochemical and biological characterization of chitosan-microRNA nanocomplexes for gene delivery to MCF-7 breast cancer cells. *Scientific reports*, 5, 13567. <https://doi.org/10.1038/srep13567>

Sawtarie, N., Cai, Y., & Lapitsky, Y. (2017). Preparation of chitosan/tripolyphosphate nanoparticles with highly tunable size and low polydispersity. *Colloids and surfaces. B, Biointerfaces*, 157, 110–117. <https://doi.org/10.1016/j.colsurfb.2017.05.055>

Shalgunov, V., Zaytseva-Zotova, D., Zintchenko, A., Levada, T., Shilov, Y., Andreyev, D., Dzhumashev, D., Metelkin, E., Urusova, A., Demin, O., McDonnell, K., Troiano, G., Zale, S., & Safarova, E. (2017). Comprehensive study of the drug delivery properties of poly(l-lactide)-poly(ethylene glycol) nanoparticles in rats and tumor-bearing mice. *Journal of controlled release : official journal of the Controlled Release Society*, 261, 31–42. <https://doi.org/10.1016/j.jconrel.2017.06.006>

Sharifi-Rad, J., Quispe, C., Butnariu, M., Rotariu, L. S., Sytar, O., Sestito, S., Rapposelli, S., Akram, M., Iqbal, M., Krishna, A., Kumar, N. V. A., Braga, S. S., Cardoso, S. M., Jafernik, K., Ekiert, H., Cruz-Martins, N., Szopa, A., Villagran, M., Mardones, L., Martorell, M., ... Calina, D. (2021). Chitosan nanoparticles as a promising tool in nanomedicine with particular emphasis

- on oncological treatment. *Cancer cell international*, 21(1), 318.  
<https://doi.org/10.1186/s12935-021-02025-4>
- Shi, H., Shen, H., Xu, J., Zhao, S., Yao, S., & Jiang, N. (2018). MiR-143-3p suppresses the progression of ovarian cancer. *American journal of translational research*, 10(3), 866–874.
- Singla, A. K., & Chawla, M. (2001). Chitosan: some pharmaceutical and biological aspects--an update. *The Journal of pharmacy and pharmacology*, 53(8), 1047–1067. <https://doi.org/10.1211/0022357011776441>
- Sreekumar, S., Goycoolea, F. M., Moerschbacher, B. M., & Rivera-Rodriguez, G. R. (2018). Parameters influencing the size of chitosan-TPP nano- and microparticles. *Scientific reports*, 8(1), 4695. <https://doi.org/10.1038/s41598-018-23064-4>
- Stavast, C. J., & Erkeland, S. J. (2019). The Non-Canonical Aspects of MicroRNAs: Many Roads to Gene Regulation. *Cells*, 8(11), 1465. <https://doi.org/10.3390/cells8111465>
- Sun, X., Dai, G., Yu, L., Hu, Q., Chen, J., & Guo, W. (2018). miR-143-3p inhibits the proliferation, migration and invasion in osteosarcoma by targeting FOSL2. *Scientific reports*, 8(1), 606. <https://doi.org/10.1038/s41598-017-18739-3>
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians*, 71(3), 209-249.
- Qiu, J., Xue, X., Hu, C., Xu, H., Kou, D., Li, R., & Li, M. (2016). Comparison of clinicopathological features and prognosis in triple-negative and non-triple negative breast cancer. *Journal of cancer*, 7(2), 167.
- Reddi, K. K., & Holland, J. F. (1976). Elevated serum ribonuclease in patients with pancreatic cancer. *Proceedings of the National Academy of Sciences of the*

*United States of America*, 73(7), 2308–2310.  
<https://doi.org/10.1073/pnas.73.7.2308>

Rinaudc, M., Pavlov, G., & Desbrieres, J. (1999). Solubilization of chitosan in strong acid medium. *International Journal of Polymer Analysis and Characterization*, 5(3), 267-276.

Rupaimoole, R., & Slack, F. J. (2017). MicroRNA therapeutics: towards a new era for the management of cancer and other diseases. *Nature reviews. Drug discovery*, 16(3), 203–222. <https://doi.org/10.1038/nrd.2016.246>

Tokumar, Y., Asaoka, M., Oshi, M., Katsuta, E., Yan, L., Narayanan, S., Sugito, N., Matsushashi, N., Futamura, M., Akao, Y., Yoshida, K., & Takabe, K. (2020). High Expression of microRNA-143 is Associated with Favorable Tumor Immune Microenvironment and Better Survival in Estrogen Receptor Positive Breast Cancer. *International journal of molecular sciences*, 21(9), 3213. <https://doi.org/10.3390/ijms21093213>

Tsai, M. L., Bai, S. W., & Chen, R. H. (2008). Cavitation effects versus stretch effects resulted in different size and polydispersity of ionotropic gelation chitosan–sodium tripolyphosphate nanoparticle. *Carbohydrate Polymers*, 71(3), 448-457.

Wightman, B., Ha, I., & Ruvkun, G. (1993). Posttranscriptional regulation of the heterochronic gene *lin-14* by *lin-4* mediates temporal pattern formation in *C. elegans*. *Cell*, 75(5), 855–862. [https://doi.org/10.1016/0092-8674\(93\)90530-4](https://doi.org/10.1016/0092-8674(93)90530-4)

Wimardhani, Y. S., Suniarti, D. F., Freisleben, H. J., Wanandi, S. I., Siregar, N. C., & Ikeda, M. A. (2014). Chitosan exerts anticancer activity through induction of apoptosis and cell cycle arrest in oral cancer cells. *Journal of oral science*, 56(2), 119–126. <https://doi.org/10.2334/josnusd.56.119>

Yang, H., Hu, T., Hu, P., Qi, C., & Qian, L. (2021). miR-143-3p inhibits endometriotic stromal cell proliferation and invasion by inactivating

autophagy in endometriosis. *Molecular medicine reports*, 23(5), 356.  
<https://doi.org/10.3892/mmr.2021.11995>

Yanat, M., & Schroën, K. (2021). Preparation methods and applications of chitosan nanoparticles; with an outlook toward reinforcement of biodegradable packaging. *Reactive and Functional Polymers*, 161, 104849.

Yang, N. J., & Hinner, M. J. (2015). Getting across the cell membrane: an overview for small molecules, peptides, and proteins. *Methods in molecular biology (Clifton, N.J.)*, 1266, 29–53. [https://doi.org/10.1007/978-1-4939-2272-7\\_3](https://doi.org/10.1007/978-1-4939-2272-7_3)

Yin, L., Duan, J. J., Bian, X. W., & Yu, S. C. (2020). Triple-negative breast cancer molecular subtyping and treatment progress. *Breast Cancer Research*, 22, 1–13.

You JS, Jones PA. Cancer genetics and epigenetics: two sides of the same coin?. *Cancer Cell*. 2012;22(1):9-20. doi:10.1016/j.ccr.2012.06.008

Zhang, F., & Cao, H. (2019). MicroRNA-143-3p suppresses cell growth and invasion in laryngeal squamous cell carcinoma via targeting the k-Ras/Raf/MEK/ERK signaling pathway. *International journal of oncology*, 54(2), 689–701. <https://doi.org/10.3892/ijo.2018.4655>

Zhang, L., Xiang, Y., Chen, S., Shi, M., Jiang, X., He, Z., & Gao, S. (2022). Mechanisms of MicroRNA Biogenesis and Stability Control in Plants. *Frontiers in plant science*, 13, 844149. <https://doi.org/10.3389/fpls.2022.844149>

Zhao, L., Duan, X., Cao, W., Ren, X., Ren, G., Liu, P., & Chen, J. (2021). Effects of different drying methods on the characterization, dissolution rate and antioxidant activity of ursolic acid-loaded chitosan nanoparticles. *Foods*, 10(10), 2470.

World Health Organization. (2014). *Global status report on noncommunicable diseases 2014* (No. WHO/NMH/NVI/15.1). World Health Organization.

World Health Organization. (2020). *Global cancer observatory*. World Health Organization. <https://gco.iarc.fr/today/data/factsheets/populations/360-indonesia-fact-sheets.pdf>.