

DAFTAR PUSTAKA

- Adamu, A., Ahmad, K., Siddiqui, Y., Ismail, I. S., Asib, N., Bashir Kutawa, A., F. Adzmi & Berahim, Z. 2021. Ginger Essential Oils-Loaded Nanoemulsions: Potential Strategy to Manage Bacterial Leaf Blight Disease and Enhanced Rice Yield. *Molecules*, 26(13).
- Akbar, F. M., Asis, A., & Lizmah, S. F. 2022. Hubungan Karakter Agronomi Padi Varietas Ciherang Dan Inpari 32 Di Lahan Sawah Tadah Hujan. *Jurnal Agrium*, 19(1): 29-35.
- Akthar, M. S., Degaga, B., & Azam, T. 2014. Antimicrobial activity of essential oils extracted from medicinal plants against the pathogenic microorganisms: A review.
- Ali, S., Baharuddin, M., & Sappewali, S. 2013. Pengujian Aktivitas Antibakteri Minyak Atsiri Jahe (*Zingiber Officinale* Roscoe) Terhadap Bakteri *Staphylococcus Aureus* dan *Escherichia Coli*. *Al-kimia*, 1(2): 18-31.
- Ardianto., Rianto, F., & Syahputra, E. Studi Serangan Penyakit Hawar Daun Bakteri Padi (*Xanthomonas oryzae* pv. *oryzae*) di Singkawang. *Jurnal Sains Pertanian Equator*. 10(1).
- Arnama, I. N. 2020. Pertumbuhan dan produksi varietas padi sawah (*Oryza sativa* L.) dengan variasi jumlah bibit per rumpun. *Perbal: Jurnal Pertanian Berkelanjutan*, 8(3): 166-175.
- Astuthi, M. M. M., Sumiartha, K., Susila, I. W., Wirya, G. N. A. S., & Sudiarta, I. P. 2012. Efikasi Minyak Atsiri Tanaman Cengkeh (*Syzygium aromaticum* (L.) Meer. & Perry), Pala (*Myristica fragrans* Houtt), dan Jahe (*Zingiber officinale* Rosc.) Terhadap Mortalitas Ulat Bulu Gempinis Dari Famili Lymantriidae. *J. Agric. Sci. and Biotechnol*, 1(1): 12-23.
- Berninger, T., Dietz, N., & González López, Ó. 2021. Water-soluble polymers in agriculture: xanthan gum as eco-friendly alternative to synthetics. *Microbial Biotechnology*, 14(5) : 1881-1896.
- Carsono, N., Dewi, A., Wicaksana, N., & Sari, S. 2021. Ketahanan Beberapa Genotipe Padi Harapan Terhadap Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) Strain III, IV DAN VIII. *Kultivasi* : 20(3).
- Castiblanco, L. F., & Sundin, G. W. 2016. New insights on molecular regulation of biofilm formation in plant-associated bacteria. *Journal of integrative plant biology*, 58(4): 362-372.

- Dhany, N. R., Addy, H. S., & Wahyuni, W. S. 2013. Penggunaan Bakteriofag untuk Kit Detektor Patogen Hawar Bakteri Kedelai. *Jurnal Fitopatologi Indonesia*, 9(4) : 116-116.
- EPPO (*European and Mediterranean Plant Protection Organization*). 2007. *Xanthomonas oryzae*. Bulletin EPPO 37: 543-553.
- Gumus, T., Sukru Demirci, A., Mirik, M., Arici, M., & Aysan, Y. 2010. Xanthan gum production of *Xanthomonas* spp. isolated from different plants. *Food Science and Biotechnology*, 19: 201-206.
- Gunasena, M. T., Rafi, A., Mohd Zobir, S. A., Hussein, M. Z., Ali, A., Kutawa, A. B., M.A.A. Wahab., M.R. Sulaiman., F. Adzmi & Ahmad, K. 2022. Phytochemicals Profiling, Antimicrobial Activity and Mechanism of Action of Essential Oil Extracted from Ginger (*Zingiber officinale* Roscoe cv. Bentong) against *Burkholderia glumae* Causative Agent of Bacterial Panicle Blight Disease of Rice. *Plants*, 11(11): 1466.
- Hapsah & Hasanah, Y., 2011. *Budidaya Tanaman Obat dan Rempah*. Medan: USU Press.
- Herawati, A. 2017. Isolasi dan karakterisasi penyebab penyakit hawar daun bakteri (*Xanthomonas oryzae* pv. *oryzae*) Pada tanaman padi di wilayah Sulawesi Selatan. *Perbal: Jurnal Pertanian Berkelanjutan*, 4(3).
- Kalalo, M. J., Gratia, B., Bidulang, C. B., Djafar, F., & Edy, H. J. 2020. Potensi Antimikroba Cengkeh: Review Literatur. *Jurnal Farmasi Medica/Pharmacy Medical Journal (PMJ)*, 3(2): 53-63.
- Kurniasari, L., Hartati, I., & Ratnani, R. D. 2013. Kajian ekstraksi minyak jahe menggunakan *Microwave Assisted Extraction* (MAE). *Majalah Ilmiah Momentum*, 4(2).
- Lachke A. 2004. Xanthan A versatile gum. *Resonance* 9: 25-33.
- Laraswati, R., Ramdan, E. P., & Kulsum, U. 2021. Identifikasi penyebab penyakit hawar daun bakteri pada kombinasi pola tanam *System of Rice Intensification* (SRI) dan jajar legowo. In *Agropross: National Conference Proceedings of Agriculture* :302-311.
- Laraswati, R., Ramdan, E. P., Risnawati, R., & Manurung, A. N. H. 2022. Potensi Ekstrak Daun Sirih Dan Rimpang Lengkuas Sebagai Pestisida Nabati Pengendali Hawar Daun Bakteri Pada Padi. *Jurnal Pertanian Presisi (Journal of Precision Agriculture)*, 6(1): 1-14.
- Litbang. 2019. Varietas Ciherang. <http://www.litbang.pertanian.go.id/varietas/130/>. Diakses pada 5 Januari 2023.

- Lee, Y. H., Choi, C. W., Kim, S. H., Yun, J. G., Chang, S. W., Kim, Y. S., & Hong, J. K. 2012. Chemical pesticides and plant essential oils for disease control of tomato bacterial wilt. *The Plant Pathology Journal*, 28(1): 32-39.
- Lee, Y. L., & Ding, P. 2016. Production of essential oil in plants: ontogeny, secretory structures and seasonal variations. *Pertanika Journal of Scholarly Research Reviews*, 2(1).
- Liu, D. N. O, Ronald, P. C., & Bogdanove, A. J. 2006. *Xanthomonas oryzae* pathovars: model pathogens of a model crop. *Molecular plant pathology*, 7(5): 303-324.
- Magvirah, T., & Ardhani, M. F. 2019. Uji Daya Hambat Bakteri *Staphylococcus aureus* Menggunakan Ekstrak Daun Tahongai (*Kleinhovia hospita* L.). *Jurnal perternakan lingkungan tropis*, 2(2): 41–50.
- Mishra, S., Yang, X., Ray, S., Fraceto, L. F., & Singh, H. B. 2020. Antibacterial and biofilm inhibition activity of biofabricated silver nanoparticles against *Xanthomonas oryzae* pv. *oryzae* causing blight disease of rice instigates disease suppression. *World Journal of Microbiology and Biotechnology*, 36: 1-10.
- Naqvi, S. A. H., Umar, U. D., Hasnain, A., Rehman, A., & Perveen, R. 2018. Effect of botanical extracts: A potential biocontrol agent for *Xanthomonas oryzae* pv. *oryzae*, causing bacterial leaf blight disease of rice. *Pak. J. Agric. Res*, 32(1): 59-72.
- Pratiwi, L., Rachman, M. S., & Hidayati, N. 2016. Ekstraksi minyak atsiri dari bunga cengkeh dengan pelarut etanol dan N-Heksana.
- Pratiwi, S.U.T., E.L. Lagemdijk., S. Weert., R. Idroes., T. Hertiani., C.V. Hondel. 2015. Effect of *Cinnamum burmannii* Nees ex Bl. and *Massoia aromatic* Becc. Essential oil on Planctonic Growth and Biofilm formation of *Pseudomonas aeruginosa* and *Staphylococcus aureus* In Vitro. *International Journal of Applied Research in Natural Product*, 8 (2): 1-13.
- Puspitasari, Y. 2105. Aktivitas Ekstrak Etanol 96% Daun Cincau Hijau (*Cyclea barbata* L. *Miers*) Sebagai Penghambat Pembentukan Biofilm *Escherichia coli*.
- Rahim, A., Khaeruni, A., dan Taufik, M.2012. Reaksi ketahanan beberapa varietas padi komersial terhadap strain *Xanthomonas oryzae* pv. *oryzae* isolat Sulawesi Tenggara. *Berkala Penelitian Agronomi*. 1 (2): 132-138.

- Rao, J., Chen, B., & McClements, D. J. 2019. Improving the efficacy of essential oils as antimicrobials in foods: Mechanisms of action. *Annual review of food science and technology*, 10: 365-387.
- Raveau, R., Fontaine, J., & Lounès-Hadj Saharaoui, A. 2020. Essential oils as potential alternative biocontrol products against plant pathogens and weeds: A review. *Foods*, 9(3): 365.
- Saha, S., R, Garg, A. Biswas, and A. B. Rai. 2015. Bacterial Diseases of Rice: an Overview. *Pure and Applied Microbiology*, 9(1): 725- 736.
- Shi, T., Guo, X., Zhu, J., Hu, L., He, Z., & Jiang, D. 2021. Inhibitory effects of carbazomycin B produced by *Streptomyces roseoverticillatus* 63 against *Xanthomonas oryzae* pv. *oryzae*. *Frontiers in microbiology*, 12.
- Shields, P., & L. Cathcart. 2016. Motility Test Medium Protocol. *American Society for Microbiology*. pp 1-10.
- Singh, A., R. Gupta., S. Tandon., and R. Pandey. 2017. Thyme oil reduces biofilm formation and impairs virulence of *Xanthomonas oryzae*. *Frontiers in Microbiology*, 8:1-16.
- Sastro, Y., Suprihanto, A. Hairmansis, I. Hasmi, Satoto, I.P. Rumanti, Z. Susanti, B. Kusbianto, D.D. Handoko, Rahmini, T. Sitaresmi, Suharna, M. Norvyani, dan D. Arismiati. 2021. Deskripsi varietas unggul baru padi. Badan Penelitian dan Pengembangan Pertanian. Kementerian Pertanian.
- Sopialena, Suyadi, Jannah, R., & Tantiani, D. 2020. Control of bacterial leaf blight disease in several varieties of rice plants (*Oryza sativa* L.) by using bacteria of *Paenibacillus polymyxa* Mace. In *IOP Conference Series: Earth and Environmental Science*, 800(1).
- Stredansky, M., & Conti, E. 1999. Xanthan production by solid state fermentation. *Process Biochemistry*, 34(6-7): 581-587.
- Suastika, I. B. K., Yasa, I. M. R., Kamandalu, A., Darmawati, I. A. P., Sutami, N. P., Aryawati, S., & Sunanjaya, I. W. 2021. Keragaan Agronomi dan Ketahanan Beberapa Varietas Unggul Padi (*Oryza Sativa* L.) terhadap Serangan Penyakit Hawar Daun Bakteri (*Xanthomonas oryzae* pv. *oryzae*) di Bali. *Jurnal Agroekoteknologi Tropika*.
- Sudir, S., Nuryanto, B., & Kadir, T. S. 2012. Epidemiologi, patotipe, dan strategi pengendalian penyakit hawar daun bakteri pada tanaman padi. *Iptek Tanaman Pangan*, 7(2).
- Suprihatno, B., dan A. A. Daradjat. 2009. Kemajuan dan Ketersediaan Varietas Unggul Padi. Balai Besar Penelitian Padi

- Suryadi, Y., D.N Susilowati dan I. Made Samudra. 2021. Penggunaan formulasi *Bacillus firmus* E65- berbasis talek untuk pengendalian penyakit hawar daun bakteri. *Gontor AGROTECH Science Journal*. 7(2): 183-214.
- Thepbandit, W., Buensanteai, N., Thumanu, K., Siriwong, S., Toan Le, T., & Athinuwat, D. 2021. Salicylic acid elicitor inhibiting *Xanthomonas oryzae* growth, motility, biofilm, polysaccharides production, and biochemical components during pathogenesis on rice. *Chiang Mai J. Sci*, 48: 341-353.
- Toral, L., Rodríguez, M., Martínez-Checa, F., Montaña, A., Cortés-Delgado, A., Smolinska, A., & Sampedro, I. 2021. Identification of volatile organic compounds in extremophilic bacteria and their effective use in biocontrol of postharvest fungal phytopathogens. *Frontiers in microbiology*, 12.
- Towaha, J.2012. Manfaat Eugenol Cengkeh Dalam Berbagai Industri Di Indonesia. Balai Penelitian Tanaman Industri dan Penyegar. *Perspektif* 11(2): 79-90.
- Van der Plank, J. E. 2013. *Plant diseases: epidemics and control*. Elsevier.
- Verdeguer, M., Sánchez-Moreiras, A. M., & Araniti, F. 2020. Phytotoxic effects and mechanism of action of essential oils and terpenoids. *Plants*, 9(11): 1571.
- Vishakha, K., Das, S., Das, S. K., Banerjee, S., & Ganguli, A. 2022. Antibacterial, anti-biofilm, and anti-virulence potential of tea tree oil against leaf blight pathogen *Xanthomonas oryzae* pv. *oryzae* instigates disease suppression. *Brazilian Journal of Microbiology* : 1-14.
- Wahyudi AT, Meliah S, & Nawangsih AA. 2011. *Xanthomonas oryzae* pv. *Oryzae* bakteri penyebab hawar daun pada padi: isolasi, karakterisasi, dan telaah mutagenesis dengan transposon. *Makara Sains* 15(1): 89–96.
- Werrie, P. Y., Durenne, B., Delaplace, P., & Fauconnier, M. L. 2020. Phytotoxicity of essential oils: Opportunities and constraints for the development of biopesticides. A review. *Foods*, 9(9): 1291.
- Wonni, I., Ouedraogo, S. L., Ouedraogo, I., & Sanogo, L. 2016. Antibacterial activity of extracts of three aromatic plants from Burkina Faso against rice pathogen, *Xanthomonas oryzae*. *African Journal of Microbiology Research*, 10 (20): 681-686.

- Yanti, S., Marlina, M., & Fikrinda, F. 2018. Pengendalian penyakit hawar daun bakteri pada padi sawah menggunakan fungi mikoriza. *Jurnal Agroecotania: Publikasi Nasional Ilmu Budidaya Pertanian*, 1(2): 14-21.
- Yuliani, D., & Natasuwirya, S. 2018. Komposisi Dan Dominasi Patotipe *Xanthomonas oryzae* pv. *oryzae*, Penyebab Penyakit Hawar Daun Bakteri Pada Tanaman Padi Dengan Sistem Pengairan Berbeda Di Kabupaten Karawang. *Berita Biologi*, 16(3): 279-287.
- Zhang, X., & Liu, J. 2011. Effect of arabic gum and xanthan gum on the stability of pesticide in water emulsion. *Journal of agricultural and food chemistry*, 59(4): 1308-1315.