

DAFTAR PUSTAKA

- A'yuni, N. R. L., Marsono, Y., Marseno, D. W., & Triwitono, P. (2022). Physical characteristics, nutrients, and antinutrients composition of pigeon pea (*Cajanus cajan* (L.) Millsp.) grown in Indonesia. *Food Research*, 6(2), 53–63. [https://doi.org/10.26656/fr.2017.6\(2\).172](https://doi.org/10.26656/fr.2017.6(2).172)
- Aaslyng, M. D., & Højer, R. (2021). Introducing tempeh as a new plant-based protein food item on the danish market. *Foods*, 10(11). <https://doi.org/10.3390/foods10112865>
- Abedi, E., & Hashemi, S. M. B. (2020). Lactic acid production – producing microorganisms and substrates sources-state of art. *Heliyon*, 6(10), e04974. <https://doi.org/10.1016/j.heliyon.2020.e04974>
- Afify, A. E. M. M. R., El-Beltagi, H. S., El-Salam, S. M. A., & Omran, A. A. (2011). Bioavailability of iron, zinc, phytate and phytase activity during soaking and germination of white sorghum varieties. *PLoS ONE*, 6(10), 1–7. <https://doi.org/10.1371/journal.pone.0025512>
- Aguilar-Zárate, P., Cruz-Hernández, M. A., Montañez, J. C., Belmares-Cerda, R. E., & Aguilar, C. N. (2014). Bacterial tannases: Production, properties and applications. *Revista Mexicana de Ingeniera Quimica*, 13(1), 63–74.
- Almasyhuri, Yuniati, H., & Slamet, D. S. (1990). Kandungan Asam Fitat dan Tanin Pada Kacang-kacangan yang Dibuak Tempe. *Penelitian Gizi Dan Makanandan Makanan*, 13, 65–72.
- AOAC. (1999). *Official Methods of Analysis. Association of Official Analytical Chemists* (16th ed.). AOAC.
- Arora, S. K., Acharya, R., & Joshi, A. (2022). Effect of Food Processing on Protein and Its Functionality. *Acta Scientific Nutritional Health*, 6(6), 82–85. <https://doi.org/10.31080/ASNH.2022.06.1066>
- Aviles-Gaxiola, S., Chuck-Hernandez, C., & Saldívar, S. O. S. (2018). Inactivation Methods of Trypsin Inhibitorin Legumes: A Review. *Journal of Food Science*, Vol. 83(No. 1). <https://doi.org/https://doi.org/10.1111/1750-3841.13985>
- Badan Standardisasi Nasional. (2012). *Tempe: Persembahan Indonesia untuk Dunia*. <https://doi.org/10.1201/9781351074001-6>
- Blakiston, B. A. (1998). Introduction. In B. A. Blakiston (Ed.), *Principles and Applications of Modified Atmosphere Packaging of Foods* (pp. 1–13). Springer, Boston, MA.
- Chrissanty, A. (2012). Penurunan Kadar Tanin Pada Buah Mangrove Jenis *Brugueira gymnorrhiza*, *Rhizophora stylosa* dan *Avicennia marina* untuk Diolah Menjadi Tepung Mangrove Decreasing Tannins Level in Mangrove Type *Avicennia marina*, *Brugueira gymnorrhiza* and *Rhizophora stylosa* for . *Jurnal Industria*, 1(1), 31–39.
- Davies, N. T., & Reid, H. (1979). An evaluation of the phytate, zinc, copper, iron and manganese contents of, and Zn availability from, soya-based textured-vegetable-protein meat-substitutes or meat-extendors. *British Journal of Nutrition*, 41(3), 579–589. <https://doi.org/10.1079/bjn19790073>
- Delimont, N. M., Haub, M. D., & Lindshield, B. L. (2017). The impact of tannin

- consumption on iron bioavailability and status: A narrative review. *Current Developments in Nutrition*, 1(2), 1–12.
<https://doi.org/10.3945/cdn.116.000042>
- Dorđević, J., N, P., M, B., J, J., M, G., M, S., & M, Ž. B. (2017). Effect of vacuum and modified atmosphere packaging on microbiological properties of cold-smoked trout. *IOP Conf. Series: Earth and Environmental Science*.
- Efriwati, Suwanto, A., Rahayu, G., & Nuraida, L. (2013). Population Dynamics of Yeasts and Lactic Acid Bacteria (LAB) During Tempeh Production. *HAYATI Journal of Biosciences*, 20(2), 57–64. <https://doi.org/10.4308/hjb.20.2.57>
- Egounlety, M., & Aworh, O. (2003). Effect of soaking, dehulling, cooking and fermentation with *Rhizopus oligosporus* on the oligosaccharides, trypsin inhibitor, phytic acid and tannins of soybean (*Glycine max* Merr.), cowpea (*Vigna unguiculata* L. Walp) and groundbean (*Macrotyloma geocarpa* Ha. *Journal of Food Engineering*, 56, 249–254.
[https://doi.org/https://doi.org/10.1016/s0260-8774\(02\)00262-5](https://doi.org/https://doi.org/10.1016/s0260-8774(02)00262-5)
- El-Shemy, H., Abdel-Rahim, E., Shaban, O., Ragab, A., Carnovale, E., & Fujita, K. (2000). Comparison of nutritional and antinutritional factors in soybean and fababean seeds with or without cortex. *Soil Science and Plant Nutrition*, 46(2), 515–524. <https://doi.org/10.1080/00380768.2000.10408804>
- Fallo, G., & Sine, Y. (2022). Identification of lactic acid bacteria and quality parameter of Tempeh obtained from red kidney beans (*Phaseolus vulgaris*) and cowpeas (*Vigna unguiculata*). *Biogenesis: Jurnal Ilmiah Biologi*, 10(1), 53–65. <https://doi.org/10.24252/bio.v10i1.27349>
- Fitriani, A., Santoso, U., & Supriyadi, S. (2021). Conventional Processing Affects Nutritional and Antinutritional Components and in Vitro Protein Digestibility in Kabau (*Archidendron bubalinum*). *International Journal of Food Science*. <https://doi.org/10.1155/2021/3057805>
- Gadzama, I. U., Yashim, S. M., & Makun, H. J. (2017). *Effect of Soaking Period on the Proximate Composition of Soybean*. April.
- Gan, J., Kong, X., Wang, K., Chen, Y., Du, M., Xu, B., Xu, J., Wang, Z., Cheng, Y., & Yu, T. (2023). Effect of fermentation using different lactic acid bacteria strains on the nutrient components and mineral bioavailability of soybean yogurt alternative. *Frontiers in Nutrition*, 10, 1–12.
<https://doi.org/10.3389/fnut.2023.1198456>
- Gunawan-Puteri, M. D. P. T., Fortunata, S. A., Mursito, E., & Wijaya, C. H. (2019). Application of quick tempe technology for production of overripe tempe. *IOP Conference Series: Earth and Environmental Science*, 292(1). <https://doi.org/10.1088/1755-1315/292/1/012060>
- Hachmeister, K. A., & Fung, D. Y. C. (1993). Tempeh: A Mold-modified indigenous fermented food made from soybeans and/or cereal grains. *Critical Reviews in Microbiology*, 19(3), 137–188.
<https://doi.org/10.3109/10408419309113527>
- Haidir, M., & Sudrajat, A. (2014). Water Footprint Konsumsi Tahu Dan Tempe Di Kota Bandung. *Jurnal Teknik Lingkungan*, 20(1), 20–28.
<https://doi.org/10.5614/jtl.2014.20.1.3>
- Hasbullah, & Silvy, D. (2020). Study of Tempe Production from Dried Peeled

- Soybeans. *IOP Conference Series: Earth and Environmental Science*.
<https://doi.org/10.1088/1755-1315/515/1/012059>
- Henry, C. J. K., & Massey, D. (2001). Micro-nutrient changes during food processing and storage processing. *Crop Postharvest Programe*, 5(December), 4–11.
- Heskamp, M. L., & Barz, W. (1997). Characterization of proteases from *Rhizopus* species after growth on soybean protein. *Zeitschrift Fur Naturforschung Section C - Journal of Biosciences*, 52(9–10), 595–604.
<https://doi.org/10.1515/znc-1997-9-1006>
- Kargwal, R., Garg, M., Singh, V., Garg, R., & Kumar, N. (2020). Principles of modified atmosphere packaging for shelf life extension of fruits and vegetables: An overview of storage conditions. *International Journal of Chemical Studies*, 8(3), 2245–2252.
<https://doi.org/10.22271/chemi.2020.v8.i3af.9545>
- Karkle, E. N. L., & Beleia, A. (2010). Effect of soaking and cooking on phytate concentration, minerals, and texture of food-type soybeans. *Ciência e Tecnologia de Alimentos*, 30(4), 1056–1060. <https://doi.org/10.1590/s0101-20612010000400034>
- Kementerian Kesehatan. (2018). *Daftar Komposisi Bahan Makanan*. Kementerian Kesehatan Republik Indonesia.
- Kumari, S., Krishnan, V., & Sachdev, A. (2015). Impact of soaking and germination durations on antioxidants and anti-nutrients of black and yellow soybean (*Glycine max. L*) varieties. *Journal of Plant Biochemistry and Biotechnology*, 24(3), 355–358. <https://doi.org/10.1007/s13562-014-0282-6>
- Lee, B., Huang, C., Liu, T., Liou, J., Hou, C., & Hsu, W. (2023). Microbial Diversity of Anaerobic Fermented Coffee and Potential for Inhibiting Ochratoxin Produced *Aspergillus niger*. *Foods*, 12(2967).
<https://doi.org/https://doi.org/10.3390/foods12152967>
- Liener, I. E. (1995). Possible adverse effects of soybean anticarcinogens. *The Journal of Nutrition*, 125(3 Suppl), 744S-750S.
- Lima, F. S. de, Kurozawa, L. E., & Ida, E. I. (2014). The effects of soybean soaking on grain properties and isoflavones loss. *Lwt*, 59(2P2), 1274–1282.
<https://doi.org/10.1016/j.lwt.2014.04.032>
- Liu, K. (2019). Soybean Trypsin Inhibitor Assay: Further Improvement of the Standard Method Approved and Reapproved by American Oil Chemists' Society and American Association of Cereal Chemists International. *JAOCs, Journal of the American Oil Chemists' Society*, 96(6), 635–645.
<https://doi.org/10.1002/aocs.12205>
- Luo, Y., Li, B., Ji, H., Ji, B., Ji, F., Chen, G., & Tian, F. (2009). Effect of soaking and cooking on selected soybean variety for preparation of fibrinolytic Douchi. *Journal of Food Science and Technology*, 46(2), 104–108.
- Mathialagan, M., Thangaraj Edward, Y. S. J., David, P. M. M., Senthilkumar, M., Srinivasan, M. R., & Mohankumar, S. (2018). Isolation, Characterization and Identification of Probiotic Lactic Acid Bacteria (LAB) from Honey Bees. *International Journal of Current Microbiology and Applied Sciences*, 7(04), 894–906. <https://doi.org/10.20546/ijcmas.2018.704.096>

- Megat Rusydi, M. R., & Azrina, A. (2012). Effect of germination on total phenolic, tannin and phytic acid contents in soy bean and peanut. *International Food Research Journal*, 19(2), 673–677.
- Mehanni, A. E., Sorour, M. A., Abd El-Galel, H., & Ahmed, W. K. (2021). Soaking and germination procedures actually impact polyphenols, tannins, and phytate contents in some Egyptian pulses. *SVU-International Journal of Agricultural Sciences*, 3(4), 63–72. <https://doi.org/10.21608/svuijas.2021.89539.1135>
- Mengesha, Y., Tebeje, A., & Tilahun, B. (2022). A Review on Factors Influencing the Fermentation Process of Teff (*Eragrostis teff*) and Other Cereal-Based Ethiopian Injera. *International Journal of Food Science*, 2022. <https://doi.org/10.1155/2022/4419955>
- Monika, Savitri, Kumar, V., Kumari, A., Angmo, K., & Bhalla, T. C. (2017). Isolation and characterization of lactic acid bacteria from traditional pickles of Himachal Pradesh, India. *Journal of Food Science and Technology*, 54(7), 1945–1952. <https://doi.org/10.1007/s13197-017-2629-1>
- Mulyowidarso., Fleet, G. H., & Buckle, K. A. (1991). Changes in the concentration of carbohydrates during the soaking of soybeans for tempe production. *International Journal of Food Science & Technology*, 26(6), 595–606. <https://doi.org/10.1111/j.1365-2621.1991.tb02005.x>
- Mulyowidarso, R. K., Fleet, G. H., & Buckle, K. A. (1989). The microbial ecology of soybean soaking for tempe production. *International Journal of Food Microbiology*, 8(1), 35–46. [https://doi.org/10.1016/0168-1605\(89\)90078-0](https://doi.org/10.1016/0168-1605(89)90078-0)
- Mumba, P. P., Chilera, F., & Alinafe, G. (2004). The effect of the length of soaking time on trypsin inhibitor, crude protein and phosphorus contents of soybeans (*Glycine max*). *International Journal of Consumer Studies*, 28(1), 49–54. <https://doi.org/10.1111/j.1470-6431.2004.00333.x>
- Narsih, Yunianta, & Harijono. (2012). The study of germination and soaking time to improve nutritional quality of sorghum seed. *International Food Research Journal*, 19(4), 1429–1432.
- Nout, M. J. R., & Rombouts, F. M. (1990). Recent developments in tempe research. *Journal of Applied Bacteriology*, 69(5), 609–633. <https://doi.org/10.1111/j.1365-2672.1990.tb01555.x>
- Nurdini, A. L., Nuraida, L., Suwanto, A., & Suliantari. (2015). Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal*, 22(4), 1668–1674.
- Pakpahan, M. R. R. B., Ruhayat, R., & Hendrawan, D. I. (2021). Karakteristik Air Limbah Industri Tempe (Studi Kasus: Industri Tempe Semanan, Jakarta Barat). *Jurnal Bhuwana*, 1(2), 164–172. <https://doi.org/10.25105/bhuwana.v1i2.12535>
- Pisol, B., Nuraida, L., Abdullah, N., Suliantari, & Khalil, K. A. (2013). Isolation and Characterization of Lactic Acid Bacteria from Indonesian Soybean Tempe. *International Proceedings of Chemical, Biological and Environmental Engineering*, 58(7). <https://doi.org/10.7763/IPCBE.2013.V58.7>

- Polanowska, K., Grygier, A., Kuligowski, M., Rudzińska, M., & Nowak, J. (2020). Effect of tempe fermentation by three different strains of *Rhizopus oligosporus* on nutritional characteristics of faba beans. *Lwt*, 122(July 2019). <https://doi.org/10.1016/j.lwt.2020.109024>
- Puspawati, S. W., & Soesilo, T. E. B. (2018). Sustainable approach to tempeh industrial wastewater management in Karawang. *E3S Web of Conferences*, 74, 1–7. <https://doi.org/10.1051/e3sconf/20187409003>
- Puteri, N. E., Astawan, M., Palupi, N. S., Wresdiyati, T., & Takagi, Y. (2018). Characterization of biochemical and functional properties of water-soluble tempe flour. *Food Science and Technology (Brazil)*, 38, 147–153. <https://doi.org/10.1590/fst.13017>
- Putri, I., Jannah, S. N., & Purwantisari, S. (2020). Isolation and characterization of lactic acid bacteria from *Apis mellifera* stomach and their potential as antibacterial using in vitro test against growth of *Staphylococcus aureus* and *Salmonella typhimurium*. *NICHE Journal of Tropical Biology*, 3(1), 35–44. <https://ejournal2.undip.ac.id/index.php/niche>
- Radita, Suwanto, A., Kurosawa, N., Wahyudi, A. T., & Rusmana, I. (2017). Metagenome analysis of tempeh production: Where did the bacterial community in tempeh come from? *Malaysian Journal of Microbiology*, April 2018. <https://doi.org/10.21161/mjm.101417>
- Rahayu, W. P., Pambayun, R., Santoso, U., Nuraida, L., & Ardiansyah. (2015). Tinjauan Ilmiah Proses Pengolahan Tempe. In *Perhimpunan Ahli Teknologi Pangan Indonesia*.
- Rasha, M. K., Abou-Arab, E. A., Gibriel, A. Y., Rasmy, N. M. H., & Abu-salem, F. M. (2011). Influence of Legume Processing Treatments Individually or in Combination on Their Trypsin Inhibitor and Total Phenolic Contents. *Australian Journal of Basic and Applied Sciences*, 2(2), 1310–1322.
- Ray, B., & Bhunia, A. (2015). Mikroorganisme dalam Fermentasi Makanan. In *Mikrobiologi Pangan* (Edisi 5, p. 56). Penerbit Buku Kedokteran EGC.
- Reilly, S. (1980). The Carbon Dioxide Requirements of Anaerobic Bacteria. *J Med Microbiol*, 13(March), 573–579. <https://doi.org/https://doi.org/10.1099/00222615-13-4-573>
- Rizqullah, J. U., Saroyo, P., & Kurniawan, M. P. (2018). *Analisis Penggunaan Air Produksi pada Industri Tempe*. Gadjah Mada University.
- Saah, B. F., Tene, S. T., Boungo, G. T., & Klang, J. M. (2020). Optimization of the Reduction of Phytates and Trypsin Inhibitors of Soybeans (*Glycine Max L.*): Effect of Soak-ing and Cooking. *Internatioanl Journal of Food and Nutritional Science*, 7(1), 70–76. <https://doi.org/10.15436/2377-0619.20.2900>
- Santhirasegaram, V., George, D. S., Anthony, K. K., Singh, H. K. B., Saruan, N. M., Razali, Z., & Somasundram, C. (2016). Effects of Soybean Processing and Packaging on the Quality of Commonly Consumed Local Delicacy Tempe. *Journal of Food Quality*, 39(6), 675–684. <https://doi.org/10.1111/jfq.12252>
- Schlemmer, U., Frølich, W., Prieto, R. M., & Grases, F. (2009). Phytate in foods and significance for humans: Food sources, intake, processing,

- bioavailability, protective role and analysis. *Molecular Nutrition and Food Research*, 53(SUPPL. 2), S330–S375.
<https://doi.org/10.1002/mnfr.200900099>
- Senanayake, D., Torley, P. J., Chandrapala, J., & Terefe, N. S. (2023). Microbial Fermentation for Improving the Sensory, Nutritional and Functional Attributes of Legumes. *Fermentation*, 9(7).
<https://doi.org/10.3390/fermentation9070635>
- Shashago, Z. (2019). Soaking Time and Temperature on Condensed Tannin and Phytic Acid of Soybean Products. *Food Science and Quality Management*, 85, 8–14. <https://doi.org/10.7176/fsqm/85-02>
- Shi, L., Mu, K., Arntfield, S. D., & Nickerson, M. T. (2017). Changes in levels of enzyme inhibitors during soaking and cooking for pulses available in Canada. *Journal of Food Science and Technology*, 54(4), 1014–1022.
<https://doi.org/10.1007/s13197-017-2519-6>
- Silverman, G. A., Bird, P. I., Carrell, R. W., Church, F. C., Coughlin, P. B., Gettins, P. G. W., Irving, J. A., Lomas, D. A., Luke, C. J., Moyer, R. W., Pemberton, P. A., Remold-O'Donnell, E., Salvesen, G. S., Travis, J., & Whisstock, J. C. (2001). The serpins are an expanding superfamily of structurally similar but functionally diverse proteins. Evolution, mechanism of inhibition, novel functions, and a revised nomenclature. *Journal of Biological Chemistry*, 276(36), 33293–33296.
<https://doi.org/10.1074/jbc.R100016200>
- Singer, W. M., Zhang, B., Mian, M. A. R., & Huang, H. (2020). Soybean Amino Acids in Health, Genetics, and Evaluation. In A. Sudarić (Ed.), *Soybean for Human Consumption and Animal Feed*. IntechOpen.
<https://doi.org/10.5772/intechopen.89497>
- Siregar, A. Z., Tulus, & Hastuti, L. D. S. (2019). Potential Tempe Product of Universitas Sumatra Utara in Supporting Food Security in North of Sumatera, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 347(1). <https://doi.org/10.1088/1755-1315/347/1/012076>
- Siregar, U. J., Situmorang, I. M., Pasaribu, F. A., Lestari, A., Istikorini, Y., & Haneda, N. F. (2020). Trypsin inhibitor activities as defense mechanism of sengon (*Falcataria moluccana*) against pest attacks. *IOP Conference Series: Materials Science and Engineering*, 935(1). <https://doi.org/10.1088/1757-899X/935/1/012034>
- Sivertsvik, M., Jeksrud, W. K., & Rosnes, J. T. (2002). A review of modified atmosphere packaging of fish and fishery products - Significance of microbial growth, activities and safety. *International Journal of Food Science and Technology*, 37(2), 107–127. <https://doi.org/10.1046/j.1365-2621.2002.00548.x>
- Soekarto, T. S., & Yuliatmoko, W. (2018). *Teknologi Penyimpanan dan Penggudangan Produk Pangan*. Intimedia.
- Stalons, D. R., Thornsberry, C., & Dowell, V. R. (1974). Effect of Culture Medium and Carbon Dioxide Concentration on Growth of Anaerobic Bacteria Commonly Encountered in Clinical Specimens. *Applied Microbiology*, 27(6), 1098–1104. <https://doi.org/10.1128/am.27.6.1098->

1104.1974

- Steinkraus, K. (2004). *Industrialization of Indigenous Fermented Foods, Revised and Expanded* (2n Edition). CRC Press.
<https://doi.org/https://doi.org/10.1201/9780203022047>
- Sutardi. (1992). Perubahan Kandungan Asam Fitat dan Aktivitas Fitase pada Pembuatan, Penyimpanan, dan Pemasakan Tempe. In *Agritech* (Vol. 12, Issue 1, pp. 2–16).
- Sutardi, & Buckle, K. A. (1986). The Characteristics of Soybean Phytase. *Journal of Food Biochemistry*, 10(3), 197–216. <https://doi.org/10.1111/j.1745-4514.1986.tb00100.x>
- Sutardi, & Buckle, K. A. (1988). Characterization of extra- and intracellular phytases from *Rhizopus oligosporus* used in tempeh production. *International Journal of Food Microbiology*, 6(1), 67–79.
[https://doi.org/10.1016/0168-1605\(88\)90086-4](https://doi.org/10.1016/0168-1605(88)90086-4)
- Sutardi, & Buckle, K. A. (2004). Characteristic of Phytases From Soybeans and Microorganisms Involved in The Tempe Production. In *Jurnal Teknol. dan Industri Pangan: Vol. XV* (Issue 3, pp. 232–238).
- Sutardi, Tranggono, & Hartuti. (1993). Aktivitas Fitase pada Tahap-tahap Pembuatan Tempe Kara Benguk, Kara Putih, dan Gude Menggunakan Inokulum *R. oligosporus* NRRL 2710. *Jurnal Agritech*, 13(3), 1–5.
- Unban, K., Kochasee, P., Shetty, K., & Khanongnuch. (2020). Tannin-tolerant and extracellular tannase producing *Bacillus* isolated from traditional fermented tea leaves and their probiotic functional properties. *Foods*, 9(4), 1–14. <https://doi.org/10.3390/foods9040490>
- Valley, G., & Rettger, L. F. (1927). The Influence of Carbon Dioxide on Bacteria. *Journal of Bacteriology*, 14(2), 101–137. <https://doi.org/10.1128/jb.14.2.101-137.1927>
- Vaquero, I., Marcobal, Á., & Muñoz, R. (2004). Tannase activity by lactic acid bacteria isolated from grape must and wine. *International Journal of Food Microbiology*, 96(2), 199–204.
<https://doi.org/10.1016/j.ijfoodmicro.2004.04.004>
- Venn, B. (2014). Tanaman Polong (Leguminosa). In J. Mann & A. S. Truswell (Eds.), *Buku Ajar: Ilmu Gizi* (Edisi 4, pp. 382–384). Penerbit Buku Kedokteran EGC.
- Wagner, A. O., Markt, R., Mutschlechner, M., Lackner, N., Prem, E. M., Praeg, N., & Illmer, P. (2019). Medium preparation for the cultivation of microorganisms under strictly anaerobic/anoxic conditions. *Journal of Visualized Experiments*, 2019(150). <https://doi.org/10.3791/60155>
- Wikandari, R., Utami, T. A. N., Hasniah, N., & . S. (2020). Chemical, Nutritional, Physical and Sensory Characterization of Tempe Made from Various Underutilized Legumes. *Pakistan Journal of Nutrition*, 19(4), 179–190.
<https://doi.org/10.3923/pjn.2020.179.190>
- Winarno, F. G. (2008). *Kimia Pangan dan Gizi*. M-BRIO Press.
- Yanuartono, Y., Nururrozi, A., & Indarjulianto, S. (2016). Fitat dan fitase: Dampak Pada Hewan Ternak. *Jurnal Ilmu-Ilmu Peternakan*, 26(3), 59–78.
<https://doi.org/10.21776/ub.jiip.2016.026.03.09>

- Yarlina, V. P., Djali, M., Andoyo, R., Lani, M. N., & Rifqi, M. (2023). Effect of Soaking and Proteolytic Microorganisms Growth on the Protein and Amino Acid Content of Jack Bean Tempeh (*Canavalia ensiformis*). *Processes*, *11*(4). <https://doi.org/10.3390/pr11041161>
- Yudianti, N. F., Yanti, R., Cahyanto, M. N., Rahayu, E. S., & Utami, T. (2020). Isolation and Characterization of Lactic Acid Bacteria from Legume Soaking Water of Tempeh Productions. *Digital Press Life Sciences*, *2*, 00003. <https://doi.org/10.29037/digitalpress.22328>
- Yulianti, L. E., Setiaboma, W., Hakim, A. N., Widowati, E., Afifah, N., & Ekafitri, R. (2022). The effect of beans types and soaking time on the characteristics of Indonesian traditional food “Instant Bosc.” *Food Science and Technology*, *42*, 1–7. <https://doi.org/10.1590/fst.19621>
- Zhao, G. (2017). Mineral Containing Proteins. In *Mineral Containing Proteins*. <https://doi.org/10.1007/978-981-10-3596-8>