

DAFTAR PUSTAKA

- Abanto J, Carvalho TS, Mendes FM, Wanderley MT, Bönecker M, Raggio DP. (2011). Impact of oral diseases and disorders on oral health-related quality of life of preschool children. *Community Dent Oral Epidemiol* , 39:105–114.
- Adyatmaka, I. (2008). Model Simulator Karies Gigi pada Anak Prasekolah. Fakultas Kedokteran Gigi Universitas Indonesia. *Disertasi*. 1-137.
- Alkarimi H.A, Watt R.G, Pikhart H, Jawadi A.H, Sheiham A, Tsakos G. (2012). Impact of treating dental caries on schoolchildren's anthropometric, dental, satisfaction and appetite outcomes: a randomized controlled trial. *BMC Public Health*. 12:706.
- Almatsier S. (2006). *Prinsip Dasar Ilmu Gizi*. Jakarta PT.GaramediaPustakaUtama;2006.
- Almushayt, A., Sharaf, A., Meligy, O., dan Tallab, H. (2010). Salivary characteristic in a sample of preschool children with severe early childhood caries (S-ECC). *JKAU*, 4 (17). 49-50.
- American Academy of Pediatric Dentistry. (2016). Policy on early childhood caries (ECC): classifications, consequences, and preventive strategies. *Pediatr Dent*; 38(6): 52-4.
- American Dental Association. (2018). Guidance on caries risk assessment in children, June. Available at: "https://www.ada.org/~media/ADA/DQA/CRA_Report.pdf?la=en". Accessed February 12, 2019. (Archived by WebCite® at: <http://www.webcitation.org/768BDwVDc>").
- American Dental Association. Center for Scientific Information ADA Science Institute. (2016). Caries Risk Assessment and Management.; <http://www.ada.org/en/member-center/oral-health-topics/caires-risk-assessment-and-management>. Accessed June 13, 2017.
- Arikunto. 2006. Prosedur Penelitian Suatu Pendekatan Praktik. Jakarta : PT. Rineka Cipta
- Asia Tenggara.(n.d).dalam Wikipedia. Retrieved Januari 02,2022 dari https://id.wikipedia.org/wiki/Asia_Tenggara.
- Astannudinsyah., Ruwanda, R, A., & Basid, A. (2019). Factors Realated to Dental Caries Status in Children at Min 1 City In Banjarmasin. *Jurnal Kesehatan Indonesia*, 9(3), 146-156.

- Avery, James K. & Cheiego D. J. (2006). *Essentials of Oral Histology and Embryologi. 3rd edition*. Canada : Mosby, Inc.
- A'yun, Q., Fatmasari, D., & Hendrartini, J. (2015). Perangkat Lunak Prediktor Karies Anak Berdasarkan Faktor Anak, Perilaku Ibu, dan UKGS. *Majalah Kedokteran Gigi Indonesia*, 1 (1), 68. <https://doi.org/10.22146/majkedgiind.8995>.
- Badan Pusat Statistik. (2021). *Profil Anak Usia Dini 2021*. Jakarta.
- Barbara Kitchenham. (2014). Procedures for Performing Systematic Reviews. *Keele University Technical Report*, 33(2004), 1–26. <https://www.researchgate.net/publication/228756057>
- Bie Kien Nio., 1987, *Preventive Dentistry*, YKGI, Bandung.
- Borutta, A., Wagner, M., & Kneist, S. (2010). Early Childhood Caries : A Multi-Factorial Disease. *Ohdmbosc*, 9(March 2010), 32–38. <https://doi.org/10.4172/2247-2452.1000405>
- Bowen, W. H., & Lawrence, R. A. (2005). Comparison of the Cariogenicity of Cola, Honey, Cow Milk, Human Milk, and Sucrose. *Pediatrics*, 116(4), 921–926. <https://doi.org/10.1542/peds.2004-2462>
- Brown JP and Dodds MWJ. (2008). Prevention Strategies for dental Caries. In : Cappelli DP and Mobley CC. Prevention and Clinical Oral Health Care. Missuori : Mosby Elsevier.
- Cagetti MG, Bonta G, Cocco F, Lingstrom P, Strohmenger L, Campus G. (2018). Are standardized caries risk assessment models effective in assessing actual caries status and future caries increment? A systematic review. *BMC Oral Health*;18(1):123.
- Centers for Disease Control and Prevention. Hygiene-related Diseases: Dental Caries. (2014) ; http://www.cdc.gov/healthywater/hygiene/disease/dental_caries.html. Accessed March 23, 2015.
- Ccahuana-Vásquez, R. A., Tabchoury, C. P. M., Tenuta, L. M. A., Del Bel Cury, A. A., Vale, G. C., & Cury, J. A. (2007). Effect of Frequency of Sucrose Exposure on Dental Biofilm Composition and Enamel Demineralization in the Presence of Fluoride. *Caries Research*, 41(1), 9–15. <https://doi.org/10.1159/000096100>
- Chaidez V, Townsend M, Kaiser LL. (2011). Toddler-feeding 10. practices among

MexicanAmerican mothers. A qualitative study. *Appetite* ;56(3):629-32.

Chankanka, O., Cavanaugh, J. E., Levy, S. M., Marshall, T. A., Warren, J. J., Broffitt, B., & Kolker, J. L. (2011). Longitudinal associations between children's dental caries and risk factors. *Journal of Public Health Dentistry*, 71(4), 289–300. <https://doi.org/10.1111/j.1752-7325.2011.00271.x>

Dean, J. A. dan Hughes, C. V., 1994, *Mechanical and Chemotherapeutic Home Oral Hygiene in Dentistry for The Child and Adolescent*, ed 6, Mosby, St.Louis, Missouri.

Dentistry. The. Policy on Early Childhood Caries (ECC): Classification, Consequences, and Prevention Strategies. 2011. [2014 September 31].

Depkes RI, 2000, *Pedoman Upaya Pelayanan Kesehatan Gigi dan Mulut di Puskesmas*, Jakarta

Duangthip, D., Gao, S. S., Lo, E. C. M., & Chu, C. H. (2017). Early childhood caries among 5- to 6-year-old children in Southeast Asia. *International Dental Journal*, 67(2), 98–106. <https://doi.org/10.1111/idj.12261>

Docimo, R., Costacurta, M., De Lorenzo, A., DiRenzo, L., Sicuro, L., & Gratteri, S. (2014). Dental caries and childhood obesity: analysis of food intakes, lifestyle. *European Journal of Paediatric Dentistry*, 15(4), 343–348

Drummond B,*et al.* (1998).DentalCaries and Restoratif Paediatric Dentistry. In ; Cameron AC and Widmer RP (Eds). Handbook of PaediatricDentistry.London:MosbyIntLtd.

Dye, B. A., Shenkin, J. D., Ogden, C. L., Marshall, T. A., Levy, S. M., & Kanellis, M. J. (2004). The relationship between healthful eating practices and dental caries in children aged 2-5 years in the United States, 1988-1994. *Journal of the American Dental Association*, 135(1), 55–66. <https://doi.org/10.14219/jada.archive.2004.0021>

Edelstein, B.L. (2009). Solving the problem of early childhood caries: a challenge forus all. *Arch Pediatr Adolesc Med*.163: 667– 668.

Featherstone, J. D. B., Crystal, Y. O., Alston, P., Chaffee, B. W., Doméjean, S., Rechmann, P., Zhan, L., & Ramos-Gomez, F. (2021). A Comparison of Four Caries Risk Assessment Methods. *Frontiers in Oral Health*, 2(April), 1–13. <https://doi.org/10.3389/froh.2021.656558>.

Fejerskov & Kidd EAM, 2008. Dental Caries : The Disease and Its Clinical Management. USA : Blackwell Munksgaard

- Feldens, C. A., Rodrigues, P. H., de Anastácio, G., Vítolo, M. R., & Chaffee, B. W. (2018). Feeding frequency in infancy and dental caries in childhood: a prospective cohort study. *International Dental Journal*, 68(2), 113–121. <https://doi.org/10.1111/idj.12333>
- Fernandes, H. J. X. (1984). *Evaluation of educational program*. Jakarta: National Education Planning, Evaluating and Curriculum Development.
- Ford PJR. (1993). *Restorasi Gigi* Edisi 2. Alih Bahasa : Sumawinata N.Jakarta :EGC.
- Foster Page LA, Thomson WM. 2012. Caries prevalence, severity, and 3-year increment, and their impact upon New Zealand adolescents' oral-health-related quality of life. *J Public Health Dent*. 72(4):287–294.
- Fox, D. G., Tedeschi, L. O., Tylutki, T. P., Russell, J. B., Van Amburgh, M. E., Chase, L. E., Pell, A. N., & Overton, T. R. (2004). The Cornell Net Carbohydrate and Protein System model for evaluating herd nutrition and nutrient excretion. *Animal Feed Science and Technology*, 112(1–4), 29–78. <https://doi.org/10.1016/j.anifeedsci.2003.10.006>
- Gustafsson BE, Quensel CE, Lanke LS, Lundqvist C, Grahnen H, Bonow BE, Krasse B.(1954). The Vipeholm dental caries study: the effect of different levels of carbohydrate intake on caries activity in 436 individuals observed for five years. *Acta Odontol Scand*. 11(3–4):232–64.
- Hallet, K.G. dan O'Rourke, P.K. (2003). Social and behavioural determinants of Early Childhood Caries. *Aus Dent J*, 48(1). 27-33. 9.
- HouwinkB, *et al.* (1993). *Preventive Tandheelkunde atau Ilmu Kedokteran Gigi Pencegahan*. Terjemahan :Suryo S.Yogyakarta :UGM.
- Hoesin, S., 2003, Pengaruh Perilaku dalam Kesehatan Gigi pada Kelompok Usia 12 Tahun terhadap Keparahan Karies, *JKGUI*, Jakarta: 531-536.
- Hu, S., Sim, Y. F., Toh, J. Y., Saw, S. M., Godfrey, K. M., Chong, Y. S., Yap, F., Hockenberry MJ, Wilson D. Wong's. (2011). Nursing care of infants 8.
- Hu, S., Sim, Y. F., Toh, J. Y., Saw, S. M., Godfrey, K. M., Chong, Y. S., Yap, F., Lee, Y. S., Shek, L. P. C., Tan, K. H., Chong, M. F. F., & Hsu, C. Y. S. (2019). Infant dietary patterns and early childhood caries in a multi-ethnic Asian cohort. *Scientific Reports*, 9(1), 1–8. <https://doi.org/10.1038/s41598-018-37183-5> and children, 9e. St. Louis: Mosby.
- Hurlock, E. B., 1978, *Perkembangan Anak*, ed 6 jilid 2, Erlangga, Jakarta.

- Ibrahim, S., Nishimura, M., Matsumura, S., Rodis, O. M. M., Nishida, A., Yamanaka, K., & Shimono, T. (2009). A longitudinal study of early childhood caries risk, dental caries, and life style. *Pediatric Dental Journal*, 19(2), 174–180. [https://doi.org/10.1016/S0917-2394\(09\)70171-5](https://doi.org/10.1016/S0917-2394(09)70171-5)
- Ismail. A. (2003). Determinan of health in children and the problem of early childhood caries. *Pediatr Dent*. Jul-Aug; 25(4): 328-33
- J. D. B. Featherstone. (2000). “The science and practice of caries prevention,” *Journal of the American Dental Association*, vol. 131, no. 7, pp. 887–899.
- J. R. Pinkham. (1999), *Pediatric Dentistry: Infancy through Adolescence*, Saunders, London, UK, 3rd edition.
- Kawashita, Y., Kitamura, M., & Saito, T. (2011). Early childhood caries. *International Journal of Dentistry*, 2011 (Figure 1). <https://doi.org/10.1155/2011/725320>
- Kitchenham.B. (2014). Procedures for Performing Systematic Reviews. *Keele University Technical Report*, 33(2004), 1–26. <https://www.researchgate.net/publication/228756057>
- Klein, H., Palmer, C.E., and Knutson, J.W., 1938, Indices Used for Dental Caries Assessment, Permanent Teeth Index: Decayed-Missing-Filled Index (DMF).
- Kolopaking R, Bardosono S, Fahmida U. (2011). Maternal self-efficacy in the home food environment: a qualitative study among low-income mothers of nutritionally at-risk children in an urban area of Jakarta, Indonesia. *J Nutr Educ Behav*;43(3):180-8.
- Konig, K. G. dan Hoogendoorn, H., 1982, *Prevensi dalam Kedokteran Gigi dan Dasar Ilmiahnya*, Indonesia Dental Industries PT. Denta, Jakarta.
- Lee, Y. S., Shek, L. P. C., Tan, K. H., Chong, M. F. F., & Hsu, C. Y. S. (2019). Infant dietary patterns and early childhood caries in a multi-ethnic Asian cohort. *Scientific Reports*, 9(1), 1–8. <https://doi.org/10.1038/s41598018-37183-5>
- Lemeshow, S., Hosmer Jr, D.W., Klar, J., Lwanga, S.K. 1997. *Besar Sampel Dalam Penelitian Kesehatan*. Yogyakarta : Gadjah Mada University Press.
- Li, Y. & Wang, W. (2002). Predicting caries in permanent teeth from caries in primary teeth: an eight-year cohort study. *J Dent Res* 81, 561–566, <https://doi.org/10.1177/154405910208100812>.

- Marshall, T. A. (2009). Nutrition: Chairside diet assessment of caries risk. *Journal of the American Dental Association*, 140(6), 670–674. <https://doi.org/10.14219/jada.archive.2009.0252>
- Monse, B., Duijster, D., Sheiham, A., Grijalva-Eternod, C. S., van Palenstein Helderma, W., Hobdell, M. H. (2012). The effects of extraction of pulpally involved primary teeth on weight, height and BMI in underweight Filipino children. A cluster randomized clinical trial. *BMC Public Health*, 12, 725. <https://doi.org/10.1186/1471-2458-12-725>.
- Moynihan, P. J. Kelly, S. A. (2014). Effect on caries of restricting sugars intake: systematic review to inform WHO guidelines. *J Dent Res* 93, 8–18, <https://doi.org/10.1177/0022034513508954>
- Moyer V.(2014). Prevention of dental caries in children from birth through age 5 years: U.S. Preventive Services Task Force recommendation statement. *Pediatrics*;133(6): 1102-10.
- Miller J, Vaughan-Williams E, Furlong R, Harrison L. (1982). Dental caries and children's weights. *J Epidemiol Community Health*, 36:49–52.
- Nishimura, M., Rodis, O. M. M., Matsumura, S., & Matsumoto-Nakano, M. (2012). Influences of diet on caries activities and caries-risk grouping in children, and changes in parenting behavior. *Pediatric Dental Journal*, 22(2), 117–124. [https://doi.org/https://doi.org/10.1016/S0917-2394\(12\)70262-8](https://doi.org/https://doi.org/10.1016/S0917-2394(12)70262-8)
- Nunn, M. E., Braunstein, N. S., Krall Kaye, E. A., Dietrich, T., Garcia, R. I., & Henshaw, M. M. (2009). Healthy eating index is a predictor of early childhood caries. *Journal of Dental Research*, 88(4), 361–366. <https://doi.org/10.1177/0022034509334043>
- O. Fejerskov and Kidd E. A. M.,(2008). *Dental Caries: The Disease and Its Clinical Management*, Blackwell Munksgaard, Oxford, UK, 2nd edition, 2008.
- Olatosi OO, Sote EO. Association of Early Childhood Caries With Breastfeeding and Bottle Feeding in Southwestern Nigerian Children of Preschool Age. *J West Afr Coll Surg*. 2014;4(1):31–53.
- Pacey, A., Nancarrow, T., & Egeland, G. M. (2010). Prevalence and risk factors for parental-reported oral health of Inuit preschoolers: Nunavut Inuit Child Health Survey, 2007-2008. *Rural and Remote Health*, 10(2), 1368. <https://search.ebscohost.com/login.aspx?direct=true&db=mnh&AN=20568913&site=ehost-live>
- Palacios, C., Rivas, S., Morou, E., Colón, A. M., Torres, R. Y., & Elías, A. R. (2017). Association between type, amount and pattern of carbohydrate.

Physiology & Behavior, 176(3), 139–148.
<https://doi.org/10.1159/000450655>.Association

Patmonodewo S. (2003). *Pendidikan Anak Prasekolah*. Jakarta: PT Rineka Cipta.

Peres MA, Sheiham A, Liu P, Demarco FF, Silva AE, Assunção MC, Menezes AM, Barros FC, Peres KG. (2016). Sugar consumption and changes in dental caries from childhood to adolescence. *J Dent Res*; 95(4):388–94.

Perera, P. J., Fernando, M. P., Warnakulasooriya, T. D., & Ranathunga, N. (2014). Effect of feeding practices on dental caries among preschool children: A hospital based analytical cross sectional study. *Asia Pacific Journal of Clinical Nutrition*, 23(2), 272–277.
<https://doi.org/10.6133/apjcn.2014.23.2.13>

Pinkham (2005). *Pediatric dentistry*. 4th ed. St. Louis, Missouri : Elsevier; 656- 657.

Plutzer, K., Spencer, A. J. (2008). Efficacy of an oral health promotion intervention in the prevention of early childhood caries. *Community Dentistry and Oral Epidemiology*, 36(4), 335–346.
<https://doi.org/10.1111/j.1600-0528.2007.00414.x>

Prakasha Shrutha, S., Vinit, G. B. G., Giri, K. Y., & Alam, S. (2013). Feeding Practices and Early Childhood Caries: A Cross-Sectional Study of Preschool Children in Kanpur District, India. *ISRN Dentistry*, 2013, 1–6.
<https://doi.org/10.1155/2013/275193>

Radler DR, Touger-Decker R. (2008). Nutrition for Oral and Dental Health. In: Mahan LK, Escott-Stump S. Krause's Food & Nutrition Therapy, St Louis : Saunders Elsevier.

Renggli, E. P., Turton, B., Sokal-Gutierrez, K., Hondru, G., Chher, T., Hak, S., Poirot, E., Laillou, A. (2021). Stunting malnutrition associated with severe tooth decay in cambodian toddlers. *Nutrients*, 13(2), 1–15.
<https://doi.org/10.3390/nu13020290>

Riset Kesehatan Dasar. (2018). Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018. <http://www.depkes.go.id>. diakses September 2021.

Santos APP, Nadanovsky P, Oliveira BH. A systematic review and meta-analysis of the effects of fluoride tooth-paste on the prevention of dental caries in the primary dentition of preschool children. *Community Dent Oral Epidemiol* 2013;41(1):1-12.

- Santrock, J.W., 2002, *Life Span Development – Perkembangan Masa Hidup (terj)*, ed 5 jilid 1, Erlangga, Jakarta.
- Schuurs, A.H.B., 1993, *Patologi Gigi-Geligi*, UGM Pres, Yogyakarta
- Seirawan H, Faust S, Mulligan R. (2012). The impact of oral health on the academic performance of disadvantaged children. *Am J Public Health* 2012;102:1729-34.
- Selwitz, R. H., Ismail, A. I. & Pitts, N. B. (2007). Dental caries. *Lancet*. **369**, 51–59, [https://doi.org/10.1016/S0140-6736\(07\)60031-2](https://doi.org/10.1016/S0140-6736(07)60031-2).
- Sheiham A. (2006). Dental caries affects body weight, growth and quality of life in preschool children. *Br Dent J*, 210:625–62.
- Sheiham A, James WP. (2015). Diet and dental caries: the pivotal role of free sugars reemphasized. *J Dent Res* ;94(10):1341–7.
- Shigenobu K, Yuko ON. (2007). Early childhood caries and childhood periodontal disease. *Pediatric Infectious Diseases Revisited*. 2007;177-97. doi: 10.1007/978-3-7643-8099-1_7.
- Siahaan R. (2002). *Masalah karies rampan, pencegahan dan perawatannya*. Medan: Universitas Sumatera Utara.
- Silversstone L.M, Johnson N.W, Hardie J.M, Williams R.A.D. (1981). *Dental Caries Aetology, Phatology and Prevention*. London. *The Macmillan Press LTD*.
- Sonal Kale, Pradnya Kakodkar, Sahana Hegde Shetiya. Assessment of mother's ability in caries diagnosis, utilizing the smartphone photographic method. *Department of Public Health Dentistry, Dr. D.Y. Patil Vidyapeeth, Dr. D.Y. Patil Dental College and Hospital, Pune, Maharashtra, India*.
- Sroda R. (2010). *Nutritionfor a Healthy Mouth*2nd Ed. Baltimore : Lippincots Williams and Wilkins.
- Stephan RM. Intra-oral hydrogen-ion concentrations associated with dental caries activity. *J Am Dent Assoc*23:257 – 26. *J Dent Res*. 1944;23:257 – 65. (n.d.). *No Title*.
- Sunardi, D., Wibowo, Y., Mak, T. N., & Wang, D. (2022). Energy and Nutrient Intake Status Among Indonesia Children Aged 1–5 Years With Different Dairy Food Consumption Patterns. *Current Developments in Nutrition*, 6(July), 719. <https://doi.org/10.1093/cdn/nzac061.103>.

Suwelo SI.(1992). *Karies pada Anak dengan Pelbagai Faktor Etiologi*.Jakarta :EGC.

Takahashi Y, Kipnis D, Daughaday W. (1968). Growth hormone secretion during sleep. *J Clin Invest.* 47:2079–2090.

Texas Health and Human Services. (2017). Caries Risk Assessment Tool. <https://www.dshs.texas.gov/thsteps/Caries-RiskAssessment.shtm>. Accessed November 20, 2017.

Touger-Decker, R., & van Loveren, C. (2003). Sugars and dental caries. *The American Journal of Clinical Nutrition*, 78(4), 881S-892S. <https://doi.org/10.1093/ajcn/78.4.881s>.

Twetman, S., Axelsson, S., Dahlgren, H., Holm, A. K., Källestål, C., Lagerlöf, F., Lingström, P., Mejäre, I., Nordenram, G., Norlund, A., Petersson, L. G., & Söder, B. (2003). Caries-preventive effect of fluoride toothpaste: A systematic review. *Acta Odontologica Scandinavica*, 61(6), 347–355. <https://doi.org/10.1080/00016350310007590>

T. Foster, H. Perinpanayagam, A. Pfaffenbach, and M. Certo. (2006).“Recurrence of early childhood caries after comprehensive treatment with general anesthesia and follow-up,” *Journal of Dentistry for Children*, vol. 73, no. 1, pp. 25–30.

Vargas, C. M., Dye, B. A., Kolasny, C. R., Buckman, D. W., McNeel, T. S., Tinanoff, N., Marshall, T. A., & Levy, S. M. (2014). Early childhood caries and intake of 100 percent fruit juice: Data from NHANES, 1999-2004. *Journal of the American Dental Association*, 145(12), 1254–1261. <https://doi.org/10.14219/jada.2014.95>

Vernetti-Callahan D.(2013). Nutrition & Oral Health: Eating Well for a Healthy Mouth. Download from : <http://www.ada.org/prof/ed/ce/cecp/index.asp>.

World Health Organization. Guideline. (2015). Sugars Intake for Adults and Children. World Health Organization; Geneva, Switzerland: 2015. p. 1-49.

William HB, Ruth AL.(2005). Comparison of the cariogenicity of cola, honey, cow milk, human milk, and sucrose. *Pediatrics*.;116:921-6. doi: 10.1542/peds.2004-2462.

Yost, J. and Li, Y. (2008). Promoting Oral Health from Birth through Childhood: Prevention of Early Childhood Caries. *American Journal of Maternal and Child Nursing*, 33, 17-23. <http://dx.doi.org/10.1097/01.NMC.0000305652.01743.8d>.

