

DAFTAR PUSTAKA

- Acharya, U. R., Fujita, H., Oh, S. L., Hagiwara, Y., Tan, J. H., Adam, M., & Tan, R. S. (2019). Deep convolutional neural network for the automated diagnosis of congestive heart failure using ECG signals. *Applied Intelligence*, 49(1), 16–27. <https://doi.org/10.1007/S10489-018-1179-1/METRICS>
- Acharya, U. R., Sree, S. V., & Suri, J. S. (2011). Automatic detection of epileptic eeg signals using higher order cumulant features. *International Journal of Neural Systems*, 21(5), 403–414. <https://doi.org/10.1142/S0129065711002912>
- Acı, Ç. İ., Kaya, M., & Mishchenko, Y. (2019). Distinguishing mental attention states of humans via an EEG-based passive BCI using machine learning methods. *Expert Systems with Applications*, 134, 153–166. <https://doi.org/10.1016/j.eswa.2019.05.057>
- Aricò, P., Borghini, G., Di Flumeri, G., Colosimo, A., Pozzi, S., & Babiloni, F. (2016). A passive brain–computer interface application for the mental workload assessment on professional air traffic controllers during realistic air traffic control tasks. *Progress in Brain Research*, 228, 295–328. <https://doi.org/10.1016/BS.PBR.2016.04.021>
- Baldominos, A., Cervantes, A., Saez, Y., & Isasi, P. (2019). A comparison of machine learning and deep learning techniques for activity recognition using mobile devices. *Sensors (Switzerland)*, 19(3). <https://doi.org/10.3390/s19030521>
- Barry, R. J., Clarke, A. R., Johnstone, S. J., Magee, C. A., & Rushby, J. A. (2007). EEG differences between eyes-closed and eyes-open resting conditions. *Clinical Neurophysiology*, 118(12), 2765–2773. <https://doi.org/10.1016/j.clinph.2007.07.028>
- Blanco, J. A., Vanleer, A. C., Calibo, T. K., & Firebaugh, S. L. (2019). Single-Trial Cognitive Stress Classification Using Portable Wireless Electroencephalography. *Sensors* 2019, Vol. 19, Page 499, 19(3), 499. <https://doi.org/10.3390/S19030499>
- Carabalona, R., Castiglioni, P., & Gramatica, F. (2009). Brain-Computer Interfaces and Neurorehabilitation. *Studies in Health Technology and Informatics*, 145, 160–176. <https://doi.org/10.3233/978-1-60750-018-6-160>
- Cheker, Z., Chakkor, S., EL Oualkadi, A., Baghour, M., Belfkih, R., El Hangouche, J. A., & Laameche, J. (2022). Performance analysis of VEP signal discrimination using CNN and RNN algorithms. *Neuroscience Informatics*, 2(3), 100087. <https://doi.org/10.1016/j.neuri.2022.100087>
- Chen, J. X., Mao, Z. J., Yao, W. X., & Huang, Y. F. (2020). EEG-based biometric identification with convolutional neural network. *Multimedia Tools and Applications*, 79(15–16), 10655–10675. <https://doi.org/10.1007/S11042-019-7258-4/METRICS>
- Chen, L. L., Zhao, Y., Zhang, J., & Zou, J. Z. (2015). Automatic detection of alertness/drowsiness from physiological signals using wavelet-based nonlinear features and machine learning. *Expert Systems with Applications*, 42(21), 7344–7355. <https://doi.org/10.1016/J.ESWA.2015.05.028>
- Cherif, L. H., Debbal, S. M., & Bereksi-Reguig, F. (2010). Choice of the wavelet analyzing

- in the phonocardiogram signal analysis using the discrete and the packet wavelet transform. *Expert Systems with Applications*, 37(2), 913–918. <https://doi.org/10.1016/J.ESWA.2009.09.036>
- Craik, A., He, Y., & Contreras-Vidal, J. L. (2019a). Deep learning for electroencephalogram (EEG) classification tasks: A review. *Journal of Neural Engineering*, 16(3). <https://doi.org/10.1088/1741-2552/ab0ab5>
- Craik, A., He, Y., & Contreras-Vidal, J. L. (2019b). Deep learning for electroencephalogram (EEG) classification tasks: a review. *Journal of Neural Engineering*, 16(3), 031001. <https://doi.org/10.1088/1741-2552/AB0AB5>
- Creswell, J. W. (2014). Research design: Qualitative, quantitative, and mixed methods approaches. *Sage Publications*.
- Field, A. (2013). Discovering statistics using IBM SPSS statistics. *Sage Publications*.
- Fong, S., Lan, K., Sun, P., Mohammed, S., & Fiaidhi, J. (2013). A time-series pre-processing methodology for biosignal classification using statistical feature extraction. *Proceedings of the IASTED International Conference on Biomedical Engineering, BioMed 2013, February 2013*, 207–214. <https://doi.org/10.2316/P.2013.791-100>
- Gao, S., Wang, Y., Gao, X., & Hong, B. (2014). Visual and auditory brain-computer interfaces. *IEEE Transactions on Biomedical Engineering*, 61(5), 1436–1447. <https://doi.org/10.1109/TBME.2014.2300164>
- Gao, Z., Wang, X., Yang, Y., Mu, C., Cai, Q., Dang, W., & Zuo, S. (2019). EEG-Based Spatio-Temporal Convolutional Neural Network for Driver Fatigue Evaluation. *IEEE Transactions on Neural Networks and Learning Systems*, 30(9), 2755–2763. <https://doi.org/10.1109/TNNLS.2018.2886414>
- Halder, S., Käthner, I., & Kübler, A. (2016). Training leads to increased auditory brain–computer interface performance of end-users with motor impairments. *Clinical Neurophysiology*, 127(2), 1288–1296. <https://doi.org/10.1016/J.CLINPH.2015.08.007>
- Hochreiter, S., & Schmidhuber, J. (1997). Long Short-Term Memory. *Neural Computation*, 9(8), 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Id, T. H., Muhammad, S., Saeed, U., Id, A. A., Anwar, M., Ashraf, M. U., & Alsubhi, K. (2021). EEG in game user analysis : A framework for expertise classification during gameplay. <https://doi.org/10.1371/journal.pone.0246913>
- Jiao, Y., Deng, Y., Luo, Y., & Lu, B. L. (2020). Driver sleepiness detection from EEG and EOG signals using GAN and LSTM networks. *Neurocomputing*, 408, 100–111. <https://doi.org/10.1016/j.neucom.2019.05.108>
- Jirayucharoensak, S., Pan-Ngum, S., & Israsena, P. (2014). EEG-Based Emotion Recognition Using Deep Learning Network with Principal Component Based Covariate Shift Adaptation. *The Scientific World Journal*, 2014(1), 627892. <https://doi.org/10.1155/2014/627892>
- Käthner, I., Halder, S., Hintermüller, C., Espinosa, A., Guger, C., Miralles, F., Vargiu, E., Dauwalder, S., Rafael-Palou, X., Solà, M., Daly, J. M., Armstrong, E., Martin, S., &

- Kübler, A. (2017). A multifunctional brain-computer interface intended for home use: An evaluation with healthy participants and potential end users with dry and gel-based electrodes. *Frontiers in Neuroscience*, 11(MAY). <https://doi.org/10.3389/FNINS.2017.00286>
- Kaur, B., Singh, D., & Roy, P. P. (2018). Eyes Open and Eyes Close Activity Recognition Using EEG Signals. *Communications in Computer and Information Science*, 801, 3–9. https://doi.org/10.1007/978-981-10-9059-2_1
- Ketu, S., & Mishra, P. K. (2022). Hybrid classification model for eye state detection using electroencephalogram signals. *Cognitive Neurodynamics*, 16(1), 73–90. <https://doi.org/10.1007/S11571-021-09678-X/METRICS>
- Khosla, A., Khandnor, P., & Chand, T. (2020). A comparative analysis of signal processing and classification methods for different applications based on EEG signals. *Biocybernetics and Biomedical Engineering*, 40(2), 649–690. <https://doi.org/10.1016/J.BBE.2020.02.002>
- Kim, H. (2022). Deep Learning. *Artificial Intelligence for 6G*, 22(4), 247–303. https://doi.org/10.1007/978-3-030-95041-5_6
- Lecun, Y., Bengio, Y., & Hinton, G. (2015). Deep Learning. *Nature*, 521(7553), 436–444.
- Liu, B., Chen, X., Chen, J., Zhang, D., Wang, Y., & Gao, X. (2023). BCI Controlled Robot Contest on the 50th Anniversary of Brain-Computer Interfaces. *Brain Science Advances*, 9(4), 237–241. <https://doi.org/10.26599/BSA.2023.9050022>
- Myrden, A., & Chau, T. (2017). A Passive EEG-BCI for Single-Trial Detection of Changes in Mental State. *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, 25(4), 345–356. <https://doi.org/10.1109/TNSRE.2016.2641956>
- Narejo, S., Pasero, E., & Kulsoom, F. (2016). EEG based eye state classification using deep belief network and stacked autoencoder. *International Journal of Electrical and Computer Engineering*, 6(6), 3131–3141. <https://doi.org/10.11591/ijece.v6i6.12967>
- Niedermeyer, E. (2011). *Electroencephalography: Basic Principles, Clinical ...* - Google Books. Lippincott Williams & Wilkins.
- Polat, K., & Güneş, S. (2007). Classification of epileptiform EEG using a hybrid system based on decision tree classifier and fast Fourier transform. *Applied Mathematics and Computation*, 187(2), 1017–1026. <https://doi.org/10.1016/J.AMC.2006.09.022>
- Rao, K. R., Kim, D. N., & Hwang, J.-J. (2010). *Fast Fourier Transform - Algorithms and Applications*. <https://doi.org/10.1007/978-1-4020-6629-0>
- Roesler, O. (2013). EEG Eye State. *UCI Machine Learning Repository*. <https://doi.org/10.24432/C57G7J>
- Saghafi, A., Tsokos, C. P., Goudarzi, M., & Farhidzadeh, H. (2017). Random eye state change detection in real-time using EEG signals. *Expert Systems with Applications*, 72, 42–48. <https://doi.org/10.1016/J.ESWA.2016.12.010>
- Sakhavi, S., Guan, C., & Yan, S. (2018a). Learning Temporal Information for Brain-

- Computer Interface Using Convolutional Neural Networks. *IEEE Transactions on Neural Networks and Learning Systems*, 29(11), 5619–5629. <https://doi.org/10.1109/TNNLS.2018.2789927>
- Sakhavi, S., Guan, C., & Yan, S. (2018b). Learning Temporal Information for Brain-Computer Interface Using Convolutional Neural Networks. *IEEE Transactions on Neural Networks and Learning Systems*, 29(11), 5619–5629. <https://doi.org/10.1109/TNNLS.2018.2789927>
- Shlens, J. (2017). A Tutorial on Principal Component Analysis. *ArXiv Preprint ArXiv:1404.1100*.
- Singh, K., & Malhotra, J. (2022). Two-layer LSTM network-based prediction of epileptic seizures using EEG spectral features. *Complex & Intelligent Systems*, 8(3), 2405–2418. <https://doi.org/10.1007/s40747-021-00627-z>
- Subha, D. P., Joseph, P. K., Acharya U, R., & Lim, C. M. (2010). EEG signal analysis: a survey. *Journal of Medical Systems*, 34(2), 195–212. <https://doi.org/10.1007/S10916-008-9231-Z/FIGURES/9>
- Sulaiman, N., Taib, M. N., Lias, S., Murat, Z. H., Aris, S. A. M., & Hamid, N. H. A. (2011). Novel methods for stress features identification using EEG signals. *International Journal of Simulation: Systems, Science and Technology*, 12(1), 27–33. <https://doi.org/10.5013/ijssst.a.12.01.04>
- Wang, Q., Zhao, D., Wang, Y., & Hou, X. (2019). Ensemble learning algorithm based on multi-parameters for sleep staging. *Medical and Biological Engineering and Computing*, 57(8), 1693–1707. <https://doi.org/10.1007/S11517-019-01978-Z/METRICS>
- Wang, Z., & Mengoni, P. (2022). Seizure classification with selected frequency bands and EEG montages: a Natural Language Processing approach. *Brain Informatics*, 9(1). <https://doi.org/10.1186/s40708-022-00159-3>
- Yeo, M. V. M., Li, X., Shen, K., & Wilder-Smith, E. P. V. (2009). Can SVM be used for automatic EEG detection of drowsiness during car driving? *Safety Science*, 47(1), 115–124. <https://doi.org/10.1016/J.SSCI.2008.01.007>
- Yu, T., Li, Y., Long, J., & Gu, Z. (2012). Surfing the internet with a BCI mouse. *Journal of Neural Engineering*, 9(3), 036012. <https://doi.org/10.1088/1741-2560/9/3/036012>
- Zhu, X., Wu, X., and Wang, Y. (2019). Data Preprocessing Techniques for Classification without Data Imbalance. *Machine Learning Research*.