

DAFTAR PUSTAKA

- Acocella, J. R., & Calhoun, J. F. (1990). Psikologi tentang penyesuaian dan hubungan kemanusiaan (Alih bahasa: Satmoko, RS). *IKIP Semarang*.
- AGI, A. G. I. (2010). *Geomatika Indonesia: Pengembangan dan Pemanfaatan Teknologi Geospasial*. Asosiasi Geomatika Indonesia.
- Ahmadi, M., López-Bao, J. V., & Kaboli, M. (2014). Spatial heterogeneity in human activities favors the persistence of wolves in agroecosystems. *PLoS One*, 9(9), e108080.
- Alikodra, H. S. (1990). Pengelolaan satwa liar jilid I, Departemen pendidikan dan Kebudayaan. *Dirjen Pendidikan Tinggi Pusat Antar Universitas Ilmu Hayat. Institut Pertanian Bogor*.
- Allen. (2009). Best practice baiting: Dispersal and seasonal movement of wild dogs (*Canis lupus familiaris*). In Technical highlights: Invasive plant and animal. *QLD Department of Employment, Eco- Nomic Development and Innovation, Brisbane*, 61–62.
- Allen, B. (2006). Urban Dingoes (*Canis lupus dingo* and Hybrids) and Human Hydatid Disease (*Echinococcus granulosus*) in Queensland, Australia. *Proceedings of the Vertebrate Pest Conference*, 22, 334–338. <https://doi.org/10.5070/v422110202>
- Allen, B. L., Carmelito, E., Amos, M., Goullet, M. S., Allen, L. R., Speed, J., Gentle, M., & Leung, L. K. P. (2016). Diet of dingoes and other wild dogs in peri-urban areas of north-eastern Australia. *Scientific Reports*, 6(September 2015), 1–8. <https://doi.org/10.1038/srep23028>
- Allen, B. L., Engeman, R. M., & Leung, L. K. (2014a). The short-term effects of a routine poisoning campaign on the movements and detectability of a social top-predator. *Environmental Science and Pollution Research*, 21, 2178–2190.
- Allen, B. L., Engeman, R. M., & Leung, L. K. P. (2014b). The short-term effects of a routine poisoning campaign on the movements and detectability of a social top-predator. *Environmental Science and Pollution Research*, 21(3), 2178–2190. <https://doi.org/10.1007/s11356-013-2118-7>
- Allen, B. L., Goullet, M., Allen, L. R., Lisle, A., & Leung, L. K.-P. (2013). Dingoes at the doorstep: preliminary data on the ecology of dingoes in urban areas. *Landscape and Urban Planning*, 119, 131–135.
- Allen, Goullet, M., Allen, L. R., Lisle, A., & Leung, L. K. P. (2013). Dingoes at the doorstep: Preliminary data on the ecology of dingoes in urban areas. *Landscape and Urban Planning*, 119, 131–135. <https://doi.org/10.1016/j.landurbplan.2013.07.008>

- Allen, L. R. (2010). Results of the wild dog movement and dispersal study. *Beefy and the Beast Newsletter March*.
- Appleby, R., Mackie, J., Smith, B., Bernede, L., & Jones, D. (2017). Human–dingo interactions on Fraser Island: an analysis of serious incident reports. *Australian Mammalogy*, 40(2), 146–156.
- Appleby, R., Mackie, J., Smith, B., Bernede, L., & Jones, D. (2018). Human-dingo interactions on Fraser Island: An analysis of serious incident reports. *Australian Mammalogy*, 40(2), 146–156. <https://doi.org/10.1071/AM16026>
- Ardalan, A., Kluetsch, C. F. C., Zhang, A. bing, Erdogan, M., Uhlén, M., Houshmand, M., Tepeli, C., Ashtiani, S. R. M., & Savolainen, P. (2011). Comprehensive study of mtDNA among Southwest Asian dogs contradicts independent domestication of wolf, but implies dog-wolf hybridization. *Ecology and Evolution*, 1(3), 373–385. <https://doi.org/10.1002/ece3.35>
- Austin, M. (2007). Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological Modelling*, 200(1–2), 1–19. <https://doi.org/10.1016/j.ecolmodel.2006.07.005>
- Ayecheew, B., & Tolcha, A. (2020). Assessment of Human-Wildlife Conflict in and Around Weyngus Forest, Dega Damot Woreda, West Gojjam Zone, Amhara Region, Ethiopia. *International Journal of Scientific Engineering and Science*, 4(9), 1–10. <http://ijses.com/>
- Badali, M., & Zilman, A. (2020). Effects of niche overlap on coexistence, fixation and invasion in a population of two interacting species. *Royal Society Open Science*, 7(2), 192181. <https://doi.org/10.1098/rsos.192181>
- Bailey, J. A. (1984). Principles of Wildlife Management. In *John Wiley & Sons. New York*. John Wiley & Sons.
- Bailey, R. E., Gogan, P., Mech, L. D., Nicotera, R. F., Hathaway, M., Radtke, R. E., Schad, D., & Siderits, K. (1992). *Recovery Plan for the Eastern Timber Wolf*.
- Baldwin, R. A. (2009). Use of maximum entropy modeling in wildlife research. *Entropy*, 11(4), 854–866.
- Bandeira De Melo, L. F., Lima Sábato, M. A., Vaz Magni, E. M., Young, R. J., & Coelho, C. M. (2007). Secret lives of maned wolves (*Chrysocyon brachyurus* Illiger 1815): As revealed by GPS tracking collars. *Journal of Zoology*, 271(1), 27–36. <https://doi.org/10.1111/j.1469-7998.2006.00176.x>
- Baskoro, T. (2008). *Persepsi dan Sikap Masyarakat Kota Jakarta Terhadap Fungsi Hutan di Daerah Hulu dalam Pengendalian Banjir di Daerah Hilir*.
- Basille, M., Calenge, C., Marboutin, É., Andersen, R., & Gaillard, J.-M. (2008). Assessing habitat selection using multivariate statistics: Some refinements of

the ecological-niche factor analysis. *Ecological Modelling*, 211(1), 233–240.
<https://doi.org/10.1016/j.ecolmodel.2007.09.006>

Bassi, E., Willis, S. G., Passilongo, D., Mattioli, L., & Apollonio, M. (2015). Predicting the spatial distribution of wolf (*Canis lupus*) breeding areas in a mountainous region of central Italy. *PLoS ONE*, 10(6), 1–14.
<https://doi.org/10.1371/journal.pone.0124698>

Becker, R. G., Paise, G., & Pizo, M. A. (2013). The structure of bird communities in areas revegetated after mining in southern Brazil. *Revista Brasileira de Ornitologia*, 21(4), 221–234.

Behrendorff, L., King, R., & Allen, B. L. (2023). Efficacy of Management Efforts to Reduce Food-Related Dingo–Human Interactions and Conflict on K’gari (Fraser Island), Australia. *Animals*, 13(2).
<https://doi.org/10.3390/ani13020204>

Behrendorff, L., Leung, L. K. P., McKinnon, A., Hanger, J., Belonje, G., Tapply, J., Jones, D., & Allen, B. L. (2016). Insects for breakfast and whales for dinner: The diet and body condition of dingoes on Fraser Island (K’gari). *Scientific Reports*, 6(September 2015), 1–12. <https://doi.org/10.1038/srep23469>

Bekoff, Marc. 1974. Social play in coyotes, wolves, and dogs. *BioScience* 24(4):225-230.

Bekoff, M. (1977). *Social Communication in Canids : Evidence for the Evolution of a Stereotyped Mammalian Display*. 197(4308), 1097–1099.
<https://www.jstor.org/stable/1744147> REFERENCES Linked

Benítez-López, A., Alkemade, R., Schipper, A. M., Ingram, D. J., Verweij, P. A., Eikelboom, J. A. J., & Huijbregts, M. A. J. (2017). The impact of hunting on tropical mammal and bird populations. *Science*, 356(6334), 180–183.
<https://doi.org/10.1126/science.aaj1891>

Berhanu, Y., Tassie, N., & Sintayehu, D. W. (2022). Heliyon Predicting the current and future suitable habitats for endemic and endangered Ethiopian wolf using MaxEnt model. *Heliyon*, 8(February), e10223.
<https://doi.org/10.1016/j.heliyon.2022.e10223>

Berkes, F., Colding, J., & Folke, C. (2000). Rediscovery of traditional ecological knowledge as adaptive management. *Ecological Applications*, 10, 1251–1262.

Bibi, S. S., Minhas, R. A., Awan, M. S., Ali, U., & Dar, N. I. (2013). Study of ethno-carnivore relationship in Dhirkot, Azad Jammu and Kashmir (Pakistan). *Journal of Animal and Plant Sciences*, 23(3), 854–859.

Bino. (1996). Notes on behaviour of New Guinea singing dogs (*Canis lupus dingo*). In *Science in New Guinea* (Vol. 22, Issue 1, pp. 43–47).

Bino, G., Dolev, A., Yosha, D., Guter, A., King, R., Saltz, D., & Kark, S. (2010).

- Abrupt spatial and numerical responses of overabundant foxes to a reduction in anthropogenic resources. *Journal of Applied Ecology*, 47(6), 1262–1271.
- Biology, N. V., & Naturalist, N. (2009). *Bald Eagle Predation on Harbor Seal Pups* Author (s): James L . Hayward Published by : Society for Northwestern Vertebrate Biology Stable URL : <https://www.jstor.org/stable/20628115> REFERENCES Linked references are available on JSTOR for this article : r. 90(1), 51–53.
- Bosso, L., Mucedda, M., Fichera, G., Kiefer, A., & Russo, D. (2016). A gap analysis for threatened bat populations on Sardinia. *Hystrix*, 27(2), 212.
- Boyce, M. S., & McDonald, L. L. (1999). Relating populations to habitats using resource selection functions. *Trends in Ecology & Evolution*, 14(7), 268–272. [https://doi.org/10.1016/S0169-5347\(99\)01593-1](https://doi.org/10.1016/S0169-5347(99)01593-1)
- Bradshaw, John W. S. and Nott, Helen M. R. 1995. Social and communication behaviour of companion dogs. Pp. 115 – 130 in *The Domestic Dog*, James Serpell, ed., Cambridge Univ. Press, Cambridge.
- Brashares, J. S. (2003). Ecological, behavioral, and life-history correlates of mammal extinctions in West Africa. *Conservation Biology*, 17(3), 733–743. <https://doi.org/10.1046/j.1523-1739.2003.01592.x>
- Bregman, T., Sekercioglu, C., & Tobias, J. A. (2014). Global patterns and predictors of bird species responses to forest fragmentation: implications for ecosystem function and conservation. *Biological Conservation*, 169, 372–383.
- Brillouin, L. (1956). *Science and information theory*. Courier Corporation.
- Brinkman, F. And D. Leipe. 2001. Phylogenetic Analysis. In: *Bioinformatics: A Practical Guide To The Analysis Of Gene And Protein*. Baxevanis, A.D. And B.F.F. Ouellette (Eds.). John Willey & Sons. Pp. 323 – 358.
- Brisbin, I. L., Coppinger, R. P., Feinstein, M. H., Austad, S. N., & Mayer, J. J. (1994). The New Guinea singing dog: taxonomy, captive studies and conservation priorities. *Science in New Guinea*, 20(1), 27–38.
- Brunner, H., & Triggs, B. (2002). *Hair ID: an interactive tool for identifying Australian mammalian hair*. CSIRO publishing.
- Bulmer, R. (1976). Selectivity in Hunting and in Disposal of Animal Bone by the Kalam of the New Guinea Highlands. In G. de G. Sieveking, I. Longworth, & K. Wilson (Eds.), *Problems in Economic and Social Archaeology*.
- Burt, W. H. (1943). Territoriality and Home Range Concepts as Applied to Mammals Author (s): William Henry Burt Published by : American Society of Mammalogists Stable URL : <https://www.jstor.org/stable/1374834> REFERENCES Linked references are available on JSTOR for this ar. *Journal of Mammalogy*, 24(3), 346–352.

- Butler, J. R. A., & du Toit, J. T. (2002). Diet of free-ranging domestic dogs (*Canis familiaris*) in rural Zimbabwe: Implications for wild scavengers on the periphery of wildlife reserves. *Animal Conservation*, 5(1), 29–37. <https://doi.org/10.1017/S136794300200104X>
- Cairns, K. M., Brown, S. K., Sacks, B. N., & Ballard, J. W. O. (2017). Conservation implications for dingoes from the maternal and paternal genome: Multiple populations, dog introgression, and demography. *Ecology and Evolution*, 7(22), 9787–9807. <https://doi.org/10.1002/ece3.3487>
- Cairns, K. M., Crowther, M. S., Nesbitt, B., & Letnic, M. (2021). The myth of wild dogs in Australia: are there any out there? *Australian Mammalogy*, 44(1), 67–75.
- Cairns, K. M., Crowther, M. S., Parker, H. G., Ostrander, E. A., & Letnic, M. (2023). Genome-wide variant analyses reveal new patterns of admixture and population structure in Australian dingoes. *Molecular Ecology*, 32, :4133–4150. <https://doi.org/DOI: 10.1111/mec.16998>
- Cairns, K. M., & Wilton, A. N. (2016). New insights on the history of canids in Oceania based on mitochondrial and nuclear data. *Genetica*, 144(5), 553–565. <https://doi.org/10.1007/s10709-016-9924-z>
- Calenge, C. (2023). *Home Range Estimation in R: the adehabitatHR Package* (0.4.21) [English]. <https://CRAN.R-project.org/package=adehabitatHR>
- Camenzind, F. J. (1978). *Behavioral ecology of coyotes (Canis latrans) on the National Elk Refuge, Jackson, Wyoming*. University of Wyoming.
- Capitani, C., Mattioli, L., Avanzinelli, E., Gazzola, A., Lamberti, P., Mauri, L., Scandura, M., Viviani, A., & Apollonio, M. (2006). Selection of rendezvous sites and reuse of pup raising areas among wolves *Canis lupus* of north-eastern Apennines, Italy. *Acta Theriologica*, 51, 395–404.
- Cardillo, M., Mace, G. M., Jones, K. E., Bielby, J., Bininda-Emonds, O. R. P., Sechrest, W., Orme, C. D. L., & Purvis, A. (2005). Multiple causes of high extinction risk in large mammal species. *Science (New York, N.Y.)*, 309(5738), 1239–1241. <https://doi.org/10.1126/science.1116030>
- Carr, GM and Macdonald, D. (1986). The sociality of solitary foragers: a model based on resource dispersion. *Animal Behaviour*, Elsevier, 34, 1540–1549.
- Carrão, H., Russo, S., Sepulcre-Canto, G., & Barbosa, P. (2016). An empirical standardized soil moisture index for agricultural drought assessment from remotely sensed data. *International Journal of Applied Earth Observation and Geoinformation*, 48, 74–84.
- Carrasco-Román, E., Medina, J. P., Salgado-Miranda, C., Soriano-Vargas, E., & Sánchez-Jasso, J. M. (2021). Contributions on the diet of free-ranging dogs (*Canis lupus familiaris*) in the Nevado de Toluca Flora and Fauna Protection

- Area, Estado de México, Mexico. *Revista Mexicana de Biodiversidad*, 92.
- Castellanos, A., Castellanos, F. X., Kays, R., & Brito, J. (2021). A pilot study on the home range and movement patterns of the Andean Fox *Lycalopex culpaeus* (Molina, 1782) in Cotopaxi National Park, Ecuador. *bioRxiv*, 2021.02.10.430628. <https://doi.org/10.1101/2021.02.10.430628>
- Cavalli-Sforza, L.L. 1997. Genes, Peoples And Languages. *Proc. Natl. Acad. Sci. Usa*. 94(15): 7719 – 7724.
- Chiaverini, L., Macdonald, D. W., Hearn, A. J., Kaszta, Ż., Ash, E., Bothwell, H. M., Can, Ö. E., Channa, P., Clements, G. R., Haidir, I. A., Kyaw, P. P., Moore, J. H., Rasphone, A., Tan, C. K. W., & Cushman, S. A. (2023). Not seeing the forest for the trees: Generalised linear model out-performs random forest in species distribution modelling for Southeast Asian felids. *Ecological Informatics*, 75, 102026. <https://doi.org/10.1016/j.ecoinf.2023.102026>
- Chirima, G. J., & Owen-Smith, N. (2017). Comparison of Kernel Density and Local Convex Hull Methods for Assessing Distribution Ranges of Large Mammalian Herbivores. *Transactions in GIS*, 21(2), 359–375. <https://doi.org/10.1111/tgis.12193>
- Chivers, D. J. (1974). The siamang in Malaya. A field study of a primate in tropical rain forest. *Contributions to Primatology*, 4, 1—335. <http://europepmc.org/abstract/MED/4474071>
- Ćirović, D., Penezić, A., & Krofel, M. (2016). Jackals as cleaners: Ecosystem services provided by a mesocarnivore in human-dominated landscapes. *Biological Conservation*, 199, 51–55.
- Ciucci, P., Boitani, L., Francisci, F., & Andreoli, G. (1997). Home range, activity and movements of a wolf pack in central Italy. *Journal of Zoology*, 243(4), 803–819.
- Ciucci, P., Masi, M., & Boitani, L. (2003). Winter habitat and travel route selection by wolves in the northern Apennines, Italy. *Ecography*, 26(2), 223–235.
- Chung, O.-S., & Lee, J. K. (2024). Assessing the Distribution and Richness of Mammalian Species Using a Stacking Species Distribution Model in a Temperate Forest. *Animals*, 14(5), 759. <https://doi.org/10.3390/ani14050759>
- Claridge, A. W., Mills, D. J., Hunt, R., Jenkins, D. J., & Bean, J. (2009). Satellite tracking of wild dogs in south-eastern mainland Australian forests: Implications for management of a problematic top-order carnivore. *Forest Ecology and Management*, 258(5), 814–822. <https://doi.org/10.1016/j.foreco.2009.05.030>
- Claridge, A. W., Spencer, R.-J., Wilton, A. N., Jenkins, D. J., Dall, D., Lapidge, S. J., Glen, A. S., & Dickman, C. R. (2014). When is a dingo not a dingo? Hybridisation with domestic dogs. *Carnivores of Australia: Past, Present and*

Future. Collingwood: CSIRO Publishing, 151–172.

- Cohen, J., & Fox, M. W. (1976). Vocalizations in wild canids and possible effects of domestication. *Behavioural Processes*, 1, 77–92.
- Colli, L., Milanesi, M., Talenti, A., Bertolini, F., Chen, M., Crisà, A., Daly, K. G., Del Corvo, M., Guldbrandtsen, B., Lenstra, J. A., Rosen, B. D., Vajana, E., Catillo, G., Joost, S., Nicolazzi, E. L., Rochat, E., Rothschild, M. F., Servin, B., Sonstegard, T. S., ... Stella, A. (2018). Genome-wide SNP profiling of worldwide goat populations reveals strong partitioning of diversity and highlights post-domestication migration routes. *Genetics Selection Evolution*, 50(1), 1–20. <https://doi.org/10.1186/s12711-018-0422-x>
- Collinge, N. C. (1993). *Introduction to primate behavior*.
- Corbett, L. K. (1988). Social dynamics of a captive dingo pack: population regulation by dominant female infanticide. *Ethology*, 78(3), 177–198.
- Corbett, L. K., & Newsome, A. E. (1975). *Dingo society and its maintenance: a preliminary analysis*. – In: Fox, M. W. (ed.), *The wild Canids – their systematic behavioral ecology and evolution*. Van Nostrand,. Division of Wildlife Research, Commonwealth Scientific & Industrial Research
- Corbin, J. (1990). *Basics of qualitative research grounded theory procedures and techniques*.
- Corsi, F., Duprè, E., & Boitani, L. (1999). A large-scale model of wolf distribution in Italy for conservation planning. *Conservation Biology*, 13(1), 150–159.
- Creel, S. (1997). Cooperative hunting and group size: assumptions and currencies. In *ANimal behaviour* (Vol. 54, Issue 5, pp. 1319–1324). Elsevier.
- Creswell, J. (1998). Qualitative inquiry and research design. *Choosing Among Five Traditions*.
- Curd, A., Chevalier, M., Vasquez, M., Boyé, A., Firth, L. B., Marzloff, M. P., Bricheno, L. M., Burrows, M. T., Bush, L. E., Cordier, C., Davies, A. J., Green, J. A. M., Hawkins, S. J., Lima, F. P., Meneghesso, C., Mieszkowska, N., Seabra, R., & Dubois, S. F. (2023). Applying landscape metrics to species distribution model predictions to characterize internal range structure and associated changes. *Global Change Biology*, 29(3), 631–647. <https://doi.org/10.1111/gcb.16496>
- Dalerum, F., Freire, S., Angerbjörn, A., Lecomte, N., Lindgren, Meijer, T., Pečnerová, P., & Dalén, L. (2018). Exploring the diet of arctic wolves (*Canis lupus arctos*) at their northern range limit. *Canadian Journal of Zoology*, 96(3), 277–281. <https://doi.org/10.1139/cjz-2017-0054>
- Danilov, P. I., Gursky, I. G., & Kudaktin, A. N. (1985). *Reproduction In The wolf* (D. I. Bibikov & I. Nauka (eds.)).

- Davidson, A., Hamilton, M., Boyer, A., Brown, J., & Ceballos, G. (2009). Multiple ecological pathways to extinction in mammals. *Proceedings of the National Academy of Sciences*, 106(10), 10702–10705.
- DeVis, C. (1911). A dog from British New Guinea. *Ann. Queensl. Mus*, 18, 201–217.
- de Almeida Jácomo, A. T., Kashivakura, C. K., Ferro, C., Furtado, M. M., Astete, S. P., Tôrres, N. M., Sollmann, R., & Silveira, L. (2009). Home range and spatial organization of maned wolves in the Brazilian grasslands. *Journal of Mammalogy*, 90(1), 150–157.
- de Knecht, H. J., van Langevelde, F., Skidmore, A. K., Delsink, A., Slotow, R., Henley, S., Bucini, G., de Boer, W. F., Coughenour, M. B., Grant, C. C., Heitkönig, I. M. A., Henley, M., Knox, N. M., Kohi, E. M., Mwakiwa, E., Page, B. R., Peel, M., Pretorius, Y., van Wieren, S. E., & Prins, H. H. T. (2011). The spatial scaling of habitat selection by African elephants. *Journal of Animal Ecology*, 80(1), 270–281. <https://doi.org/10.1111/j.1365-2656.2010.01764.x>
- De Merode, E., Hillman-Smith, K., Nicholas, A., Ndey, A., & Likango, M. (2000). The spatial correlates of wildlife distribution around Garamba National Park, Democratic Republic of Congo. *International Journal of Remote Sensing*, 21(13–14), 2665–2683. <https://doi.org/10.1080/01431160050110223>
- de Oliveira, G. L., Viana-Junior, A. B., Trindade, P. H. S., dos Santos, I. R., de Almeida-Maués, P. C. R., Carvalho, F. G., Silva, D. P., Wiig, Ø., Sena, L., & Mendes-Oliveira, A. C. (2023). Wild canids and the ecological traps facing the climate change and deforestation in the Amazon Forest. *Ecology and Evolution*, 13(6), e10150. <https://doi.org/10.1002/ece3.10150>
- Dickman, A. J. (2010). Complexities of conflict: The importance of considering social factors for effectively resolving human–wildlife conflict. *Animal Conservation*, 13(5), 458–466. <https://doi.org/10.1111/j.1469-1795.2010.00368.x>
- Diegues, A. (2019). Traditional knowledge and practices: an ethnoconservation approach. *Desenvolvimento e Meio Ambiente*, 50, 116–126.
- Dolgener, N., Freudenberger, L., Schluck, M., Schneeweiss, N., Ibsch, P. L., & Tiedemann, R. (2014). Environmental niche factor analysis (ENFA) relates environmental parameters to abundance and genetic diversity in an endangered amphibian, the fire-bellied-toad (*Bombina bombina*). *Conservation Genetics*, 15(1), 11–21. <https://doi.org/10.1007/s10592-013-0517-4>
- Doncaster, C. P., & Macdonald, D. W. (1992). Optimum group size for defending heterogeneous distributions of resources: a model applied to red foxes, *Vulpes vulpes*, in Oxford city. *Journal of Theoretical Biology*, 159(2), 189–198.

- Duan, R.-Y., Kong, X.-Q., Huang, M.-Y., Fan, W.-Y., & Wang, Z.-G. (2014). The predictive performance and stability of six species distribution models. *PLoS ONE*, 9(11). <https://doi.org/10.1371/journal.pone.0112764>
- Dundes, A. (1962). From Etic to Emic Units in the Structural Study of Folktales. *The Journal of American Folklore*, 75(296), 95. <https://doi.org/10.2307/538171>
- Dutta, A., Lal, N., Naaz, M., Ghosh, A., & Verma, R. (2014). Ethnological and thno-medicinal importance of *Aegle marmelos* (L.) Corr (Bael) among indigenous people of India. *American Journal of Ethnomedicine*, 1(5), 290-312.
- Dwyer, P. D., & Minnegal, M. (2016). *This is the authors ' post-print PDF version*. 38, 1–11. <https://doi.org/10.1071/AM15011>
- Earl, D. A., & vonHoldt, B. M. (2012). STRUCTURE HARVESTER: A website and program for visualizing STRUCTURE output and implementing the Evanno method. *Conservation Genetics Resources*, 4(2), 359–361. <https://doi.org/10.1007/s12686-011-9548-7>
- Eckrich, C. A., Albeke, S. E., Flaherty, E. A., Bowyer, R. T., & Ben-David, M. (2020). rKIN: Kernel-based method for estimating isotopic niche size and overlap. *Journal of Animal Ecology*, 89(3), 757–771. <https://doi.org/10.1111/1365-2656.13159>
- Efendi, N., Frinaldi, A., Lanin, D., Umar, G., & Gusman, M. (2023). Pertambangan Emas Tanpa Izin (Peti): Dampak Lingkungan, Sosial Dan Ekonomi Serta Peranan Hukum Lingkungan. *Jurnal Ilmiah Multidisiplin Nusantara (JIMNU)*, 1(3), 123–128.
- Eldridge, S. R., Shakeshaft, B. J., & Nano, T. J. (2002). The impact of wild dog control on cattle, native and introduced herbivores and introduced predators in central Australia. *Springs, December*.
- Elith*, J., H. Graham*, C., P. Anderson, R., Dudík, M., Ferrier, S., Guisan, A., J. Hijmans, R., Huettmann, F., R. Leathwick, J., & Lehmann, A. (2006). Novel methods improve prediction of species' distributions from occurrence data. *Ecography*, 29(2), 129–151.
- Elith, J., & Leathwick, J. R. (2009). Species Distribution Models: Ecological Explanation and Prediction Across Space and Time. In *Annual Review of Ecology, Evolution, and Systematics* (Vol. 40, Issue Volume 40, 2009, pp. 677–697). Annual Reviews. <https://doi.org/10.1146/annurev.ecolsys.110308.120159>
- Elith, J., & Franklin, J. (2013). Species Distribution Modeling. In *Encyclopedia of Biodiversity* (Second Edition, Vol. 6, pp. 692–705). Elsevier. <https://doi.org/10.1016/B978-0-12-384719-5.00318-X>

- Elledge, A. E., Allen, L. R., Carlsson, B. L., Wilton, A. N., & Leung, L. K. P. (2008). An evaluation of genetic analyses, skull morphology and visual appearance for assessing dingo purity: Implications for dingo conservation. *Wildlife Research*, 35(8), 812–820. <https://doi.org/10.1071/WR07056>
- Eriksen, A., Wabakken, P., Zimmermann, B., Andreassen, H. P., Arnemo, J. M., Gundersen, H., Milner, J. M., Liberg, O., Linnell, J., & Pedersen, H. C. (2009). Encounter frequencies between GPS-collared wolves (*Canis lupus*) and moose (*Alces alces*) in a Scandinavian wolf territory. *Ecological Research*, 24, 547–557.
- Estabrook, G. 1984. Phylogenetic Trees And Character-State Trees. In: *Perspectives On The Reconstruction Evolutionary History Cladistics*. Duncan, T. And T. Stuessy (Eds.). Columbia University Press. Pp. 135 – 151.
- Fagen, Robert. 1981. Animal Play Behaviour. Oxford Univ. Press. NY.
- Falcucci, A., Maiorano, L., Tempio, G., Boitani, L., & Ciucci, P. (2013). Modeling the potential distribution for a range-expanding species: Wolf recolonization of the Alpine range. *Biological Conservation*, 158, 63–72. <https://doi.org/10.1016/j.biocon.2012.08.029>
- Fedriani, J. M., Fuller, T. K., & Sauvajot, R. M. (2001). Does availability of anthropogenic food enhance densities of omnivorous mammals? An example with coyotes in southern California. *Ecography*, 24(3), 325–331.
- Flamholtz, C. J. A celebration of rare breeds. Vol II. Centerville, Ala: OTR Publications, 1991.
- Flannery, T. (1995). *Mammals of New Guinea*. 2nd edn. Cornell University Press.
- Fleming, P., Corbett, L., Harden, R., & Thomson, P. (2001). Managing the impact of Dingoes and other Wild Dogs. *Bureau of Rural Science: Canberra*.
- Fleming, P., Corbett, L., Harden, R., & Thomson, P. (2001). *Managing the Impacts of Dingoes and Other Wild Dogs* (M. Bomford (ed.); Issue January 2001). Bureau of Rural Sciences. <http://www.affa.gov.au/outputs/ruralscience.html%0AAFFA>
- Fleming, P. J. S., Allen, B. L., Ballard, G., & Allen, L. R. (2012). Wild dog ecology, impacts and management in northern Australian cattle enterprises: a review with recommendations for R, D & E investments. *Meat and Livestock Australia, Sydney*.
- Fletcher, R., & Fortin, M.-J. (2018). *Spatial Ecology and Conservation Modeling: Applications with R*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-01989-1>
- Fogg, B. R., Howe, N., & Pierotti, R. (2015). Relationships between Indigenous American Peoples and Wolves 1: Wolves as Teachers and Guides. *Journal of*

- Ethnobiology*, 35(2), 262–285. <https://doi.org/10.2993/etbi-35-02-262-285.1>
- Forman, R. T. T., & Alexander, L. E. (1998). Roads and their major ecological effects. *Annual Review of Ecology and Systematics*, 29(1), 207–231.
- Fox, Michael W. 1969. Ontogeny of prey-killing behaviour in Canidae. *Behavior*. XXXV, pp. 260 – 272.
- Fox, Michael W. 1978. *The Dog: Its Domestication and Behaviour*. Krieger Publ. Co. Malabar, FL.
- Franklin, J., & Miller, J. A. (2009). *Mapping species distributions: Spatial inference and prediction*. Cambridge University Press.
- Franklin, J. (2010). *Mapping species distributions: spatial inference and prediction*. Cambridge University Press.
- Fu, Y. (1997). Statistical Tests of Neutrality of Mutations Against Population Growth, Hitchhiking and Background Selection. *The Genetics Society of America*.
- Fu, Y. X., & Li, W. H. (1993). Statistical tests of neutrality of mutations. *Genetics*, 133(3), 693–709. <https://doi.org/10.1093/genetics/133.3.693>
- Fuller, T. K., Mech, L. D., & Cochrane, J. F. (2003). Wolf Population Dynamics. In *Nature*. published in *Wolves: Behavior, Ecology, and Conservation*, edited by L. David Mech and Luigi Boitani (Chicago & London: University of Chicago Press, 2003). <https://doi.org/10.1038/272091a0>
- Fumio, T. (1989). Statistical Method for Testing the Neutral Mutation Hypothesis by DNA Polymorphism. *The Genetics Society of America*.
- Gabor, L., Cohen, J., & Jetz, W. (2023). Assessing the impact of binary land cover variables on species distribution models: A North American study on water birds. *bioRxiv*, 2023.07.31.551237. <https://doi.org/10.1101/2023.07.31.551237>
- Gabriele-Rivet, V., Arsenault, J., Brookes, V. J., Fleming, P. J. S., Nury, C., & Ward, M. P. (2020). Dingo density estimates and movements in equatorial australia: Spatially explicit mark–resight models. *Animals*, 10(5). <https://doi.org/10.3390/ani10050865>
- Gehring, T. M. (1995). *Winter wolf movement in northwestern Wisconsin and east-central Minnesota: a quantitative approach*. University of Wisconsin--Stevens Point.
- Getz, W. M., Fortmann-Roe, S., Cross, P. C., Lyons, A. J., Ryan, S. J., & Wilmer, C. C. (2007). LoCoH: Nonparametric Kernel Methods for Constructing Home Ranges and Utilization Distributions. *PLoS ONE*, 2(2), e207. <https://doi.org/10.1371/journal.pone.0000207>

- Gilbert-Norton, L. B., Wilson, R. R., & Shivik, J. A. (2013). The Effect of Social Hierarchy on Captive Coyote (*Canis latrans*) Foraging Behavior. *Ethology*, 119(4), 335–343. <https://doi.org/10.1111/eth.12070>
- Gitzen, R. A., Millspaugh, J. J., & Kernohan, B. J. (2006). Bandwidth Selection for Fixed-Kernel Analysis of Animal Utilization Distributions. *Journal of Wildlife Management*, 70(5), 1334–1344. [https://doi.org/10.2193/0022-541x\(2006\)70\[1334:bsffao\]2.0.co;2](https://doi.org/10.2193/0022-541x(2006)70[1334:bsffao]2.0.co;2)
- Glen, A. S., & Dickman, C. R. (2006). Diet of the spotted-tailed quoll (*Dasyurus maculatus*) in eastern Australia: effects of season, sex and size. *Journal of Zoology*, 269(2), 241–248.
- Godvik, I. M. R., Loe, L. E., Vik, J. O., Veiberg, V., Langvatn, R., & Mysterud, A. (2009). Temporal Scales, Trade-offs, and Functional Responses in Red Deer Habitat Selection. *Ecology*, 90(3), 699–710. <https://www.jstor.org/stable/27651033> Temporal scales , trade-offs , and functional resp
- Goljani Amirkhiz, R., Frey, J. K., Cain, J. W., Breck, S. W., & Bergman, D. L. (2018). Predicting spatial factors associated with cattle depredations by the Mexican wolf (*Canis lupus baileyi*) with recommendations for depredation risk modeling. *Biological Conservation*, 224(January), 327–335. <https://doi.org/10.1016/j.biocon.2018.06.013>
- Goodman, Patricia A. and Klinghammer, Erich. 1990. Wolf Ethogram. N. Am. Wildlife Park Foundation, Battle Ground, IN. 31pp.
- Gottelli, D., & Sillero-Zubiri, C. (1992). The Ethiopian wolf – an endangered endemic canid. *Oryx*, 26(4), 205–214. <https://doi.org/10.1017/S0030605300023735>
- Guisan, A., & Zimmermann, N. E. (2000). Predictive habitat distribution models in ecology. *Ecological Modelling*, 135(2–3), 147–186.
- Guisan, A., Edwards, T. C., & Hastie, T. (2002). Generalized linear and generalized additive models in studies of species distributions: Setting the scene. *Ecological Modelling*, 157(2–3), 89–100. [https://doi.org/10.1016/S0304-3800\(02\)00204-1](https://doi.org/10.1016/S0304-3800(02)00204-1)
- Guisan, A., & Thuiller, W. (2005). Predicting species distribution: Offering more than simple habitat models. *Ecology Letters*, 8(9), 993–1009. <https://doi.org/10.1111/j.1461-0248.2005.00792.x>
- Guisan, A., Thuiller, W., & Zimmermann, N. (2017). *Habitat Suitability and Distribution Models with Applications in R*. Cambridge University Press.
- Gurarie, E., Suutarinen, J., Kojola, I., & Ovaskainen, O. (2011). Summer movements, predation and habitat use of wolves in human modified boreal forests. *Oecologia*, 165, 891–903.

- Haidt, A., Gawryś, R., & Szewczyk, M. (2021). Human Decision-Making as a Key Factor in the Risk of Wolf–Dog Interactions during Outdoor Activities. *Animals*, 11(9), 2497. <https://doi.org/10.3390/ani11092497>
- Hall, L. S., Krausman, P. R., Morrison, M. L., Hall, L. S., Krausman, P. R., & Morrison, M. L. (1997). The Habitat Concept and a Plea for Standard Terminology Linked references are available on JSTOR for this article : The habitat concept and a plea for standard terminology. *Wildlife Society Bulletin (1973-2006)*, 25(1), 173–182.
- Harden, R. H. (1985). The ecology of the dingo in north-eastern New South Wales I. Movements and home range. *Wildlife Research*, 12(1), 25–37.
- Harihanto. (2001). *Persepsi, Sikap, dan Perilaku Masyarakat terhadap Air Sungai*. Institut Pertanian Bogor, Bogor.
- Harris, S., Cresswell, W. J., Forde, P. G., Trehwella, W. J., Woollard, T., & Wray, S. (1990). Home-range analysis using radio-tracking data—a review of problems and techniques particularly as applied to the study of mammals. *Mammal review*, 20(2-3), 97-123.
- Hearn, A. J., Cushman, S. A., Ross, J., Goossens, B., Hunter, L. T. B., & Macdonald, D. W. (2018). Spatio-temporal ecology of sympatric felids on Borneo. Evidence for resource partitioning? *PLoS ONE*, 13(7), 1–25. <https://doi.org/10.1371/journal.pone.0200828>
- Hebblewhite, M., Merrill, E. H., & McDonald, T. L. (2005). Spatial decomposition of predation risk using resource selection functions: an example in a wolf–elk predator–prey system. *Oikos*, 111(1), 101–111.
- Heider, K. (1970). *The Dugum Dani. A Papuan Culture in Highlands of West New Guinea.*, New York. Wenner-Gren Foundation for Antropological Research, Incorporated.
- Hemson, G., Johnson, P., South, A., Kenward, R., Ripley, R., & McDonald, D. (2005). Are kernels the mustard? Data from global positioning system (GPS) collars suggests problems for kernel home-range analyses with least-squares cross-validation. *Journal of Animal Ecology*, 74(3), 455–463. <https://doi.org/10.1111/j.1365-2656.2005.00944.x>
- Hendricks, S. A., Sesink Clee, P. R., Harrigan, R. J., Pollinger, J. P., Freedman, A. H., Callas, R., Figura, P. J., & Wayne, R. K. (2016). Re-defining historical geographic range in species with sparse records: Implications for the Mexican wolf reintroduction program. *Biological Conservation*, 194, 48–57. <https://doi.org/10.1016/j.biocon.2015.11.027>
- Hirzel, A. H., Hausser, J., Chessel, D., & Perrin, N. (2002). Ecological-Niche Factor Analysis: How To Compute Habitat-Suitability Maps Without Absence Data? *Ecology*, 83(7), 2027–2036. <https://doi.org/10.1890/0012->

9658(2002)083[2027:ENFAHT]2.0.CO;2

- Hirzel, A. H., & Le Lay, G. (2008). Habitat suitability modelling and niche theory. *Journal of Applied Ecology*, 45(5), 1372–1381.
- Hope, J. (1976). *Fauna. In The equatorial glaciers of New Guinea*. A. A. Balkems.
- Houle, M., Fortin, D., Dussault, C., Courtois, R., & Ouellet, J. P. (2010). Cumulative effects of forestry on habitat use by gray wolf (*Canis lupus*) in the boreal forest. *Landscape Ecology*, 25(3), 419–433. <https://doi.org/10.1007/s10980-009-9420-2>
- Hovick, T. J., Elmore, R. D., Dahlgren, D. K., Fuhlendorf, S. D., & Engle, D. M. (2014). REVIEW: Evidence of negative effects of anthropogenic structures on wildlife: a review of grouse survival and behaviour. *Journal of Applied Ecology*, 51(6), 1680–1689. <https://doi.org/10.1111/1365-2664.12331>
- Hunt, E. D., Hubbard, K. G., Wilhite, D. A., Arkebauer, T. J., & Dutcher, A. L. (2009). The development and evaluation of a soil moisture index. *International Journal of Climatology: A Journal of the Royal Meteorological Society*, 29(5), 747–759.
- Hutchinson, G. E. (1957). Concluding Remarks. *Cold Spring Harbor Symposia on Quantitative Biology*, 22(0), 415–427. <https://doi.org/10.1101/SQB.1957.022.01.039>
- Ihalauw, J. (2008). *Theory Construction: Components and Process*. Jakarta: Grasindo.
- Introna, L. (2017). Phenomenological Approaches to Ethics and Information Technology. In E. N. Zalta (Ed.), *The Stanford Encyclopedia of Philosophy* ((Fall 2017)).
- Isaksson, C. (2018). Impact of Urbanization on Birds. In D. T. Tietze (Ed.), *Bird Species: How They Arise, Modify and Vanish* (pp. 235–257). Springer International Publishing.
- Iskandar. (2008). Keberhasilan Reklamasi Lahan Bekas Tambang untuk Tujuan Revegetasi. *Pertemuan Teknis Lingkungan Dan Penyerahaan Penghargaan Lingkungan Pertambangan Ditjen Minerba Pabum*.
- James, A. R. C. (1999). *Effects of industrial development on the predator-prey relationship between wolves and caribou in northeastern Alberta*.
- James, A. R. C., & Stuart-Smith, A. K. (2000). Distribution of caribou and wolves in relation to linear corridors. *The Journal of Wildlife Management*, 154–159.
- Jaya, I. (2006). Teknik-teknik pemodelan spasial dalam pengelolaan sumberdaya alam dan lingkungan. *Laboratorium Inventarisasi Sumberdaya Hutan. Bogor: Departemen Manajemen Hutan IPB*.

- Jenks, K. E., Songsasen, N., Kanchanasaka, B., Leimgruber, P., & Fuller, T. K. (2014). Local people's attitudes and perceptions of dholes (*Cuon alpinus*) around protected areas in southeastern Thailand. *Tropical Conservation Science*, 7(4), 765–780. <https://doi.org/10.1177/194008291400700413>
- Jędrzejewska, B., Jędrzejewski, W., Bunevich, A. N., Minkowski, L., & Okarma, H. (1996). Population dynamics of Wolves *Canis lupus* in Białowieża Primeval Forest (Poland and Belarus) in relation to hunting by humans, 1847–1993. *Mammal Review*, 26(2-3), 103–126.
- Jeong, W., Kim, D. H., Yoon, H., Kim, H. J., Kang, Y. M., Moon, O. K., Choi, J. D., Park, H., & Cho, H. (2017). Home range differences by habitat type of raccoon dogs *Nyctereutes procyonoides* (Carnivora: Canidae). *Journal of Asia-Pacific Biodiversity*, 10(3), 349–354.
- Jewel, P. (1966). *The concept of home-range in mammals*. 18, 85–109.
- Jiménez, J., Cara, D., García-Dominguez, F., & Barasona, J. A. (2023). Estimating wolf (*Canis lupus*) densities using video camera traps and spatial capture–recapture analysis. *Ecosphere*, 14(7), 1–14. <https://doi.org/10.1002/ecs2.4604>
- Johns, R. (2006). *guide to the alpine and subalpine flora of Mount Jaya*. Royal Botanic Gardens, Kew.
- Johnson, H. E., Lewis, D. L., Lischka, S. A., & Breck, S. W. (2018). Assessing ecological and social outcomes of a bear-proofing experiment. *Journal of Wildlife Management*, 82(6), 1102–1114. <https://doi.org/10.1002/jwmg.21472>
- Juarez, K. M., & Marinho-Filho, J. (2002). Diet, habitat use, and home ranges of sympatric canids in central Brazil. *Journal of Mammalogy*, 83(4), 925–933.
- Juntti, T. M., & Rumble, M. A. (2006). *Arc Habitat Suitability Index Computer Software*. Google Books. https://books.google.co.id/books?hl=en&lr=&id=XLdXshr_RP4C&oi=fnd&pg=PA1&dq=Juntti,+Thomas+M,+Rumble,+Mark+A.+2006.+Arc+Habitat+Suitability+Index+Computer+Software.+Gen+Tech.+Rep.+RMRS-GTR-180WWW.+Ft.+Collins,+CO:+U.S+Department+of+Agriculture,+Forest+Se
- Kabir, M., Hameed, S., Ali, H., Bosso, L., Din, J. U., Bischof, R., Redpath, S., & Nawaz, M. A. (2017). Habitat suitability and movement corridors of Pakistan. *PLoS ONE*, 12(11), e0187027.
- Kafiar, F. P. (2013). *KEARIFAN LOKAL SUKU AMUNGME DALAM PENGELOLAAN SUMBER DAYA ALAM DAN LINGKUNGAN DI KABUPATEN MIMIKA PAPUA*. V(1), 35–43.
- Karanth, K. U., & Sunquist, M. E. (1995). Prey selection by tiger, leopard and dhole in tropical forests. *Journal of Animal Ecology*, 439–450.

- Kardos, M., Armstrong, E. E., Fitzpatrick, S. W., Hauser, S., Hedrick, P. W., Miller, J. M., Tallmon, D. A., & Funk, W. C. (2021). The crucial role of genome-wide genetic variation in conservation. *Proceedings of the National Academy of Sciences*, 118(48), e2104642118. <https://doi.org/10.1073/pnas.2104642118>
- Keinath, D. A., Doak, D. F., Hodges, K. E., Prugh, L. R., Fagan, W., Sekercioglu, C. H., Buchart, S. H. M., & Kauffman, M. (2017). A global analysis of traits predicting species sensitivity to habitat fragmentation. *Global Ecology and Biogeography*, 26(1), 115–127. <https://doi.org/10.1111/geb.12509>
- Kelbessa, W. (2010). *Indigenous and Modern Environmental Ethics: A Study of the Indigenous Oromo Environmental Ethic and Modern Issues of Environment and Development*. The Council for Research in Values and Philosophy, USA.
- Keraf, A. S. (2002). *Etika lingkungan hidup*. Penerbit Buku Kompas.
- Kernohan, B. J., Millsaugh, J. J., Jenks, J. A., & Naugle, D. E. (1998). Use of an adaptive kernel home-range estimator in a GIS environment to calculate habitat use. *Journal of Environmental Management*, 53(1), 83–89. <https://doi.org/10.1006/jema.1998.0198>
- Kernohan, B. J., Gitzen, R. A., & Millsaugh, J. J. (2001). Analysis of Animal Space Use and Movements. In *Radio Tracking and Animal Populations* (pp. 125–166). Elsevier. <https://doi.org/10.1016/B978-012497781-5/50006-2>
- King, H. D. (1939). Life processes in gray Norway rats during fourteen years in captivity. *American Anatomical Memoirs*, 17, 1–72.
- Kleiman, Devra G. 1967. Some aspects of social behavior in the Canidae. *Am. Zool.* 7:365-372.
- Koentjaraningrat, K. (1981). *Kebudayaan, mentalitas dan pembangunan [Culture, mentality and development]*. Jakarta: Gramedia.
- Kohn, B. E., Frair, J. L., Unger, D. E., Gehring, T. M., Shelley, D. P., Anderson, E. M., & Keenlance, P. W. (2000). Impacts of the US highway expansion project on wolves in north-western Wisconsin—final report. *Wisconsin Department of Natural Resources, Wisconsin*.
- Koler-Matznick, J., BC, Y., S, B., & Brisbin, I. L. J. (2007). The New Guinea singing dog: its status and scientific importance. *CSIRO*, 29, 47–56. <http://www.publish.csiro.au/AM/AM07005>
- Koler-matznick, J., Brisbin, I. L., & Feinstein, M. (2005). *An Ethogram for the New Guinea Singing (Wild) Dog (Canis hallstromi)*. 1–49.
- Koler-Matznick, J., Brisbin, I. L., Feinstein, M., & Bulmer, S. (2003). An updated description of the New Guinea singing dog (*Canis hallstromi*, Troughton 1957). *Journal of Zoology*, 261(2), 109–118. <https://doi.org/10.1017/S0952836903004060>

- Koler-Matznick, J., Brisbin, I., & McIntyre, J. K. (2000). The New Guinea singing dog: a living primitive dog. *BAR International Series TEMPUS REPARATSM*, 889, 239–250.
- Kushwaha, S. P. S., Khan, A., Habib, B., Quadri, A., & Singh, A. (2004). Evaluation of sambar and muntjak habitats using geostatistical modelling. *Current Science*, 1390–1400.
- Kyriazis, C. C., Wayne, R. K., & Lohmueller, K. E. (2021). Strongly deleterious mutations are a primary determinant of extinction risk due to inbreeding depression. *Evolution Letters*, 5(1), 33–47. <https://doi.org/10.1002/evl3.209>
- Lacy, R. C. (1993). Impacts of Inbreeding in Natural and Captive Populations of Vertebrates: Implications for Conservation. *Perspectives in Biology and Medicine*, 36(3), 480–496. <https://doi.org/10.1353/pbm.1993.0081>
- Lande, R. (1998). Anthropogenic, ecological and genetic factors in extinction and conservation. *Population Ecology*, 40(3), 259–269. <https://doi.org/10.1007/BF02763457>
- Lanszki, J., Schally, G., Heltai, M., & Ranc, N. (2018). Golden jackal expansion in Europe: First telemetry evidence of a natal dispersal. *Mammalian Biology*, 88, 81–84.
- Laurian, C., Dussault, C., OUELLET, J., Courtois, R., Poulin, M., & Breton, L. (2008). Behavior of moose relative to a road network. *The Journal of Wildlife Management*, 72(7), 1550–1557.
- Lecis, R., & Norris, K. (2004). Habitat correlates of distribution and local population decline of the endemic Sardinian newt *Euproctus platycephalus*. *Biological Conservation*, 115(2), 303–317. [https://doi.org/10.1016/S0006-3207\(03\)00149-6](https://doi.org/10.1016/S0006-3207(03)00149-6)
- LeFlore, E. G., Fuller, T. K., Finn, J. T., DeStefano, S., & Organ, J. F. (2019). Wild Canid Distribution and Co-existence in a Natural–Urban Matrix of the Pioneer Valley of Western Massachusetts. *Northeastern Naturalist*, 26(2), 325. <https://doi.org/10.1656/045.026.0208>
- Lewis, J. S., Farnsworth, M. L., Burdett, C. L., Theobald, D. M., Gray, M., & Miller, R. S. (2017). Biotic and abiotic factors predicting the global distribution and population density of an invasive large mammal. *Scientific Reports*, 7(1), 44152. <https://doi.org/10.1038/srep44152>
- Li, S., D. Pearl And H. Doss. 1999. *Phylogenetic Tree Construction Using Markov Chain Monte Carlo*. Fred Hutchinson Cancer Research Center Washington.
- Librado, P., & Rozas, J. (2009). DnaSP v5: a software for comprehensive analysis of DNA polymorphism data. *Bioinformatics*, 25(11), 1451–1452.
- Lichti, N. I., & Swihart, R. K. (2011). Estimating utilization distributions with

- kernel versus local convex hull methods. *The Journal of Wildlife Management*, 75(2), 413–422. <https://doi.org/10.1002/jwmg.48>
- Lindsey, P. A., Du Toit, J. T., & Mills, M. G. L. (2005). Attitudes of ranchers towards African wild dogs *Lycaon pictus*: conservation implications on private land. *Biological Conservation*, 125(1), 113–121.
- Linkie, M., & Ridout, M. S. (2011). Assessing tiger–prey interactions in Sumatran rainforests. *Journal of Zoology*, 284(3), 224–229.
- Lipscomb, D. 1998. *Basics Of Cladistic Analysis. Student Guide Paper*. George Washington University
- Liu, X., Toxopeus, A. G., Skidmore, A. K., Shao, X., Dang, G., Wang, T., & Prins, H. H. T. (2005). Giant panda habitat selection in foping nature reserve, China. *The Journal of Wildlife Management*, 69(4), 1623–1632.
- Longman, H. A. (1928). Notes on the dingo, the Indian wild dog, and the Papuan dog. *Mem. Queensl. Mus*, 9, 151–157.
- Lwin, Y. H., Wang, L., Li, G., Maung, K. W., Swa, K., & Quan, R.-C. (2021). Diversity, distribution and conservation of large mammals in northern Myanmar. *Global Ecology and Conservation*, 29, e01736. <https://doi.org/10.1016/j.gecco.2021.e01736>
- Lynam, A. J., Jenks, K. E., Tantipisanuh, N., Chutipong, W., Ngoprasert, D., Gale, G. A., Steinmetz, R., Sukmasuang, R., Bhumpakphan, N., Grassman, L. I., Cutter, P., Kitamura, S., Reed, D. H., Baker, M. C., Mcshea, W., Songsasen, N., & Leimgruber, P. (2013). Terrestrial activity patterns of wild cats from camera-trapping. *Raffles Bulletin of Zoology*, 61(1), 407–415.
- Lynch, M., Conery, J., & Burger, R. (1995). Mutation Accumulation and the Extinction of Small Populations. *The American Naturalist*, 146(4), 489–518. <https://doi.org/10.1086/285812>
- MacDonald, D. W. (1983). The ecology of carnivore social behaviour. *Nature*, 301(5899), 379–384. <https://doi.org/10.1038/301379a0>
- Major, R. (2009). Predation and hybridisation by feral dogs (*Canis lupus familiaris*)-Key threatening process listing. *New South Wales Department of Environment, Climate Change, and Water*.
- Mampiooper, A. (2000). *Amungme: Manusia Utama dari Namengkawi Pegunungan Carstensz*. PT. Freeport Indonesia.
- Manly, B. F., McDonald, L., Thomas, D. L., McDonald, T. L., & Erickson, W. P. (2002). *Resource Selection by Animals _Statistical Design and Analysis for Field Studies* (Second Edition). Kluwer Academic Publishers.
- Măntoiu, D. Ș., Mirea, I. C., Șandric, I. C., Cișlariu, A. G., Gherghel, I., Constantin, S., & Moldovan, O. T. (2022). Bat dynamics modelling as a tool for

- conservation management in subterranean environments. *PLOS ONE*, 17(10), e0275984. <https://doi.org/10.1371/journal.pone.0275984>
- Massolo, A., & Meriggi, A. (1998). Factors affecting habitat occupancy by wolves in northern Apennines (northern Italy): A model of habitat suitability. In *Ecography* (Vol. 21, Issue 2, pp. 97–107). <https://doi.org/10.1111/j.1600-0587.1998.tb00663.x>
- May, S. A., & Norton, T. W. (1996). Influence of fragmentation and disturbance on the potential impact of feral predators on native fauna in Australian forest ecosystems. *Wildlife Research*, 23(4), 387–400. <https://doi.org/10.1071/WR9960387>
- Mbete, A. M. (2013). Penuntun singkat penulisan proposal penelitian ekolinguistik. *Denpasar: Vidia*.
- McCarthy, T. M., Fuller, T. K., & Munkhtsog, B. (2005). Movements and activities of snow leopards in Southwestern Mongolia. *Biological Conservation*, 124(4), 527–537. <https://doi.org/10.1016/j.biocon.2005.03.003>
- McComb, B. (2007). *Wildlife Habitat Management: Concepts and Applications in Forestry*. CRC Press
- McIlroy, J. C., Cooper, R. J., Gifford, E. J., Green, B. F., & Newgrain, K. W. (1986). The Effect on Wild Dogs, *Canis-F-Familiaris*, of 1080-Poisoning Campaigns in Kosciusko-National-Park, Nsw. *Wildlife Research*, 13(4), 535–544.
- McIntyre, J. K., Wolf, L. L., Sacks, B. N., Koibur, J., & Brisbin, I. L. (2019). A population of free-living highland wild dogs in Indonesian Papua. *Australian Mammalogy*, 42(2), 160–166. <https://doi.org/10.1071/AM18039>
- McNab, B. K. (1963). *Bioenergetics and the Determination of Home Range Size* Author (s): Brian K . McNab Source : *The American Naturalist* , May - Jun ., 1963 , Vol . 97 , No . 894 (May - Jun ., 1963) , Published by : The University of Chicago Press for The American Society. 97(894), 133–140.
- McNeill, A. T., Leung, L. K. P., Goullet, M. S., Gentle, M. N., & Allen, B. L. (2016). Dingoes at the doorstep: Home range sizes and activity patterns of dingoes and other wild dogs around urban areas of North-Eastern Australia. *Animals*, 6(8), 1–12. <https://doi.org/10.3390/ani6080048>
- McRae, B. H., Schumaker, N. H., McKane, R. B., Busing, R. T., Solomon, A. M., & Burdick, C. A. (2008). A multi-model framework for simulating wildlife population response to land-use and climate change. *Ecological Modelling*, 219(1–2), 77–91. <https://doi.org/10.1016/j.ecolmodel.2008.08.001>
- Mech, D. L., Adams, L. G., Meier, T. J., Burch, J. W., & Dale, B. W. (1998). *The wolves of Denali*. university of Minnesota Press. *Minneapolis, Minnesota*.
- Mech, L. D. (1970). *The Wolf: Ecology and Behavior of an Endangered Species*.

Natural History Press.

- Mech, L. D., & Frenzel, L. D. (1971). Ecological studies of the timber wolf in northeastern Minnesota. *USDA Forest Service Research Paper. North Central Forest Experiment Station (NC-52)*.
- Mech, L. D., Fritts, S. H., Radde, G. L., & Paul, W. J. (1988). Wolf distribution and road density in Minnesota. *Wildlife Society Bulletin (1973-2006)*, 16(1), 85–87.
- Meek, P. D., Ballard, G. A., Abell, J., Milne, H., Smith, D., & Fleming, P. J. S. (2024). Activity of dingoes (*Canis familiaris*) and their use of anthropogenic resources in the Strzelecki Desert , South Australia. *Wildlife Research*, 51(4). <https://doi.org/10.1071/WR23083>
- Meek, P. D., & Brown, S. C. (2016). It's a dog eat dog world: observations of dingo (*Canis familiaris*) cannibalism. *Australian Mammalogy*, 39(1), 92–94.
- Meek, P. D., Brown, S. C., Wishart, J., Milne, H., Aylett, P., Humphrys, S., Ballard, G., & Fleming, P. (2019). Efficacy of lethal-trap devices to improve the welfare of trapped wild dogs. *Wildlife Research*, 46(1), 89–95.
- Meek, P. D., Shorter, K., & Falzon, G. (2019). Do lethal trap devices threaten foot-hold trap capture efficacy? *International Journal of Pest Management*, 65(1), 66–71.
- Merrill, S. B. (2000). Road densities and gray wolf, *Canis lupus*, habitat suitability: an exception. *Canadian Field-Naturalist*, 114(2), 312–313.
- Mesler, J. I. (2015). *Modeling habitat suitability and connectivity of gray wolf* (Issue July) [Humboldt]. <https://scholarworks.calstate.edu/concern/theses/765373525>
- Messier, F. (1985). Social organization, spatial distribution, and population density of wolves in relation to moose density. *Canadian Journal of Zoology*, 63(5), 1068–1077.
- Meyer, C. B., & Thuiller, W. (2006). Accuracy of resource selection functions across spatial scales. *Diversity and Distributions*, 12(3), 288–297. <https://doi.org/10.1111/j.1366-9516.2006.00241.x>
- Micaela Rosas, Y., Peri, P. L., Benítez, J., Vanessa Lencinas, M., Politi, N., & Martínez Pastur, G. (2023). Potential biodiversity map of bird species (Passeriformes): Analyses of ecological niche, environmental characterization and identification of priority conservation areas in southern Patagonia. *Journal for Nature Conservation*, 73, 126413. <https://doi.org/10.1016/j.jnc.2023.126413>
- Midi, H., Sarkar, S. K., & Rana, S. (2010). Collinearity diagnostics of binary logistic regression model. *Journal of Interdisciplinary Mathematics*, 13(3),

253–267.

Miles, M. B., & Huberman, A. M. (1994). *Qualitative data analysis: An expanded sourcebook*. sage.

Miller, J. (2010). Species distribution modeling. *Geography Compass*, 4(6), 490–509.

Mitsuhashi, I., Sako, T., Teduka, M., Koizumi, R., Saito, M. U., & Kaneko, Y. (2018). Home range of raccoon dogs in an urban green area of Tokyo, Japan. *Journal of Mammalogy*, 99(3), 732–740.

Mladenoff, D. J., Clayton, M. K., Pratt, S. D., Sickley, T. A., & Wydeven, A. P. (2009). Change in Occupied Wolf Habitat in the Northern Great Lakes Region. In A. P. Wydeven, T. R. Van Deelen, & E. J. Heske (Eds.), *Recovery of Gray Wolves in the Great Lakes Region of the United States: An Endangered Species Success Story* (pp. 119–138). Springer New York. https://doi.org/10.1007/978-0-387-85952-1_8

Mladenoff, D. J., & Sickley, T. A. (1998). Assessing potential gray wolf restoration in the northeastern United States: a spatial prediction of favorable habitat and potential population levels. *The Journal of Wildlife Management*, 1–10.

Mladenoff, D. J., Clayton, M. K., Pratt, S. D., Sickley, T. A., & Wydeven, A. P. (2009). Change in Occupied Wolf Habitat in the Northern Great Lakes Region. In A. P. Wydeven, T. R. Van Deelen, & E. J. Heske (Eds.), *Recovery of Gray Wolves in the Great Lakes Region of the United States: An Endangered Species Success Story* (pp. 119–138). Springer New York. https://doi.org/10.1007/978-0-387-85952-1_8

Mohr, C. O. (1947). Table of Equivalent Populations of North American Small Mammals. *The American Midland Naturalist*, 37(1), 223–249. <https://www.jstor.org/stable/2421652>

Morin, P. J. (2011). *Community ecology* 2nd edition. Wiley-Blackwell.

Morrant, D. S., Wurster, C. M., Johnson, C. N., Butler, J. R. A., & Congdon, B. C. (2017). Prey use by dingoes in a contested landscape: Ecosystem service provider or biodiversity threat? *Ecology and Evolution*, 7(21), 8927–8935. <https://doi.org/10.1002/ece3.3345>

Morris, D. W. (1987). Tests of Density-Dependent Habitat Selection in a Patchy Environment. *Ecological Monographs*, 57(4), 269–281. <https://doi.org/10.2307/2937087>

Morrison, M. L., Marcot, B., & Mannan, W. (2012). *Wildlife-habitat relationships: concepts and applications*. Island Press.

Mount, D.W. 2001. Phylogenetic Prediction. In: *Bioinformatic, Sequence And Genome Analysis*. Cold Spring Harbor Laboratory. New York Press Pp. 237 –

280.

- Muhly, T. B., Semeniuk, C., Massolo, A., Hickman, L., & Musiani, M. (2011). Human activity helps prey win the predator-prey space race. *PLoS ONE*, 6(3), 1–8. <https://doi.org/10.1371/journal.pone.0017050>
- Musiani, M., Okarma, H., & Jędrzejewski, W. (1998). Speed and actual distances travelled by radiocollared wolves in Białowieża Primeval Forest (Poland). *Acta Theriologica*, 43(4), 409–416.
- Mysterud, A., & Ims, R. A. (1998). Functional Responses in Habitat Use : Availability Influences Relative Use in Trade-Off Situations. *Ecology*, 79(4), 1435–1441. <https://www.jstor.org/stable>
- Naves, J., Fernández-Gil, A., Rodríguez, C., & Delibes, M. (2006). Brown bear food habits at the border of its range: A long-term study. *Journal of Mammalogy*, 87(5), 899–908. <https://doi.org/10.1644/05-MAMM-A-318R2.1>
- Negara, P. D. (2011). Rekonstruksi Kebijakan Pengelolaan Kawasan Konservasi Berbasis Kearifan Lokal Sebagai Kontribusi Menuju Pengelolaan Sumberdaya Alam Yang Indonesia. *Jurnal Konstitusi*, IV(2), 91–138.
- Neubaum, D. J., & Aagaard, K. (2022). Use of predictive distribution models to describe habitat selection by bats in Colorado, USA. *The Journal of Wildlife Management*, 86(2), e22178. <https://doi.org/10.1002/jwmg.22178>
- Newmark, W. D. (1991). Tropical Forest Fragmentation and the Local Extinction of Understory Birds in the Eastern Usambara Mountains, Tanzania. *Conservation Biology*, 5(1), 67–78. <https://doi.org/10.1111/j.1523-1739.1991.tb00389.x>
- Newsome, T. M. (2011). *Ecology of the Dingo (Canis Lupus Dingo in the Tanami Desert in Relation to Human-resouce Subsidies*. University of Sydney.
- Newsome, T. M., Ballard, G. A., Crowther, M. S., Fleming, P. J. S., & Dickman, C. R. (2014). Dietary niche overlap of free-roaming dingoes and domestic dogs: The role of human-provided food. *Journal of Mammalogy*, 95(2), 392–403. <https://doi.org/10.1644/13-MAMM-A-145.1>
- Newsome, T. M., Ballard, G. A., Dickman, C. R., Fleming, P. J. S., & Van De Ven, R. (2013). Home Range, activity and sociality of a top predator, the dingo: A test of the resource dispersion hypothesis. *Ecography*, 36(8), 914–925. <https://doi.org/10.1111/j.1600-0587.2013.00056.x>
- Newsome, T. M., Stephens, D., Ballard, G. A., Dickman, C. R., & Fleming, P. J. S. (2013). Genetic profile of dingoes (*Canis lupus dingo*) and free-roaming domestic dogs (*C. l. familiaris*) in the Tanami Desert, Australia. *Wildlife Research*, 40(3), 196–206. <https://doi.org/10.1071/WR12128>
- Noon, B. R. (1981). Techniques for sampling avian habitats. In D. E. Capen (Ed.),

The use of multivariate statistics in studies of wildlife habitat (pp. 42–53).
USDA Forest Service General Technical Report RM-87.

- Nowak, S., Mysłajek, R. W., Szewczyk, M., Tomczak, P., Borowik, T., & Jędrzejewska, B. (2017). Sedentary but not dispersing wolves *Canis lupus* recolonizing western Poland (2001–2016) conform to the predictions of a habitat suitability model. *Diversity and Distributions*, 23(11), 1353–1364. <https://doi.org/10.1111/ddi.12621>
- Nurvianto, S., Eprilurahman, R., Imron, M. A., & Herzog, S. (2016). Feeding Habits of Pack Living Dholes (*Cuon alpinus*) in a dry deciduous Forest of East Java , Indonesia. *Taprobanica*, 08(May), 10–20.
- Nurvianto, S., Imron, M. A., & Herzog, S. (2015). Activity Patterns and Behaviour of Denning Dholes (*Cuon alpinus*) in a Dry Deciduous Forest of East Java, Indonesia. *Bull. Env. Pharmacol. Life Sci*, 4(February 2018), 45–54.
- O'Brien, T. G., Kinnaird, M. F., & Wibisono, H. T. (2003). Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation*, 6(2), 131–139. <https://doi.org/10.1017/S1367943003003172>
- O'Keeffe, M. S., & Walton, C. S. (2001). Vertebrate Pests of Built-Up Areas in Queensland. *Queensland Department of Natural Resources and Mines: Brisbane, Australia*.
- Oberhauser, K., Wiederholt, R., Diffendorfer, J. E., Semmens, D., Ries, L., Thogmartin, W. E., LOPEZ-HOFFMAN, L., & Semmens, B. (2017). A trans-national monarch butterfly population model and implications for regional conservation priorities. *Ecological Entomology*, 42(1), 51–60.
- Oliveira-Santos, L. G. R., Zucco, C. A., & Agostinelli, C. (2013). Using conditional circular kernel density functions to test hypotheses on animal circadian activity. *Animal Behaviour*, 85(1), 269–280. <https://doi.org/10.1016/j.anbehav.2012.09.033>
- Ortolani, A. (1990). Howling vocalizations of wild and domestic dogs: a comparative behavioral and anatomical study. *Unpublished BSc Thesis, Hampshire College, Amherst, Massachusetts*.
- Osborne, P. E., Alonso, J. C., & Bryant, R. G. (2001). Modelling landscape-scale habitat use using GIS and remote sensing: A case study with great bustards. *Journal of Applied Ecology*, 38(2), 458–471. <https://doi.org/10.1046/j.1365-2664.2001.00604.x>
- Oskarsson, M. C. R., Klütsch, C. F. C., Boonyaparakob, U., Wilton, A., Tanabe, Y., & Savolainen, P. (2012). Mitochondrial DNA data indicate an introduction through Mainland Southeast Asia for Australian dingoes and Polynesian domestic dogs. *Proceedings of the Royal Society B: Biological Sciences*,

279(1730), 967–974. <https://doi.org/10.1098/rspb.2011.1395>

Otis, J. A., Thornton, D., Rutledge, L., & Murray, D. L. (2017). Ecological niche differentiation across a wolf-coyote hybrid zone in eastern North America. *Diversity and Distributions*, 23(5), 529–539. <https://doi.org/10.1111/ddi.12543>

Ovaskainen, O., & Abrego, N. (2020). *Joint Species Distribution Modelling-With applications in R*. Cambridge University Press. <https://doi.org/10.1017/9781108591720>

Parida, B. R., Collado, W. B., Borah, R., Hazarika, M. K., & Samarakoon, L. (2008). Detecting drought-prone areas of rice agriculture using a MODIS-derived soil moisture index. *GIScience & Remote Sensing*, 45(1), 109–129.

Parzen, E. (1962). On Estimation of a Probability Density Function and Mode. *The Annals of Mathematical Statistics*, 33(3), 1065–1076. <https://doi.org/10.1214/aoms/1177704472>

Pearson, R. G. (2007). Species' distribution modeling for conservation educators and practitioners. *Synthesis. American Museum of Natural History*, 50, 54–89.

Pearson, R. G., & Dawson, T. P. (2003). Predicting the impacts of climate change on the distribution of species: are bioclimate envelope models useful? *Global Ecology and Biogeography*, 12(5), 361–371.

Pereira, B., & Diegues, A. (2010). Indigenous knowledge as a possibility of nature conservation: a reflection on the perspective of ethno conservation. *Desenvolvimento e Meio Ambiente*, 22, 37–50.

Pearson, R. G., & Dawson, T. P. (2003). Predicting the impacts of climate change on the distribution of species: Are bioclimate envelope models useful? *Global Ecology and Biogeography*, 12(5), 361–371.

Pearson, R. G. (2007). Species' distribution modeling for conservation educators and practitioners. *Synthesis. American Museum of Natural History*, 50, 54–89.

Person, D. K., & Russell, A. L. (2008). Correlates of mortality in an exploited wolf population. *The Journal of Wildlife Management*, 72(7), 1540–1549.

Person, D. K., & Russell, A. L. (2009). Reproduction and den site selection by wolves in a disturbed landscape. *Northwest Science*, 83(3), 211–224.

Peters, H. (1961). *Suku di Kawasan Pegunungan Tengah New Guinea-Belanda*. Stichting Het Nationaal Nieuw-Guinea Comite.

Phillips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy modeling of species geographic distributions. *Ecological Modelling*, 190(3–4), 231–259.

Phillips, S. J., Anderson, R. P., & Schapire, R. E. (2006). Maximum entropy

- modeling of species geographic distributions. *Ecological Modelling*, 190(3–4), 231–259.
- Phillips, S. J., & Dudík, M. (2008). Modeling of species distributions with Maxent: new extensions and a comprehensive evaluation. *Ecography*, 31(2), 161–175.
- Phillips, S. J., Dudík, M., & Schapire, R. E. (2004). A maximum entropy approach to species distribution modeling. *Proceedings of the Twenty-First International Conference on Machine Learning*, 83.
- Pierce, B. M., Bowyer, R. T., & Bleich, V. C. . (2004). Habitat Selection by Mule Deer: Forage Benefits or Risk of Predation? *The Journal of Wildlife Management*, 68(3), 533–541. <http://www.jstor.org/stable/3803386>
HABITAT
- Plotz, R. D., Grecian, W. J., Kerley, G. I. H., & Linklater, W. L. (2016). Standardising Home Range Studies for Improved Management of the Critically Endangered Black Rhinoceros. *PLOS ONE*, 11(3), e0150571. <https://doi.org/10.1371/journal.pone.0150571>
- Polishchuk, L. V. (2002). Ecology: Conservation priorities for Russian mammals. *Science*, 297(5584), 1123. <https://doi.org/10.1126/science.1072836>
- Popp, J. N., Hamr, J., Larkin, J. L., & Mallory, F. F. (2018). Black bear (*Ursus americanus*) and wolf (*Canis spp.*) summer diet composition and ungulate prey selectivity in Ontario, Canada. *Mammal Research*, 63(4), 433–441. <https://doi.org/10.1007/s13364-018-0368-y>
- Potić, I., Bugarski, M., & Matić-Varenica, J. (2017). Soil moisture determination using remote sensing data for the property protection and increase of agriculture production. *Worldbank Conference on Land and Poverty*, *The World Bank, Washington DC*.
- Powell, R. A. (2000). Animal home ranges and territories and home range estimators. *Research techniques in animal ecology: controversies and consequences*, 442, 65–110.
- Powell, R. A. (2000). Research Techniques in Animal Ecology Methods and Cases in Conservation Science. *The Journal of Wildlife Management*, 65(3), 65–103. <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Research+Techniques+in+Animal+Ecology#0>
- Pritchard, J. K., Wen, X., & Falush, D. (2010). Documentation for STRUCTURE software.[Documentation file]. Available with the Program at <Http://Pritch.Bsd.Uchicago.Edu/Structure.Html>.
- PTFI. (2018). *Laporan Pelaksanaan Pengelolaan dan Pemantauan Lingkungan 2018*.
- Purvis, A., Cardillo, M., Grenyer, R., & Collen, B. (2005). Correlates of Extinction

- Risk: Phylogeny, Biology, Threat and Scale. In A. Purvis, J. L. Gittleman, & T. M. Brooks (Eds.), *Phylogeny and Conservation*. Cambridge University Press,.
- Rahmat, U. M., Santosa, Y., Prasetyo, L. B., & Kartono, A. P. (2012). Habitat Suitability Modeling of Javan Rhino (*Rhinoceros sondaicus* Desmarest 1822) Ujung Kulon National Park. *Jurnal Manajemen Hutan Tropika*, 18(2), 129–137.
- Rea, R. V, Child, K. N., Spata, D. P., & MacDonald, D. (2010). Road and rail side vegetation management implications of habitat use by moose relative to brush cutting season. *Environmental Management*, 46, 101–109.
- Rezaei, S., Mohammadi, A., Bencini, R., Rooney, T., & Naderi, M. (2022). Identifying connectivity for two sympatric carnivores in human-dominated landscapes in central Iran. *PLoS ONE*, 17(6), 1–21. <https://doi.org/10.1371/journal.pone.0269179>
- Robley, A., Gormley, A., Forsyth, D. M., Wilton, A. N., & Stephens, D. (2010). Movements and habitat selection by wild dogs in eastern Victoria. *Australian Mammalogy*, 32(1), 23–32. <https://doi.org/10.1071/AM09030>
- Rodrigues, L. dos S., Daudt, N. W., Cardoso, L. G., Kinas, P. G., Conesa, D., & Pennino, M. G. (2023). Species distribution modelling in the Southwestern Atlantic Ocean: A systematic review and trends. *Ecological Modelling*, 486, 110514. <https://doi.org/10.1016/j.ecolmodel.2023.110514>
- Romiguier, J., Gayral, P., Ballenghien, M., Bernard, A., Cahais, V., Chenuil, A., Chiari, Y., Dernat, R., Duret, L., Faivre, N., Loire, E., Lourenco, J. M., Nabholz, B., Roux, C., Tsagkogeorga, G., Weber, A. A.-T., Weinert, L. A., Belkhir, K., Bierne, N., ... Galtier, N. (2014). Comparative population genomics in animals uncovers the determinants of genetic diversity. *Nature*, 515(7526), 261–263. <https://doi.org/10.1038/nature13685>
- Rosenblatt. (1956). Remarks on Some Nonparametric Estimates of a Density Function. *The Annals of Mathematical Statistics*, 27(3), 832–837. <https://doi.org/10.1214/aoms/1177728190>
- Rosell, C., & Llimona, F. (2012). Human–wildlife interactions. *Animal Biodiversity and Conservation*, 35(2), 219–220.
- Rosenzweig, M. L. (1981). *A Theory of Habitat Selection* Author (s): Michael L . Rosenzweig Published by: Wiley Stable URL : <http://www.jstor.org/stable/1936707> REFERENCES Linked references are available on JSTOR for this article : You may need to log in to JSTOR to access the I. 62(2), 327–335.
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the Great Plains with ERTS. *NASA Spec. Publ*, 351(1),

309.

Rowe, N. (1996). The pictorial guide to the living primates. *Charlestown, Pogonias Press*.

Sankar, K., Qureshi, Q., Nigam, P., Malik, P. K., Sinha, P. R., Mehrotra, R. N., Gopal, R., Bhattacharjee, S., Mondal, K., & Gupta, S. (2010). Monitoring of reintroduced tigers in Sariska Tiger Reserve, Western India: preliminary findings on home range, prey selection and food habits. *Tropical Conservation Science*, 3(3), 301–318.

Sarwono, S. W. (2002). *Psikologi Sosial: Individu dan Teori-teori Psikologi Sosial*. Penerbit Balai Pustaka.

Sastre, N., Vilà, C., Salinas, M., Bologov, V. V., Urios, V., Sánchez, A., Francino, O., & Ramírez, O. (2011). Signatures of demographic bottlenecks in European wolf populations. *Conservation Genetics*, 12(3), 701–712. <https://doi.org/10.1007/s10592-010-0177-6>

Savolainen, P., Leitner, T., Wilton, A. N., Matisoo-Smith, E., & Lundeberg, J. (2004). A detailed picture of the origin of the Australian dingo, obtained from the study of mitochondrial DNA. *Proceedings of the National Academy of Sciences of the United States of America*, 101(33), 12387–12390. <https://doi.org/10.1073/pnas.0401814101>

Schassburger, R. M. (1987). Wolf vocalization: An integrated model of structure, motivation and ontogeny. *Man and Wolf: Advances, Issues, and Problems in Captive Wolf Research*, 4, 313.

Schell, C. J., Stanton, L. A., Young, J. K., Angeloni, L. M., Lambert, J. E., Breck, S. W., & Murray, M. H. (2021). The evolutionary consequences of human–wildlife conflict in cities. *Evolutionary Applications*, 14(1), 178–197. <https://doi.org/10.1111/eva.13131>

Schenkel, Rudolf. 1967. Submission: its features and function in the wolf and dog. *Am. Zool.* 7:319-329.

Schmidt, H. 2003. *Phylogenetic Trees From Large Datasets*. Dusseldorf University.

Schultz, W. (1969). Zur Kenntnis des Hallstromhunden (*Canis hallstromi*, Troughton 1957). *Zoologischer Anzeiger*, 183, 47–72.

Scott, J.P. and Fuller, J.L. 1965. *Genetics and the Social Behavior of the Dog*. Univ. of Chicago Press, Chicago.

Seaman, D. E., Millspaugh, J. J., Kernohan, B. J., Brundige, G. C., Raedeke, K. J., & Gitzen, R. A. (1999). Effects of Sample Size on Kernel Home Range Estimates. *The Journal of Wildlife Management*, 63(2), 739–747. <https://doi.org/10.2307/3802664>

Seaman, E. D., & Powell, R. A. (1996). An evaluation of the accuracy of kernel

- density estimators for home range analysis. *Ecology*, 77(7), 2075–2085.
<https://doi.org/10.2307/2265701>
- Seixas, C. S., & Begossi, A. (2001). Ethnozoology of fishing communities from Ilha Grande (Atlantic forest coast, Brazil). *Journal of Ethnobiology*, 21(1), 107–135.
- Sekercioglu, C. (2011). Functional extinctions of bird pollinators cause plant declines. *Science*, 331, 1019-1020.
- Serpell, James and Jagoe, J. A. 1995. Early experience and the development of behavior. pp.79- 102. in J. Serpell, ed. *The Domestic Dog*. Cambridge Univ. Press, New York.
- Service, U. S. F. and W. (1980). Habitat evaluation procedures (HEP). (*No Title*), 2.
- Service, U. S. F. and W. (1981). Standards for the development of suitability index models. *Ecological Services Manual 103: US Department of Interior, Fish and Wildlife Service, Division of Ecological Services*.
- Service, U. S. F. and W. (1981). Standards for the development of suitability index models. *Ecological Services Manual 103: US Department of Interior, Fish and Wildlife Service, Division of Ecological Services*.
- Sessions, J. S. C., & Johnson, K. N. (1994). *Resource Management Perspective: Geographic Information Systems and Decision Models in Forest Management Planning* (In: V.A. S). Remote Sensing and GIS in Ecosystem Management. Island Press.
- Shannon, L. M., Boyko, R. H., Castelhana, M., Corey, E., Hayward, J. J., McLean, C., White, M. E., Said, M. A., Anita, B. A., Bondjengo, N. I., Calero, J., Galov, A., Hedimbi, M., Imam, B., Khalap, R., Lally, D., Masta, A., Oliveira, K. C., Pérez, L., ... Boyko, A. R. (2015). Genetic structure in village dogs reveals a Central Asian domestication origin. *Proceedings of the National Academy of Sciences of the United States of America*, 112(44), 13639–13644.
<https://doi.org/10.1073/pnas.1516215112>
- Shannon, N. H., Hudson, R. J., Brink, V. C., & Warren, D. (1975). *Determinants of Spatial Distribution of Rocky Mountain Bighorn Sheep* Published by: Wiley on behalf of the Wildlife Society Stable URL :
<https://www.jstor.org/stable/3799919>. 39(2), 387–401.
- Shaw, J. (1985). *Introduction to Wildlife Management*. McGraw-Hill Book Company.
- Shivik, J. A., & Gese, E. M. (2000). Territorial significance of home range estimators for coyotes. *Wildlife Society Bulletin*, 940-946.
- Sidorovich, V. E., Stolyarov, V. P., Vorobei, N. N., Ivanova, N. V., & Jędrzejewska,

- B. (2007). Litter size, sex ratio, and age structure of gray wolves, *Canis lupus*, in relation to population fluctuations in northern Belarus. *Canadian Journal of Zoology*, 85(2), 295–300. <https://doi.org/10.1139/Z07-001>
- Sillero-Zubiri, C., & Gottelli, D. (1995). Diet and Feeding Behavior of Ethiopian Wolves (*Canis simensis*). *Journal of Mammalogy*, 76(2), 531–541.
- Silverman, B. W. (1986). *Density Estimation for Statistics and Data Analysis*. Chapman & Hall. <https://doi.org/10.1007/978-1-4899-3324-9>
- Simbiak, M. (2016). Tinjauan etnoekolgi dan beberapa penelitian di Indonesia. *Novae Guinea Jurnal Biologi*, 7(1), 27-42.
- Simonsen, V. (1976). Electrophoretic studies on the blood proteins of domestic dogs and other Canidae. *Hereditas* 82: 7–28
- Singh, D. B., Pathak, R. K. 2022. *Bioinformatics: Methods And Applications*. Academic Press. Elsevier Inc.
- Smeraldo, S., Di Febbraro, M., Ćirović, D., Bosso, L., Trbojević, I., & Russo, D. (2017). Species distribution models as a tool to predict range expansion after reintroduction: A case study on Eurasian beavers (*Castor fiber*). *Journal for Nature Conservation*, 37, 12–20.
- Smirnov, V. S., & Korytin, N. S. (1985). Age structure and sex ratio. *The Wolf. Edited by DI Bibikov. Izdatelstvo Nauka, Moskva*, 389–408.
- Smith, B. P., & Litchfield, C. A. (2009). A review of the relationship between indigenous australians, dingoes (*canis dingo*) and domestic dogs (*canis familiaris*). *Anthrozoos*, 22(2), 111–128. <https://doi.org/10.2752/175303709X434149>
- Smith, B. P., Marrant, D. S., Vague, A. L., & Doherty, T. S. (2020). High rates of cannibalism and food waste consumption by dingoes living at a remote mining operation in the Great Sandy Desert, Western Australia. *Australian Mammalogy*, 42(2), 230–234. <https://doi.org/10.1071/AM19033>
- Smith, B. P., Vague, A., & Appleby, R. G. (2019a). *Attitudes towards dingoes and dingo management at Telfer Mine*.
- Smith, B. P., Vague, A. L., & Appleby, R. G. (2019b). Attitudes towards dingoes (*Canis dingo*) and their management: A case study from a mining operation in the Great Sandy Desert, Western Australia. *Pacific Conservation Biology*, 25(3), 308–321. <https://doi.org/10.1071/PC18049>
- Smith, B., & Vague, A. L. (2017). The denning behaviour of dingoes (*Canis dingo*) living in a human-modified environment. *Australian Mammalogy*, 39(2), 161–168. <https://doi.org/10.1071/AM16027>
- Sridhar, V., Hubbard, K. G., You, J., & Hunt, E. D. (2008). Development of the soil moisture index to quantify agricultural drought and its “user friendliness” in

- severity-area-duration assessment. *Journal of Hydrometeorology*, 9(4), 660–676.
- Stephens, D., Wilton, A. N., Fleming, P. J. S., & Berry, O. (2015). Death by sex in an Australian icon: A continent-wide survey reveals extensive hybridization between dingoes and domestic dogs. *Molecular Ecology*, 24(22), 5643–5656.
- Stockwell, D. (2006). *Niche modeling: predictions from statistical distributions*. CRC Press.
- Strauss, A., & Corbin, J. (1998). *Basics of qualitative research techniques*.
- Suansa. (2011). Perlindungan terhadap pengetahuan tradisional masyarakat atas sumber daya alam di Indonesia. *Urnal Kajian Hukum*, 15(2), 1–18.
- Subba, S. A., Shrestha, A. K., Thapa, K., Malla, S., Thapa, G. J., Shrestha, S., Shrestha, S., Subedi, N., Bhattarai, G. P., & Ottvall, R. (2017). Distribution of grey wolves *Canis lupus lupus* in the Nepalese Himalaya: Implications for conservation management. *Oryx*, 51(3), 403–406. <https://doi.org/10.1017/S0030605316000296>
- Sunarto, S., Kelly, M. J., Parakkasi, K., & Hutajulu, M. B. (2015). Cat coexistence in central Sumatra: Ecological characteristics, spatial and temporal overlap, and implications for management. *Journal of Zoology*, 296(2), 104–115. <https://doi.org/10.1111/jzo.12218>
- Surbakti, S., Parker, H. G., McIntyre, J. K., Maury, H. K., Cairns, K. M., Selvig, M., Pangau-Adam, M., Safonpo, A., Numberi, L., Runtuboi, D. Y. P., Davis, B. W., & Ostrander, E. A. (2020). New Guinea highland wild dogs are the original New Guinea singing dogs. *Proceedings of the National Academy of Sciences of the United States of America*, 117(39), 24369–24376. <https://doi.org/10.1073/pnas.2007242117>
- Swets, J. A. (1988). Measuring the Accuracy of Diagnostic Systems Linked references are available on JSTOR for this article : Measuring the Accuracy of Diagnostic Systems. *Science*, 240(4857), 1285–1293.
- Swihart, R. K., & Slade, N. A. (1985). Testing For Independence of Observations in Animal Movements. *Ecology*, 66(4), 1176–1184. <https://doi.org/10.2307/1939170>
- Syawal, A., Pudyatmoko, S., Faida, L. R. W., Sirami, E. V., Setyadi, E. G., Puradyatmika, P., Suwandi, R. E., & Imron, M. A. (2023). Ethno-conservation of New Guinea Singing Dog among Tribes in Pegunungan Tengah, Papua, Indonesia. *Forest and Society*, 7(1), 135–149.
- Tate, G. H. H. (1944). *A list of mammals of the Japanese war era: Part I. New Guinea and eastward*. American Museum of Natural History.
- Tatler, J., Currie, S. E., Cassey, P., Scharf, A. K., Roshier, D. A., & Prowse, T. A.

- A. (2021). Accelerometer informed time-energy budgets reveal the importance of temperature to the activity of a wild, arid zone canid. *Movement Ecology*, 9(1), 1–12. <https://doi.org/10.1186/s40462-021-00246-w>
- Taylor-Brown, A., Booth, R., Gillett, A., Mealy, E., Ogbourne, S., Polkinghorne, A., & Conroy, G. C. (2018). The impact of human activities on Australian wildlife. *bioRxiv*, 452409. <https://doi.org/10.1101/452409>
- Te Wong, S., Servheen, C. W., & Ambu, L. (2004). Home range, movement and activity patterns, and bedding sites of Malayan sun bears *Helarctos malayanus* in the Rainforest of Borneo. *Biological Conservation*, 119(2), 169–181. <https://doi.org/10.1016/j.biocon.2003.10.029>
- Teixeira, L., Tisovec-Dufner, K. C., Marin, G. de L., Marchini, S., Dorresteijn, I., & Pardini, R. (2021). Linking human and ecological components to understand human–wildlife conflicts across landscapes and species. *Conservation Biology*, 35(1), 285–296. <https://doi.org/10.1111/cobi.13537>
- Theuerkauf, J., Rouys, S., & Jedrzejewski, W. (2003). Selection of den, rendezvous, and resting sites by wolves in the Bialowieza Forest, Poland. *Canadian Journal of Zoology*, 81(1), 163–167.
- Thiel, R. P. (1985). Relationship between road densities and wolf habitat suitability in Wisconsin. *American Midland Naturalist*, 404–407.
- Thiel, R. P., Merrill, S., & Mech, L. D. (1998). Tolerance by denning wolves, *Canis lupus*, to human disturbance. *Canadian Field Naturalist*, 112(Theberge 1975), 340–342.
- Thoha, M. (1988). *Kepemimpinan dalam Manajemen*. Rajawali.
- Thomson, P. C. (1992a). The behavioural ecology of dingoes in north-western Australia. II. Activity patterns, breeding season and pup rearing. *Wildlife Research*, 19(5), 519–530. <https://doi.org/10.1071/WR9920519>
- Thomson, P. C. (1992b). The behavioural ecology of dingoes in north-western Australia. III. Hunting and Feeding behaviour, and diet. *Wildlife Research*, 19(5), 531–541. <https://doi.org/10.1071/WR9920531>
- Thomson, P. C., Rose, K., & Kok, N. E. (1992a). The behavioural ecology of dingoes in north-western Australia. V. Population dynamics and variation in the social system. *Wildlife Research*, 19(5), 565–584. <https://doi.org/10.1071/WR9920565>
- Thomson, P. C., Rose, K., & Kok, N. E. (1992b). The behavioural ecology of dingoes in north-western Australia. VI. Temporary extra-terrestrial movements and dispersal. *Wildlife Research*, 19(5), 585–595. <https://doi.org/10.1071/WR9920585>
- Tidja, B., & Samadi, S. (2023). *Analisis Dampak Aktivitas Pertambangan Batubara*

Terhadap. December.

- Torretta, E., Dondina, O., Delfoco, C., Riboldi, L., Orioli, V., Lapini, L., & Meriggi, A. (2020). First assessment of habitat suitability and connectivity for the golden jackal in north-eastern Italy. *Mammalian Biology*, 100, 631–643.
- Triandis, H. C. (1971). Attitude and attitude change. (*No Title*).
- Triggs, B. (1996). Tracks, scats and other traces: a field guide to Australian mammals. (*No Title*).
- Troughton, E. (1955). A new native dog from the Papuan Highlands. *Proceedings of the Royal Zoological Society of New South Wales*, 93–94.
- Ulicsni, V., Babai, D., Vadasz, C., Vadasz-Besnyoi, V., Baldi, A., & Molnar, Z. (2019). Bridging conservation science and traditional knowledge of wild animals: The need for expert guidance and inclusion of local knowledge holders. *Ambio*, 48(7), 769–778.
- Unger, D. E. (1999). *Timber wolf den and rendezvous site selection in northwestern Wisconsin and east-central Minnesota*. University of Wisconsin--Stevens Point.
- Ungirwalu, A., Awang, S. A., Suryanto, P., & Maryudi, A. (2017). The ethno-techno-conservation approach in the utilization of Black Fruit (*Haplolobus* sp.) by the Wandamen ethnic of Papua, Indonesia. *Biodiversitas*, 18(4), 1336–1343. <https://doi.org/10.13057/biodiv/d180408>
- Uprety, Y., Asselin, H., Bergeron, Y., Doyon, F., & Boucher, J. (2012). Contribution of traditional knowledge to ecological restoration: practices and applications. *Ecoscience*, 19, 225–237.
- Václavík, T., & Meentemeyer, R. K. (2009). Invasive species distribution modeling (iSDM): Are absence data and dispersal constraints needed to predict actual distributions? *Ecological Modelling*, 220(23), 3248–3258. <https://doi.org/10.1016/j.ecolmodel.2009.08.013>
- Van Balen, B., Kitchener, D., Sarosa, W., & Taylor, R. (2006). *Subalpine and Alpine Fauna of Mimika, Papua, Indonesia*. PT Hatfindo Prima.
- Van Deusen, H. M. (1972). Mammals. In Encyclopedia of Papua and New Guinea. Ryan, P. (Ed.). Melbourne: Melbourne University Press, 2, 688–694.
- Van Deusen, H. (1972). Mammals. In P. Ryan (Ed.), *Encyclopedia of Papua and New Guinea*. Melbourne University Press.
- van Eeden, L. M., Crowther, M. S., Dickman, C. R., & Newsome, T. M. (2021). Wicked “wild dogs”: Australian public awareness of and attitudes towards dingoes and dingo management. *Australian Zoologist*, 41(3), 467–479. <https://doi.org/10.7882/AZ.2020.019>

- Vanak, A. T., & Gompper, M. E. (2009). Dietary niche separation between sympatric free-ranging domestic dogs and Indian foxes in central India. *Journal of Mammalogy*, 90(5), 1058–1065. <https://doi.org/10.1644/09-MAMM-A-107.1>
- Venables, W. N., & Ripley, B. D. (1999). Generalized Linear Models. In W. N. Venables & B. D. Ripley (Eds.), *Modern Applied Statistics with S-PLUS* (pp. 211–240). Springer New York. https://doi.org/10.1007/978-1-4757-3121-7_7
- Vilà, C. (1995). Observations on the daily activity patterns in the Iberian wolf. *Ecology and Conservation of Wolves in a Changing World*, 335–340.
- Vila, C., Savolainen, P., Maldonado, J. E., Amorim, I. R., Rice, J. E., Honeycutt, R. L., Crandall, K. A., Ludeburg, J., Wayne, R. K. (1997). Multiple and ancient origins of the dog. *Science* 276: 1687–1689.
- Vold, T., & Buffett, D. A. (2008). *Ecological Concepts, Principles and Applications to Conservation*. The Biodiversity BC.
- Voth, I. (1988). *Social behavior of New Guinea dingoes (Canis lupus f. familiaris): expressive behavior, social organization and rank relationships*. Ludwig Maximilian University, Munich, Germany.
- Walton, Z., Samelius, G., Odden, M., & Willebrand, T. (2017). Variation in home range size of red foxes *Vulpes vulpes* along a gradient of productivity and human landscape alteration. *PLOS ONE*, 12(4), e0175291. <https://doi.org/10.1371/journal.pone.0175291>
- Warami, H. (2005). Tanah dan makna bagi suku Amungme di Papua. *Jurnal Dinamika Kebudayaan*, VII(1), 21.
- Węglarczyk, S. (2018). Kernel density estimation and its application. *ITM Web of Conferences*, 23, 00037. <https://doi.org/10.1051/itmconf/20182300037>
- Werema, C., Howell, K. M., Msuya, C. A., Sinclair, J., & MacHa, A. (2016). Birds of golden pride project area, nzega district, central Tanzania: An evaluation of recolonization of rehabilitated areas. *Scopus*, 36(2).
- Whitten, A. J. (1982). The ecology of singing in Kloss gibbons (*Hylobates klossii*) on Siberut Island, Indonesia. *International Journal of Primatology*, 3(1), 33–51. <https://doi.org/10.1007/BF02693489>
- Whittington-Jones, B. M., Parker, D. M., Bernard, R. T. F., & Davies-Mostert, H. T. (2014). Habitat selection by transient African wild dogs (*Lycaon pictus*) in northern KwaZulu-Natal, South Africa: Implications for range expansion. *African Journal of Wildlife Research*, 44(2), 135–147. <https://doi.org/10.3957/056.044.0201>
- Whittington, J., Hebblewhite, M., DeCesare, N. J., Neufeld, L., Bradley, M., Wilmschurst, J., & Musiani, M. (2011). Caribou encounters with wolves

- increase near roads and trails: a time-to-event approach. *Journal of Applied Ecology*, 48(6), 1535–1542.
- Whittington, J., St. Clair, C. C., & Mercer, G. (2005). Spatial responses of wolves to roads and trails in mountain valleys. *Ecological Applications*, 15(2), 543–553.
- Wissinger, S. A. (1992). Niche Overlap and the Potential for Competition and Intraguild Predation Between Size-Structured Populations. *Ecology*, 73(4), 1431–1444. <https://doi.org/10.2307/1940688>
- Wobber, V., Hare, B., Koler-Matznick, J., Wrangham, R., & Tomasello, M. (2009). Breed differences in domestic dogs' (*Canis familiaris*) comprehension of human communicative signals . In *Interaction Studies. Social Behaviour and Communication in Biological and Artificial Systems* (Vol. 10, Issue 2). <https://doi.org/10.1075/is.10.2.06wob>
- Worton, B. J. (1987). A review of models of home range for animal movement. *Ecological Modelling*, 38(3–4), 277–298.
- Worton, B. J. (1989). Kernel Methods for Estimating the Utilization Distribution in Home-Range Studies. *Ecology*, 70(1), 164–168. <https://doi.org/10.2307/1938423>
- Worton, J. B. (1995). Using Monte Carlo Simulation to Evaluate Kernel-Based Home Range Estimators. *Journal of Wildlife Management*, 59(4), 794–800.
- Xuezhai, W., Weihua, X., Zhiyun, O., Jianguo, L., Yi, X., Youping, C., Lianjun, Z., & Junzhong, H. (2008). Application of ecological-niche factor analysis in habitat assessment of giant pandas. *Acta Ecologica Sinica*, 28(2), 821–828. [https://doi.org/10.1016/S1872-2032\(08\)60030-X](https://doi.org/10.1016/S1872-2032(08)60030-X)
- Zanni, M., Brivio, F., Grignolio, S., & Apollonio, M. (2021). Estimation of spatial and temporal overlap in three ungulate species in a Mediterranean environment. *Mammal Research*, 66(1), 149–162. <https://doi.org/10.1007/s13364-020-00548-1>
- Zhan, Z., Qin, Q., & Wang, X. (2004). The application of LST/NDVI index for monitoring land surface moisture in semiarid area. *IGARSS 2004. 2004 IEEE International Geoscience and Remote Sensing Symposium*, 3, 1551–1554.