

DAFTAR PUSTAKA

- Angelo, G.D. 2013. Role of hepcidin in the pathophysiology and diagnosis of anemia. *Blood research*, 48(1), pp. 10–15. Tersedia di: <https://doi.org/10.5045/br.2013.48.1.10>.
- Bhunyakarnjanarat, T., Udornpitak, K., Saisorn, W., Chantrapapawat, B., Visitchanakun, P., Dang, C.P., Issara-Amphorn, J. & Leelahavanichkul, A. 2021. Prominent Indomethacin-Induced Enteropathy in FcγRIIB Deficient lupus Mice : An Impact of Macrophage Responses and Immune Deposition in Gut. *International journal of molecular sciences*, 22(3), p. 1377. Tersedia di: <https://doi.org/10.3390/ijms22031377>.
- Bindu, S., Mazumder, S., Dey, S., Pal, C., Goyal, M., Alam, A., Iqbal, M.S., Sarkar, S., Azhar Siddiqui, A., Banerjee, C. & Bandyopadhyay, U. 2013. Nonsteroidal anti-inflammatory drug induces proinflammatory damage in gastric mucosa through NF-κB activation and neutrophil infiltration: Anti-inflammatory role of heme oxygenase-1 against nonsteroidal anti-inflammatory drug. *Free Radical Biology and Medicine*, 65, pp. 456–467. Tersedia di: <https://doi.org/10.1016/j.freeradbiomed.2013.07.027>.
- Borelli, P., Blatt, S., Pereira, J., de Maurino, B.B., Tsujita, M., de Souza, A.C., Xavier, J.G. & Fock, R.A. 2007. Reduction of erythroid progenitors in protein-energy malnutrition. *British Journal of Nutrition*, 97(2), pp. 307–314. Tersedia di: <https://doi.org/10.1017/S0007114507172731>.
- Camaschella, C. 2015. Iron-Deficiency Anemia. *New England Journal of Medicine*, 372(19), pp. 1832–1843. Tersedia di: <https://doi.org/10.1056/NEJMra1401038>.
- Camaschella, C. 2019. Iron deficiency, 133(1), pp. 30–39. Tersedia di: <https://doi.org/10.1182/blood-2018-05-815944>.
- Chanudom, L. & Tangpong, J. 2015. Anti-inflammation property of syzygium cumini (L.) Skeels on indomethacin-induced acute gastric ulceration. *Gastroenterology Research and Practice*, 2015, pp. 1–12. Tersedia di: <https://doi.org/10.1155/2015/343642>.
- Clark, H., Coll-seck, A.M., Banerjee, A., Peterson, S., Dalglish, S.L., Ameratunga, S., Balabanova, D., Bhan, M.K., Bhutta, Z.A., Borrazzo, J., Claeson, M., Doherty, T., El-Jardali, F., George, A.S., Gichaga, A., Gram, L., Hipgrave, D.B., Kwamie, A., Meng, Q., Mercer, R., Narain, S., Nsungwa-Sabiiti, J., Olumide, A.O., Osrin, D., Powell-Jackson, T., Rasanathan, K., Rasul, I., Reid, P., Requejo, J., Rohde, S.S., Rollins, N., Romedenne, M., Sachdev, H.S., Saleh, R., Shawar, Y.R., Shiffman, J., Simon, J., Sly, P.D., Stenberg, K., Tomlinson, M., Ved, R.R. & Costello, A. 2020. The Lancet Commissions A future for the world ' s children ? A WHO – UNICEF – Lancet Commission. *Lancet (London, England)*, 395(10224), pp. 605–658. Tersedia di: [https://doi.org/10.1016/S0140-6736\(19\)32540-1](https://doi.org/10.1016/S0140-6736(19)32540-1).

- Cruz-Cárdenas, C.I., Miranda-Ham, M.L., Castro-Concha, L.A., Ku-Cauich, J.R., Vergauwen, R., Reijnders, T., Ende, W. Van den & Escobedo-GraciaMedrano, R.M. 2015. Fructans and other water soluble carbohydrates in vegetative organs and fruits of different *Musa* spp . accessions. *Frontiers in plant science*, 6, p. 395. Tersedia di: <https://doi.org/10.3389/fpls.2015.00395>.
- Drakesmith, H., Nemeth, E. & Ganz, T. 2015. Ironing out ferroportin. *Cell metabolism*, 22(5), pp. 777–787. Tersedia di: <https://doi.org/10.1016/j.cmet.2015.09.006>.
- Edyanto, A.S. 2019. *Pengaruh Tepung Pisang Klutuk (Musa balbisiana Colla) Terfortifikasi Zat Besi Terhadap Ekspresi Fibroblast Growth Factor 21 (FGF21), Kadar FGF21 dan Insulin-like Growth Factor-1*. Tesis. Universitas Gadjah Mada.
- Edyanto, A.S., Huriyati, E., Nisa, A., Nurrahma, B.A. & Farmawati, A. 2023. Iron-fortified klutuk banana (*Musa balbisiana* Colla) flour supplementation prevented growth failure by suppressing FGF21 in malnourished rats. *Nutrition & Food Science* [Preprint]. Tersedia di: <https://doi.org/10.1108/NFS-05-2022-0165>.
- Elba, F., Daryanti, E., Gumilang, L., Nurjannah, T.A. & Nurlaela, E. 2021. Correlation Between Consumption of Protein and Vitamin C Among Children Aged 12-24 Months with Anemia in the South Sumedang District. *The 4th International Virtual Conference on Nursing, KnE Life Sciences*, 2021, pp. 220–227. Tersedia di: <https://doi.org/10.18502/cls.v6i1.8606>.
- Elsaid, R., Soares-da-Silva, F., Peixoto, M., Amiri, D., Mackowski, N., Pereira, P., Bandeira, A. & Cumano, A. 2020. Hematopoiesis: A Layered Organization Across Chordate Species. *Frontiers in Cell and Developmental Biology*, 8. Tersedia di: <https://doi.org/10.3389/fcell.2020.606642>.
- Endra, Y. 2006. *Analisis Proksimat dan Komposisi Asam Amino Buah Pisang Batu (Musa balbisiana Colla)*. Skripsi. Institut Pertanian Bogor.
- Farmawati, A. 2017. Potensi Pangan Lokal Tepung Pisang Klutuk (*Musa balbisiana colla*) Sebagai Terapi Gizi Pada Model Mencit Wistar Malnutrisi. *Belum dipublikasikan* [Preprint].
- Freitas, K. de C., Amancio, O.M.S. & Morais, M.B. de 2012. High-performance inulin and oligofructose prebiotics increase the intestinal absorption of iron in rats with iron deficiency anaemia during the growth phase. *The British Journal of Nutrition*, 108(6), pp. 1008–1016. Tersedia di: <https://doi.org/10.1017/S0007114511006301>.
- Galaris, D., Barbouti, A. & Pantopoulos, K. 2019. Iron homeostasis and oxidative stress: An intimate relationship. *Biochimica et Biophysica Acta - Molecular Cell Research*, 1866(12), p. 118535. Tersedia di: <https://doi.org/10.1016/j.bbamcr.2019.118535>.
- Ganz, T. 2021. New regulators of systemic iron homeostasis. *Signal Transduction and Targeted Therapy*, 6(1), p. 280. Tersedia di: <https://doi.org/10.1038/s41392-021-00696-z>.

- Gensluckner, S., Wernly, B., Datz, C. & Aigner, E. 2024. Iron , Oxidative Stress , and Metabolic Dysfunction — Associated Steatotic Liver Disease. *Antioxidants*, 13(2), pp. 1–12. Tersedia di: <https://doi.org/10.3390/antiox13020208>.
- Gibson, G.R., Scott, K.P., Rastall, R.A., Tuohy, K.M., Hotchkiss, A., Dubert-ferrandon, A., Gareau, M., Murphy, E.F., Saulnier, D., Loh, G., Macfarlane, S., Delzenne, N., Ringel, Y., Kozianowski, G., Dickmann, R., Lenoir-Wijnkoop, I., Walker, C. & Buddington, R. 2010. Dietary prebiotics : current status and new definition. *Food Science & Technology Bulletin Functional Foods*, 7(1), pp. 1–19. Tersedia di: <https://doi.org/10.1616/1476-2137.15880>.
- González, A., Gálvez, N., Martín, J., Reyes, F., Pérez-Victoria, I. & Dominguez-Vera, J.M. 2017. Identification of the key excreted molecule by *Lactobacillus fermentum* related to host iron absorption. *Food Chemistry*, 228, pp. 374–380. Tersedia di: <https://doi.org/10.1016/j.foodchem.2017.02.008>.
- Han, Y., Park, J., Kang, J.X., Cha, J., Lee, H., Jeong, M., Go, E. & Hahm, K.B. 2016. Mitigation of indomethacin- induced gastrointestinal damages in fat - 1 transgenic mice via gate-keeper action of ω -3- polyunsaturated fatty acids. *Scientific Reports*, 6, pp. 1–12. Tersedia di: <https://doi.org/10.1038/srep33992>.
- Imtiyaz, H.Z., Williams, E.P., Hickey, M.M., Patel, S.A., Durham, A.C., Yuan, L.J., Hammond, R., Gimotty, P.A., Keith, B. & Simon, M.C. 2010. Hypoxia-inducible factor 2 α regulates macrophage function in mouse models of acute and tumor inflammation. *Journal of Clinical Investigation*, 120(8), pp. 2699–2714. Tersedia di: <https://doi.org/10.1172/JCI39506>.
- Jakubek, M., Kejík, Z., Kaplánek, R., Antonyová, V., Hromádka, R., Šandriková, V., Sýkora, D., Martásek, P. & Král, V. 2019. Hydrazones as novel epigenetic modulators: Correlation between TET 1 protein inhibition activity and their iron(II) binding ability. *Bioorganic Chemistry*, 88. Tersedia di: <https://doi.org/10.1016/j.bioorg.2019.02.034>.
- Jeong, H.Y., Choi, Y.S., Lee, J.K., Lee, B.J., Kim, W.K. & Kang, H. 2017. Anti-inflammatory activity of citric acid-treated wheat germ extract in lipopolysaccharide-stimulated macrophages. *Nutrients*, 9(7), p. 730. Tersedia di: <https://doi.org/10.3390/nu9070730>.
- Jiang, L., Wang, A.J., Wang, A.K., Wang, H., Wu, Q., Yang, C., Yu, Y., Ni, P., Zhong, Y., Song, Z., Xie, E., Hu, R., Min, J. & Wang, F. 2021. Regular Article RNF217 regulates iron homeostasis through its E3 ubiquitin ligase activity by modulating ferroportin degradation. *Blood*, 138(8), pp. 689–705. Tersedia di: <https://doi.org/10.1182/blood.2020008986>.
- Khalaf, H.M., Ahmed, S.M., Welson, N.N. & Abdelzاهر, W.Y. 2022. Rivastigmine ameliorates indomethacin experimentally induced gastric mucosal injury via activating α 7nAChR with inhibiting oxidative stress and apoptosis. *Journal of biochemical and molecular toxicology*, 36(10), p. e23147. Tersedia di: <https://doi.org/10.1002/jbt.23147>.

- Ko, I.-G., Jin, J.-J., Hwang, L., Kim, S.-H., Kim, C.-J., Han, J.H., Kwak, M.S., Yoon, J.Y. & Jeon, J.W. 2020. Evaluating the mucoprotective effect of polydeoxyribonucleotide against indomethacin-induced gastropathy via the MAPK/NF- κ B signaling pathway in rats. *European Journal of Pharmacology*, 874. Tersedia di: <https://doi.org/10.1016/j.ejphar.2020.172952>.
- Kohzuki, H., Ito, H., Kurokawa, H., Matsui, H., Yamamoto, T. & Ishikawa, E. 2024. Reactive oxygen species induced by indomethacin enhance accumulation of heme carrier protein 1 and hematorphyrin accumulation in vitro and in vivo in a brain tumor model. *Journal of Clinical Biochemistry and Nutrition* [Preprint]. Tersedia di: <https://doi.org/10.3164/jcbn.23-20>.
- Kuhn, R.C., Mazutti, M.A. & Filho, F.M. 2012. Kinetic and mass transfer effects for adsorption of glucose, fructose, sucrose and fructooligosaccharides into X zeolite. *LWT - Food Science and Technology*, 48(1), pp. 127–133. Tersedia di: <https://doi.org/10.1016/j.lwt.2012.02.010>.
- Leite, S.N., Júnior, A.A.J., Andrade, T.A.M. de, Masson, D. dos S. & Frade, M.A.C. 2011. Experimental models of malnutrition and its effect on skin trophism. *Anais brasileiros de dermatologia*, 86(4), pp. 681–688. Tersedia di: <https://doi.org/10.1590/s0365-05962011000400009>.
- Livak, K.J. & Schmittgen, T.D. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods*, 25(4), pp. 402–408. Tersedia di: <https://doi.org/10.1006/meth.2001.1262>.
- Marciano, R., Santamarina, A.B., Santana, A.A. de, Silva, M. de L.C., Amancio, O.M.S., Nascimento, C.M. da P.O. do, Oyama, L.M. & Morais, M.B. de 2015. Effects of prebiotic supplementation on the expression of proteins regulating iron absorption in anaemic growing rats. *The British journal of nutrition*, 113(6), pp. 901–908. Tersedia di: <https://doi.org/10.1017/S0007114514004334>.
- Mazhar, M., Faizi, S., Gul, A., Kabir, N. & Simjee, S.U. 2017. Effects of naturally occurring flavonoids on ferroportin expression in the spleen in iron deficiency anemia: In vivo. *RSC Advances*, 7(38), pp. 23238–23245. Tersedia di: <https://doi.org/10.1039/c7ra02138k>.
- McEvoy, L., Carr, D.F. & Pirmohamed, M. 2021. Pharmacogenomics of NSAID-Induced Upper Gastrointestinal Toxicity. *Frontiers in Pharmacology*, 12. Tersedia di: <https://doi.org/10.3389/fphar.2021.684162>.
- Mohamed, Y.T., Naguib, I.A., Abo-Saif, A.A., Elkomy, M.H., Alghamdi, B.S. & Mohamed, W.R. 2022. Role of ADMA/DDAH-1 and iNOS/eNOS signaling in the gastroprotective effect of tadalafil against indomethacin-induced gastric injury. *Biomedicine and Pharmacotherapy*, 150. Tersedia di: <https://doi.org/10.1016/j.biopha.2022.113026>.
- Nabil, M., El Raey, M.A., Abdo, W., Abdelfattah, M.A.O., El-Shazly, A.M., Sobeh, M. & Mahmoud, M.F. 2021. Gastro-protective effects of albizia anthelmintica leaf extract on indomethacin-induced gastric ulcer in wistar rats: In silico and in vivo studies. *Antioxidants*, 10(2), p. 176. Tersedia di: <https://doi.org/10.3390/antiox10020176>.

- Nemeth, E. & Ganz, T. 2021. Hepcidin-ferroportin interaction controls systemic iron homeostasis. *International Journal of Molecular Sciences*, 22(12), p. 6493. Tersedia di: <https://doi.org/10.3390/ijms22126493>.
- Owaidah, T., Al-numair, N., Al-suliman, A., Zolaly, M., Hasanato, R., Zahrani, F. Al, Albalawi, M., Bashawri, L., Siddiqui, K., Alalaf, F., Almomen, A. & Sajid, M.R. 2020. Iron Deficiency and Iron Deficiency Anemia Are Common Epidemiological Conditions in Saudi Arabia: Report of the National Epidemiological Survey, 2020. Tersedia di: <https://doi.org/10.1155/2020/6642568>.
- Pacheco, N.C.S., Almeida, A.P.C. de, Siqueira, K.C. de, Lima, F.M. de, Reis, S.R. de L., Latorraca, M.Q. & Stoppiglia, L.F. 2019. Nutritional recovery with a soybean diet impaired the glucagon response but did not alter liver gluconeogenesis in the adult offspring of rats deprived of protein during pregnancy and lactation. *Applied physiology, nutrition, and metabolism = Physiologie appliquee, nutrition et metabolisme*, 44(1), pp. 13–21. Tersedia di: <https://doi.org/10.1139/apnm-2017-0859>.
- Pagani, A., Nai, A., Silvestri, L. & Camaschella, C. 2019. Hepcidin and Anemia : A Tight Relationship. *Frontiers in physiology*, 10, pp. 1–7. Tersedia di: <https://doi.org/10.3389/fphys.2019.01294>.
- Perrotta, S., Stiehl, D.P., Punzo, F., Scianguetta, S., Borriello, A., Bencivenga, D., Casale, M., Nobili, B., Fasoli, S., Balduzzi, A., Cro, L., Nytko, K.J., Wenger, R.H. & Ragione, F. Della 2013. Congenital erythrocytosis associated with gain-of-function HIF2A gene mutations and erythropoietin levels in the normal range. *Haematologica*, 98(10), pp. 1624–1632. Tersedia di: <https://doi.org/10.3324/haematol.2013.088369>.
- Piskin, E., Cianciosi, D., Gulec, S., Tomas, M. & Capanoglu, E. 2022. Iron Absorption : Factors , Limitations , and Improvement Methods. *ACS Omega*, 7(24), pp. 20441–20456. Tersedia di: <https://doi.org/10.1021/acsomega.2c01833>.
- Qamar, S. & Shaikh, A. 2018. Therapeutic potentials and compositional changes of valuable compounds from banana- A review. *Trends in Food Science & Technology*, 79, pp. 1–9. Tersedia di: <https://doi.org/10.1016/j.tifs.2018.06.016>.
- Qiao, B., Sugianto, P., Fung, E., Del-Castillo-Rueda, A., Moran-Jimenez, M.-J., Ganz, T. & Nemeth, E. 2012. Hepcidin-induced endocytosis of ferroportin is dependent on ferroportin ubiquitination. *Cell metabolism*, 15(6), pp. 918–924. Tersedia di: <https://doi.org/10.1016/j.cmet.2012.03.018>.
- Rahmiyani, I., Yuliana, A., Anggitha, M. & Nurviana, V. 2022. Antibacterial Activities of Guava Leaves and Klutuk Banana by In Vitro as Antidiarrhea, 1(1), p. 41. Tersedia di: <https://doi.org/10.24198/ijpst.v1i1.42944>.
- Ramakrishnan, S.K. & Shah, Y.M. 2016. Role of Intestinal HIF-2 α in Health and Disease. *Annual review of physiology*, 78, pp. 301–325. Tersedia di: <https://doi.org/10.1146/annurev-physiol-021115-105202>.
- Rasmussen, K.D. & Helin, K. 2016. Role of TET enzymes in DNA methylation, development, and cancer. *Genes and Development*, 30(7), pp. 733–750. Tersedia di: <https://doi.org/10.1101/gad.276568.115>.

- Reeves, P.G., Nielsen, F.H. & Fahey, G.C.J. 1993. Committee Report AIN-93 Purified Diets for Laboratory Rodents : Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76A Rodent Diet. *The Journal of nutrition*, 123(11), pp. 1939–1951. Tersedia di: <https://doi.org/10.1093/jn/123.11.1939>.
- Richards, L.B., Li, M., van Esch, B.C.A.M., Garssen, J. & Folkerts, G. 2016. The effects of short-chain fatty acids on the cardiovascular system. *PharmaNutrition*, 4(2), pp. 68–111. Tersedia di: <https://doi.org/10.1016/j.phanu.2016.02.001>.
- Rishi, G., Wallace, D.F. & Subramaniam, V.N. 2015. Hepcidin: Regulation of the master iron regulator. *Bioscience Reports*, 35(3), p. e00192. Tersedia di: <https://doi.org/10.1042/BSR20150014>.
- Sabatier, M., Rytz, A., Husny, J., Dubascoux, S., Nicolas, M., Dave, A., Singh, H., Bodis, M. & Glahn, R.P. 2020. Impact of ascorbic acid on the in vitro iron bioavailability of a casein-based iron fortificant. *Nutrients*, 12(9), p. 2776. Tersedia di: <https://doi.org/10.3390/nu12092776>.
- Sani, F.I. 2015. *Identifikasi Kandungan Karbohidrat, Protein, Lemak, Asam Amino Dan Asam Lemak Serta Estimasi Umur Simpan Berdasarkan Sifat Fisik Pada Tepung Pisang Raja Bandung, Tepung Pisang Kluthuk dan Tepung Pisang Tanduk. Skripsi*. Universitas Gadjah Mada.
- Schmittgen, T.D. & Livak, K.J. 2008. Analyzing real-time PCR data by the comparative CT method. *Nature Protocols*, 3(6), pp. 1101–1108. Tersedia di: <https://doi.org/10.1038/nprot.2008.73>.
- Shamah, T., Villalpando, S. & Cruz, V.D. la 2017. Anemia. *International Encyclopedia of Public Health*, 1, pp. 103–112. Tersedia di: <https://doi.org/10.1016/B978-0-12-803678-5.00018-7>.
- Stefanelli, G., Viscido, A., Longo, S., Magistrini, M. & Latella, G. 2020. Persistent Iron Deficiency Anemia in Patients with Celiac Disease Despite a Gluten-Free Diet, 12(8), p. 2176. Tersedia di: <https://doi.org/10.3390/nu12082176>.
- Sukhbaatar, N. & Weichhart, T. 2018. Iron regulation: Macrophages in control. *Pharmaceuticals*, 11(4), p. 137. Tersedia di: <https://doi.org/10.3390/PH11040137>.
- Triner, D., Xue, X., Schwartz, A.J., Jung, I., Colacino, J.A. & Shah, Y.M. 2017. Epithelial Hypoxia-Inducible Factor 2 α Facilitates the Progression of Colon Tumors through Recruiting Neutrophils. *Molecular and cellular biology*, 37(5), pp. 1–16. Tersedia di: <https://doi.org/10.1128/MCB.00481-16>.
- Vadhan-Raj, S., Zhou, X., Bueso-Ramos, C.E., Patel, S., Benjamin, R.S. & Ngyuen, M. 2012. Interleukin-6, Hepcidin, and Other Biomarkers in Anemia of Chronic Disease (ACD) and Chemotherapy-Induced Anemia (CIA): Potential Therapeutic Targets. *Blood*, 120(21), p. 2086. Tersedia di: <https://doi.org/10.1182/blood.v120.21.2086.2086>.

- Whitfield-Cargile, C.M., Cohen, N.D., Chapkin, R.S., Weeks, B.R., Davidson, L.A., Goldsby, J.S., Hunt, C.L., Steinmeyer, S.H., Menon, R., Suchodolski, J.S., Jayaraman, A. & Alaniz, R.C. 2016. The microbiota-derived metabolite indole decreases mucosal inflammation and injury in a murine model of NSAID enteropathy. *Gut microbes*, 7(3), pp. 246–261. Tersedia di: <https://doi.org/10.1080/19490976.2016.1156827>.
- Wu, J., Li, X., Huang, H., Xia, X., Zhang, M. & Fang, X. 2020. TET1 may contribute to hypoxia-induced epithelial to mesenchymal transition of endometrial epithelial cells in endometriosis. *PeerJ*, 8, p. e9950. Tersedia di: <https://doi.org/10.7717/peerj.9950>.
- Xue, X., Ramakrishnan, S., Anderson, E., Taylor, M., Zimmermann, E.M., Spence, J.R., Huang, S., Greenon, J.K. & Shah, Y.M. 2013. Endothelial PAS domain protein 1 activates the inflammatory response in the intestinal epithelium to promote colitis in mice. *Gastroenterology*, 145(4), pp. 831–841. Tersedia di: <https://doi.org/10.1053/j.gastro.2013.07.010>.
- Yacoub, M.F., Ferwiz, H.F. & Said, F. 2020. Effect of Interleukin and Hepcidin in Anemia of Chronic Diseases. *Anemia*, 2020. Tersedia di: <https://doi.org/10.1155/2020/3041738>.
- Yagi, T., Toyoshima, Y., Tokita, R., Taguchi, Y., Okamoto, Y., Takahashi, S.I., Kato, H. & Minami, S. 2019. Low-protein diet enhances adiponectin secretion in rats. *Bioscience, Biotechnology and Biochemistry*, 83(9), pp. 1774–1781. Tersedia di: <https://doi.org/10.1080/09168451.2019.1621153>.
- Yao, T. & Li, L. 2023. The influence of microbiota on ferroptosis in intestinal diseases. *Gut Microbes*, 15(2). Tersedia di: <https://doi.org/10.1080/19490976.2023.2263210>.
- Yasmine, N., Aldrin, E., Permana, Y.S. & Farmawati, A. 2022. The Potency of Iron-Fortified Klutuk Banana and Lactobacillus as Functional Food to Treat Anemia. *Journal of the world of Nutrition*, 5(2), pp. 43–53. Tersedia di: <https://doi.org/10.33085/jdg.v5i2.5332>.
- Yiannikourides, A. & Latunde-dada, G.O. 2019. A Short Review of Iron Metabolism and Pathophysiology of Iron Disorders. *Medicines (Basel, Switzerland)*, 6(3), p. 85. Tersedia di: <https://doi.org/10.3390/medicines6030085>.