

DAFTAR PUSTAKA

- Adams, D.J., Adams, E.M., and Hills, G.J., 1979, The Computer of Polar Liquids, *Mol. Phys.*, 38, 387–400.
- Ahlrichs, R., Bär, M., Häser, M., Horn, H., and Kölmel, C., 1989, Electronic Structure Calculations on Workstation Computers: The Program System Turbomole, *Chem. Phys. Lett.*, 162, 165–169.
- Akesson, R., Persson, I., Sandstrom, M., and Wahlgren, U., 1994, Structure and Bonding of Solvated Mercury(II) and Thallium(III) Dihalide and Dicyanide Complexes, *Inorg. Chem.*, 33, 3715–3723.
- Amaro-Estrada, J.I., Hernández-Cobos, J., Saint-Martin, H., Maron, L., and Ramírez-Solís, A., 2018, Hydration of CH₃HgOH and CH₃HgCl Compared to HgCl₂, HgClOH, and Hg(OH)₂: A DFT Microsolvation Cluster Approach, *J. Chem. Phys.*, 149, .
- Andersen, H.C., 1980, Molecular Dynamics Simulations at Constant Pressure and/or Temperature, *J. Chem. Phys.*, 72, 2384–2393.
- Armunanto, R., Schwenk, C.F., Randolph, B.R., and Rode, B.M., 2004, Ag (I) Ion in Liquid Ammonia, *Chem. Phys. Lett.*, 388, 395–399.
- Berendsen, H.J.C., Grigera, J., and Straatsma, T., 1987, The Missing Term in Effective Pair Potentials, *J. Phys. Chem.*, 91, 6269–6271.
- Berendsen, H.J.C., Postma, J.P.M., Van Gunsteren, W.F., Dinola, A., and Haak, J.R., 1984, Molecular Dynamics with Coupling to an External Bath, *J. Chem. Phys.*, 81, 3684–3690.
- Boys, S.F. and Bernardi, F., 1970, The Calculation of Small Molecular Interactions by the Differences of Separate Total Energies. Some Procedures with Reduced Errors, *Mol. Phys.*, 19, 553–566.
- Brode, S., Horn, H., Ehrig, M., Moldrup, D., Rice, J.E., and Ahlrichs, R., 1993, Parallel Direct SCF and Gradient Program for Workstation Clusters, *J. Comput. Chem.*, 14, 1142–1148.
- Bursch, M., Mewes, J.M., Hansen, A., and Grimme, S., 2022, Best-Practice DFT Protocols for Basic Molecular Computational Chemistry, *Angew. Chemie - Int. Ed.*, 61, 1–27.
- Busato, M., Fazio, G., Tavani, F., Pollastri, S., and D'Angelo, P., 2022, Solubilization and Coordination of the HgCl₂ Molecule in Water, Methanol, Acetone, and Acetonitrile: an X-ray Absorption Investigation, *Phys. Chem. Chem. Phys.*, 24, 18094–18102.

- Car, R. and Parrinello, M., 1985, Unified Approach for Molecular Dynamics and Density-Functional Theory, *Phys. Rev. Lett.*, 55, 2471–2474.
- Carriedo, G.A., García Alonso, F.J., García Alvarez, J.L., Lombardo, G.M., Pappalardo, G.C., and Punzo, F., 2004, Molecular Dynamics (MD) Simulations and Large-Angle X-Ray Scattering (LAXS) Studies of the Solid-State Structure and Assembly of Isotactic (R)-Poly(2,2'-dioxo-1,1'-binaphthyl-)phosphazene in the Bulk State and in the Cast Film, *Chem. - A Eur. J.*, 10, 3775–3782.
- Castro, L., Dommergue, A., Renard, A., Ferrari, C., Ramirez-Solis, A., and Maron, L., 2011, Theoretical Study of the Solvation of HgCl₂, HgClOH, Hg(OH)₂ and HgCl₃⁻: A Density Functional Theory Cluster Approach, *Phys. Chem. Chem. Phys.*, 13, 16772–16779.
- Chatterjee, S., Debenedetti, P.G., Stillinger, F.H., and Lynden-Bell, R.M., 2008, A Computational Investigation of Thermodynamics, Structure, Dynamics and Solvation Behavior in Modified Water Models, *J. Chem. Phys.*, 128, .
- Ciavatta, L. and Grimaldi, M., 1968, The Hydrolysis of Mercury(II) chloride, HgCl₂, *J. Inorg. Nucl. Chem.*, 30, 563–581.
- Cremer, D., 2011, Møller-Plesset Perturbation Theory: From Small Molecule Methods to Methods for Thousands of Atoms, *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, 1, 509–530.
- D'Angelo, P., Migliorati, V., Mancini, G., Barone, V., and Chillemi, G., 2008, Integrated Experimental and Theoretical Approach for the Structural Characterization of Hg²⁺ Aqueous Solutions, *J. Chem. Phys.*, 128, 1–6.
- Duan, Y. and Kollman, P.A., 1998, Pathways to a Protein Folding Intermediate Observed in a 1-Microsecond Simulation in Aqueous Solution, *Science*, 282, 740–744.
- Durrant, J.D. and Mccammon, J.A., 2011, Molecular Dynamics Simulations and Drug Discovery, *BMC Biol.*, 9, 1–9.
- Ellis, K.J., 2000, Human Body Composition: In Vivo Methods, *Physiol. Rev.*, 80, 649–680.
- Frenkel, D. and Smit, B., 2023, *Understanding Molecular Simulation: From Algorithms to Applications*, 3 ed., Elsevier, London.
- Fujita, T., Nakano, T., and Tanaka, S., 2011, Fragment Molecular Orbital Calculations Under Periodic Boundary Condition, *Chem. Phys. Lett.*, 506, 112–116.
- Govindarajan, M. and Karabacak, M., 2012, Spectroscopic Properties, NLO, HOMO-LUMO and NBO Analysis of 2,5-Lutidine, *Spectrochim. Acta -*

Part A Mol. Biomol. Spectrosc., 96, 421–435.

- Gray, J.E. and Hines, M.E., 2006, Mercury: Distribution, Transport, and Geochemical and Microbial Transformations from Natural and Anthropogenic Sources, *Appl. Geochemistry*, 21, 1819–1820.
- Groenhof, G., 2013, Introduction to QM/MM Simulations, *Methods Mol. Biol.*, 924, 43–66.
- Hanwell, M.D., Curtis, D.E., Lonie, D.C., Vandermeersch, T., Zurek, E., and Hutchison, G.R., 2012, Avogadro: an Advanced Semantic Chemical Editor, Visualization, and Analysis Platform, *J. Cheminform.*, 4, 1–17.
- Henderson, G.S., Groot, F.M.F. De, and Moulton, B.J.A., 2014, X-ray Absorption Near-Edge Structure (XANES) Spectroscopy, *Rev. Mineral. Geochemistry*, 78, 75–138.
- Hernández-Cobos, J., Ramirez-Solís, A., Maron, L., and Ortega-Blake, I., 2012, Theoretical Study of the Aqueous Solvation of HgCl₂: Monte Carlo Simulations Using Second-Order Moller-Plesset-Derived Flexible Polarizable Interaction Potentials, *J. Chem. Phys.*, 136, 1–9.
- Hidayat, Y., 2018, Investigation of Rubidium (I) Ion Solvation in Liquid Ammonia Using QMCF-MD Simulation and NBO Analysis of First Solvation Shell Structure, *J. Mol. Model.*, 24, 122.
- Hofer, T.S., 2014, Perspectives for Hybrid Ab Initio/Molecular Mechanical Simulations of Solutions: From Complex Chemistry to Proton-Transfer Reactions and Interfaces, *Pure Appl. Chem.*, 86, 105–117.
- Hofer, T.S., Andreas B. Pribil, Randolph, B.R., and Rode, B.M., 2005, Structure and Dynamics of Solvated Sn(II) in Aqueous Solution: An ab Initio QM/MM MD Approach, *J. Am. Chem. Soc.*, 127, 14231–14238.
- Hofer, T.S. and Hünenberger, P.H., 2018, Absolute Proton Hydration Free Energy, Surface Potential of Water, and Redox Potential of the Hydrogen Electrode from First Principles: QM/MM MD Free-Energy Simulations of Sodium and Potassium Hydration, *J. Chem. Phys.*, 148, 1–28.
- Hofer, T.S., Pribil, A.B., Randolph, B.R., and Rode, B.M., 2010, Ab Initio Quantum Mechanical Charge Field Molecular Dynamics: a Nonparametrized First-Principle Approach to Liquids and Solutions, *Adv. Quantum Chem.*, 59, 213–246.
- Hofer, T.S., Tran, H.T., Schwenk, C.F., and Rode, B.M., 2004, Characterization of Dynamics and Reactivities of Solvated Ions by Ab Initio Simulations, *J. Comput. Chem.*, 25, 211–217.
- Humphrey, W., Dalke, A., and Schulten, K., 1996, VMD: Visual Molecular

Dynamics, *J. Mol. Graph.*, 14, 33–38.

Jouaiti, A., Grosshans, P., Kyritsakas, N., Ferlay, S., Henry, M., and Hosseini, M.W., 2020, Crystal Formation of 1D Coordination Polymers based on Chiral, Achiral and Racemic 1,2-Cyclohexane Scaffolds, *CrystEngComm*, 22, 1746–1753.

Komatsu, T.S., Okimoto, N., Koyama, Y.M., Hirano, Y., Morimoto, G., Ohno, Y., and Taiji, M., 2020, Drug Binding Dynamics of the Dimeric SARS-CoV-2 Main Protease, Determined by Molecular Dynamics Simulation, *Sci. Rep.*, 10, 1–11.

Larose, C., Dommergue, A., Maruszczak, N., Coves, J., Ferrari, C.P., and Schneider, D., 2011, Bioavailable Mercury Cycling in Polar Snowpacks, *Environ. Sci. Technol.*, 45, 2150–2156.

Lev, B., Roux, B., and Noskov, S.Y., 2013, Relative Free Energies for Hydration of Monovalent Ions from QM and QM/MM Simulations, *J. Chem. Theory Comput.*, 9, 4165–4175.

Lewars, E.G., 2016, *Computational Chemistry: Introduction to the Theory and Applications of Molecular and Quantum Mechanics*, 3 ed., Springer International Publishing Switzerland, Cham.

Luther, R., 1904, Die Hydrolyse des Quecksilberchlorids, *Zeitschrift für Phys. Chemie*, 47, 107–112.

Maliarik, M. and Persson, I., 2005, The Solvation of the Mercury(II) Ion - A ¹⁹⁹Hg NMR Study, *Magn. Reson. Chem.*, 43, 835–842.

Morel, F.M.M., Kraepiel, A.M.L., and Amyot, M., 1998, The Chemical Cycle and Bioaccumulation of Mercury, *Annu. Rev. Ecol. Syst.*, 29, 543–566.

Van Mourik, T., Wilson, A.K., Peterson, K.A., Woon, D.E., and Dunning, T.H., 1998, The Effect of Basis Set Superposition Error (BSSE) on the Convergence of Molecular Properties Calculated with the Correlation Consistent Basis Sets, *Adv. Quantum Chem.*, 31, 105–135.

Mulliken, R.S., 1955, Electronic Population Analysis on LCAO-MO Molecular Wave Functions. I, *J. Chem. Phys.*, 23, 1833–1840.

Neese, F., Wennmohs, F., Becker, U., and Riplinger, C., 2020, The ORCA Quantum Chemistry Program Package, *J. Chem. Phys.*, 152, .

Paquet, E. and Viktor, H.L., 2015, Molecular Dynamics, Monte Carlo Simulations, and Langevin Dynamics: A Computational Review, *Biomed Res. Int.*, 1–18.

Partana, C.F., Suwardi, and Salim, A., 2019, Structure and Dynamics of Hg²⁺ in Aqueous Solution: An ab Initio QM/MM Molecular Dynamics Study, *J. Phys. Conf. Ser.*, 1156, 1–9.

- Prasetyo, N. and Armunanto, R., 2016, Revisiting Structure and Dynamics of Ag⁺ in 18.6% Aqueous Ammonia : An Ab Initio Quantum Mechanical Charge Field Simulation, *Chem. Phys. Lett.*, 652, 243–248.
- Prasetyo, N. and Hofer, T.S., 2020, Carbon Dioxide in Liquid Ammonia: An ab initio Quantum Mechanical/Molecular Mechanical Molecular Dynamics Thermodynamic Integration (QM/MM MD TI) Simulation Study on Structure, Dynamics and Thermodynamics of Solvation, *J. Mol. Liq.*, 304, 1–11.
- Prasetyo, N. and Hofer, T.S., 2018, Structure, Dynamics, and Hydration Free Energy of Carbon Dioxide in Aqueous Solution: A Quantum Mechanical/Molecular Mechanics Molecular Dynamics Thermodynamic Integration (QM/MM MD TI) Simulation Study, *J. Chem. Theory Comput.*, 14, 6472–6483.
- Prasetyo, N., Hünenberger, P.H., and Hofer, T.S., 2018, Single-Ion Thermodynamics from First Principles: Calculation of the Absolute Hydration Free Energy and Single-Electrode Potential of Aqueous Li⁺ Using ab Initio Quantum Mechanical/Molecular Mechanical Molecular Dynamics Simulations, *J. Chem. Theory Comput.*, 14, 6443–6459.
- Rahman, A., 1964, Correlations in the Motion of Atoms in Liquid Argon, *Phys. Rev.*, 136, A405.
- Rizzuti, B., 2022, Molecular Simulations of Proteins: From Simplified Physical Interactions to Complex Biological Phenomena, *Biochim. Biophys. Acta (BBA)-Proteins Proteomics*, 1870, 140757.
- Rode, B.M., Hofer, T.S., Randolph, B.R., Schwenk, C.F., Xenides, D., and Vchirawongkwin, V., 2006, Ab initio Quantum Mechanical Charge Field (QMCF) Molecular Dynamics: A QM/MM - MD Procedure for Accurate Simulations of Ions and Complexes, *Theor. Chem. Acc.*, 115, 77–85.
- Rode, B.M., Schwenk, C.F., Hofer, T.S., and Randolph, B.R., 2005, Coordination and Ligand Exchange Dynamics of Solvated Metal Ions, *Coord. Chem. Rev.*, 249, 2993–3006.
- Saitow, M., Becker, U., Riplinger, C., Valeev, E.F., and Neese, F., 2017, A New Near-Linear Scaling, Efficient and Accurate, Open-Shell Domain-Based Local Pair Natural Orbital Coupled Cluster Singles and Doubles Theory, *J. Chem. Phys.*, 146, 1–31.
- Sandström, M., Persson, I., and Ahrland, S., 1978, On the Coordination around Mercury(II), Cadmium(II) and Zinc(II) in Dimethyl Sulfoxide and Aqueous Solutions. An X-Ray Diffraction, Raman and Infrared Investigation., *Acta Chem. Scand.*, 32a, 607–625.
- Schroeder, W.H., Anlauf, K.G., Barrie, L.A., Lu, J.Y., Steffen, A., Schneeberger,

- D.R., and Berg, T., 1998, Arctic Springtime Depletion of Mercury, *Nature*, 394, 331–332.
- Senn, H.M. and Thiel, W., 2007, QM / MM Studies of Enzymes, *Curr. Opin. Chem. Biol.*, 11, 182–187.
- Subramanian, V. and Seff, K., 1980, Mercuric Chloride, a Redetermination, *Acta Crystallogr. Sect. B Struct. Crystallogr. Cryst. Chem.*, 36, 2132–2135.
- Swope, W.C., Andersen, H.C., Berens, P.H., and Wilson, K.R., 1982, A Computer Simulation Method for the Calculation of Equilibrium Constants for the Formation of Physical Clusters of Molecules : Application to Small Water Clusters, *J. Chem. Phys.*, 76, 637–649.
- Tang, H., Fang, H., Duan, Y., and Sholl, D.S., 2019, Predictions of Hg⁰ and HgCl₂ Adsorption Properties in UiO-66 from Flue Gas Using Molecular Simulations, *J. Phys. Chem. C*, 123, 5972–5979.
- Tossell, J.A., 1999, Theoretical Studies on the Formation of Mercury Complexes in Solution and the Dissolution and Reactions of Cinnabar, *Am. Mineral.*, 84, 877–883.
- Vchirawongkwin, V., Kritayakornupong, C., and Tongraar, A., 2011, Characterization of the Structure and Dynamics of an Aqueous Hg²⁺ Solution by an ab initio Molecular Dynamics Study, *J. Mol. Liq.*, 163, 147–152.
- Verlet, L., 1967, Computer “Experiments” on Classical Fluids. I. Thermodynamical Properties of Lennard-Jones Molecules, *Phys. Rev.*, 159, 98–103.
- Warrag, S., Fetisov, E.O., Van Osch, D., Harwood, D.B., Kroon, M.C., Siepmann, J.I., and Peters, C.J., 2018, Mercury Capture from Petroleum Using Deep Eutectic Solvents, *Ind. Eng. Chem. Res.*, 57, 9222–9230.
- Warshel, A. and Levitt, M., 1976, Theoretical Studies of Enzymic Reactions: Dielectric, Electrostatic and Steric Stabilization of the Carbonium Ion in the Reaction of Lysozyme, *J. Mol. Biol.*, 103, 227–249.
- Weiss, A.K.H. and Hofer, T.S., 2013, Exploiting the Capabilities of Quantum Chemical Simulations to Characterise the Hydration of Molecular Compounds, *RSC Adv.*, 3, 1606–1635.
- Ynalvez, R., Gutierrez, J., and Gonzalez-Cantu, H., 2016, Mini-Review: Toxicity of Mercury as a Consequence of Enzyme Alteration, *Biometals*, 29, 781–788.